MAPPED SITES SUMMARY

Target Property Address:
201-247 GOLDEN GATE AVENUE
SAN FRANCISCO, CA 94102

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
D79	PALMORE EARL	225 TURK ST	EDR Hist Auto	Lower	434, 0.082, NE
G80	370 TURK ST	370 TURK ST	CA UST	Higher	438, 0.083, NW
G81	SPEED QUEEN LAUNDERE	318 TURK	EDR Hist Cleaner	Higher	438, 0.083, NNW
G82	COMMERCIAL	318-320 TURK ST.	CA LUST, CA CERS	Higher	438, 0.083, NNW
E83	BANK OF AMERICA	1 JONES ST	CA UST	Lower	446, 0.084, East
H84	BOZMAGIAN VARTAN	272 TURK ST	EDR Hist Cleaner	Higher	457, 0.087, NNE
D85	MERCY HOUSING/111 JO	111 JONES ST	CA CUPA Listings, CA CERS	Lower	460, 0.087, ENE
D86	CHINESE COMMUNITY HO	201 TURK STREET	CA LUST, CA HIST CORTESE, CA CERS	Lower	460, 0.087, NE
D87	PARKING LOT	201 TURK ST	CA SWEEPS UST, CA FID UST	Lower	460, 0.087, NE
D88	CHINESE COMMUNITY	201 TURK ST	CA UST	Lower	460, 0.087, NE
D89	LEE S RICHFIELD SERV	201 TURK	EDR Hist Auto	Lower	460, 0.087, NE
E90	SF HOTEL INVESTORS L	1100 MARKET STREET	CA CUPA Listings, CA HAZNET, CA CERS	Lower	468, 0.089, ESE
H91	COMMERCIAL	270 TURK ST	CA UST	Higher	476, 0.090, NNE
H92	270 TURK, LLC	270 TURK, UNIT 703	RCRA NonGen / NLR	Higher	476, 0.090, NNE
H93	HOME SAVINGS OF AMER	270 TURK ST	CA SWEEPS UST, CA HAZNET	Higher	476, 0.090, NNE
I94	SIEMENS JOHN	45 JONES ST	EDR Hist Auto	Lower	486, 0.092, East
C95	NEW SYSTEM LAUNDRY	421 TURK	EDR Hist Cleaner	Higher	489, 0.093, WNW
J96	GENERAL SERVICES ADM	50 UNITED NATIONS PL	CA LUST, CA EMI, CA CERS	Lower	490, 0.093, South
J97	USHHS FDA	50 UNITED NATIONS PL	RCRA NonGen / NLR, NY MANIFEST	Lower	490, 0.093, South
J98	USHHS FDA	50 UNITED NATIONS PL	RCRA NonGen / NLR, FINDS, ECHO	Lower	490, 0.093, South
J99		50 UNITED NATIONS PL	RCRA NonGen / NLR	Lower	490, 0.093, South
G100	SPITZER MORTON	215 LEAVENWORTH ST	EDR Hist Cleaner	Higher	496, 0.094, North
H101	KCC AUTO BODY SHOP	256 TURK ST	RCRA NonGen / NLR	Lower	497, 0.094, NNE
H102	AUTOMOTIVE TECHNICIA	256 TURK ST	CA CERS HAZ WASTE, CA CUPA Listings, CA CERS	Lower	497, 0.094, NNE
H103	LEES AUTOBODY AND ME	256 TURK ST	RCRA-SQG, FINDS, ECHO	Lower	497, 0.094, NNE
H104	CAMPBELL J D	256 TURK	EDR Hist Auto	Lower	497, 0.094, NNE
H105	KCC AUTOBODY SHOP IN	256 TURK ST	CA CERS HAZ WASTE, CA CUPA Listings, CA CERS	Lower	497, 0.094, NNE
G106	LUNG GIN LAUNDRY	219 LEAVENWORTH ST	EDR Hist Cleaner	Higher	508, 0.096, North
H107	THE SALVATION ARMY	240 TURK STREET	CA LUST	Lower	512, 0.097, NNE
H108	THE SALVATION ARMY	240 TURK ST	CA UST	Lower	512, 0.097, NNE
H109	THE SALVATION ARMY	240 TURK ST	CA CUPA Listings, CA HAZNET, CA CERS	Lower	512, 0.097, NNE
I110	MILTON MEYER	99 GOLDEN GATE AV	CA UST	Lower	517, 0.098, ENE
I111	99 GOLDEN GATE	99 GOLDEN GATE AVE	CA LUST	Lower	517, 0.098, ENE
I112	99 GOLDEN GATE AVENU	99 GOLDEN GATE AVE	CA LUST, CA HIST CORTESE, CA CERS	Lower	517, 0.098, ENE
I113	MILTON MEYER, PARKIN	99 GOLDEN GATE AVE	CA SWEEPS UST, CA FID UST	Lower	517, 0.098, ENE
G114	RESIDENCE	222 LEAVENWORTH ST	CA UST	Higher	530, 0.100, North
F115	HASTINGS COLLEGE	250 MCALLISTER ST	CA UST	Higher	533, 0.101, WSW
K116	BOND S T	216 HYDE ST	EDR Hist Cleaner	Higher	533, 0.101, NW
L117	ACME RADIATOR AND FE	348 GOLDEN GATE AV	EDR Hist Auto	Higher	534, 0.101, West

MAPPED SITES SUMMARY

Target Property Address:
201-247 GOLDEN GATE AVENUE
SAN FRANCISCO, CA 94102

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
K118	BILL S UNION SERVICE	400 TURK	EDR Hist Auto	Higher	534, 0.101, NW
G119	GOOD SAML	229 LEAVENWORTH ST	EDR Hist Cleaner	Higher	538, 0.102, North
K120	201 HYDE ST	201 HYDE ST	CA UST	Higher	542, 0.103, NW
M121	CENTRAL PARKING STAT	151 JONES	EDR Hist Auto	Lower	549, 0.104, NE
N122	CVS PHARMACY NO 4770	1101 MARKET ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	552, 0.105, SE
N123	CVS PHARMACY/#4770	1101 MARKET ST	CA CUPA Listings	Lower	552, 0.105, SE
N124	CVS PHARMACY #4770	1101 MARKET ST	CA CERS HAZ WASTE, CA CERS	Lower	552, 0.105, SE
I125	THOMAS LAUNDRY	126 JONES	EDR Hist Cleaner	Lower	555, 0.105, ENE
G126	ZWILLINGER SAML	234 LEAVENWORTH	EDR Hist Cleaner	Higher	558, 0.106, North
O127	HASTINGS COLLEGE	260 MCALLISTER ST	CA UST	Higher	562, 0.106, WSW
K128	RAMSEY C J & CO	228 HYDE ST	EDR Hist Auto	Higher	565, 0.107, NW
K129	FAITHFUL FOOLS STREE	230 HYDE STREET	RCRA NonGen / NLR	Higher	566, 0.107, NW
G130	RESIDENCE	236 LEAVENWORTH ST	CA UST	Higher	566, 0.107, North
M131	WEGLINSKY ISADORE	134 JONES ST	EDR Hist Cleaner	Lower	568, 0.108, ENE
M132	LYRIC TAILORS & CLEA	136 JONES ST	EDR Hist Cleaner	Lower	570, 0.108, ENE
M133	140 JONES ST	140 JONES ST	CA UST	Lower	574, 0.109, NE
I134	WONG H A	120 JONES ST	EDR Hist Cleaner	Lower	575, 0.109, ENE
N135	1095 MARKET	1095 MARKET ST	CA UST	Lower	578, 0.109, SE
N136	BARRETT GARAGES INC	1095 MARKET ST	EDR Hist Auto	Lower	578, 0.109, SE
N137	COMMERCIAL PROPERTY	1095 MARKET ST	CA LUST, CA CERS	Lower	578, 0.109, SE
N138	1095 MARKET STREET O	1095 MARKET STREET	RCRA NonGen / NLR	Lower	578, 0.109, SE
N139	COMMERCIAL	1087 MARKET ST	CA LUST, CA CERS	Lower	579, 0.110, ESE
K140	NEW SYSTEM HAND LAUN	420 TURK ST	EDR Hist Cleaner	Higher	583, 0.110, NW
K141	416 TURK ST	416 TURK ST	CA UST	Higher	583, 0.110, NW
K142	NEW SYSTEM LAUNDRY	416 TURK ST	EDR Hist Cleaner	Higher	583, 0.110, NW
K143	RESIDENCE	416 TURK STREET	CA LUST, CA CERS	Higher	583, 0.110, NW
K144	RESIDENCE	416 TURK STREET	CA LUST, CA HIST CORTESE	Higher	583, 0.110, NW
J145	CCSF/SFMTA/MUNI MOTI	1150 MARKET ST	CA CUPA Listings	Lower	583, 0.110, SSE
J146	BART/CIVIC CENTER ST	1150 MARKET ST	RCRA NonGen / NLR	Lower	583, 0.110, SSE
J147	VERIZON WIRELESS: BA	1150 MARKET ST	CA CUPA Listings	Lower	583, 0.110, SSE
J148	BART/CIVIC CENTER ST	1150 MARKET ST	CA CUPA Listings	Lower	583, 0.110, SSE
N149	KELLIJIAN ROBT	11 7TH	EDR Hist Cleaner	Lower	585, 0.111, SE
K150	CHOW YEE	422 TURK	EDR Hist Cleaner	Higher	588, 0.111, WNW
N151	KELLIJIAN ROBT	11 7TH ST	EDR Hist Cleaner	Lower	590, 0.112, SE
L152	ONE HOUR MARTINIZING	360 GOLDEN GATE AVE	EDR Hist Cleaner	Higher	596, 0.113, West
L153	360 GOLDEN GATE AV	360 GOLDEN GATE AV	CA UST	Higher	596, 0.113, West
L154	COURT GARAGE	360 GOLDENGATE AVE	EDR Hist Auto	Higher	596, 0.113, West
I155	CIVIC CENTER TAILORS	21 MCALLISTER ST	EDR Hist Cleaner	Lower	597, 0.113, ESE
L156	UNIVERSITY OF CALIFO	333 GOLDEN GATE AVE	RCRA NonGen / NLR	Higher	599, 0.113, West

MAPPED SITES SUMMARY

Target Property Address:
201-247 GOLDEN GATE AVENUE
SAN FRANCISCO, CA 94102

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
L157	UNIVERSITY OF CALIFO	333 GOLDEN GATE	RCRA NonGen / NLR	Higher	599, 0.113, West
L158	UC HASTINGS	333 GOLDEN GATE AV	CA UST	Higher	599, 0.113, West
G159	RESIDENCE	245 LEAVENWORTH ST	CA UST	Higher	600, 0.114, North
P160	RESIDENCE	1139 MARKET ST	CA UST	Lower	601, 0.114, SSE
K161	RESIDENCE	225 HYDE ST	CA UST	Higher	601, 0.114, NW
K162	MIDORI HOTEL	240 HYDE ST	CA UST	Higher	601, 0.114, NW
K163	MIDORI HOTEL	240 HYDE ST	CA LUST, CA CERS	Higher	601, 0.114, NW
O164	HASTINGS COLLEGE	270 MCALLISTER ST	CA UST	Higher	607, 0.115, WSW
K165	LAFAYETTE CLEANERS &	242 HYDE ST	EDR Hist Cleaner	Higher	609, 0.115, NW
L166	LEE YEE WAN LAUNDERE	479 TURK ST	EDR Hist Cleaner	Higher	619, 0.117, WNW
K167	KALYSH EVAN	250 HYDE	EDR Hist Cleaner	Higher	622, 0.118, NW
H168	HENRY CLEANERS	252 LEAVENWORTH	EDR Hist Cleaner	Higher	623, 0.118, North
G169	GROFF O C	253 LEAVENWORTH	EDR Hist Cleaner	Higher	626, 0.119, North
L170	KNIGHT S CATERING &	363 GOLDENGATE AVE	EDR Hist Cleaner	Higher	627, 0.119, West
H171	TRENMARNITA SERVICE	254 LEAVENWORTH ST	EDR Hist Auto	Higher	628, 0.119, North
H172	205 JONES STREET APA	205 JONES ST	CA CUPA Listings	Lower	629, 0.119, NE
H173	RESIDENCE	205 JONES ST	CA UST	Lower	629, 0.119, NE
L174	BRAUN F H & CO	367 GOLDEN GATE AV	EDR Hist Auto	Higher	630, 0.119, West
175	MARKLE E E	29 FULTON ST	EDR Hist Cleaner	Higher	641, 0.121, SSW
L176	COLOR MAX PHOTO	380 GOLDEN GATE AVE	RCRA NonGen / NLR, FINDS, ECHO	Higher	644, 0.122, West
L177	ERNA PRESS	471 TURK STREET	RCRA NonGen / NLR	Higher	647, 0.123, WNW
L178	UNIVERSITY OF CALIFO	387 GOLDEN GATE AVE	CA CUPA Listings, CA HAZNET	Higher	649, 0.123, West
M179	GUTTERMAN BENJ	209 JONES ST	EDR Hist Cleaner	Lower	651, 0.123, NE
Q180	CITY AND COUNTY OF S	440 TURK ST	CA HIST UST	Higher	655, 0.124, WNW
Q181	SF HOUSING AUTHORITY	440 TURK ST	CA HIST UST, CA HAZNET	Higher	655, 0.124, WNW
Q182	QUEIROLO & LEVER	472 TURK ST	EDR Hist Auto	Higher	658, 0.125, WNW
H183	BAXTER A M	393 EDDY ST	EDR Hist Cleaner	Higher	658, 0.125, North
I184	GOLDEN GATE AVENUE G	64 GOLDEN GATE AVE	CA SWEEPS UST, CA HIST UST, CA FID UST	Lower	661, 0.125, ENE
I185	GOLDEN GATE AVENUE	64 GOLDEN GATE AV	CA UST	Lower	661, 0.125, ENE
I186	GOLDEN GATE AVE. GAR	64 GOLDEN GATE AVE	CA HIST UST	Lower	661, 0.125, ENE
O187	HASTINGS COLLEGE	324 LARKIN ST	CA UST	Higher	669, 0.127, WSW
H188	347 EDDY STREET	347 EDDY ST	CA UST	Higher	680, 0.129, NNE
H189	RETAIL/RESIDENTIAL A	347 EDDY STREET	CA LUST, CA HIST CORTESE, CA CERS	Higher	680, 0.129, NNE
L190	HASTINGS GARAGE	376 LARKIN ST	CA CUPA Listings, CA CERS	Higher	681, 0.129, West
H191	APPAREL CLEANERS	365 EDDY ST	RCRA-SQG, FINDS, ECHO, CA HAZNET	Higher	687, 0.130, NNE
P192	CCSF CURBSIDE HHW	1145 MARKET ST STE 4	RCRA NonGen / NLR	Lower	692, 0.131, SSE
H193	RESIDENCE	355 EDDY ST	CA UST	Higher	697, 0.132, NNE
L194	RESIDENTIAL	444 LARKIN STREET ST	CA LUST	Higher	706, 0.134, WNW
L195	RESIDENTIAL APARTMEN	444 LARKIN STREET ST	CA LUST, CA CERS	Higher	706, 0.134, WNW

MAPPED SITES SUMMARY

Target Property Address:
201-247 GOLDEN GATE AVENUE
SAN FRANCISCO, CA 94102

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
L196	RESIDENCE	444 LARKIN ST	CA UST	Higher	706, 0.134, WNW
M197	TURK STREET GARAGE	175 TURK ST	CA UST	Lower	714, 0.135, NE
M198	PINE AUTO PARTS	175 TURK STREET	CA LUST	Lower	714, 0.135, NE
M199	PINE AUTO PARTS	175 TURK	CA LUST, CA HIST CORTESE, CA CERS	Lower	714, 0.135, NE
M200	TURK STREET GARAGE	175 TURK ST	CA SWEEPS UST, CA FID UST	Lower	714, 0.135, NE
M201	TURK ST GARAGE	175 TURK ST	CA HIST UST	Lower	714, 0.135, NE
R202	B & F INVESTMENTS	241 JONES ST	CA UST	Lower	717, 0.136, NNE
R203	COMMERCIAL	241 JONES ST	CA LUST, CA HIST CORTESE, CA CERS	Lower	717, 0.136, NNE
J204	SHORENSTEIN HAYS-NED	1182 MARKET ST	RCRA NonGen / NLR	Lower	724, 0.137, South
I205	RESIDENCE	50 GOLDEN GATE AV	CA UST	Lower	724, 0.137, ENE
P206	1155 MARKET ST	1155 MARKET ST	CA CUPA Listings	Lower	729, 0.138, SSE
J207	TRINITY PROPERTIES	1169 MARKET ST	CA ENVIROSTOR, CA LUST, CA VCP, CA HAZNET, CA HIST..	Lower	755, 0.143, South
J208	TRINITY PROPS	1169 MARKET ST	RCRA-SQG	Lower	755, 0.143, South
J209	SANGIACOMO ANGELO	1169 MARKET ST	CA UST	Lower	755, 0.143, South
O210	CCSF/DPW/BBR/CITY	302 LARKIN ST	CA UST	Higher	756, 0.143, WSW
O211	*DPW/BBR/CIVIC CTR P	302 LARKIN ST	CA SWEEPS UST, CA FID UST	Higher	756, 0.143, WSW
O212	CITY HALL POWER PLAN	LARKIN AND MCALLISTE	CA HIST UST	Higher	764, 0.145, WSW
O213	CCSF-ASIAN ART MUSEU	LARKIN AND MCALLISTE	RCRA NonGen / NLR	Higher	764, 0.145, WSW
R214	CCSF/SFPD/TENDERLOIN	301 EDDY ST	CA CUPA Listings, CA CERS	Lower	769, 0.146, NNE
S215	J & S AUTO REPAIR IN	464 EDDY ST	CA CERS HAZ WASTE, CA CUPA Listings, CA CERS	Higher	771, 0.146, NNW
S216	J&S AUTO REPAIR	464 EDDY ST	RCRA NonGen / NLR	Higher	771, 0.146, NNW
R217	WAGNER AUTO BODY	315 EDDY ST	RCRA-SQG, FINDS, ECHO, CA HAZNET	Lower	772, 0.146, NNE
T218		1028 MARKET STREET	RCRA NonGen / NLR	Lower	777, 0.147, East
T219		1028 MARKET STREET	RCRA NonGen / NLR	Lower	777, 0.147, East
T220		1028 MARKET STREET	RCRA NonGen / NLR	Lower	777, 0.147, East
T221	1028 MARKET STREET	1028 MARKET STREET	RCRA-LQG	Lower	777, 0.147, East
S222	COLLISION SPECIALIST	460 EDDY ST	CA SWEEPS UST, CA FID UST	Higher	786, 0.149, NNW
S223	A&T AUTO REPAIR DBA	460 EDDY ST	RCRA NonGen / NLR	Higher	786, 0.149, NNW
S224	WASSERMAN PROPERTY	460 EDDY STREET	CA LUST, CA HIST CORTESE	Higher	786, 0.149, NNW
S225	ACCURATE AUTO BODY	460 EDDY ST	CA CERS HAZ WASTE, CA CUPA Listings, CA CERS	Higher	786, 0.149, NNW
S226	COLLISION	460 EDDY ST	CA UST	Higher	786, 0.149, NNW
S227	WASSERMAN PROPERTY	460 EDDY STREET	CA LUST, CA EMI, CA CERS	Higher	786, 0.149, NNW
S228	COMMERCIAL	480 EDDY ST	CA UST	Higher	794, 0.150, NNW
Q229	TAM'S AUTO BODY CORP	545 EDDY ST	CA CUPA Listings	Higher	794, 0.150, NW
Q230	ABC AUTOMOTIVE	545 EDDY ST	RCRA NonGen / NLR	Higher	794, 0.150, NW
Q231	JIMS AUTO BODY	545 EDDY STREET	RCRA-SQG, FINDS, ECHO, CA EMI, CA HAZNET	Higher	794, 0.150, NW
Q232	TAM'S AUTO BODY CORP	545 EDDY ST	RCRA NonGen / NLR	Higher	794, 0.150, NW
Q233	ABC AUTOMOTIVE	545 EDDY ST	CA CERS HAZ WASTE, CA CUPA Listings, CA HAZNET, CA...	Higher	794, 0.150, NW
Q234	TAM'S AUTO BODY CORP	545 EDDY ST	CA CERS HAZ WASTE, CA CERS	Higher	794, 0.150, NW

MAPPED SITES SUMMARY

Target Property Address:
201-247 GOLDEN GATE AVENUE
SAN FRANCISCO, CA 94102

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
Q235	ABC AUTOMOTIVE	545 EDDY ST	CA UST	Higher	794, 0.150, NW
R236	PROPERTY	230 JONES ST	CA UST	Lower	796, 0.151, NE
Q237	COMMERCIAL	500 LARKIN ST	CA UST	Higher	804, 0.152, WNW
T238	COMMERCIAL BUILDING	1035 MARKET ST	CA LUST, CA CERS	Lower	809, 0.153, East
T239	SAN FRANCISCO AIDS F	1035 MARKET ST STE 4	RCRA NonGen / NLR	Lower	809, 0.153, East
T240	1035 MARKET ST,	1035 MARKET ST	CA UST	Lower	809, 0.153, East
U241	CCSF/ASIAN ART MUSEU	200 LARKIN ST	CA CERS HAZ WASTE, CA CERS TANKS, CA CUPA...	Higher	819, 0.155, SW
U242	CCSF/ASIAN ART MUSEU	200 LARKIN ST	CA UST	Higher	819, 0.155, SW
U243	CCSF/ASIAN ART	200 LARKIN ST	CA UST	Higher	819, 0.155, SW
Q244	RESIDENCE	555 EDDY ST	CA UST	Higher	834, 0.158, NW
S245	COMMERCIAL	305 HYDE ST	CA UST	Higher	845, 0.160, NW
R246	COMMERCIAL	326 EDDY ST	CA UST	Higher	845, 0.160, NNE
V247	CITY TECH AUTO BODY	150 TURK ST	RCRA NonGen / NLR	Lower	857, 0.162, NE
V248	DALE'S AUTO SERVICE	150 TURK ST	CA CERS HAZ WASTE, CA CERS	Lower	857, 0.162, NE
V249	CITY TECH AUTO BODY	150 TURK ST UPPR	CA CERS HAZ WASTE	Lower	857, 0.162, NE
V250	CITY TECH AUTO BODY	150 TURK ST	CA CUPA Listings	Lower	857, 0.162, NE
V251	DALES AUTO SERVICE	150 TURK ST	CA CUPA Listings	Lower	857, 0.162, NE
V252	NELSON AUTOBODY	150 TURK ST	CA LUST, CA Cortese, CA HAZNET, CA CERS	Lower	857, 0.162, NE
T253	COMMERCIAL	25 TAYLOR ST.	CA LUST, CA CERS	Lower	871, 0.165, ENE
S254	RESIDENCE	315 HYDE ST	CA UST	Higher	897, 0.170, NW
Q255	APARTMENTS	556 LARKIN ST	CA UST	Higher	900, 0.170, WNW
Q256	LESLIE HOTEL	560 LARKIN ST	CA UST	Higher	917, 0.174, WNW
S257	334 HYDE STREET	334 HYDE ST	CA UST	Higher	920, 0.174, NNW
R258	KARRYS AUTO BODY LLC	265 EDDY ST	RCRA NonGen / NLR	Lower	921, 0.174, NE
R259	KARRYS AUTO BODY LLC	265 EDDY ST	CA CERS HAZ WASTE, CA CUPA Listings, CA HAZNET, CA...	Lower	921, 0.174, NE
R260	ADVANCE AUTO REPAIR,	265 EDDY ST	CA CERS HAZ WASTE, CA CUPA Listings, CA CERS	Lower	921, 0.174, NE
R261	COOPER & ROBINSON	265 EDDY ST	CA UST	Lower	921, 0.174, NE
R262	COOPER & ROBINSON	265 EDDY ST	CA SWEEPS UST, CA FID UST	Lower	921, 0.174, NE
R263	COOPER & ROBINSON IN	265 EDDY ST	CA CERS HAZ WASTE, CA CUPA Listings, CA HAZNET, CA...	Lower	921, 0.174, NE
R264	BAYSIDE AUTO BODY	265 EDDY ST	RCRA-SQG, FINDS, ECHO, CA EMI	Lower	921, 0.174, NE
R265	GEARY GARAGE ASSOCIA	265 EDDY ST	RCRA NonGen / NLR	Lower	921, 0.174, NE
W266	PHILLIP BURTON FEDER	450 GOLDEN GATE AVEN	SEMS-ARCHIVE, CA UST, RCRA NonGen / NLR, FINDS	Higher	926, 0.175, West
W267	DEA/SAN FRANCISCO	450 GOLDEN GATE	NY MANIFEST	Higher	926, 0.175, West
W268	FEDERAL BUILDING AND	450 GOLDEN GATE AVE	CA LUST, CA HIST UST, CA HIST CORTESE, CA CERS	Higher	926, 0.175, West
W269	GENERAL SERVICES	450 GOLDEN GATE AV	CA UST	Higher	926, 0.175, West
W270	DEPARTMENT OF JUSTIC	450 GOLDEN GATE AVE.	RCRA NonGen / NLR	Higher	926, 0.175, West
W271	FEDERAL BLDG & COURT	450 GOLDEN GATE AVE	CA LUST, CA SWEEPS UST, CA HIST UST, CA FID UST,...	Higher	926, 0.175, West
W272	FEDERAL BUILDING	450 GOLDEN GATE AV 7	CA CUPA Listings	Higher	926, 0.175, West
W273	PHILLIP BURTON FEDER	450 GOLDEN GATE AVE	CA UST	Higher	926, 0.175, West

MAPPED SITES SUMMARY

Target Property Address:
201-247 GOLDEN GATE AVENUE
SAN FRANCISCO, CA 94102

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
W274	PHILLIP BURTON FEDER	450 GOLDEN GATE AVE	CA CERS HAZ WASTE, CA CERS TANKS, CA CERS	Higher	926, 0.175, West
S275	RESIDENTIAL/COMMERCI	333 HYDE STREET	CA LUST, CA CERS	Higher	932, 0.177, NW
S276	333 HYDE ST	333 HYDE ST	CA UST	Higher	932, 0.177, NW
S277	RESIDENTIAL/COMMERCI	333 HYDE STREET	CA LUST, CA HIST CORTESE	Higher	932, 0.177, NW
S278		333 HYDE ST	RCRA NonGen / NLR	Higher	932, 0.177, NW
S279		333 HYDE ST	RCRA NonGen / NLR	Higher	932, 0.177, NW
U280	CIVIC CENTER PLAZA G	355 MCALLISTER ST	CA SWEEPS UST, CA HIST UST, CA FID UST, RCRA...	Higher	932, 0.177, WSW
U281	CIVIC CENTER PLAZA G	355 MCALLLISTER STRE	CA HIST UST	Higher	932, 0.177, WSW
X282	USPS AND US COURT OF	7TH & MISSION STREET	RCRA NonGen / NLR	Lower	932, 0.177, SE
W283	DEPT OF GENERAL SERV	455 GOLDEN GATE AVE	RCRA NonGen / NLR	Higher	934, 0.177, West
W284	STATE OF CALIFORNIA-	455 GOLDEN GATE AVE	CA CERS TANKS, CA CERS	Higher	934, 0.177, West
W285	STATE OF CALIFORNIA-	455 GOLDEN GATE AVE	CA UST	Higher	934, 0.177, West
W286	STATE OF	455 GOLDEN GATE AV	CA UST	Higher	934, 0.177, West
W287	STATE OF CALIFORNIA-	455 GOLDEN GATE AV 2	CA AST, CA CUPA Listings	Higher	934, 0.177, West
Y288		500 TURK ST	RCRA NonGen / NLR	Higher	939, 0.178, WNW
Y289	KAHN & KEVILLE	500 TURK ST	CA CERS HAZ WASTE, CA CUPA Listings, CA CERS	Higher	939, 0.178, WNW
Y290	KAHN AND KEVILLE TIR	500 TURK ST	RCRA-SQG, CA HAULERS, FINDS, ECHO, CA HAZNET	Higher	939, 0.178, WNW
Z291	APARTMENT PROPERTY	346 LEAVENWORTH ST	CA LUST, CA CERS	Higher	942, 0.178, North
Z292	RESIDENCE	346 LEAVENWORTH ST	CA UST	Higher	942, 0.178, North
AA293	337 HYDE ST	337 HYDE ST	CA UST	Higher	957, 0.181, NNW
S294	MARKET GARAGE INC	541 ELLIS ST	RCRA NonGen / NLR	Higher	957, 0.181, NNW
S295	MARKET GARAGE INC	541 ELLIS ST	CA CERS HAZ WASTE, CA CUPA Listings, CA HAZNET, CA...	Higher	957, 0.181, NNW
S296	COMMUNITY HOUSING PA	519 ELLIS STREET, UN	RCRA NonGen / NLR	Higher	958, 0.181, NNW
W297	350 MCALLISTER	350 MCALLISTER ST	CA UST	Higher	967, 0.183, West
W298	DEPT. OF GENERAL SER	350 MCALLISTER ST	CA HIST UST	Higher	967, 0.183, West
W299	GENERAL SERVICES DEP	350 MCALLISTER ST	CA SWEEPS UST, CA HIST UST, CA FID UST	Higher	967, 0.183, West
W300	STATE BUILDING	350 MCALLISTER ST	CA HIST UST	Higher	967, 0.183, West
AB301	SHORENSTEIN HAYS-NED	1 TAYLOR ST	RCRA NonGen / NLR	Lower	971, 0.184, ENE
S302	360 HYDE ST	360 HYDE ST	CA UST	Higher	999, 0.189, NNW
S303	RESIDENCE	360 HYDE STREET	CA LUST	Higher	999, 0.189, NNW
S304	RESIDENCE	360 HYDE	CA LUST, CA HIST CORTESE, CA CERS	Higher	999, 0.189, NNW
S305	AIRPORT RENT A	555 ELLIS ST	CA UST	Higher	1000, 0.189, NNW
AB306		57 TAYLOR ST. #222	RCRA NonGen / NLR	Lower	1001, 0.190, ENE
AB307	TAYLOR STREET LLC	57 TAYLOR STREET #11	RCRA NonGen / NLR	Lower	1001, 0.190, ENE
AB308	57 TAYLOR I7, LP	57 TAYLOR STREET - L	RCRA NonGen / NLR	Lower	1001, 0.190, ENE
AB309	57 TAYLOR I7, LP	57 TAYLOR ST, UNIT 2	RCRA NonGen / NLR	Lower	1001, 0.190, ENE
AB310		57 TAYLOR ST. #204	RCRA NonGen / NLR	Lower	1001, 0.190, ENE
AB311		57 TAYLOR ST. #114	RCRA NonGen / NLR	Lower	1001, 0.190, ENE
AB312	COMMERCIAL	57 TAYLOR ST.	CA LUST, CA CERS	Lower	1001, 0.190, ENE

MAPPED SITES SUMMARY

Target Property Address:
201-247 GOLDEN GATE AVENUE
SAN FRANCISCO, CA 94102

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AC313	CCSF/MAIN LIBRARY	100 LARKIN ST	CA CERS HAZ WASTE, CA CERS TANKS, CA CUPA...	Higher	1009, 0.191, SW
AC314		100 LARKIN ST 94102	CA AST	Higher	1009, 0.191, SW
AC315	CCSF/MAIN LIBRARY	100 LARKIN ST	CA AST	Higher	1009, 0.191, SW
AC316	CCSF-LIBRARY-MAIN	100 LARKIN ST	RCRA NonGen / NLR	Higher	1009, 0.191, SW
Z317	CHINATOWN	473 ELLIS ST	CA UST	Higher	1010, 0.191, North
Z318	CHINA COMMUNITY DEVE	473 ELLIS ST	CA LUST, CA CERS	Higher	1010, 0.191, North
AD319	PG&E/SUBSTATION-LA	600 LARKIN ST	CA UST	Higher	1014, 0.192, NW
AD320	LARKIN SUBSTATION	600 LARKIN ST	CA HIST UST	Higher	1014, 0.192, NW
AD321	PG&E LARKIN SUBSTATI	600 LARKIN ST	CA SWEEPS UST, CA HIST UST, CA FID UST	Higher	1014, 0.192, NW
AD322	PG&E: LARKIN SUBSTAT	600 LARKIN ST	CA CUPA Listings	Higher	1014, 0.192, NW
AD323	PG&E LARKIN SUBSTATI	NE CORNER OF LARKIN	RCRA-SQG	Higher	1024, 0.194, WNW
V324	RESIDENCE	101 TAYLOR ST	CA UST	Lower	1035, 0.196, NE
AA325		359 HYDE ST	RCRA NonGen / NLR	Higher	1035, 0.196, NNW
AA326		359 HYDE ST	RCRA NonGen / NLR	Higher	1035, 0.196, NNW
AA327		359 HYDE ST	RCRA NonGen / NLR	Higher	1035, 0.196, NNW
Z328		441 ELLIS ST.	RCRA NonGen / NLR	Higher	1041, 0.197, North
Z329	LASSEN HOUSING ASSOC	441 ELLIS ST.	RCRA NonGen / NLR	Higher	1041, 0.197, North
AE330	570 JESSIE STREET	570 JESSIE ST	RCRA-LQG	Lower	1050, 0.199, ESE
AF331	BOHAN CO..	345 JONES STREET	CA LUST, CA CERS	Higher	1050, 0.199, NNE
AF332	BOHAN COMPANY	345 JONES ST	CA UST	Higher	1050, 0.199, NNE
AF333	BOHAN CO..	345 JONES STREET	CA LUST, CA HIST CORTESE	Higher	1050, 0.199, NNE
X334	S F FEDERAL OFFICE B	90 7TH ST	RCRA-SQG	Lower	1081, 0.205, SE
X335	GENERAL SERVICES ADM	90 7TH ST	RCRA NonGen / NLR	Lower	1081, 0.205, SE
X336	SAN FRANCISCO FEDERA	90 7TH ST	CA AST	Lower	1081, 0.205, SE
X337	SAN FRANCISCO FEDERA	90 7TH ST	CA CERS TANKS, CA CERS	Lower	1081, 0.205, SE
AA338	APARTMENT BUILDING	635 ELLIS ST	CA LUST, CA CERS	Higher	1086, 0.206, NW
AA339	CITY PROPERTIES	635 ELLIS ST	CA UST	Higher	1086, 0.206, NW
Y340	SAN FRANCISCO STATE	550 TURK ST	CA UST, FINDS, ECHO	Higher	1094, 0.207, WNW
Y341	ISHI LIMOUSINE, INC	550 TURK ST	CA SWEEPS UST, CA HIST UST, CA FID UST, CA CHMIRS	Higher	1094, 0.207, WNW
Y342	SAN FRANCISCO STATE	550 TURK ST	RCRA-SQG	Higher	1094, 0.207, WNW
Y343	PARKING GARAGE	550 TURK ST	CA UST	Higher	1094, 0.207, WNW
Y344	FEDERAL GARAGE	550 TURK ST	CA HIST UST	Higher	1094, 0.207, WNW
AE345	PROPERTY	550 JESSIE ST	CA UST	Lower	1105, 0.209, ESE
X346	PARKING LOT	1100 MISSION STREET	CA LUST, CA CERS	Lower	1107, 0.210, SE
X347	RESIDENCE	1100 MISSION ST	CA UST	Lower	1107, 0.210, SE
AG348	U.S. GENERAL SERVICE	95 7TH ST	CA CERS TANKS, CA CERS	Lower	1108, 0.210, SE
AG349	U.S. GENERAL SERVICE	95 7TH ST	CA UST	Lower	1108, 0.210, SE
AG350	URBAN SERVICES GROUP	95 7TH ST	RCRA NonGen / NLR	Lower	1108, 0.210, SE
Y351	PHOENIX HOTEL	601 EDDY ST	CA CUPA Listings, CA CERS	Higher	1110, 0.210, WNW

MAPPED SITES SUMMARY

Target Property Address:
201-247 GOLDEN GATE AVENUE
SAN FRANCISCO, CA 94102

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
Y352		601 EDDY ST	RCRA NonGen / NLR	Higher	1110, 0.210, WNW
Z353	MARTINEZ PROPERTY	500-516 ELLIS STREET	CA LUST, CA CERS	Higher	1116, 0.211, North
Z354	500-516 ELLIS ST	500 ELLIS ST	CA UST	Higher	1116, 0.211, North
AH355	WINDSOR HOTEL	238 EDDY STREET	CA LUST	Lower	1118, 0.212, NE
AH356	238 EDDY ST	238 EDDY ST	CA UST	Lower	1118, 0.212, NE
AH357	WINDSOR HOTEL	238 EDDY	CA LUST, CA HIST CORTESE, CA CERS	Lower	1118, 0.212, NE
Z358	ARLINGTON HOTEL MERC	480 ELLIS ST	CA CUPA Listings, CA CERS	Higher	1119, 0.212, North
AI359		1234 MARKET ST	RCRA NonGen / NLR	Higher	1129, 0.214, SSW
AJ360	GSA-STATE OF CALIFOR	570 ELLIS ST	CA SWEEPS UST, CA FID UST	Higher	1133, 0.215, NNW
AJ361	GARAGE STATE OF CALI	570 ELLIS	RCRA-SQG, FINDS, ECHO	Higher	1133, 0.215, NNW
AB362	ASB 989 MARKET, LLC	989 MARKET ST	RCRA-SQG	Lower	1148, 0.217, ENE
AB363	ASB 989 MARKET STREE	989 MARKET ST	CA CERS HAZ WASTE, CA HAZNET, CA CERS	Lower	1148, 0.217, ENE
AB364	ASB 989 MARKET LLC	989 MARKET ST #620	CA CUPA Listings	Lower	1148, 0.217, ENE
AA365	RESIDENTIAL APARTMEN	669 ELLIS ST	CA LUST, CA CERS	Higher	1149, 0.218, NW
AA366	RESIDENCE	669 ELLIS ST	CA UST	Higher	1149, 0.218, NW
AA367	669 ELLIS C1, LP	669 ELLIS ST	CA LUST, CA HAZNET	Higher	1149, 0.218, NW
AF368	AT&T MOBILITY - ELLI	387 ELLIS ST	CA CUPA Listings	Higher	1150, 0.218, NNE
AF369	RESIDENCE	387 ELLIS ST	CA UST	Higher	1150, 0.218, NNE
AK370	TRINITY MANAGEMENT S	1188 MISSION ST	CA CUPA Listings, CA CERS	Lower	1151, 0.218, SSE
AA371	MARTINEZ PROPERTY	500 16 ELLIS	CA HIST CORTESE	Higher	1154, 0.219, NW
AL372	33 8TH STREET	33 8TH STREET	CA LUST, CA CERS	Lower	1158, 0.219, South
AA373	RESIDENCE	400 HYDE ST	CA UST	Higher	1160, 0.220, NNW
AJ374	GSA-STATE OF	560 ELLIS ST	CA UST	Higher	1163, 0.220, NNW
AJ375	HANDLERY HOTELS	560 ELLIS STREET	CA LUST, CA HIST CORTESE, CA CERS	Higher	1163, 0.220, NNW
AJ376	GSA-STATE OF CALIFOR	560 ELLIS ST	CA SWEEPS UST, CA FID UST	Higher	1163, 0.220, NNW
Y377	HOTEL EMBASSY	610 POLK ST	CA UST	Higher	1165, 0.221, WNW
AE378	CONSTRUCTION SITE	1068 MISSION ST	CA UST	Lower	1169, 0.221, ESE
AK379	1146-1160 MISSION ST	1160 MISSION STREET	CA ENVIROSTOR	Lower	1170, 0.222, SSE
AK380	SOMA GRAND	1160 MISSION ST	CA CUPA Listings, CA CERS	Lower	1170, 0.222, SSE
AA381	RESIDENCE	401 HYDE ST	CA UST	Higher	1170, 0.222, NNW
AA382	ILTOVICH PROPERTYY	401 HYDE STREET	CA LUST, CA HIST CORTESE	Higher	1170, 0.222, NNW
AA383	ILTOVICH PROPERTYY	401 HYDE STREET	CA LUST, CA CERS	Higher	1170, 0.222, NNW
AD384	RESIDENCE	620 EDDY STREET	CA LUST, CA HIST CORTESE	Higher	1173, 0.222, WNW
AD385	620 EDDY ST	620 EDDY ST	CA UST	Higher	1173, 0.222, WNW
AD386	RESIDENCE	620 EDDY STREET	CA LUST, CA CERS	Higher	1173, 0.222, WNW
AH387	ALEXANDER RESIDENCE	230 EDDY ST	CA CUPA Listings, CA CERS	Lower	1182, 0.224, NE
AH388	ALEXANDER RESIDENCE	230 EDDY STREET	RCRA NonGen / NLR	Lower	1182, 0.224, NE
AF389	COMMERCIAL	424 ELLIS ST	CA UST	Higher	1192, 0.226, NNE
AI390	SAN FRANCISCAN	1231 MARKET ST	CA UST	Lower	1195, 0.226, SSW

MAPPED SITES SUMMARY

Target Property Address:
201-247 GOLDEN GATE AVENUE
SAN FRANCISCO, CA 94102

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AI391	HOTEL WHITCOMB	1231 MARKET ST	CA CUPA Listings, CA CERS	Lower	1195, 0.226, SSW
AI392	SAN FRANCISCAN HOTEL	1231 MARKET ST	CA SWEEPS UST, CA FID UST	Lower	1195, 0.226, SSW
AG393	1095 MISSION ST	1095 MISSION ST	CA UST	Lower	1204, 0.228, SE
AA394	AUTO SPORT HAUS	632 ELLIS ST	RCRA NonGen / NLR	Higher	1209, 0.229, NW
AA395	AUTO SPORT HAUS	632 ELLIS ST	CA CERS HAZ WASTE, CA CUPA Listings, CA CERS	Higher	1209, 0.229, NW
AA396	632 ELLIS ST	632 ELLIS ST	CA UST	Higher	1209, 0.229, NW
AM397	BRIDGETON 995 MARKET	995 MARKET ST STE 10	RCRA-LQG	Lower	1218, 0.231, East
AM398	CVS PHARMACY #10622	995 MARKET ST	CA CUPA Listings, CA CERS	Lower	1218, 0.231, East
AM399	995 MARKET ST	995 MARKET ST	CA UST	Lower	1218, 0.231, East
AM400	995 MARKET STREET	995 MARKET ST	RCRA-LQG	Lower	1218, 0.231, East
AM401	CVS PHARMACY #10622	995 MARKET ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	1218, 0.231, East
AM402	BRIDGETON 995 MARKET	995 MARKET STREET, S	RCRA NonGen / NLR	Lower	1218, 0.231, East
AD403	640 EDDY STREET	640 EDDY ST	CA UST	Higher	1219, 0.231, WNW
AM404	PG&E GAS PLANT SAN F	STEVENSON BET 5TH &	SEMS-ARCHIVE	Lower	1221, 0.231, East
AN405	ZANC BABE SERVICE	1127 MISSION ST	CA UST	Lower	1224, 0.232, SE
AN406	BABE ZANCA SERVICE I	1127 MISSION STREET	CA LUST, CA SWEEPS UST, CA FID UST, CA EMI	Lower	1224, 0.232, SE
AN407	B AND E TRANSMISSION	1127 MISSION ST	RCRA-SQG, CA LUST, FINDS, ECHO, CA HIST CORTESE,...	Lower	1224, 0.232, SE
AJ408	430 HYDE ST	430 HYDE ST	CA UST	Higher	1227, 0.232, NNW
409	PIANOFIGHT	144 TAYLOR ST	CA CUPA Listings, CA CERS	Lower	1228, 0.233, NE
AO410	CIVIC CENTER GARAGE	POLK ST. @ MCALISTER	CA HIST UST	Higher	1232, 0.233, WSW
AO411	CIVIS CENTER GARAGE	POLK ST AND MCALISTE	CA HIST UST	Higher	1232, 0.233, WSW
AD412	ARNETT WATSON APARTM	650 EDDY ST	RCRA-LQG, CA HAZNET	Higher	1232, 0.233, WNW
AP413	650 ELLIS I7, LP	650 ELLIS ST, UNIT 4	RCRA NonGen / NLR	Higher	1235, 0.234, NW
AP414	650 ELLIS I7, LP	650 ELLIS STREET	RCRA NonGen / NLR	Higher	1235, 0.234, NW
AO415	POLK/MCALLISTER SURF	401 POLK ST	CA SWEEPS UST, CA HIST UST, CA FID UST	Higher	1237, 0.234, WSW
AO416	POLK/MCALLISTER SURF	401 POLK ST	CA HIST UST	Higher	1237, 0.234, WSW
AP417	KUM LUN WONG CONSTRU	666 ELLIS ST	CA CUPA Listings, CA HAZNET	Higher	1245, 0.236, NW
AQ418	622-632 POLK ST	622 POLK ST	CA UST	Higher	1246, 0.236, WNW
AQ419	CITI PROPERTIES,	665 EDDY ST	CA UST	Higher	1247, 0.236, WNW
AJ420	COMMERCIAL PROPERTY	425 HYDE STREET	CA LUST, CA CERS	Higher	1249, 0.237, NNW
AJ421	COMMERCIAL	425 HYDE ST	CA UST	Higher	1249, 0.237, NNW
AE422	1036 MISSION STREET	1036 MISSION ST	RCRA-LQG, FINDS, ECHO	Lower	1251, 0.237, ESE
AN423	CAL BUILDING	1145 MISSION ST	CA UST	Lower	1256, 0.238, SSE
AN424	CALIFORNIA BUILDING	1145 MISSION ST	CA HIST UST	Lower	1256, 0.238, SSE
AN425	CAL BUILDING MAINTEN	1145 MISSION ST	CA SWEEPS UST, CA HIST UST, CA FID UST	Lower	1256, 0.238, SSE
AN426	CALFORNIA CARE MAINT	1145 MISSION STREET	CA LUST, CA HIST CORTESE, CA CERS	Lower	1256, 0.238, SSE
AJ427	440 HYDE ST	440 HYDE ST	CA UST	Higher	1261, 0.239, NNW
AQ428	COMMERCIAL/RESIDENTI	640 POLK STREET	CA LUST, CA HIST CORTESE, CA CERS	Higher	1268, 0.240, WNW
AQ429	640 POLK ST	640 POLK ST	CA UST	Higher	1268, 0.240, WNW

MAPPED SITES SUMMARY

Target Property Address:
201-247 GOLDEN GATE AVENUE
SAN FRANCISCO, CA 94102

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AR430	RESIDENTIAL APARTMEN	434 LEAVENWORTH STRE	CA LUST, CA CERS	Higher	1270, 0.241, North
AR431	SF 434 LEAVENWORTH S	434 LEAVENWORTH STRE	RCRA NonGen / NLR	Higher	1270, 0.241, North
AR432	RESIDENCE	434 LEAVENWORTH ST	CA UST	Higher	1270, 0.241, North
AR433	RESIDENTIAL	434 LEAVENWORTH STRE	CA LUST	Higher	1270, 0.241, North
AL434	COM HOWARD LLC	50 8TH STREET	RCRA NonGen / NLR	Lower	1274, 0.241, South
AL435	COM HOWARD 1 LLC	50 8TH STREET	RCRA NonGen / NLR	Lower	1274, 0.241, South
AL436		50 8TH STREET	RCRA NonGen / NLR	Lower	1274, 0.241, South
AL437	COM HOWARD LLC	50 8TH STREET	RCRA NonGen / NLR	Lower	1274, 0.241, South
AJ438	RESIDENCE	442 HYDE ST	CA UST	Higher	1278, 0.242, NNW
AJ439	RESIDENCE	437 HYDE ST	CA UST	Higher	1282, 0.243, NNW
AL440	MISSION SUBSTATION	66 8TH STREET	CA HIST UST	Lower	1284, 0.243, South
AL441	PG&E MISSION SUBSTAT	66 8TH ST	CA SWEEPS UST, CA FID UST	Lower	1284, 0.243, South
AL442	MISSION SUBSTATION	66 8TH ST	RCRA-SQG, FTTS, HIST FTTS	Lower	1284, 0.243, South
AL443	MISSION SUBSTATION	66 8TH ST	CA HIST UST	Lower	1284, 0.243, South
AS444	CHEVRON STATION	1045 MISSION STREET	CA LUST	Lower	1293, 0.245, ESE
AS445	BUBBLE CAR WASH	1045 MISSION ST	CA SWEEPS UST, CA FID UST	Lower	1293, 0.245, ESE
AS446	BUBBLE CAR WASH	1045 MISSION ST	CA HIST UST	Lower	1293, 0.245, ESE
AS447	CHEVRON	1045 MISSION	CA LUST, CA HIST CORTESE, CA CERS	Lower	1293, 0.245, ESE
AF448	ELLIS CLEANERS	372 ELLIS ST	RCRA-SQG, FINDS, ECHO, CA HAZNET	Higher	1294, 0.245, NNE
AJ449	PRIVATE RESIDENCE	PRIVATE RESIDENCE	CA LUST	Higher	1300, 0.246, NNW
AJ450	631 OFARRELL	631 O'FARRELL ST	CA UST	Higher	1301, 0.246, NNW
AJ451	RESIDENCE	641 O'FARRELL ST	CA UST	Higher	1301, 0.246, NNW
AJ452	APARTMENTS	641 O'FARRELL ST	CA LUST	Higher	1301, 0.246, NNW
AP453	684 ELLIS ST	684 ELLIS ST	CA UST	Higher	1307, 0.248, NW
AQ454	SAMANTHA 249 INC	691 EDDY ST	CA CUPA Listings, CA CERS	Higher	1319, 0.250, WNW
AO455	JUDICAL COUNCIL-ADMI	400 MCALLISTER	CA LUST, CA EMI, CA CERS	Higher	1323, 0.251, WSW
AM456	SANTA FE PACIFIC REA	UNKNOWN 6TH & BERRY	CA LUST, CA CERS	Lower	1327, 0.251, East
AR457	601 O'FARRELL STREET	601 O FARRELL	CA HIST CORTESE	Higher	1339, 0.254, North
AR458	601 O'FARRELL STREET	601 O'FARRELL STREET	CA LUST	Higher	1339, 0.254, North
AQ459	COMMERCIAL PROPERTY	625 POLK STREET	CA LUST, CA CERS	Higher	1354, 0.256, WNW
AQ460	COMMERCIAL PROPERTY	625 POLK STREET	CA LUST	Higher	1354, 0.256, WNW
AP461	APARTMENT PROPERTY	725 O'FARRELL ST	CA LUST	Higher	1360, 0.258, NNW
AR462	ADMIRAL HOTEL	608 O FARRELL	CA HIST CORTESE	Higher	1425, 0.270, North
AR463	ADMIRAL HOTEL	608 O'FARRELL ST.	CA LUST	Higher	1425, 0.270, North
AT464	THE LURIE COMPANY	949 MARKET ST	CA LUST	Lower	1433, 0.271, ENE
AT465	THE LURIE COMPANY	949 MARKET ST	CA LUST, CA CERS	Lower	1433, 0.271, ENE
AU466	RESIDENTIAL APT.	765 ELLIS ST	CA LUST, CA CERS	Higher	1449, 0.274, WNW
AU467	RESIDENTIAL APT.	765 ELLIS ST	CA LUST	Higher	1449, 0.274, WNW
AU468	AUTO SHEET METAL WOR	730 ELLIS ST	CA LUST, CA SWEEPS UST, CA EMI, CA HIST CORTESE,...	Higher	1452, 0.275, NW

MAPPED SITES SUMMARY

Target Property Address:
201-247 GOLDEN GATE AVENUE
SAN FRANCISCO, CA 94102

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AU469	KSH AUTOMOTIVE, INC.	730 ELLIS STREET	CA LUST, FINDS, CA EMI, CA CERS	Higher	1452, 0.275, NW
AM470	PG&E - STATION T	465 STEVENSON	CA RESPONSE, CA ENVIROSTOR, CA HIST CORTESE, CA...	Lower	1455, 0.276, East
AM471	PG AND E STATION T	465 STEVENSON STREET	EDR MGP	Lower	1455, 0.276, East
AV472	HABITAT FOR HUMANITY	1009 MISSION STREET	CA ENVIROSTOR	Lower	1467, 0.278, ESE
AW473	TENDERLOIN ELEMENTAR	639 TURK ST.	CA LUST, CA HIST CORTESE	Higher	1472, 0.279, West
AW474	TENDERLOIN ELEMENTAR	639 TURK ST.	CA LUST, CA CERS	Higher	1472, 0.279, West
AR475	RESIDENTIAL	580 O'FARRELL ST	CA LUST	Higher	1479, 0.280, North
AR476	RESIDENTIAL APARTMEN	580 O'FARRELL ST	CA LUST	Higher	1479, 0.280, North
AX477	HOTEL METROPOLIS	25 MASON ST	CA LUST, CA CERS	Lower	1501, 0.284, ENE
AV478	518 MINNA STREET APA	518 MINNA STREET	CA RESPONSE, CA ENVIROSTOR, CA DEED	Lower	1550, 0.294, ESE
AY479	DIAMOND WEST	750 O'FARRELL STREET	CA LUST	Higher	1560, 0.295, NNW
AY480	CARTER PROPERTY	750 O FARRELL	CA HIST CORTESE	Higher	1560, 0.295, NNW
AY481	DIAMOND WEST ASSOCIA	750 O'FARRELL STREET	CA LUST	Higher	1560, 0.295, NNW
AZ482	RESIDENCE	815 O'FARRELL STREET	CA LUST	Higher	1562, 0.296, NW
AZ483	RESIDENCE	815 O'FARRELL STREET	CA LUST	Higher	1562, 0.296, NW
AZ484	RESIDENCE	815 O FARRELL	CA HIST CORTESE	Higher	1562, 0.296, NW
BA485	RAMADA MARK TWAIN	345 TAYLOR STREET	CA LUST	Higher	1563, 0.296, NNE
BA486	RAMADA MARK TWAIN HO	345 TAYLOR	CA LUST, CA HIST CORTESE, CA CERS	Higher	1563, 0.296, NNE
BA487	COMMERCIAL	445 O' FARRELL ST.	CA LUST	Higher	1579, 0.299, NNE
AX488	944 MARKET STREET AS	944 MARKET ST	CA LUST, CA HIST UST, CA CERS	Lower	1604, 0.304, ENE
BB489	QUALITY TUNE UP	490 VAN NESS	CA HIST CORTESE	Higher	1625, 0.308, WSW
BA490	COMMERCIAL	401 O'FARRELL STREET	CA LUST	Higher	1625, 0.308, NNE
BA491	COMMERCIAL	401 O FARRELL	CA HIST CORTESE	Higher	1625, 0.308, NNE
AV492	ROSE HOTEL	125 6TH	CA HIST CORTESE	Lower	1627, 0.308, East
AZ493	845 O'FARRELL STREET	845 O'FARRELL STREET	CA LUST	Higher	1636, 0.310, NW
AZ494	845 O'FARRELL	845 O'FARRELL STREET	CA LUST	Higher	1636, 0.310, NW
AZ495	845 O'FARRELL ST	845 O FARRELL	CA HIST CORTESE	Higher	1636, 0.310, NW
AV496	ROSE HOTEL	125 06TH ST	CA LUST, CA CERS	Lower	1636, 0.310, East
BC497	SEVENTH AND NATOMA S	CORNER OF SEVENTH AN	CA ENVIROSTOR, CA VCP, CA DEED	Lower	1650, 0.312, SE
BB498	APARTMENT	460 VAN NESS	CA HIST CORTESE	Higher	1673, 0.317, WSW
BD499	COMMERCIAL	721 GEARY STREET	CA LUST, CA HIST CORTESE, CA CERS	Higher	1683, 0.319, North
BD500	COMMERCIAL	721 GEARY STREET	CA LUST	Higher	1683, 0.319, North
BD501	747 GEARY HOA	747 GEARY STREET	CA LUST, CA HIST CORTESE	Higher	1683, 0.319, NNW
BD502	747 GEARY HOA	747 GEARY STREET	CA LUST, CA CERS	Higher	1683, 0.319, NNW
BD503	RESIDENTIAL APT.	735 GEARY STREET	CA LUST, CA CERS	Higher	1683, 0.319, NNW
BD504	RESIDENTIAL APT.	735 GEARY STREET	CA LUST, CA HIST CORTESE	Higher	1683, 0.319, NNW
BD505	APARTMENT PROPERTY	765 GEARY ST	CA LUST, CA CERS	Higher	1684, 0.319, NNW
BD506	775 GEARY ST.	775 GEARY STREET	CA LUST, CA HIST CORTESE	Higher	1687, 0.320, NNW
BD507	775 GEARY ST.	775 GEARY STREET	CA LUST, CA CERS	Higher	1687, 0.320, NNW

MAPPED SITES SUMMARY

Target Property Address:
201-247 GOLDEN GATE AVENUE
SAN FRANCISCO, CA 94102

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
BE508	RESIDENTIAL APT.	795 GEARY STREET	CA LUST, CA CERS	Higher	1693, 0.321, NNW
BE509	RESIDENTIAL APT.	795 GEARY STREET	CA LUST, CA HIST CORTESE	Higher	1693, 0.321, NNW
BF510	APCOA GARAGE AT	1390 MARKET STREET	CA LUST	Higher	1724, 0.327, SSW
BF511	FOX PLAZA	1390 MARKET STREET	CA LUST, CA HIST UST, CA HIST CORTESE	Higher	1724, 0.327, SSW
BF512	CALFOX, INC.	1390 MARKET STREET	CA LUST, CA CERS	Higher	1724, 0.327, SSW
BF513	FOX PLAZA	1390 MARKET ST	RCRA-SQG, CA LUST, CA UST, CA HIST UST, CA FID...	Higher	1724, 0.327, SSW
BF514	LOP MANAGEMENT	1390 MARKET STREET	CA LUST	Higher	1724, 0.327, SSW
BG515	SFFD STATION #1	416 JESSIE STREET	CA LUST, CA HIST CORTESE, CA CERS	Lower	1728, 0.327, East
AZ516	COMMERCIAL PROPERTY	820 O'FARRELL STREET	CA LUST	Higher	1732, 0.328, NW
BC517	SHELL STATION #4201	1100 HOWARD STREET	CA LUST, CA CERS	Lower	1740, 0.330, SE
BC518	SHELL STATION #4201	1100 HOWARD STREET	CA LUST, CA HIST CORTESE	Lower	1740, 0.330, SE
BH519	790 VAN NESS AVENUE	790 VAN NESS AVE	CA LUST, CA CERS	Higher	1744, 0.330, WNW
BH520	WALGREENS #2153	790 VAN NESS AVE	RCRA-LQG, CA LUST, FINDS, ECHO	Higher	1744, 0.330, WNW
BH521	790 VAN NESS AVE	790 VAN NESS	CA HIST CORTESE	Higher	1744, 0.330, WNW
BI522	VACANT LOT	101 POLK STREET	CA LUST, CA Cortese, CA CERS	Higher	1753, 0.332, SW
BJ523	SUNNYSIDE HOTEL	135 6TH ST	CA LUST, CA CERS	Lower	1755, 0.332, ESE
AY524	DESOTO CAB CO.	855 GEARY STREET	CA LUST, CA HIST CORTESE, CA CERS	Higher	1760, 0.333, NNW
AY525	DESOTO CAB CO.	855 GEARY STREET	CA LUST	Higher	1760, 0.333, NNW
BK526	ALIOTO GARAGE	300 VAN NESS	CA HIST CORTESE	Higher	1807, 0.342, WSW
BD527	COMMERCIAL/RESIDENTI	760 GEARY STREET	CA LUST	Higher	1815, 0.344, NNW
BD528	COMMERCIAL RESIDENTI	760 GEARY	CA LUST, CA HIST CORTESE, CA CERS	Higher	1815, 0.344, NNW
BD529	COMMERCIAL/RESIDENTI	774-778 GEARY STREET	CA LUST, CA CERS	Higher	1818, 0.344, NNW
BK530	BAYVIEW / HUNTERS PO	200 GROVE ST	US BROWNFIELDS	Higher	1826, 0.346, SW
BE531	GLENDORA APARTMENTS	610 HYDE STREET	CA LUST, CA CERS	Higher	1834, 0.347, NNW
BF532	SAN FRANCISCO MART	1355 MARKET STREET	CA LUST, CA CERS	Higher	1837, 0.348, SSW
BF533	SAN FRANCISCO MART	1355 MARKET STREET	CA LUST, CA HIST CORTESE	Higher	1837, 0.348, SSW
BI534	COMMERCIAL PARKING	101 HAYES STREET	CA LUST	Higher	1840, 0.348, SW
BI535	COMMERCIAL PARKING L	101 HAYES	CA LUST, CA HIST CORTESE, CA CERS	Higher	1840, 0.348, SW
BJ536	RESIENTIAL APARTMENT	172 6TH	CA HIST CORTESE	Lower	1841, 0.349, ESE
BL537	COMMERCIAL	HOWARD STREET	CA LUST	Lower	1851, 0.351, SSE
BL538	COMMERCIAL PROPERTY	1166-1198 HOWARD STR	CA LUST, CA CERS	Lower	1851, 0.351, SSE
BM539	1028 HOWARD STREET	1028 HOWARD STREET	CA ENVIROSTOR, CA HIST CORTESE	Lower	1852, 0.351, ESE
BN540	CHEVRON STATION	1101 HOWARD STREET	CA LUST	Lower	1855, 0.351, SE
BN541	CHEVRON STATION (FOR	1101 HOWARD STREET	CA LUST, CA HIST CORTESE, CA CERS	Lower	1855, 0.351, SE
BO542	CHATAV PROPERTY	676 GEARY STREET	CA LUST, CA CERS	Higher	1859, 0.352, North
BO543	CHATAV PROPERTY	676 GEARY	CA LUST, CA HIST CORTESE	Higher	1859, 0.352, North
BI544	ACADEMY OF ART UNIVE	150 HAYES STREET	CA LUST, CA EMI, CA HIST CORTESE	Higher	1865, 0.353, SW
BI545	CALIFORNIA STATE AUT	150 HAYES STREET	CA LUST, CA CERS	Higher	1865, 0.353, SW
BI546	CALIFORNIA AUTO ASSO	150 HAYES ST.	CA LUST, CA CERS	Higher	1865, 0.353, SW

MAPPED SITES SUMMARY

Target Property Address:
201-247 GOLDEN GATE AVENUE
SAN FRANCISCO, CA 94102

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
BH547	SHELL	793 VAN NESS	CA HIST CORTESE	Higher	1872, 0.355, West
BJ548	RESIDENTIAL APTS.	172 06TH ST	CA LUST, CA CERS	Lower	1874, 0.355, ESE
BP549	925 GEARY, LLC	925 GEARY ST	CA LUST, CA HAZNET, CA HIST CORTESE	Higher	1890, 0.358, NW
BP550	RESIDENCE	925 GEARY STREET	CA LUST, CA CERS	Higher	1890, 0.358, NW
BD551	RESIDENTIAL	625 LEAVENWORTH ST.	CA LUST, CA CERS	Higher	1900, 0.360, North
552	HOTEL BELLEVUE (FORM	505 GEARY STREET	CA LUST, CA HIST CORTESE, CA CERS	Higher	1915, 0.363, NNE
BG553	SAN FRANCISCO NEWSPA	925 MISSION ST	RCRA-SQG, CA ENVIROSTOR, CA LUST, CA UST, CA HIST...	Lower	1941, 0.368, East
BM554	1035 HOWARD STREET	1035 HOWARD STREET	CA LUST, CA CERS	Lower	1946, 0.369, ESE
555	RESIDENCE	882 GEARY BOULEVARD	CA LUST, CA CERS	Higher	1947, 0.369, NNW
BP556	RESIDENTIAL	947 GEARY ST	CA LUST	Higher	1965, 0.372, NW
BN557	WESTBROOK PLAZA	227-255 7TH STREET	CA ENVIROSTOR	Lower	1977, 0.374, SE
BF558	COMMERCIAL PROPERTY	1400 MARKET ST	CA LUST, CA CERS	Higher	1979, 0.375, SSW
BQ559	951 O' FARRELL STREE	951 O' FARRELL STREE	CA LUST	Higher	1983, 0.376, WNW
BR560	RESIDENTIAL APT.S	200 VAN NESS AVE	CA LUST	Higher	1996, 0.378, SW
BR561	RESIDENTIAL APARTMEN	200 VAN NESS	CA LUST, CA HIST CORTESE, CA CERS	Higher	1996, 0.378, SW
BS562	DEN'S AUTO SERVICE	811 EDDY STREET	CA LUST, CA HIST CORTESE	Higher	2009, 0.380, West
BS563	DEN'S AUTO SERVICE	811 EDDY STREET	CA LUST	Higher	2009, 0.380, West
BP564	PRIVATE RESIDENCE	PRIVATE RESIDENCE	CA LUST	Higher	2018, 0.382, NW
BH565	810 EDDY STREET	810 EDDY STREET	CA LUST, CA CERS	Higher	2019, 0.382, WNW
BL566	EPISCOPAL SANCTUARY	201 08TH ST	CA LUST, CA CERS	Lower	2021, 0.383, SSE
BT567	COMMERCIAL PROPERTY	875 POST STREET	CA LUST, CA CERS	Higher	2026, 0.384, NNW
BU568	CHELSEA COURT OA.	851 VAN NESS AVE	CA LUST, CA SWEEPS UST, CA HIST UST, CA HAZNET, CA...	Higher	2028, 0.384, WNW
BT569	RESIDENTIAL APARTMEN	891 POST	CA HIST CORTESE	Higher	2030, 0.384, NNW
BT570	RESIDENTIAL APT.	891 POST STREET	CA LUST, CA CERS	Higher	2030, 0.384, NNW
571	AMTAD CONSTRUCTION S	MASON ST & O FARRELL	CA HIST CORTESE	Higher	2039, 0.386, NE
BV572	NAVAL DISPENSARY		FUDS	Higher	2041, 0.387, SW
BW573	COMMERCIAL	444 NATOMA ST	CA LUST	Lower	2043, 0.387, East
BW574	COMMERCIAL	444 NATOMA ST	CA LUST	Lower	2043, 0.387, East
BW575	COMMERCIAL PROPERTY	444 NATOMA	CA WMUDS/SWAT, CA HIST CORTESE, CA CERS	Lower	2043, 0.387, East
BX576	COMMERCIAL PROPERTY	642 JONES ST	CA LUST, CA CERS	Higher	2049, 0.388, North
577	HOTEL ABRI	127 ELLIS STREET	CA ENVIROSTOR, CA VCP, CA CUPA Listings, CA CERS	Lower	2054, 0.389, NE
BL578	EPISCOPAL SANCTUARY	201 8TH	CA HIST CORTESE	Lower	2058, 0.390, SSE
BP579	APARTMENTS	954 GEARY ST	CA LUST, CA CERS	Higher	2070, 0.392, NW
BV580	COMMERCIAL PROPERTY	24-26 FELL STREET	CA LUST, CA CERS	Higher	2081, 0.394, SSW
BY581	POLK STREET	999 POLK STREET	CA LUST	Higher	2089, 0.396, NW
BY582	KENT & JOHN UNION SE	999 POLK STREET	CA LUST, CA HIST CORTESE, CA CERS	Higher	2089, 0.396, NW
BP583	AAPRTMENT BUILDING	970 GEARY ST.	CA LUST, CA CERS	Higher	2113, 0.400, NW
BV584	NAVAL DISPENSARY	50 FELL STREET	CA ENVIROSTOR, CA CHMIRS	Higher	2124, 0.402, SW
BU585	BRITISH MOTOR CAR DI	901 VAN NESS AVE	CA LUST, CA HIST UST, RCRA NonGen / NLR, FINDS,...	Higher	2125, 0.402, WNW

MAPPED SITES SUMMARY

Target Property Address:
201-247 GOLDEN GATE AVENUE
SAN FRANCISCO, CA 94102

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
BU586	COMMERCIAL PROPERTY	901 VAN NESS AVENUE	CA LUST, CA EMI	Higher	2125, 0.402, WNW
BZ587	MERCY HOUSING	1390 MISSION ST	CA LUST, CA CERS	Lower	2127, 0.403, SSW
CA588	1298 HOWARD STREET	1298 HOWARD STREET	CA ENVIROSTOR, CA LUST, CA CHMIRS, CA HIST CORTESE	Lower	2129, 0.403, South
CA589	BARRETT PROPERTY	1298 HOWARD STREET	CA LUST, CA CERS	Lower	2129, 0.403, South
BR590	DAVIES SYMPHONY HALL	201 VAN NESS AVE	CA LUST, CA CERS	Higher	2136, 0.405, SW
BT591	COMMERCIAL	894 POST STREET	CA LUST, CA CERS	Higher	2145, 0.406, NNW
CB592	WILL'S AUTOMOTIVE	770 POST STREET	CA LUST	Higher	2145, 0.406, North
BY593	APARTMENTS	990 GEARY ST	CA LUST, CA CERS	Higher	2156, 0.408, NW
BU594	BAAQMD.	939 ELLIS STREET	CA LUST, CA EMI, CA HIST CORTESE, CA CERS	Higher	2172, 0.411, WNW
595	CENTRAL FREEWAY, PAR	SW CORNER OF GOLDEN	US BROWNFIELDS, FINDS	Higher	2173, 0.412, West
CB596	POST ST. PROPERTIES	750 POST STREET	CA LUST, CA HIST CORTESE, CA CERS	Higher	2174, 0.412, North
CC597	981 HOWARD STREET	981 HOWARD STREET	CA LUST, CA EMI, CA CERS	Lower	2178, 0.412, ESE
CC598	981 HOWARD STREET	981 HOWARD STREET	CA LUST, CA HIST CORTESE	Lower	2178, 0.412, ESE
BY599	COMMERCIAL	1029 GEARY BLVD.	CA LUST, CA CERS	Higher	2184, 0.414, NW
CD600	APARTMENTS	930 POST	CA HIST CORTESE	Higher	2192, 0.415, NNW
CD601	APARTMENT BUILDING	930 POST STREET	CA LUST, CA CERS	Higher	2192, 0.415, NNW
BQ602	FORD MOTOR LAND DEVE	1000 VAN NESS AVE	CA LUST, CA HIST CORTESE	Higher	2197, 0.416, WNW
BQ603	FORD MOTOR LAND DEVE	1000 VAN NESS AVE	CA LUST, CA SWEEPS UST, CA FID UST, CA CERS	Higher	2197, 0.416, WNW
BW604	MEDIA GUILD	433 NATOMA ST	CA LUST, CA CERS	Lower	2199, 0.416, East
CE605	APARTMENT PROPERTY	235 O'FARRELL ST	CA LUST	Higher	2215, 0.420, NE
CF606	RESIDENTIAL APARTMEN	1045 POST	CA HIST CORTESE	Higher	2230, 0.422, NW
CF607	RESIDENTIAL APT.S	1045 POST STREET	CA LUST, CA CERS	Higher	2230, 0.422, NW
CG608	WCP SERVICES, INC.	870 MARKET STREET	CA LUST, CA CERS	Lower	2234, 0.423, ENE
CG609	WCP SERVICES, INC.	870 MARKET STREET	CA LUST, CA HIST CORTESE	Lower	2234, 0.423, ENE
BX610	COMMERCIAL	686 POST ST.	CA LUST, CA CERS	Higher	2237, 0.424, North
CH611	METRO PARK	530 TAYLOR STREET	CA LUST	Higher	2238, 0.424, NNE
CH612	METRO PARK	530 TAYLOR	CA LUST, CA HIST CORTESE, CA CERS	Higher	2238, 0.424, NNE
BR613	SCHOOL OF THE ARTS	135 VAN NESS AVENUE	CA ENVIROSTOR, CA SCH, CA CERS	Higher	2246, 0.425, SW
BR614	SF UNIFIED SCHOOL DI	135 VAN NESS AVE	CA LUST, CA HIST CORTESE, CA CERS	Higher	2246, 0.425, SW
BR615	SF UNIFIED SCHOOL	135 VAN NESS AVE	CA LUST	Higher	2246, 0.425, SW
CD616	SARATOGA APARTMENT	982 POST STREET	CA LUST, CA CERS	Higher	2251, 0.426, NNW
CF617	COMMERCIAL PROPERTY	1051 POST ST	CA LUST, CA CERS	Higher	2258, 0.428, NW
BZ618	201 FOLSOM ACQUISITI	1400 MISSION ST	CA LUST, CA HAZNET, CA HIST CORTESE, CA CERS	Lower	2278, 0.431, SSW
CE619	AMSTAD CONSTRUCTION	0 MASON & O'FARREL S	CA LUST	Higher	2281, 0.432, NE
CF620	*SFFD/FIRE STATION #	1067 POST ST	CA SWEEPS UST, CA HIST CORTESE	Higher	2287, 0.433, NW
CF621	SAN FRANCISCO FIRE D	1067 POST STREET	CA Notify 65	Higher	2287, 0.433, NW
CF622	SFFD STATION #3	1067 POST STREET	CA LUST, CA CERS	Higher	2287, 0.433, NW
CI623	NORDSON REX PROPERTY	90 MOSS ST	CA LUST, CA HIST CORTESE, CA CERS	Lower	2296, 0.435, SE
CJ624	RESIDENCE	175 RUSS STREET	CA LUST, CA HIST CORTESE	Lower	2302, 0.436, ESE

MAPPED SITES SUMMARY

Target Property Address:
201-247 GOLDEN GATE AVENUE
SAN FRANCISCO, CA 94102

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
CJ625	RESIDENCE	175 RUSS STREET	CA LUST, CA CERS	Lower	2302, 0.436, ESE
CC626	241 SIXTH STREET	241 6TH	CA ENVIROSTOR, CA VCP, CA DEED, CA HIST CORTESE	Lower	2303, 0.436, ESE
CK627	SHELL	800 TURK	CA LUST, CA HIST CORTESE, CA CERS	Higher	2316, 0.439, West
CK628	SHELL STATION	800 TURK STREET	CA LUST	Higher	2316, 0.439, West
CL629	RESIDENCE	720 JONES STREET	CA LUST, CA HIST CORTESE	Higher	2319, 0.439, North
CL630	RESIDENCE	720 JONES STREET	CA LUST, CA CERS	Higher	2319, 0.439, North
CC631	AVAB AMERICA INC.	466 TEHAMA STREET	CA LUST, CA HIST CORTESE	Lower	2320, 0.439, ESE
CC632	AVAB AMERICA INC.	466 TEHAMA STREET	CA LUST, CA CERS	Lower	2320, 0.439, ESE
633	SHELL (EL CAMINO)	725 TEHAMA	CA HIST CORTESE	Lower	2329, 0.441, SSE
BZ634	1401 MISSION AFFORDA	1415 MISSION ST	CA LUST, CA HAZNET, CA CERS	Lower	2356, 0.446, SSW
CM635	APARTMENT	757 LEAVENWORTH STRE	CA LUST	Higher	2361, 0.447, North
CM636	APARTMENT	757 LEAVENWORTH STRE	CA LUST, CA HIST CORTESE, CA CERS	Higher	2361, 0.447, North
CM637	RESIDENTIAL APT	925 SUTTER STREET	CA LUST, CA HIST CORTESE, CA CERS	Higher	2371, 0.449, North
CM638	919 SUTTER ST. PROPE	919 SUTTER STREET	CA LUST, CA HIST CORTESE, CA CERS	Higher	2371, 0.449, North
CM639	APARTMENT PROPERTY	935 SUTTER STREET	CA LUST, CA CERS	Higher	2372, 0.449, North
CF640	RESIDENTIAL APT	1070 POST STREET	CA LUST, CA CERS	Higher	2382, 0.451, NW
CF641	RESIDENTIAL APARTMEN	1070 POST	CA HIST CORTESE	Higher	2382, 0.451, NW
CB642	APARTMENT BUILDING	861 SUTTER STREET	CA LUST, CA CERS	Higher	2385, 0.452, North
CB643	APARTMENT BUILDING	861 SUTTER STREET	CA LUST, CA HIST CORTESE	Higher	2385, 0.452, North
CN644	BANK OF AMERICA	1455 MARKET ST	CA LUST, CA HIST UST	Lower	2388, 0.452, SSW
CN645	HUDSON 1455 MARKET L	1455 MARKET STREET	RCRA-SQG, CA LUST, CA UST, CA AST, FINDS, ECHO, CA...	Lower	2388, 0.452, SSW
CB646	845 SUTTER	845 SUTTER STREET	CA LUST, CA HIST CORTESE, CA CERS	Higher	2393, 0.453, North
CB647	845 SUTTER	845 SUTTER STREET	CA LUST	Higher	2393, 0.453, North
CE648	ELEVATED INVESTORS,	150 POWELL ST	CA LUST, CA CERS	Lower	2399, 0.454, NE
CF649	BANSEMER PROPERTY	1086 POST STREET	CA LUST, CA HIST CORTESE, CA CERS	Higher	2402, 0.455, NW
CD650	RESIDENTIAL	1035 SUTTER ST	CA LUST	Higher	2408, 0.456, NNW
CD651	RESIDENTIAL APARTMEN	1035 SUTTER ST	CA LUST, CA CERS	Higher	2408, 0.456, NNW
CD652	RESIDENTIAL APARTMEN	1035 SUTTER ST	CA LUST	Higher	2408, 0.456, NNW
CC653	COMMERCIAL PROPERTY	465 TEHAMA STREET	CA LUST, CA CERS	Lower	2421, 0.459, ESE
CL654	795 SUTTER STREET CO	795 SUTTER STREET	CA LUST, CA HIST CORTESE, CA CERS	Higher	2444, 0.463, North
CL655	RESIDENCE	765 SUTTER STREET	CA LUST	Higher	2468, 0.467, North
CL656	RESIDENCE	765 SUTTER	CA LUST, CA HIST CORTESE, CA CERS	Higher	2468, 0.467, North
CI657	HARRY LOW PROPERTY	1101 FOLSOM STREET	CA LUST, CA HIST CORTESE, CA CERS	Lower	2470, 0.468, SE
CJ658	VACANT LOT	139 HARRIET STREET	CA LUST, CA CERS	Lower	2491, 0.472, ESE
659	HALSTED, N. GRAY, CA	1101 SUTTER STREET	CA LUST, CA CERS	Higher	2501, 0.474, NNW
CM660	952 SUTTER ST., LTD	952 SUTTER STREET	CA LUST, CA HIST CORTESE	Higher	2503, 0.474, NNW
CM661	952 SUTTER ST., LTD	952 SUTTER STREET	CA LUST, CA CERS	Higher	2503, 0.474, NNW
CO662	SAN FRANCISCO HONDA	10 VAN NESS	CA HIST CORTESE	Lower	2503, 0.474, SSW
663	COMMERCIAL PROPERTY	180-190 O'FARRELL ST	CA LUST	Higher	2520, 0.477, NE

MAPPED SITES SUMMARY

Target Property Address:
201-247 GOLDEN GATE AVENUE
SAN FRANCISCO, CA 94102

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
664	COMMERCIAL PROPERTY	355 FULTON STREET	CA LUST, CA CERS	Higher	2530, 0.479, WSW
665	PARKVIEW TERRACES	871 TURK STREET	CA ENVIROSTOR, CA LUST, CA CERS	Higher	2564, 0.486, West
CL666	RESIDENTIAL	766 SUTTER STREET	CA LUST	Higher	2588, 0.490, North
CL667	RESIDENTIAL APARTMEN	766 SUTTER STREET	CA LUST	Higher	2588, 0.490, North
668	231 FRANKLIN STREET	231 FRANKLIN STREET	CA LUST, CA CERS	Higher	2600, 0.492, SW
CP669	LOWENBERY PROPERTY	1475 MISSION	CA LUST, CA HIST CORTESE, CA CERS	Lower	2600, 0.492, SSW
CP670	LOWENBERG PROPERTY	1475 MISSION STREET	CA LUST	Lower	2600, 0.492, SSW
671	436-438 CLEMENTINA S	436-438 CLEMENTINA S	CA ENVIROSTOR	Lower	2607, 0.494, East
CQ672	NOB HILL HOTEL	827 HYDE	CA LUST	Higher	2616, 0.495, NNW
CQ673	NOB HILL HOTEL	827 HYDE STREET	CA LUST	Higher	2616, 0.495, NNW
CQ674	NOB HILL HOTEL	827 HYDE STREET	CA LUST, CA CERS	Higher	2616, 0.495, NNW
CR675	PRIVATE RESIDENCE	PRIVATE RESIDENCE	CA LUST	Higher	2620, 0.496, North
CR676	CANTERBURY HOTEL	750 SUTTER	CA LUST, CA HIST CORTESE, CA CERS	Higher	2624, 0.497, North
CR677	CANTERBURY HOTEL	750 SUTTER STREET	CA LUST	Higher	2624, 0.497, North
CM678	IMBELLONI PROPERTY	839 LEAAVENWORTH	CA HIST CORTESE	Higher	2638, 0.500, North
CM679	IMBELLONI PROEPRTY	839 LEAVENWORTH STRE	CA LUST, CA CERS	Higher	2638, 0.500, North
680	SAN FRANCISCO GAS LI	HOWARD, FIFITH AND T	EDR MGP	Lower	2700, 0.511, East
CO681	PRESIDIO OF SAN FRAN	NORTHERN TIP OF SF P	CA RESPONSE, CA ENVIROSTOR	Lower	2739, 0.519, SSW
CO682	PIER 92, PORT OF SAN	PIER 92, PORT OF SAN	CA ENVIROSTOR	Lower	2743, 0.520, SSW
CO683	UNITED AIRLINES MAIN	SAN FRANCISCO INTERN	CA ENVIROSTOR	Lower	2743, 0.520, SSW
684	BESSIE CARMICHAEL EL	355/375 7TH STREET	CA ENVIROSTOR, CA SCH	Lower	2798, 0.530, SE
CS685	SAN FRANCISCO HONDA	10 S VANNESS AVE	RCRA-SQG, CA SWEEPS UST, CA HIST UST, CA FID UST,...	Lower	2861, 0.542, SSW
CS686	SAN FRANSISCO HONDA	10 SOUTH VAN NESS	CA Notify 65	Lower	2861, 0.542, SSW
CT687	CITIZENS HOUSING INC	1346 FOLSOM ST	CA ENVIROSTOR, CA HAZNET	Lower	2882, 0.546, South
CT688	MILESTONES HUMAN SER	291 TENTH STREET	CA ENVIROSTOR	Lower	2991, 0.566, South
689	858-860 FOLSOM STREE	858-860 FOLSOM STREE	CA ENVIROSTOR, CA VCP	Lower	3245, 0.615, East
690	CCSF MTA CENTRAL SUB	266 4TH ST #286	CA ENVIROSTOR, CA VCP, CA HAZNET	Lower	3536, 0.670, East
691	CALIFORNIA HIGHWAY P	455 EIGHTH STREET	CA ENVIROSTOR, CA VCP, CA DEED	Lower	3550, 0.672, SSE
692	S.F. TOWERS/EPISCOPA	1661 PINE STREET	CA ENVIROSTOR	Higher	3625, 0.687, NW
693	S.E. ONORATO INC.	1045 CALIFORNIA STRE	CA LUST, CA Notify 65	Higher	3648, 0.691, NNE
CU694	MCDONALD'S RESTAURAN	820 BRYANT ST	CA ENVIROSTOR, CA VCP, CA DEED	Lower	3687, 0.698, ESE
CU695	AUTO SYMPHONY	800 BRYANT STREET	CA LUST, CA HIST CORTESE, CA Notify 65, CA CERS	Lower	3745, 0.709, ESE
CU696	AUTO SYMPHONY	800 BRYAN ST.	CA Notify 65	Lower	3746, 0.709, ESE
697	NOR CAL PRESBYTERIAN	1400 GEARY BLVD.	CA ENVIROSTOR	Higher	3871, 0.733, WNW
698	FILIPINO EDUCATION C	824 HARRISON STREET	CA ENVIROSTOR, CA SCH	Lower	3955, 0.749, East
699	COSTCO	450 10TH ST	CA ENVIROSTOR, CA LUST, CA HIST CORTESE	Lower	3992, 0.756, SSE
700	BMW OF SAN FRANCISCO	1675 HOWARD STREET	CA ENVIROSTOR, CA VCP, CA HIST UST, CA ENF, CA...	Lower	4030, 0.763, SSW
701	SCOTT STREET SR. HOU	1600-08SCOTT,2158-80	CA ENVIROSTOR	Higher	4049, 0.767, WNW
702	COGSWELL COLLEGE BUI	630 PINE STREET	CA Notify 65	Higher	4131, 0.782, NNE

MAPPED SITES SUMMARY

Target Property Address:
201-247 GOLDEN GATE AVENUE
SAN FRANCISCO, CA 94102

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
703	PACIFIC BELL	140 NEW MONTGOMERY S	EDR MGP	Lower	4397, 0.833, ENE
CV704	C & M PLATING WORKS	598 6TH ST	CA ENVIROSTOR, CA HWP	Lower	4402, 0.834, ESE
CV705	C & M PLATING WORKS	598 SIXTH ST	SEMS-ARCHIVE, CORRACTS, RCRA-TSDF, RCRA-SQG, 2020	Lower	4402, 0.834, ESE
706	1345 TURK STREET	1345 TURK STREET	CA ENVIROSTOR	Higher	4816, 0.912, West
707	CONSOLIDATED IRON WO	634 TOWNSEND STREET	CA ENVIROSTOR, CA HIST Cal-Sites	Lower	4918, 0.931, SE
708	FLAIR ELECTRO SALES	516 TOWNSEND	CA LUST, CA HIST CORTESE, CA Notify 65, CA CERS	Lower	4948, 0.937, SE
709	ARCO STATION #444	1798 MISSION STREET	CA LUST, CA Notify 65	Lower	4967, 0.941, SSW
710	MCCALL CORPORATION	315 MONTGOMERY	CA ENVIROSTOR	Lower	4999, 0.947, NE
711	SF PUBLIC HOUSING PR	364 HAIGHT STREET	CA LUST, CA Notify 65	Higher	5108, 0.967, SW
CW712	HARBOR DEFENSE UNIT,		CA ENVIROSTOR	Higher	5146, 0.975, WSW
CW713	HARBOR DEFENSE SITE		FUDS	Higher	5154, 0.976, WSW

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL ---------- National Priority List
Proposed NPL ---------- Proposed National Priority List Sites
NPL LIENS ---------- Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL ---------- National Priority List Deletions

Federal CERCLIS list

FEDERAL FACILITY ---------- Federal Facility Site Information listing
SEMS ---------- Superfund Enterprise Management System

Federal RCRA generators list

RCRA-VSQG ---------- RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

Federal institutional controls / engineering controls registries

LUCIS ---------- Land Use Control Information System
US ENG CONTROLS ---------- Engineering Controls Sites List
US INST CONTROL ---------- Sites with Institutional Controls

Federal ERNS list

ERNS ---------- Emergency Response Notification System

State and tribal landfill and/or solid waste disposal site lists

CA SWF/LF ---------- Solid Waste Information System

State and tribal leaking storage tank lists

INDIAN LUST ---------- Leaking Underground Storage Tanks on Indian Land

CA CPS-SLIC Statewide SLIC Cases

State and tribal registered storage tank lists

FEMA UST Underground Storage Tank Listing
INDIAN UST Underground Storage Tanks on Indian Land

State and tribal voluntary cleanup sites

INDIAN VCP Voluntary Cleanup Priority Listing

State and tribal Brownfields sites

CA BROWNFIELDS Considered Brownfieds Sites Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Landfill / Solid Waste Disposal Sites

CA SWRCY Recycler Database
INDIAN ODI Report on the Status of Open Dumps on Indian Lands
DEBRIS REGION 9 Torres Martinez Reservation Illegal Dump Site Locations
ODI Open Dump Inventory
IHS OPEN DUMPS Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL Delisted National Clandestine Laboratory Register
CA CDL Clandestine Drug Labs
CA Toxic Pits Toxic Pits Cleanup Act Sites
US CDL National Clandestine Laboratory Register
CA PFAS PFAS Contamination Site Location Listing

Local Land Records

CA LIENS Environmental Liens Listing
LIENS 2 CERCLA Lien Information

Records of Emergency Release Reports

HMIRS Hazardous Materials Information Reporting System
CA LDS Land Disposal Sites Listing
CA MCS Military Cleanup Sites Listing
CA SPILLS 90 SPILLS 90 data from FirstSearch

Other Ascertainable Records

DOD Department of Defense Sites
SCRD DRYCLEANERS State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR Financial Assurance Information
EPA WATCH LIST EPA WATCH LIST
TSCA Toxic Substances Control Act
TRIS Toxic Chemical Release Inventory System
SSTS Section 7 Tracking Systems

ROD ---- Records Of Decision
RMP ---- Risk Management Plans
RAATS ---- RCRA Administrative Action Tracking System
PRP ---- Potentially Responsible Parties
PADS ---- PCB Activity Database System
ICIS ---- Integrated Compliance Information System
MLTS ---- Material Licensing Tracking System
COAL ASH DOE ---- Steam-Electric Plant Operation Data
COAL ASH EPA ---- Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER ---- PCB Transformer Registration Database
RADINFO ---- Radiation Information Database
DOT OPS ---- Incident and Accident Data
CONSENT ---- Superfund (CERCLA) Consent Decrees
INDIAN RESERV ---- Indian Reservations
FUSRAP ---- Formerly Utilized Sites Remedial Action Program
UMTRA ---- Uranium Mill Tailings Sites
LEAD SMELTERS ---- Lead Smelter Sites
US AIRS ---- Aerometric Information Retrieval System Facility Subsystem
US MINES ---- Mines Master Index File
ABANDONED MINES ---- Abandoned Mines
UXO ---- Unexploded Ordnance Sites
DOCKET HWC ---- Hazardous Waste Compliance Docket Listing
FUELS PROGRAM ---- EPA Fuels Program Registered Listing
CA BOND EXP. PLAN ---- Bond Expenditure Plan
CA DRYCLEANERS ---- Cleaner Facilities
CA Financial Assurance ---- Financial Assurance Information Listing
CA ICE ---- ICE
CA HWT ---- Registered Hazardous Waste Transporter Database
CA MINES ---- Mines Site Location Listing
CA MWMP ---- Medical Waste Management Program Listing
CA NPDES ---- NPDES Permits Listing
CA PEST LIC ---- Pesticide Regulation Licenses Listing
CA PROC ---- Certified Processors Database
CA UIC ---- UIC Listing
CA UIC GEO ---- UIC GEO (GEOTRACKER)
CA WASTEWATER PITS ---- Oil Wastewater Pits Listing
CA WDS ---- Waste Discharge System
CA WIP ---- Well Investigation Program Case List
CA MILITARY PRIV SITES ---- MILITARY PRIV SITES (GEOTRACKER)
CA PROJECT ---- PROJECT (GEOTRACKER)
CA WDR ---- Waste Discharge Requirements Listing
CA CIWQS ---- California Integrated Water Quality System
CA NON-CASE INFO ---- NON-CASE INFO (GEOTRACKER)
CA OTHER OIL GAS ---- OTHER OIL & GAS (GEOTRACKER)
CA PROD WATER PONDS ---- PROD WATER PONDS (GEOTRACKER)
CA SAMPLING POINT ---- SAMPLING POINT (GEOTRACKER)
CA WELL STIM PROJ ---- Well Stimulation Project (GEOTRACKER)
MINES MRDS ---- Mineral Resources Data System

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

CA RGA LF ---- Recovered Government Archive Solid Waste Facilities List

CA RGA LUST..... Recovered Government Archive Leaking Underground Storage Tank

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE: SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

A review of the SEMS-ARCHIVE list, as provided by EDR, and dated 10/25/2019 has revealed that there are 2 SEMS-ARCHIVE sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
PHILLIP BURTON FEDER Site ID: 0903428 EPA Id: CA4470000098	***450 GOLDEN GATE AVEN***	***W 1/8 - 1/4 (0.175 mi.)***	***W266***	***458***

Lower Elevation	Address	Direction / Distance	Map ID	Page
PG&E GAS PLANT SAN F Site ID: 0902349 EPA Id: CAD981415110	STEVENSON BET 5TH &	E 1/8 - 1/4 (0.231 mi.)	AM404	747

Federal RCRA CORRACTS facilities list

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 12/16/2019 has revealed that there is 1

CORRACTS site within approximately 1 mile of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
C & M PLATING WORKS EPA ID:: CAD009204736	***598 SIXTH ST***	***ESE 1/2 - 1 (0.834 mi.)***	***CV705***	***1724***

Federal RCRA generators list

RCRA-LQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

A review of the RCRA-LQG list, as provided by EDR, and dated 12/16/2019 has revealed that there are 6 RCRA-LQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
ARNETT WATSON APARTM EPA ID:: CAR000183202	***650 EDDY ST***	***WNW 1/8 - 1/4 (0.233 mi.)***	***AD412***	***762***

Lower Elevation	Address	Direction / Distance	Map ID	Page
1028 MARKET STREET EPA ID:: CAR000301739	1028 MARKET STREET	E 1/8 - 1/4 (0.147 mi.)	T221	346
570 JESSIE STREET EPA ID:: CAP000257378	570 JESSIE ST	ESE 1/8 - 1/4 (0.199 mi.)	AE330	612
BRIDGETON 995 MARKET EPA ID:: CAP000263236	995 MARKET ST STE 10	E 1/8 - 1/4 (0.231 mi.)	AM397	732
995 MARKET STREET EPA ID:: CAP000254409	995 MARKET ST	E 1/8 - 1/4 (0.231 mi.)	AM400	737
1036 MISSION STREET EPA ID:: CAP000266783	***1036 MISSION ST***	***ESE 1/8 - 1/4 (0.237 mi.)***	***AE422***	***777***

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 12/16/2019 has revealed that there are 18 RCRA-SQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
TL145 EPA ID:: CAP000300061	145 LEAVENWORTH	N 0 - 1/8 (0.043 mi.)	B30	48
HASTINGS COLLEGE OF	***200 MCALLISTER ST***	***WSW 0 - 1/8 (0.067 mi.)***	***F66***	***89***

EPA ID:: CAD981654783				
APPAREL CLEANERS	***365 EDDY ST***	***NNE 1/8 - 1/4 (0.130 mi.)***	***H191***	***274***
EPA ID:: CAD981658255				
JIMS AUTO BODY	***545 EDDY STREET***	***NW 1/8 - 1/4 (0.150 mi.)***	***Q231***	***366***
EPA ID:: CAD102949666				
KAHN AND KEVILLE TIR	***500 TURK ST***	***WNW 1/8 - 1/4 (0.178 mi.)***	***Y290***	***517***
EPA ID:: CAD983635731				
PG&E LARKIN SUBSTATI	NE CORNER OF LARKIN	WNW 1/8 - 1/4 (0.194 mi.)	AD323	603
EPA ID:: CAR000277269				
SAN FRANCISCO STATE	550 TURK ST	WNW 1/8 - 1/4 (0.207 mi.)	Y342	636
EPA ID:: CAL000176913				
GARAGE STATE OF CALI	***570 ELLIS***	***NNW 1/8 - 1/4 (0.215 mi.)***	***AJ361***	***669***
EPA ID:: CAD981969041				
ELLIS CLEANERS	***372 ELLIS ST***	***NNE 1/8 - 1/4 (0.245 mi.)***	***AF448***	***819***
EPA ID:: CA0000481838				

Lower Elevation	Address	Direction / Distance	Map ID	Page
HASTINGS COLLEGE OF	100 MC ALLISTER	SSE 0 - 1/8 (0.012 mi.)	A5	14
EPA ID:: CAR000076323				
LEES AUTOBODY AND ME	***256 TURK ST***	***NNE 0 - 1/8 (0.094 mi.)***	***H103***	***167***
EPA ID:: CA0001013705				
TRINITY PROPS	1169 MARKET ST	S 1/8 - 1/4 (0.143 mi.)	J208	318
EPA ID:: CAD981161714				
WAGNER AUTO BODY	***315 EDDY ST***	***NNE 1/8 - 1/4 (0.146 mi.)***	***R217***	***335***
EPA ID:: CAD982008625				
BAYSIDE AUTO BODY	***265 EDDY ST***	***NE 1/8 - 1/4 (0.174 mi.)***	***R264***	***455***
EPA ID:: CAD981434608				
S F FEDERAL OFFICE B	90 7TH ST	SE 1/8 - 1/4 (0.205 mi.)	X334	619
EPA ID:: CAP000127746				
ASB 989 MARKET, LLC	989 MARKET ST	ENE 1/8 - 1/4 (0.217 mi.)	AB362	670
EPA ID:: CAR000278309				
B AND E TRANSMISSION	***1127 MISSION ST***	***SE 1/8 - 1/4 (0.232 mi.)***	***AN407***	***754***
EPA ID:: CAR000007161				
MISSION SUBSTATION	***66 8TH ST***	***S 1/8 - 1/4 (0.243 mi.)***	***AL442***	***810***
EPA ID:: CAD982514135				

State- and tribal - equivalent NPL

CA RESPONSE: Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity. These confirmed release sites are generally high-priority and high potential risk.

A review of the CA RESPONSE list, as provided by EDR, has revealed that there are 3 CA RESPONSE sites within approximately 1 mile of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
PG&E - STATION T	***465 STEVENSON***	***E 1/4 - 1/2 (0.276 mi.)***	***AM470***	***873***
Database: RESPONSE, Date of Government Version: 10/28/2019				

Status: No Further Action
Facility Id: 38490008

518 MINNA STREET APA ***518 MINNA STREET*** ***ESE 1/4 - 1/2 (0.294 mi.)*** ***AV478*** ***887***
Database: RESPONSE, Date of Government Version: 10/28/2019
Status: Certified O&M - Land Use Restrictions Only
Facility Id: 38990005

PRESIDIO OF SAN FRAN ***NORTHERN TIP OF SF P*** ***SSW 1/2 - 1 (0.519 mi.)*** ***CO681*** ***1616***
Database: RESPONSE, Date of Government Version: 10/28/2019
Status: Inactive - Action Required
Facility Id: 60001401

State- and tribal - equivalent CERCLIS

CA ENVIROSTOR: The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifes sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

A review of the CA ENVIROSTOR list, as provided by EDR, and dated 10/28/2019 has revealed that there are 37 CA ENVIROSTOR sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NAVAL DISPENSARY	***50 FELL STREET***	***SW 1/4 - 1/2 (0.402 mi.)***	***BV584***	***1155***
Facility Id: 80000093				
Status: No Further Action				
SCHOOL OF THE ARTS	***135 VAN NESS AVENUE***	***SW 1/4 - 1/2 (0.425 mi.)***	***BR613***	***1297***
Facility Id: 38820002				
Status: No Action Required				
PARKVIEW TERRACES	***871 TURK STREET***	***W 1/4 - 1/2 (0.486 mi.)***	***665***	***1592***
Facility Id: 60000548				
Status: Refer: 1248 Local Agency				
S.F. TOWERS/EPISCOPA	1661 PINE STREET	NW 1/2 - 1 (0.687 mi.)	692	1686
Facility Id: 38830002				
Status: No Action Required				
NOR CAL PRESBYTERIAN	1400 GEARY BLVD.	WNW 1/2 - 1 (0.733 mi.)	697	1703
Facility Id: 60002123				
Status: No Action Required				
SCOTT STREET SR. HOU	1600-08SCOTT,2158-80	WNW 1/2 - 1 (0.767 mi.)	701	1718
Facility Id: 38830003				
Status: No Action Required				
1345 TURK STREET	1345 TURK STREET	W 1/2 - 1 (0.912 mi.)	706	1742
Facility Id: 60000542				
Status: Refer: 1248 Local Agency				
HARBOR DEFENSE UNIT,		WSW 1/2 - 1 (0.975 mi.)	CW712	1752

Facility Id: 80000658
Status: No Further Action

Lower Elevation	Address	Direction / Distance	Map ID	Page
TRINITY PROPERTIES	***1169 MARKET ST***	***S 1/8 - 1/4 (0.143 mi.)***	***J207***	***311***
Facility Id: 38990003 Status: Refer: Other Agency				
1146-1160 MISSION ST	1160 MISSION STREET	SSE 1/8 - 1/4 (0.222 mi.)	AK379	700
Facility Id: 60000541 Status: Refer: 1248 Local Agency				
PG&E - STATION T	***465 STEVENSON***	***E 1/4 - 1/2 (0.276 mi.)***	***AM470***	***873***
Facility Id: 38490008 Status: No Further Action				
HABITAT FOR HUMANITY	1009 MISSION STREET	ESE 1/4 - 1/2 (0.278 mi.)	AV472	877
Facility Id: 60000526 Status: Refer: 1248 Local Agency				
518 MINNA STREET APA	***518 MINNA STREET***	***ESE 1/4 - 1/2 (0.294 mi.)***	***AV478***	***887***
Facility Id: 38990005 Status: Certified O&M - Land Use Restrictions Only				
SEVENTH AND NATOMA S	***CORNER OF SEVENTH AN***	***SE 1/4 - 1/2 (0.312 mi.)***	***BC497***	***922***
Facility Id: 38990007 Status: Certified O&M - Land Use Restrictions Only				
1028 HOWARD STREET	***1028 HOWARD STREET***	***ESE 1/4 - 1/2 (0.351 mi.)***	***BM539***	***1023***
Facility Id: 38990006 Status: Refer: Other Agency				
SAN FRANCISCO NEWSPA	***925 MISSION ST***	***E 1/4 - 1/2 (0.368 mi.)***	***BG553***	***1055***
Facility Id: 71002287 Status: Inactive - Needs Evaluation				
WESTBROOK PLAZA	227-255 7TH STREET	SE 1/4 - 1/2 (0.374 mi.)	BN557	1096
Facility Id: 60000540 Status: Refer: 1248 Local Agency				
HOTEL ABRI	***127 ELLIS STREET***	***NE 1/4 - 1/2 (0.389 mi.)***	***577***	***1136***
Facility Id: 60002820 Status: Active				
1298 HOWARD STREET	***1298 HOWARD STREET***	***S 1/4 - 1/2 (0.403 mi.)***	***CA588***	***1233***
Facility Id: 60000530 Status: Refer: 1248 Local Agency				
241 SIXTH STREET	***241 6TH***	***ESE 1/4 - 1/2 (0.436 mi.)***	***CC626***	***1490***
Facility Id: 38990011 Status: Certified O&M - Land Use Restrictions Only				
436-438 CLEMENTINA S	436-438 CLEMENTINA S	E 1/4 - 1/2 (0.494 mi.)	671	1603
Facility Id: 60000545 Status: Refer: 1248 Local Agency				
PRESIDIO OF SAN FRAN	***NORTHERN TIP OF SF P***	***SSW 1/2 - 1 (0.519 mi.)***	***CO681***	***1616***
Facility Id: 60001401 Status: Inactive - Action Required				
PIER 92, PORT OF SAN	PIER 92, PORT OF SAN	SSW 1/2 - 1 (0.520 mi.)	CO682	1650
Facility Id: 71003730 Status: No Further Action				
UNITED AIRLINES MAIN	SAN FRANCISCO INTERN	SSW 1/2 - 1 (0.520 mi.)	CO683	1653

Facility Id: 71002371 Status: Refer: Other Agency				
BESSIE CARMICHAEL EL Facility Id: 38420001 Status: No Further Action	***355/375 7TH STREET***	***SE 1/2 - 1 (0.530 mi.)***	***684***	***1654***
CITIZENS HOUSING INC Facility Id: 60000546 Status: Refer: 1248 Local Agency	***1346 FOLSOM ST***	***S 1/2 - 1 (0.546 mi.)***	***CT687***	***1665***
MILESTONES HUMAN SER Facility Id: 38830001 Status: No Action Required	291 TENTH STREET	S 1/2 - 1 (0.566 mi.)	CT688	1668
858-860 FOLSOM STREE Facility Id: 38760001 Status: Refer: 1248 Local Agency	***858-860 FOLSOM STREE***	***E 1/2 - 1 (0.615 mi.)***	***689***	***1669***
CCSF MTA CENTRAL SUB Facility Id: 60002846 Status: Active	***266 4TH ST #286***	***E 1/2 - 1 (0.670 mi.)***	***690***	***1672***
CALIFORNIA HIGHWAY P Facility Id: 38920001 Status: Certified / Operation & Maintenance	***455 EIGHTH STREET***	***SSE 1/2 - 1 (0.672 mi.)***	***691***	***1677***
MCDONALD'S RESTAURAN Facility Id: 38580001 Status: Certified O&M - Land Use Restrictions Only	***820 BRYANT ST***	***ESE 1/2 - 1 (0.698 mi.)***	***CU694***	***1690***
FILIPINO EDUCATION C Facility Id: 60000627 Status: Inactive - Withdrawn	***824 HARRISON STREET***	***E 1/2 - 1 (0.749 mi.)***	***698***	***1704***
COSTCO Facility Id: 71003432 Status: Inactive - Needs Evaluation	***450 10TH ST***	***SSE 1/2 - 1 (0.756 mi.)***	***699***	***1707***
BMW OF SAN FRANCISCO Facility Id: 38550001 Status: Refer: Other Agency	***1675 HOWARD STREET***	***SSW 1/2 - 1 (0.763 mi.)***	***700***	***1711***
C & M PLATING WORKS Facility Id: 80001619 Facility Id: 60000525 Status: No Further Action Status: Refer: 1248 Local Agency	***598 6TH ST***	***ESE 1/2 - 1 (0.834 mi.)***	***CV704***	***1720***
CONSOLIDATED IRON WO Facility Id: 38330010 Status: Certified	***634 TOWNSEND STREET***	***SE 1/2 - 1 (0.931 mi.)***	***707***	***1743***
MCCALL CORPORATION Facility Id: 38270053 Status: Refer: Other Agency	315 MONTGOMERY	NE 1/2 - 1 (0.947 mi.)	710	1751

State and tribal leaking storage tank lists

CA LUST: Leaking Underground Storage Tank (LUST) Sites included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

A review of the CA LUST list, as provided by EDR, has revealed that there are 253 CA LUST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CENTRAL YMCA	***220 GOLDEN GATE AVE***	***NNW 0 - 1/8 (0.015 mi.)***	***B9***	***23***
Database: LUST, Date of Government Version: 09/09/2019 Status: Completed - Case Closed Global Id: T10000000227				
SFFD HEADQUARTERS	***260 GOLDEN GATE AVE***	***WNW 0 - 1/8 (0.023 mi.)***	***B11***	***28***
Database: LUST REG 2, Date of Government Version: 09/30/2004 Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008 Database: LUST, Date of Government Version: 09/09/2019 Status: Completed - Case Closed Facility Id: 38-0288 Facility Status: Case Closed Facility Id: 38-0288 Facility Status: Case Closed Global Id: T0607500253 date9: 6/21/1999				
COMMERCIAL	***112-120 HYDE ST.***	***WNW 0 - 1/8 (0.042 mi.)***	***C28***	***46***
Database: LUST, Date of Government Version: 09/09/2019 Status: Completed - Case Closed Global Id: T10000001889				
COMMERCIAL	***138 HYDE***	***WNW 0 - 1/8 (0.055 mi.)***	***C38***	***59***
Database: LUST, Date of Government Version: 09/09/2019 Status: Completed - Case Closed Global Id: T10000002600				
FORMER GASOLINE	168 HYDE STREET	NW 0 - 1/8 (0.065 mi.)	C58	78
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008 Facility Id: 02-100-010 Facility Status: Case Closed				
GAS STATION COMMERCI	***168 HYDE***	***NW 0 - 1/8 (0.065 mi.)***	***C59***	***80***
Database: LUST, Date of Government Version: 09/09/2019 Status: Completed - Case Closed Global Id: T0607501369				
FORMER GASOLINE STAT	168 HYDE STREET	NW 0 - 1/8 (0.065 mi.)	C60	82
Database: LUST REG 2, Date of Government Version: 09/30/2004 Facility Id: 38-2127 Facility Status: Case Closed date9: 1/31/2000				
STUDIO TECH AUTO BOD	***135 HYDE ST***	***WNW 0 - 1/8 (0.074 mi.)***	***C73***	***96***
Database: LUST, Date of Government Version: 09/09/2019 Status: Completed - Case Closed Global Id: T10000007748				
COMMERCIAL	***318-320 TURK ST.***	***NNW 0 - 1/8 (0.083 mi.)***	***G82***	***128***
Database: LUST, Date of Government Version: 09/09/2019				

Status: Completed - Case Closed
Global Id: T10000005247

RESIDENCE ***416 TURK STREET*** ***NW 0 - 1/8 (0.110 mi.)*** ***K143*** ***219***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1027
Facility Status: Case Closed
Facility Id: 38-1027
Facility Status: Case Closed
date9: 6/8/1998

RESIDENCE ***416 TURK STREET*** ***NW 0 - 1/8 (0.110 mi.)*** ***K144*** ***221***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500920

MIDORI HOTEL ***240 HYDE ST*** ***NW 0 - 1/8 (0.114 mi.)*** ***K163*** ***239***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-2173
Facility Status: Case Closed
Facility Id: 02-202-005
Facility Status: Case Closed
Global Id: T0607526654
date9: 6/20/2002

RETAIL/RESIDENTIAL A ***347 EDDY STREET*** ***NNE 1/8 - 1/4 (0.129 mi.)*** ***H189*** ***269***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-1280
Facility Status: Case Closed
Facility Id: 38-1280
Facility Status: Case Closed
Global Id: T0607501165
date9: 2/3/1999

RESIDENTIAL 444 LARKIN STREET ST WNW 1/8 - 1/4 (0.134 mi.) L194 290
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 02-301-020
Facility Status: Case Closed

RESIDENTIAL APARTMEN ***444 LARKIN STREET ST*** ***WNW 1/8 - 1/4 (0.134 mi.)*** ***L195*** ***292***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-2097
Facility Status: Case Closed
Global Id: T0607578688
date9: 7/10/2001

WASSERMAN PROPERTY ***460 EDDY STREET*** ***NNW 1/8 - 1/4 (0.149 mi.)*** ***S224*** ***350***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500372

WASSERMAN PROPERTY ***460 EDDY STREET*** ***NNW 1/8 - 1/4 (0.149 mi.)*** ***S227*** ***355***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008

Facility Id: 38-0420
Facility Status: Case Closed
Facility Id: 38-0420
Facility Status: Case Closed
date9: 6/24/1993

FEDERAL BUILDING AND ***450 GOLDEN GATE AVE*** ***W 1/8 - 1/4 (0.175 mi.)*** ***W268*** ***467***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500206

FEDERAL BLDG & COURT ***450 GOLDEN GATE AVE*** ***W 1/8 - 1/4 (0.175 mi.)*** ***W271*** ***471***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0239
Facility Status: Case Closed
Facility Id: 38-0239
Facility Status: Case Closed
date9: 1/25/1999

RESIDENTIAL/COMMERCI ***333 HYDE STREET*** ***NW 1/8 - 1/4 (0.177 mi.)*** ***S275*** ***488***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1154
Facility Status: Case Closed
Facility Id: 38-1154
Facility Status: Case Closed
date9: 9/25/1998

RESIDENTIAL/COMMERCI ***333 HYDE STREET*** ***NW 1/8 - 1/4 (0.177 mi.)*** ***S277*** ***492***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607501042

APARTMENT PROPERTY ***346 LEAVENWORTH ST*** ***N 1/8 - 1/4 (0.178 mi.)*** ***Z291*** ***548***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607548466

RESIDENCE 360 HYDE STREET NNW 1/8 - 1/4 (0.189 mi.) S303 574
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1039
Facility Status: Case Closed
Facility Id: 38-1039
Facility Status: Case Closed
date9: 7/1/1998

RESIDENCE ***360 HYDE*** ***NNW 1/8 - 1/4 (0.189 mi.)*** ***S304*** ***576***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500932

CHINA COMMUNITY DEVE ***473 ELLIS ST*** ***N 1/8 - 1/4 (0.191 mi.)*** ***Z318*** ***597***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607565264

BOHAN CO.. ***345 JONES STREET*** ***NNE 1/8 - 1/4 (0.199 mi.)*** ***AF331*** ***614***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008

Facility Id: 38-0891
Facility Status: Case Closed
Facility Id: 38-0891
Facility Status: Case Closed
date9: 5/1/1997

BOHAN CO.. ***345 JONES STREET*** ***NNE 1/8 - 1/4 (0.199 mi.)*** ***AF333*** ***618***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500786

APARTMENT BUILDING ***635 ELLIS ST*** ***NW 1/8 - 1/4 (0.206 mi.)*** ***AA338*** ***624***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-2020
Facility Status: Case Closed
Facility Id: 02-300-019
Facility Status: Case Closed
Global Id: T0607591406
date9: 9/20/2000

MARTINEZ PROPERTY ***500-516 ELLIS STREET*** ***N 1/8 - 1/4 (0.211 mi.)*** ***Z353*** ***653***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0975
Facility Status: Case Closed
Facility Id: 38-0975
Facility Status: Case Closed
Global Id: T0607562610
date9: 2/26/1998

RESIDENTIAL APARTMEN ***669 ELLIS ST*** ***NW 1/8 - 1/4 (0.218 mi.)*** ***AA365*** ***675***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-2171
Facility Status: Case Closed
Global Id: T0607592511
date9: 12/11/2002

669 ELLIS C1, LP ***669 ELLIS ST*** ***NW 1/8 - 1/4 (0.218 mi.)*** ***AA367*** ***679***
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 02-202-001
Facility Status: Case Closed

HANDLERY HOTELS ***560 ELLIS STREET*** ***NNW 1/8 - 1/4 (0.220 mi.)*** ***AJ375*** ***691***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0173
Facility Status: Case Closed
Facility Id: 38-0173
Facility Status: Case Closed
Global Id: T0607500150

date9: 4/26/1996

ILTOVICH PROPERTYY ***401 HYDE STREET*** ***NNW 1/8 - 1/4 (0.222 mi.)*** ***AA382*** ***705***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500577

ILTOVICH PROPERTYY ***401 HYDE STREET*** ***NNW 1/8 - 1/4 (0.222 mi.)*** ***AA383*** ***706***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0658
Facility Status: Case Closed
Facility Id: 38-0658
Facility Status: Case Closed
date9: 8/30/1995

RESIDENCE ***620 EDDY STREET*** ***WNW 1/8 - 1/4 (0.222 mi.)*** ***AD384*** ***708***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500803

RESIDENCE ***620 EDDY STREET*** ***WNW 1/8 - 1/4 (0.222 mi.)*** ***AD386*** ***712***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0908
Facility Status: Case Closed
Facility Id: 38-0908
Facility Status: Case Closed
date9: 6/4/1997

COMMERCIAL PROPERTY ***425 HYDE STREET*** ***NNW 1/8 - 1/4 (0.237 mi.)*** ***AJ420*** ***773***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-2219
Facility Status: Case Closed
Global Id: T0607595254
date9: 7/23/2003

COMMERCIAL/RESIDENTI ***640 POLK STREET*** ***WNW 1/8 - 1/4 (0.240 mi.)*** ***AQ428*** ***788***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-1211
Facility Status: Case Closed
Facility Id: 38-1211
Facility Status: Case Closed
Global Id: T0607501096
date9: 12/2/1998

RESIDENTIAL APARTMEN ***434 LEAVENWORTH STRE*** ***N 1/8 - 1/4 (0.241 mi.)*** ***AR430*** ***793***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-2101
Facility Status: Case Closed
Global Id: T0607540109
date9: 8/14/2001

RESIDENTIAL 434 LEAVENWORTH STRE N 1/8 - 1/4 (0.241 mi.) AR433 798
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008

Facility Id: 02-301-025
Facility Status: Case Closed

PRIVATE RESIDENCE | PRIVATE RESIDENCE | NNW 1/8 - 1/4 (0.246 mi.) | AJ449 | 826
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607599494

APARTMENTS | 641 O'FARRELL ST | NNW 1/8 - 1/4 (0.246 mi.) | AJ452 | 831
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Id: 38-2186
Facility Status: Case Closed
date9: 1/7/2003

JUDICAL COUNCIL-ADMI | 400 MCALLISTER | WSW 1/4 - 1/2 (0.251 mi.) | AO455 | 835
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T10000005382

601 O'FARRELL STREET | 601 O'FARRELL STREET | N 1/4 - 1/2 (0.254 mi.) | AR458 | 842
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0508
Facility Status: Case Closed
Facility Id: 38-0508
Facility Status: Case Closed
Global Id: T0607500454
date9: 12/1/1995

COMMERCIAL PROPERTY | 625 POLK STREET | WNW 1/4 - 1/2 (0.256 mi.) | AQ459 | 845
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607572572

COMMERCIAL PROPERTY | 625 POLK STREET | WNW 1/4 - 1/2 (0.256 mi.) | AQ460 | 846
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Id: 38-2246
Facility Status: Case Closed
date9: 12/5/2003

APARTMENT PROPERTY | 725 O'FARRELL ST | NNW 1/4 - 1/2 (0.258 mi.) | AP461 | 847
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607569897

ADMIRAL HOTEL | 608 O'FARRELL ST. | N 1/4 - 1/2 (0.270 mi.) | AR463 | 849
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-1127
Facility Status: Case Closed
Facility Id: 38-1127
Facility Status: Case Closed
Global Id: T0607501016
date9: 3/22/2002

RESIDENTIAL APT. | 765 ELLIS ST | WNW 1/4 - 1/2 (0.274 mi.) | AU466 | 855
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008

Facility Id: 38-2130
Facility Status: Case Closed
Facility Id: 02-100-013
Facility Status: Case Closed
date9: 9/17/2002

RESIDENTIAL APT. 765 ELLIS ST WNW 1/4 - 1/2 (0.274 mi.) AU467 858
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607564067

AUTO SHEET METAL WOR 730 ELLIS ST NW 1/4 - 1/2 (0.275 mi.) AU468 859
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500853

KSH AUTOMOTIVE, INC. 730 ELLIS STREET NW 1/4 - 1/2 (0.275 mi.) AU469 865
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0959
Facility Status: Case Closed
Facility Id: 38-0959
Facility Status: Case Closed
date9: 12/24/1997

TENDERLOIN ELEMENTAR 639 TURK ST. W 1/4 - 1/2 (0.279 mi.) AW473 878
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607501203

TENDERLOIN ELEMENTAR 639 TURK ST. W 1/4 - 1/2 (0.279 mi.) AW474 880
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1318
Facility Status: Leak being confirmed
Facility Id: 38-1318
Facility Status: Leak being confirmed

RESIDENTIAL 580 O'FARRELL ST N 1/4 - 1/2 (0.280 mi.) AR475 882
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 02-300-021
Facility Status: Case Closed

RESIDENTIAL APARTMEN 580 O'FARRELL ST N 1/4 - 1/2 (0.280 mi.) AR476 883
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-2022
Facility Status: Case Closed
Global Id: T0607533867
date9: 9/27/2000

DIAMOND WEST 750 O'FARRELL STREET NNW 1/4 - 1/2 (0.295 mi.) AY479 897
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0759
Facility Status: Case Closed
Facility Id: 38-0759
Facility Status: Case Closed
date9: 4/30/1996

DIAMOND WEST ASSOCIA 750 O'FARRELL STREET NNW 1/4 - 1/2 (0.295 mi.) AY481 899
Database: LUST, Date of Government Version: 09/09/2019

Status: Completed - Case Closed
Global Id: T0607500659

RESIDENCE 815 O'FARRELL STREET NW 1/4 - 1/2 (0.296 mi.) AZ482 900
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0965
Facility Status: Case Closed
Facility Id: 38-0965
Facility Status: Case Closed
date9: 1/13/1998

RESIDENCE 815 O'FARRELL STREET NW 1/4 - 1/2 (0.296 mi.) AZ483 902
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500858

RAMADA MARK TWAIN 345 TAYLOR STREET NNE 1/4 - 1/2 (0.296 mi.) BA485 904
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1268
Facility Status: Case Closed
Facility Id: 38-1268
Facility Status: Case Closed
date9: 5/25/1999

RAMADA MARK TWAIN HO 345 TAYLOR NNE 1/4 - 1/2 (0.296 mi.) BA486 906
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607501153

COMMERCIAL 445 O' FARRELL ST. NNE 1/4 - 1/2 (0.299 mi.) BA487 907
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T10000003065

COMMERCIAL 401 O'FARRELL STREET NNE 1/4 - 1/2 (0.308 mi.) BA490 912
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-1258
Facility Status: Case Closed
Facility Id: 38-1258
Facility Status: Case Closed
Global Id: T0607501143
date9: 1/21/1999

845 O'FARRELL STREET 845 O'FARRELL STREET NW 1/4 - 1/2 (0.310 mi.) AZ493 915
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500702

845 O'FARRELL 845 O'FARRELL STREET NW 1/4 - 1/2 (0.310 mi.) AZ494 916
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0805
Facility Status: Case Closed
Facility Id: 38-0805
Facility Status: Case Closed

date9: 8/14/1996

COMMERCIAL ***721 GEARY STREET*** ***N 1/4 - 1/2 (0.319 mi.)*** ***BD499*** ***933***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607501311

COMMERCIAL 721 GEARY STREET N 1/4 - 1/2 (0.319 mi.) BD500 935
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1427
Facility Status: Case Closed
Facility Id: 38-1427
Facility Status: Case Closed
date9: 10/1/1999

747 GEARY HOA ***747 GEARY STREET*** ***NNW 1/4 - 1/2 (0.319 mi.)*** ***BD501*** ***936***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500680

747 GEARY HOA ***747 GEARY STREET*** ***NNW 1/4 - 1/2 (0.319 mi.)*** ***BD502*** ***938***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0783
Facility Status: Case Closed
Facility Id: 38-0783
Facility Status: Case Closed
date9: 7/19/1996

RESIDENTIAL APT. ***735 GEARY STREET*** ***NNW 1/4 - 1/2 (0.319 mi.)*** ***BD503*** ***940***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1166
Facility Status: Case Closed
Facility Id: 38-1166
Facility Status: Case Closed
date9: 9/2/1998

RESIDENTIAL APT. ***735 GEARY STREET*** ***NNW 1/4 - 1/2 (0.319 mi.)*** ***BD504*** ***942***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607501054

APARTMENT PROPERTY ***765 GEARY ST*** ***NNW 1/4 - 1/2 (0.319 mi.)*** ***BD505*** ***944***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607520647

775 GEARY ST. ***775 GEARY STREET*** ***NNW 1/4 - 1/2 (0.320 mi.)*** ***BD506*** ***946***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500678

775 GEARY ST. ***775 GEARY STREET*** ***NNW 1/4 - 1/2 (0.320 mi.)*** ***BD507*** ***947***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0781
Facility Status: Case Closed
Facility Id: 38-0781
Facility Status: Case Closed

date9: 9/5/1996

RESIDENTIAL APT. ***795 GEARY STREET*** ***NNW 1/4 - 1/2 (0.321 mi.)*** ***BE508*** ***949***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1216
Facility Status: Case Closed
Facility Id: 38-1216
Facility Status: Case Closed
date9: 12/15/1998

RESIDENTIAL APT. ***795 GEARY STREET*** ***NNW 1/4 - 1/2 (0.321 mi.)*** ***BE509*** ***952***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607501101

APCOA GARAGE AT 1390 MARKET STREET SSW 1/4 - 1/2 (0.327 mi.) BF510 953
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0688
Facility Status: Case Closed
Facility Id: 38-0688
Facility Status: Case Closed
date9: 6/16/1995

FOX PLAZA ***1390 MARKET STREET*** ***SSW 1/4 - 1/2 (0.327 mi.)*** ***BF511*** ***955***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500053

CALFOX, INC. ***1390 MARKET STREET*** ***SSW 1/4 - 1/2 (0.327 mi.)*** ***BF512*** ***957***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0058
Facility Status: Case Closed
Facility Id: 38-0058
Facility Status: Case Closed
date9: 6/17/1996

FOX PLAZA ***1390 MARKET ST*** ***SSW 1/4 - 1/2 (0.327 mi.)*** ***BF513*** ***960***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500599

LOP MANAGEMENT 1390 MARKET STREET SSW 1/4 - 1/2 (0.327 mi.) BF514 969
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0000

COMMERCIAL PROPERTY 820 O'FARRELL STREET NW 1/4 - 1/2 (0.328 mi.) AZ516 974
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-2199
Facility Status: Case Closed
Global Id: T0607587693
date9: 1/23/2003

790 VAN NESS AVENUE ***790 VAN NESS AVE*** ***WNW 1/4 - 1/2 (0.330 mi.)*** ***BH519*** ***979***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0387

Facility Status: Case Closed
Facility Id: 38-0387
Facility Status: Case Closed
date9: 10/16/1996

WALGREENS #2153 ***790 VAN NESS AVE*** ***WNW 1/4 - 1/2 (0.330 mi.)*** ***BH520*** ***982***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500340

VACANT LOT ***101 POLK STREET*** ***SW 1/4 - 1/2 (0.332 mi.)*** ***BI522*** ***987***
Database: LUST, Date of Government Version: 09/09/2019
Status: Open - Eligible for Closure
Global Id: T10000010022

DESOTO CAB CO. ***855 GEARY STREET*** ***NNW 1/4 - 1/2 (0.333 mi.)*** ***AY524*** ***993***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500704
Global Id: T0607501106

DESOTO CAB CO. 855 GEARY STREET NNW 1/4 - 1/2 (0.333 mi.) AY525 997
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1221
Facility Id: 38-0808
Facility Status: Case Closed
Facility Id: 38-0808
Facility Status: Case Closed
date9: 12/8/1998
date9: 7/19/1996

COMMERCIAL/RESIDENTI 760 GEARY STREET NNW 1/4 - 1/2 (0.344 mi.) BD527 1001
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1339
Facility Status: Case Closed
Facility Id: 38-1339
Facility Status: Case Closed
date9: 5/4/1999

COMMERCIAL RESIDENTI ***760 GEARY*** ***NNW 1/4 - 1/2 (0.344 mi.)*** ***BD528*** ***1002***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607501224

COMMERCIAL/RESIDENTI ***774-778 GEARY STREET*** ***NNW 1/4 - 1/2 (0.344 mi.)*** ***BD529*** ***1004***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-1341
Facility Status: Case Closed
Facility Id: 38-1341
Facility Status: Case Closed
Global Id: T0607501226
date9: 5/4/1999

GLENDORA APARTMENTS ***610 HYDE STREET*** ***NNW 1/4 - 1/2 (0.347 mi.)*** ***BE531*** ***1010***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST, Date of Government Version: 09/09/2019

Status: Completed - Case Closed
Facility Id: 38-2254
Facility Status: Case Closed
Global Id: T0607503014
date9: 2/5/2004

SAN FRANCISCO MART ***1355 MARKET STREET*** ***SSW 1/4 - 1/2 (0.348 mi.)*** ***BF532*** ***1012***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1378
Facility Status: Case Closed
Facility Id: 38-1378
Facility Status: Case Closed
date9: 10/6/1999

SAN FRANCISCO MART ***1355 MARKET STREET*** ***SSW 1/4 - 1/2 (0.348 mi.)*** ***BF533*** ***1014***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607501263

COMMERCIAL PARKING 101 HAYES STREET SW 1/4 - 1/2 (0.348 mi.) BI534 1015
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1152
Facility Status: Case Closed
Facility Id: 38-1152
Facility Status: Case Closed
date9: 8/27/1998

COMMERCIAL PARKING L ***101 HAYES*** ***SW 1/4 - 1/2 (0.348 mi.)*** ***BI535*** ***1017***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607501040

CHATAV PROPERTY ***676 GEARY STREET*** ***N 1/4 - 1/2 (0.352 mi.)*** ***BO542*** ***1028***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0764
Facility Status: Case Closed
Facility Id: 38-0764
Facility Status: Case Closed
date9: 5/3/1996

CHATAV PROPERTY ***676 GEARY*** ***N 1/4 - 1/2 (0.352 mi.)*** ***BO543*** ***1030***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500664

ACADEMY OF ART UNIVE ***150 HAYES STREET*** ***SW 1/4 - 1/2 (0.353 mi.)*** ***BI544*** ***1032***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607501114
Global Id: T0607500051

CALIFORNIA STATE AUT ***150 HAYES STREET*** ***SW 1/4 - 1/2 (0.353 mi.)*** ***BI545*** ***1037***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0056
Facility Status: Case Closed
Facility Id: 38-0056

Facility Status: Case Closed
date9: 3/2/1994

CALIFORNIA AUTO ASSO ***150 HAYES ST.*** ***SW 1/4 - 1/2 (0.353 mi.)*** ***BI546*** ***1039***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1229
Facility Status: Post remedial action monitoring
Facility Id: 38-1229
Facility Status: Post remedial action monitoring

925 GEARY, LLC ***925 GEARY ST*** ***NW 1/4 - 1/2 (0.358 mi.)*** ***BP549*** ***1045***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500940

RESIDENCE ***925 GEARY STREET*** ***NW 1/4 - 1/2 (0.358 mi.)*** ***BP550*** ***1047***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1047
Facility Status: Case Closed
Facility Id: 38-1047
Facility Status: Case Closed
date9: 7/15/1998

RESIDENTIAL ***625 LEAVENWORTH ST.*** ***N 1/4 - 1/2 (0.360 mi.)*** ***BD551*** ***1050***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T10000006788

HOTEL BELLEVUE (FORM ***505 GEARY STREET*** ***NNE 1/4 - 1/2 (0.363 mi.)*** ***552*** ***1051***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0043
Facility Status: Case Closed
Facility Id: 38-0043
Facility Status: Case Closed
Global Id: T0607500039
date9: 8/8/1994

RESIDENCE ***882 GEARY BOULEVARD*** ***NNW 1/4 - 1/2 (0.369 mi.)*** ***555*** ***1092***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T10000009929

RESIDENTIAL 947 GEARY ST NW 1/4 - 1/2 (0.372 mi.) BP556 1094
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-2179
Facility Status: Case Closed
Facility Id: 02-302-012
Facility Status: Case Closed
date9: 9/20/2002

COMMERCIAL PROPERTY ***1400 MARKET ST*** ***SSW 1/4 - 1/2 (0.375 mi.)*** ***BF558*** ***1097***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed

Facility Id: 38-2200
Facility Status: Case Closed
Global Id: T0607545080
date9: 1/31/2003

951 O' FARRELL STREE | 951 O' FARRELL STREE | WNW 1/4 - 1/2 (0.376 mi.) | BQ559 | 1099
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T10000012717

RESIDENTIAL APT.S | 200 VAN NESS AVE | SW 1/4 - 1/2 (0.378 mi.) | BR560 | 1101
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1413
Facility Status: Case Closed
Facility Id: 38-1413
Facility Status: Case Closed
date9: 7/22/1999

RESIDENTIAL APARTMEN | ***200 VAN NESS*** | ***SW 1/4 - 1/2 (0.378 mi.)*** | ***BR561*** | ***1103***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607501297

DEN'S AUTO SERVICE | ***811 EDDY STREET*** | ***W 1/4 - 1/2 (0.380 mi.)*** | ***BS562*** | ***1105***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500117

DEN'S AUTO SERVICE | 811 EDDY STREET | W 1/4 - 1/2 (0.380 mi.) | BS563 | 1106
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0130
Facility Status: Case Closed
Facility Id: 38-0130
Facility Status: Case Closed
date9: 12/20/1994

PRIVATE RESIDENCE | PRIVATE RESIDENCE | NW 1/4 - 1/2 (0.382 mi.) | BP564 | 1108
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607569778

810 EDDY STREET | ***810 EDDY STREET*** | ***WNW 1/4 - 1/2 (0.382 mi.)*** | ***BH565*** | ***1110***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T10000012210

COMMERCIAL PROPERTY | ***875 POST STREET*** | ***NNW 1/4 - 1/2 (0.384 mi.)*** | ***BT567*** | ***1115***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-2244
Facility Status: Case Closed
Global Id: T0607537974
date9: 12/15/2003

CHELSEA COURT OA. | ***851 VAN NESS AVE*** | ***WNW 1/4 - 1/2 (0.384 mi.)*** | ***BU568*** | ***1117***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019

Status: Completed - Case Closed
Facility Id: 38-0370
Facility Status: Case Closed
Facility Id: 38-0370
Facility Status: Case Closed
Global Id: T0607500328
date9: 11/22/1994

RESIDENTIAL APT. ***891 POST STREET*** ***NNW 1/4 - 1/2 (0.384 mi.)*** ***BT570*** ***1126***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-1164
Facility Status: Case Closed
Facility Id: 38-1164
Facility Status: Case Closed
Global Id: T0607501052
date9: 9/1/1998

COMMERCIAL PROPERTY ***642 JONES ST*** ***N 1/4 - 1/2 (0.388 mi.)*** ***BX576*** ***1134***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607549574

APARTMENTS ***954 GEARY ST*** ***NW 1/4 - 1/2 (0.392 mi.)*** ***BP579*** ***1141***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-2062
Facility Status: Case Closed
Facility Id: 02-201-006
Facility Status: Case Closed
Global Id: T0607594018
date9: 4/23/2001

COMMERCIAL PROPERTY ***24-26 FELL STREET*** ***SSW 1/4 - 1/2 (0.394 mi.)*** ***BV580*** ***1145***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607521368

POLK STREET 999 POLK STREET NW 1/4 - 1/2 (0.396 mi.) BY581 1147
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T10000013113

KENT & JOHN UNION SE ***999 POLK STREET*** ***NW 1/4 - 1/2 (0.396 mi.)*** ***BY582*** ***1148***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0437
Facility Status: Case Closed
Facility Id: 38-0437
Facility Status: Case Closed
Global Id: T0607500388
date9: 9/19/1995

AAPRTMENT BUILDING ***970 GEARY ST.*** ***NW 1/4 - 1/2 (0.400 mi.)*** ***BP583*** ***1152***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019

Status: Completed - Case Closed
Facility Id: 38-2045
Facility Status: Case Closed
Facility Id: 02-101-008
Facility Status: Case Closed
Global Id: T0607591853
date9: 1/23/2001

BRITISH MOTOR CAR DI ***901 VAN NESS AVE*** ***WNW 1/4 - 1/2 (0.402 mi.)*** ***BU585*** ***1158***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607511499

COMMERCIAL PROPERTY ***901 VAN NESS AVENUE*** ***WNW 1/4 - 1/2 (0.402 mi.)*** ***BU586*** ***1227***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Id: 38-2210
Facility Status: Case Closed
date9: 4/10/2003

DAVIES SYMPHONY HALL ***201 VAN NESS AVE*** ***SW 1/4 - 1/2 (0.405 mi.)*** ***BR590*** ***1239***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607544289

COMMERCIAL ***894 POST STREET*** ***NNW 1/4 - 1/2 (0.406 mi.)*** ***BT591*** ***1240***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T10000007340

WILL'S AUTOMOTIVE 770 POST STREET N 1/4 - 1/2 (0.406 mi.) CB592 1242
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607514534

APARTMENTS ***990 GEARY ST*** ***NW 1/4 - 1/2 (0.408 mi.)*** ***BY593*** ***1244***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-2063
Facility Status: Case Closed
Facility Id: 02-201-007
Facility Status: Case Closed
Global Id: T0607594022
date9: 4/19/2001

BAAQMD. ***939 ELLIS STREET*** ***WNW 1/4 - 1/2 (0.411 mi.)*** ***BU594*** ***1247***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0035
Facility Status: Case Closed
Facility Id: 38-0035
Facility Status: Case Closed
Global Id: T0607500032
date9: 2/6/1998

POST ST. PROPERTIES ***750 POST STREET*** ***N 1/4 - 1/2 (0.412 mi.)*** ***CB596*** ***1259***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019

Status: Completed - Case Closed
Facility Id: 38-0638
Facility Status: Case Closed
Facility Id: 38-0638
Facility Status: Case Closed
Global Id: T0607500557
date9: 8/25/1995

COMMERCIAL ***1029 GEARY BLVD.*** ***NW 1/4 - 1/2 (0.414 mi.)*** ***BY599*** ***1269***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T10000002466

APARTMENT BUILDING ***930 POST STREET*** ***NNW 1/4 - 1/2 (0.415 mi.)*** ***CD601*** ***1271***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-1444
Facility Status: Case Closed
Facility Id: 38-1444
Facility Status: Case Closed
Global Id: T0607501328
date9: 10/26/1999

FORD MOTOR LAND DEVE ***1000 VAN NESS AVE*** ***WNW 1/4 - 1/2 (0.416 mi.)*** ***BQ602*** ***1275***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500368

FORD MOTOR LAND DEVE ***1000 VAN NESS AVE*** ***WNW 1/4 - 1/2 (0.416 mi.)*** ***BQ603*** ***1276***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0416
Facility Status: Case Closed
Facility Id: 38-0416
Facility Status: Case Closed
date9: 8/23/1994

APARTMENT PROPERTY 235 O'FARRELL ST NE 1/4 - 1/2 (0.420 mi.) CE605 1282
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607553674

RESIDENTIAL APT.S ***1045 POST STREET*** ***NW 1/4 - 1/2 (0.422 mi.)*** ***CF607*** ***1284***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0819
Facility Status: Case Closed
Facility Id: 38-0819
Facility Status: Case Closed
Global Id: T0607500715
date9: 9/13/1996

COMMERCIAL ***686 POST ST.*** ***N 1/4 - 1/2 (0.424 mi.)*** ***BX610*** ***1291***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T10000008622

METRO PARK 530 TAYLOR STREET NNE 1/4 - 1/2 (0.424 mi.) CH611 1293
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008

Facility Id: 38-0774
Facility Status: Case Closed
Facility Id: 38-0774
Facility Status: Case Closed
date9: 5/17/1996

METRO PARK ***530 TAYLOR*** ***NNE 1/4 - 1/2 (0.424 mi.)*** ***CH612*** ***1295***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500672

SF UNIFIED SCHOOL DI ***135 VAN NESS AVE*** ***SW 1/4 - 1/2 (0.425 mi.)*** ***BR614*** ***1299***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-1430
Facility Status: Case Closed
Global Id: T0607501314
date9: 11/9/1999

SF UNIFIED SCHOOL 135 VAN NESS AVE SW 1/4 - 1/2 (0.425 mi.) BR615 1302
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1430
Facility Status: Case Closed

SARATOGA APARTMENT ***982 POST STREET*** ***NNW 1/4 - 1/2 (0.426 mi.)*** ***CD616*** ***1303***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607558392

COMMERCIAL PROPERTY ***1051 POST ST*** ***NW 1/4 - 1/2 (0.428 mi.)*** ***CF617*** ***1305***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607581680

AMSTAD CONSTRUCTION 0 MASON & O'FARREL S NE 1/4 - 1/2 (0.432 mi.) CE619 1473
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0009
Facility Status: Case Closed
Global Id: T0607500010

SFFD STATION #3 ***1067 POST STREET*** ***NW 1/4 - 1/2 (0.433 mi.)*** ***CF622*** ***1477***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0276
Facility Id: 38-1103
Facility Status: Case Closed
Facility Id: 38-0276
Facility Id: 38-1103
Facility Status: Case Closed
Facility Status: Leak being confirmed
Global Id: T0607500241
Global Id: T0607500995
date9: 3/25/1994
date9: 6/5/2003

SHELL ***800 TURK*** ***W 1/4 - 1/2 (0.439 mi.)*** ***CK627*** ***1503***
Database: LUST, Date of Government Version: 09/09/2019

Status: Completed - Case Closed
Global Id: T0607501049

SHELL STATION 800 TURK STREET W 1/4 - 1/2 (0.439 mi.) CK628 1504
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1161
Facility Status: Case Closed
Facility Id: 38-1161
Facility Status: Case Closed
date9: 9/11/1998

RESIDENCE ***720 JONES STREET*** ***N 1/4 - 1/2 (0.439 mi.)*** ***CL629*** ***1506***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500837

RESIDENCE ***720 JONES STREET*** ***N 1/4 - 1/2 (0.439 mi.)*** ***CL630*** ***1508***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0943
Facility Status: Case Closed
Facility Id: 38-0943
Facility Status: Case Closed
date9: 10/21/1997

APARTMENT 757 LEAVENWORTH STRE N 1/4 - 1/2 (0.447 mi.) CM635 1518
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607501325

APARTMENT ***757 LEAVENWORTH STRE*** ***N 1/4 - 1/2 (0.447 mi.)*** ***CM636*** ***1519***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1441
Facility Status: Case Closed
Facility Id: 38-1441
Facility Status: Case Closed
date9: 9/20/1999

RESIDENTIAL APT ***925 SUTTER STREET*** ***N 1/4 - 1/2 (0.449 mi.)*** ***CM637*** ***1522***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-1267
Facility Status: Case Closed
Facility Id: 38-1267
Facility Status: Case Closed
Global Id: T0607501152
date9: 2/25/1999

919 SUTTER ST. PROPE ***919 SUTTER STREET*** ***N 1/4 - 1/2 (0.449 mi.)*** ***CM638*** ***1525***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0660
Facility Status: Case Closed
Facility Id: 38-0660

Facility Status: Case Closed
Global Id: T0607500579
date9: 12/12/1995

APARTMENT PROPERTY ***935 SUTTER STREET*** ***N 1/4 - 1/2 (0.449 mi.)*** ***CM639*** ***1528***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607570332

RESIDENTIAL APT ***1070 POST STREET*** ***NW 1/4 - 1/2 (0.451 mi.)*** ***CF640*** ***1530***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-1271
Facility Status: Case Closed
Facility Id: 38-1271
Facility Status: Case Closed
Global Id: T0607501156
date9: 3/4/1999

APARTMENT BUILDING ***861 SUTTER STREET*** ***N 1/4 - 1/2 (0.452 mi.)*** ***CB642*** ***1534***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1471
Facility Status: Case Closed
Facility Id: 38-1471
Facility Status: Case Closed
date9: 12/7/1999

APARTMENT BUILDING ***861 SUTTER STREET*** ***N 1/4 - 1/2 (0.452 mi.)*** ***CB643*** ***1536***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607501355

845 SUTTER ***845 SUTTER STREET*** ***N 1/4 - 1/2 (0.453 mi.)*** ***CB646*** ***1552***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500957

845 SUTTER 845 SUTTER STREET N 1/4 - 1/2 (0.453 mi.) CB647 1554
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1064
Facility Status: Case Closed
Facility Id: 38-1064
Facility Status: Case Closed
date9: 8/7/1996

BANSEMER PROPERTY ***1086 POST STREET*** ***NW 1/4 - 1/2 (0.455 mi.)*** ***CF649*** ***1558***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0987
Facility Status: Case Closed
Facility Id: 38-0987
Facility Status: Case Closed
Global Id: T0607500880
date9: 2/26/1998

RESIDENTIAL 1035 SUTTER ST NNW 1/4 - 1/2 (0.456 mi.) CD650 1561
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008

Facility Id: 02-200-001
Facility Status: Case Closed

RESIDENTIAL APARTMEN ***1035 SUTTER ST*** ***NNW 1/4 - 1/2 (0.456 mi.)*** ***CD651*** ***1563***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Id: 38-2142
Facility Status: Case Closed
date9: 4/4/2000

RESIDENTIAL APARTMEN 1035 SUTTER ST NNW 1/4 - 1/2 (0.456 mi.) CD652 1564
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607582532

795 SUTTER STREET CO ***795 SUTTER STREET*** ***N 1/4 - 1/2 (0.463 mi.)*** ***CL654*** ***1567***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-1001
Facility Status: Case Closed
Facility Id: 38-1001
Facility Status: Case Closed
Global Id: T0607500894
date9: 3/30/1998

RESIDENCE 765 SUTTER STREET N 1/4 - 1/2 (0.467 mi.) CL655 1571
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0895
Facility Status: Case Closed
Facility Id: 38-0895
Facility Status: Case Closed
date9: 5/15/1997

RESIDENCE ***765 SUTTER*** ***N 1/4 - 1/2 (0.467 mi.)*** ***CL656*** ***1573***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500790

HALSTED, N. GRAY, CA ***1101 SUTTER STREET*** ***NNW 1/4 - 1/2 (0.474 mi.)*** ***659*** ***1580***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-2070
Facility Status: Case Closed
Facility Id: 02-300-009
Facility Status: Case Closed
Global Id: T0607579372
date9: 8/22/2000

952 SUTTER ST., LTD ***952 SUTTER STREET*** ***NNW 1/4 - 1/2 (0.474 mi.)*** ***CM660*** ***1584***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500679

952 SUTTER ST., LTD ***952 SUTTER STREET*** ***NNW 1/4 - 1/2 (0.474 mi.)*** ***CM661*** ***1585***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008

Facility Id: 38-0782
Facility Status: Case Closed
Facility Id: 38-0782
Facility Status: Case Closed
date9: 7/11/1996

COMMERCIAL PROPERTY | 180-190 O'FARRELL ST | NE 1/4 - 1/2 (0.477 mi.) | 663 | 1587
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-2099
Facility Status: Case Closed
Facility Id: 02-301-022
Facility Status: Case Closed
Global Id: T0607560177
date9: 8/24/2001

COMMERCIAL PROPERTY | 355 FULTON STREET | WSW 1/4 - 1/2 (0.479 mi.) | 664 | 1590
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607519054

PARKVIEW TERRACES | 871 TURK STREET | W 1/4 - 1/2 (0.486 mi.) | 665 | 1592
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607544616

RESIDENTIAL | 766 SUTTER STREET | N 1/4 - 1/2 (0.490 mi.) | CL666 | 1595
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 02-302-002
Facility Status: Case Closed

RESIDENTIAL APARTMEN | 766 SUTTER STREET | N 1/4 - 1/2 (0.490 mi.) | CL667 | 1596
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Id: 38-1808
Facility Status: Case Closed
date9: 7/23/2002

231 FRANKLIN STREET | 231 FRANKLIN STREET | SW 1/4 - 1/2 (0.492 mi.) | 668 | 1597
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T10000000062

NOB HILL HOTEL | 827 HYDE | NNW 1/4 - 1/2 (0.495 mi.) | CQ672 | 1604
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 02-202-007
Facility Status: Case Closed

NOB HILL HOTEL | 827 HYDE STREET | NNW 1/4 - 1/2 (0.495 mi.) | CQ673 | 1605
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Id: 02-202-007
Facility Status: Case Closed
date9: 6/24/2002

NOB HILL HOTEL | 827 HYDE STREET | NNW 1/4 - 1/2 (0.495 mi.) | CQ674 | 1606
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607584463

PRIVATE RESIDENCE | PRIVATE RESIDENCE | N 1/4 - 1/2 (0.496 mi.) | CR675 | 1607
Database: LUST, Date of Government Version: 09/09/2019

Status: Completed - Case Closed
Global Id: T0607530189

CANTERBURY HOTEL ***750 SUTTER*** ***N 1/4 - 1/2 (0.497 mi.)*** ***CR676*** ***1609***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607501279

CANTERBURY HOTEL 750 SUTTER STREET N 1/4 - 1/2 (0.497 mi.) CR677 1610
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1394
Facility Status: Case Closed
Facility Id: 38-1394
Facility Status: Case Closed
date9: 6/22/1999

IMBELLONI PROEPRTY ***839 LEAVENWORTH STRE*** ***N 1/4 - 1/2 (0.500 mi.)*** ***CM679*** ***1612***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0961
Facility Status: Case Closed
Facility Id: 38-0961
Facility Status: Case Closed
Global Id: T0607500855
date9: 1/8/1998

Lower Elevation	Address	Direction / Distance	Map ID	Page

COMMERCIAL PROPERTY ***172 GOLDEN GATE AVE*** ***NE 0 - 1/8 (0.027 mi.)*** ***B18*** ***37***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T10000000704

APARTMENT PROPERTY ***83 MCALLISTER ST*** ***SE 0 - 1/8 (0.051 mi.)*** ***A35*** ***54***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607528686

CHINESE COMMUNITY HO ***201 TURK STREET*** ***NE 0 - 1/8 (0.087 mi.)*** ***D86*** ***134***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0105
Facility Status: Case Closed
Facility Id: 38-0105
Facility Status: Case Closed
Global Id: T0607500096
date9: 12/2/1992

GENERAL SERVICES ADM ***50 UNITED NATIONS PL*** ***S 0 - 1/8 (0.093 mi.)*** ***J96*** ***153***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T10000002041

THE SALVATION ARMY 240 TURK STREET NNE 0 - 1/8 (0.097 mi.) H107 173
Database: LUST, Date of Government Version: 09/09/2019

Status: Completed - Case Closed
Global Id: T0607525255

99 GOLDEN GATE | 99 GOLDEN GATE AVE | ENE 0 - 1/8 (0.098 mi.) | I111 | 183
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0233
Facility Status: Case Closed
Facility Id: 38-0233
Facility Status: Case Closed
date9: 5/18/1993

99 GOLDEN GATE AVENU | 99 GOLDEN GATE AVE | ENE 0 - 1/8 (0.098 mi.) | I112 | 185
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500201

COMMERCIAL PROPERTY | 1095 MARKET ST | SE 0 - 1/8 (0.109 mi.) | N137 | 209
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-2108
Facility Status: Case Closed
Facility Id: 02-401-006
Facility Status: Case Closed
Global Id: T0607502557
date9: 8/18/2001

COMMERCIAL | 1087 MARKET ST | ESE 0 - 1/8 (0.110 mi.) | N139 | 213
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-2149
Facility Status: Case Closed
Facility Id: 02-200-008
Facility Status: Case Closed
Global Id: T0607513438
date9: 6/14/2000

PINE AUTO PARTS | 175 TURK STREET | NE 1/8 - 1/4 (0.135 mi.) | M198 | 297
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1040
Facility Status: Case Closed
Facility Id: 38-1040
Facility Status: Case Closed
date9: 7/8/1998

PINE AUTO PARTS | 175 TURK | NE 1/8 - 1/4 (0.135 mi.) | M199 | 299
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500933

COMMERCIAL | 241 JONES ST | NNE 1/8 - 1/4 (0.136 mi.) | R203 | 304
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed

Facility Id: 38-1274
Facility Status: Case Closed
Facility Id: 38-1274
Facility Status: Case Closed
Global Id: T0607501159
date9: 5/17/2000

TRINITY PROPERTIES ***1169 MARKET ST*** ***S 1/8 - 1/4 (0.143 mi.)*** ***J207*** ***311***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0573
Facility Status: Case Closed
Facility Id: 38-0573
Facility Status: Case Closed
Global Id: T0607500500
date9: 6/29/1995

COMMERCIAL BUILDING ***1035 MARKET ST*** ***E 1/8 - 1/4 (0.153 mi.)*** ***T238*** ***396***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-2018
Facility Status: Case Closed
Facility Id: 02-400-006
Facility Status: Case Closed
Global Id: T0607592786
date9: 7/20/2000

NELSON AUTOBODY ***150 TURK ST*** ***NE 1/8 - 1/4 (0.162 mi.)*** ***V252*** ***422***
Database: LUST, Date of Government Version: 09/09/2019
Status: Open - Site Assessment
Global Id: T10000009239

COMMERCIAL ***25 TAYLOR ST.*** ***ENE 1/8 - 1/4 (0.165 mi.)*** ***T253*** ***432***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T10000004858

COMMERCIAL ***57 TAYLOR ST.*** ***ENE 1/8 - 1/4 (0.190 mi.)*** ***AB312*** ***587***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T10000002062

PARKING LOT ***1100 MISSION STREET*** ***SE 1/8 - 1/4 (0.210 mi.)*** ***X346*** ***642***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607598020

WINDSOR HOTEL 238 EDDY STREET NE 1/8 - 1/4 (0.212 mi.) AH355 659
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1336
Facility Status: Case Closed
Facility Id: 38-1336
Facility Status: Case Closed
date9: 5/13/1999

WINDSOR HOTEL ***238 EDDY*** ***NE 1/8 - 1/4 (0.212 mi.)*** ***AH357*** ***662***
Database: LUST, Date of Government Version: 09/09/2019

Status: Completed - Case Closed
Global Id: T0607501221

33 8TH STREET ***33 8TH STREET*** ***S 1/8 - 1/4 (0.219 mi.)*** ***AL372*** ***686***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T10000009426

BABE ZANCA SERVICE I ***1127 MISSION STREET*** ***SE 1/8 - 1/4 (0.232 mi.)*** ***AN406*** ***749***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0516
Facility Status: Case Closed
Facility Id: 38-0516
Facility Status: Case Closed
date9: 9/20/1996

B AND E TRANSMISSION ***1127 MISSION ST*** ***SE 1/8 - 1/4 (0.232 mi.)*** ***AN407*** ***754***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500461

CALFORNIA CARE MAINT ***1145 MISSION STREET*** ***SSE 1/8 - 1/4 (0.238 mi.)*** ***AN426*** ***783***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0053
Facility Status: Case Closed
Facility Id: 38-0053
Facility Status: Case Closed
Global Id: T0607500048
date9: 3/28/1995

CHEVRON STATION 1045 MISSION STREET ESE 1/8 - 1/4 (0.245 mi.) AS444 813
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0102
Facility Status: Case Closed
Facility Id: 38-0102
Facility Status: Case Closed
date9: 2/15/1995

CHEVRON ***1045 MISSION*** ***ESE 1/8 - 1/4 (0.245 mi.)*** ***AS447*** ***817***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500093

SANTA FE PACIFIC REA ***UNKNOWN 6TH & BERRY*** ***E 1/4 - 1/2 (0.251 mi.)*** ***AM456*** ***839***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0258
Facility Status: Case Closed
Global Id: T0607500223
date9: 2/24/1997

THE LURIE COMPANY 949 MARKET ST ENE 1/4 - 1/2 (0.271 mi.) AT464 852
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008

Facility Id: 38-2019
Facility Status: Case Closed
Facility Id: 02-300-018
Facility Status: Case Closed
date9: 9/15/2000

THE LURIE COMPANY ***949 MARKET ST*** ***ENE 1/4 - 1/2 (0.271 mi.)*** ***AT465*** ***854***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607519197

HOTEL METROPOLIS ***25 MASON ST*** ***ENE 1/4 - 1/2 (0.284 mi.)*** ***AX477*** ***885***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607525397

944 MARKET STREET AS ***944 MARKET ST*** ***ENE 1/4 - 1/2 (0.304 mi.)*** ***AX488*** ***909***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607538685

ROSE HOTEL ***125 06TH ST*** ***E 1/4 - 1/2 (0.310 mi.)*** ***AV496*** ***918***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0936
Facility Status: Case Closed
Facility Id: 38-0936
Facility Status: Case Closed
Global Id: T0607500830
date9: 10/8/1997

SFFD STATION #1 ***416 JESSIE STREET*** ***E 1/4 - 1/2 (0.327 mi.)*** ***BG515*** ***970***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0290
Facility Status: Case Closed
Facility Id: 38-0290
Facility Status: Case Closed
Global Id: T0607500255
date9: 3/25/1994

SHELL STATION #4201 ***1100 HOWARD STREET*** ***SE 1/4 - 1/2 (0.330 mi.)*** ***BC517*** ***976***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0324
Facility Status: Case Closed
Facility Id: 38-0324
Facility Status: Case Closed
date9: 1/7/1998

SHELL STATION #4201 ***1100 HOWARD STREET*** ***SE 1/4 - 1/2 (0.330 mi.)*** ***BC518*** ***978***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500284

SUNNYSIDE HOTEL ***135 6TH ST*** ***ESE 1/4 - 1/2 (0.332 mi.)*** ***BJ523*** ***990***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019

Status: Completed - Case Closed
Facility Id: 38-2177
Facility Status: Case Closed
Facility Id: 02-302-010
Facility Status: Case Closed
Global Id: T0607518918
date9: 9/23/2002

COMMERCIAL | HOWARD STREET | SSE 1/4 - 1/2 (0.351 mi.) | BL537 | 1019
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0917
Facility Status: Case Closed
Facility Id: 38-0917
Facility Status: Case Closed
date9: 7/24/1997

COMMERCIAL PROPERTY | 1166-1198 HOWARD STR | SSE 1/4 - 1/2 (0.351 mi.) | BL538 | 1021
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500812

CHEVRON STATION | 1101 HOWARD STREET | SE 1/4 - 1/2 (0.351 mi.) | BN540 | 1024
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0553
Facility Status: Case Closed
Facility Id: 38-0553
Facility Status: Case Closed
date9: 6/7/1995

CHEVRON STATION (FOR | 1101 HOWARD STREET | SE 1/4 - 1/2 (0.351 mi.) | BN541 | 1026
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500489

RESIDENTIAL APTS. | 172 06TH ST | ESE 1/4 - 1/2 (0.355 mi.) | BJ548 | 1042
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-1371
Facility Status: Case Closed
Facility Id: 38-1371
Facility Status: Case Closed
Global Id: T0607501256
date9: 6/17/1999

SAN FRANCISCO NEWSPA | 925 MISSION ST | E 1/4 - 1/2 (0.368 mi.) | BG553 | 1055
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-1354
Facility Status: Case Closed
Facility Id: 38-1354
Facility Status: Case Closed
Global Id: T0607501239
date9: 12/17/2002

1035 HOWARD STREET | 1035 HOWARD STREET | ESE 1/4 - 1/2 (0.369 mi.) | BM554 | 1090
Database: LUST, Date of Government Version: 09/09/2019

Status: Completed - Case Closed
Global Id: T10000012641

EPISCOPAL SANCTUARY ***201 08TH ST*** ***SSE 1/4 - 1/2 (0.383 mi.)*** ***BL566*** ***1112***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0923
Facility Status: Case Closed
Facility Id: 38-0923
Facility Status: Case Closed
Global Id: T0607500817
date9: 9/8/1997

COMMERCIAL 444 NATOMA ST E 1/4 - 1/2 (0.387 mi.) BW573 1130
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1247
Facility Status: Case Closed
Facility Id: 38-1247
Facility Status: Case Closed
date9: 5/28/1999

COMMERCIAL 444 NATOMA ST E 1/4 - 1/2 (0.387 mi.) BW574 1131
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607501132

MERCY HOUSING ***1390 MISSION ST*** ***SSW 1/4 - 1/2 (0.403 mi.)*** ***BZ587*** ***1229***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T10000001644

1298 HOWARD STREET ***1298 HOWARD STREET*** ***S 1/4 - 1/2 (0.403 mi.)*** ***CA588*** ***1233***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500649

BARRETT PROPERTY ***1298 HOWARD STREET*** ***S 1/4 - 1/2 (0.403 mi.)*** ***CA589*** ***1236***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0747
Facility Status: Case Closed
Facility Id: 38-0747
Facility Status: Case Closed
date9: 4/23/1999

981 HOWARD STREET ***981 HOWARD STREET*** ***ESE 1/4 - 1/2 (0.412 mi.)*** ***CC597*** ***1262***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0611
Facility Status: Case Closed
Facility Id: 38-0611
Facility Status: Case Closed
date9: 8/5/1998

981 HOWARD STREET ***981 HOWARD STREET*** ***ESE 1/4 - 1/2 (0.412 mi.)*** ***CC598*** ***1267***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed

Global Id: T0607500532

MEDIA GUILD ***433 NATOMA ST*** ***E 1/4 - 1/2 (0.416 mi.)*** ***BW604*** ***1281***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607588908

WCP SERVICES, INC. ***870 MARKET STREET*** ***ENE 1/4 - 1/2 (0.423 mi.)*** ***CG608*** ***1288***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-1581
Facility Status: Case Closed
Facility Id: 38-1581
Facility Status: Case Closed
date9: 3/7/2000

WCP SERVICES, INC. ***870 MARKET STREET*** ***ENE 1/4 - 1/2 (0.423 mi.)*** ***CG609*** ***1290***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607501363

201 FOLSOM ACQUISITI ***1400 MISSION ST*** ***SSW 1/4 - 1/2 (0.431 mi.)*** ***BZ618*** ***1307***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0470
Facility Status: Case Closed
Facility Id: 38-0470
Facility Status: Case Closed
Global Id: T0607500419
date9: 11/3/1993

NORDSON REX PROPERTY ***90 MOSS ST*** ***SE 1/4 - 1/2 (0.435 mi.)*** ***CI623*** ***1484***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0445
Facility Status: Case Closed
Global Id: T0607500396
date9: 6/24/1993

RESIDENCE ***175 RUSS STREET*** ***ESE 1/4 - 1/2 (0.436 mi.)*** ***CJ624*** ***1486***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500494

RESIDENCE ***175 RUSS STREET*** ***ESE 1/4 - 1/2 (0.436 mi.)*** ***CJ625*** ***1488***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0563
Facility Status: Case Closed
Facility Id: 38-0563
Facility Status: Case Closed
date9: 8/3/1995

AVAB AMERICA INC. ***466 TEHAMA STREET*** ***ESE 1/4 - 1/2 (0.439 mi.)*** ***CC631*** ***1510***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607501346

AVAB AMERICA INC. ***466 TEHAMA STREET*** ***ESE 1/4 - 1/2 (0.439 mi.)*** ***CC632*** ***1512***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008

Facility Id: 38-1462
Facility Status: Case Closed
Facility Id: 38-1462
Facility Status: Case Closed
date9: 11/4/1999

1401 MISSION AFFORDA ***1415 MISSION ST*** ***SSW 1/4 - 1/2 (0.446 mi.)*** ***BZ634*** ***1514***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T10000004240

BANK OF AMERICA ***1455 MARKET ST*** ***SSW 1/4 - 1/2 (0.452 mi.)*** ***CN644*** ***1538***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Facility Id: 38-0037
Facility Status: Post remedial action monitoring
Facility Id: 38-0037
Facility Status: Post remedial action monitoring

HUDSON 1455 MARKET L ***1455 MARKET STREET*** ***SSW 1/4 - 1/2 (0.452 mi.)*** ***CN645*** ***1540***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500034

ELEVATED INVESTORS, ***150 POWELL ST*** ***NE 1/4 - 1/2 (0.454 mi.)*** ***CE648*** ***1556***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607537599

COMMERCIAL PROPERTY ***465 TEHAMA STREET*** ***ESE 1/4 - 1/2 (0.459 mi.)*** ***CC653*** ***1565***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-2260
Facility Status: Leak being confirmed
Global Id: T0607502544

HARRY LOW PROPERTY ***1101 FOLSOM STREET*** ***SE 1/4 - 1/2 (0.468 mi.)*** ***CI657*** ***1575***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Facility Id: 38-0175
Facility Status: Case Closed
Facility Id: 38-0175
Facility Status: Case Closed
Global Id: T0607500152
date9: 8/11/1993

VACANT LOT ***139 HARRIET STREET*** ***ESE 1/4 - 1/2 (0.472 mi.)*** ***CJ658*** ***1578***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607548149

LOWENBERY PROPERTY ***1475 MISSION*** ***SSW 1/4 - 1/2 (0.492 mi.)*** ***CP669*** ***1599***
Database: LUST, Date of Government Version: 09/09/2019
Status: Completed - Case Closed
Global Id: T0607500935

LOWENBERG PROPERTY 1475 MISSION STREET SSW 1/4 - 1/2 (0.492 mi.) CP670 1601
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: SAN FRANCISCO CO. LUST, Date of Government Version: 09/19/2008

Facility Id: 38-1042
Facility Status: Case Closed
Facility Id: 38-1042
Facility Status: Case Closed
date9: 7/13/1998

State and tribal registered storage tank lists

CA UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the State Water Resources Control Board's Hazardous Substance Storage Container Database.

A review of the CA UST list, as provided by EDR, has revealed that there are 114 CA UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
YMCA	220 GOLDEN GATE AV	NNW 0 - 1/8 (0.015 mi.)	B10	25
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 5829				
CCSF/SFFD/HEADQUAR	260 GOLDEN GATE AV	WNW 0 - 1/8 (0.023 mi.)	B13	33
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 655				
RESIDENCE	126 HYDE ST	WNW 0 - 1/8 (0.049 mi.)	C34	52
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 30957				
E.D.2	371 TURK ST	NW 0 - 1/8 (0.061 mi.)	C48	65
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 21639				
RESIDENCE	381 TURK ST	NW 0 - 1/8 (0.063 mi.)	C54	74
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 28981				
COMMERCIAL	168 HYDE ST	NW 0 - 1/8 (0.065 mi.)	C61	82
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 23582				
HYDE STREET	168 HYDE ST	NW 0 - 1/8 (0.065 mi.)	C62	84
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 3130				
155 HYDE ST	155 HYDE ST	WNW 0 - 1/8 (0.082 mi.)	C78	124
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 22020				
370 TURK ST	370 TURK ST	NW 0 - 1/8 (0.083 mi.)	G80	126
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 21054				
COMMERCIAL	270 TURK ST	NNE 0 - 1/8 (0.090 mi.)	H91	148
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 18616				
RESIDENCE	222 LEAVENWORTH ST	N 0 - 1/8 (0.100 mi.)	G114	188
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019				

Facility Id: 27346

HASTINGS COLLEGE 250 MCALLISTER ST WSW 0 - 1/8 (0.101 mi.) F115 190
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 24825

201 HYDE ST 201 HYDE ST NW 0 - 1/8 (0.103 mi.) K120 193
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 22201

HASTINGS COLLEGE 260 MCALLISTER ST WSW 0 - 1/8 (0.106 mi.) O127 200
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 24826

RESIDENCE 236 LEAVENWORTH ST N 0 - 1/8 (0.107 mi.) G130 203
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 26824

416 TURK ST 416 TURK ST NW 0 - 1/8 (0.110 mi.) K141 217
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 22103

360 GOLDEN GATE AV 360 GOLDEN GATE AV W 0 - 1/8 (0.113 mi.) L153 226
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 21141

UC HASTINGS 333 GOLDEN GATE AV W 0 - 1/8 (0.113 mi.) L158 231
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 23986

RESIDENCE 245 LEAVENWORTH ST N 0 - 1/8 (0.114 mi.) G159 233
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 24775

RESIDENCE 225 HYDE ST NW 0 - 1/8 (0.114 mi.) K161 236
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 24656

MIDORI HOTEL 240 HYDE ST NW 0 - 1/8 (0.114 mi.) K162 238
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 25475

HASTINGS COLLEGE 270 MCALLISTER ST WSW 0 - 1/8 (0.115 mi.) O164 243
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 24827

HASTINGS COLLEGE 324 LARKIN ST WSW 1/8 - 1/4 (0.127 mi.) O187 266
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 24766

347 EDDY STREET 347 EDDY ST NNE 1/8 - 1/4 (0.129 mi.) H188 267
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 22943

RESIDENCE 355 EDDY ST NNE 1/8 - 1/4 (0.132 mi.) H193 289
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 27478

RESIDENCE 444 LARKIN ST WNW 1/8 - 1/4 (0.134 mi.) L196 294
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 26134

CCSF/DPW/BBR/CITY 302 LARKIN ST WSW 1/8 - 1/4 (0.143 mi.) O210 321
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 7685

COLLISION 460 EDDY ST NNW 1/8 - 1/4 (0.149 mi.) S226 354
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019

Facility Id: 24415

COMMERCIAL 480 EDDY ST NNW 1/8 - 1/4 (0.150 mi.) S228 363
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 24416

ABC AUTOMOTIVE 545 EDDY ST NW 1/8 - 1/4 (0.150 mi.) Q235 392
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 11174

COMMERCIAL 500 LARKIN ST WNW 1/8 - 1/4 (0.152 mi.) Q237 395
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 24767

CCSF/ASIAN ART MUSEU 200 LARKIN ST SW 1/8 - 1/4 (0.155 mi.) U242 408
Database: UST, Date of Government Version: 09/09/2019
Facility Id: 38-000-026114

CCSF/ASIAN ART 200 LARKIN ST SW 1/8 - 1/4 (0.155 mi.) U243 408
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 26114
Facility Status: Active

RESIDENCE 555 EDDY ST NW 1/8 - 1/4 (0.158 mi.) Q244 411
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 30529

COMMERCIAL 305 HYDE ST NW 1/8 - 1/4 (0.160 mi.) S245 413
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 30507

COMMERCIAL 326 EDDY ST NNE 1/8 - 1/4 (0.160 mi.) R246 414
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 23504

RESIDENCE 315 HYDE ST NW 1/8 - 1/4 (0.170 mi.) S254 433
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 29628

APARTMENTS 556 LARKIN ST WNW 1/8 - 1/4 (0.170 mi.) Q255 435
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 25455

LESLIE HOTEL 560 LARKIN ST WNW 1/8 - 1/4 (0.174 mi.) Q256 437
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 21745

334 HYDE STREET 334 HYDE ST NNW 1/8 - 1/4 (0.174 mi.) S257 438
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 12211

PHILLIP BURTON FEDER 450 GOLDEN GATE AVEN W 1/8 - 1/4 (0.175 mi.) W266 458
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 6063
Facility Status: Active

GENERAL SERVICES 450 GOLDEN GATE AV W 1/8 - 1/4 (0.175 mi.) W269 469
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 2033

PHILLIP BURTON FEDER 450 GOLDEN GATE AVE W 1/8 - 1/4 (0.175 mi.) W273 485
Database: UST, Date of Government Version: 09/09/2019
Facility Id: 38-000-006063

333 HYDE ST 333 HYDE ST NW 1/8 - 1/4 (0.177 mi.) S276 491
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019

Facility Id: 22470

STATE OF CALIFORNIA- 455 GOLDEN GATE AVE W 1/8 - 1/4 (0.177 mi.) W285 508
Database: UST, Date of Government Version: 09/09/2019
Facility Id: 38-000-021193

STATE OF 455 GOLDEN GATE AV W 1/8 - 1/4 (0.177 mi.) W286 508
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 21193
Facility Status: Active

RESIDENCE 346 LEAVENWORTH ST N 1/8 - 1/4 (0.178 mi.) Z292 550
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 29299

337 HYDE ST 337 HYDE ST NNW 1/8 - 1/4 (0.181 mi.) AA293 551
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 22745

350 MCALLISTER 350 MCALLISTER ST W 1/8 - 1/4 (0.183 mi.) W297 567
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 21194

360 HYDE ST 360 HYDE ST NNW 1/8 - 1/4 (0.189 mi.) S302 572
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 22364

AIRPORT RENT A 555 ELLIS ST NNW 1/8 - 1/4 (0.189 mi.) S305 578
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 14100

CHINATOWN 473 ELLIS ST N 1/8 - 1/4 (0.191 mi.) Z317 595
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 27316

PG&E/SUBSTATION-LA 600 LARKIN ST NW 1/8 - 1/4 (0.192 mi.) AD319 599
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 7006

BOHAN COMPANY 345 JONES ST NNE 1/8 - 1/4 (0.199 mi.) AF332 616
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 24722

CITY PROPERTIES 635 ELLIS ST NW 1/8 - 1/4 (0.206 mi.) AA339 628
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 23915

SAN FRANCISCO STATE 550 TURK ST WNW 1/8 - 1/4 (0.207 mi.) Y340 629
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 3055

PARKING GARAGE 550 TURK ST WNW 1/8 - 1/4 (0.207 mi.) Y343 638
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 29502

500-516 ELLIS ST 500 ELLIS ST N 1/8 - 1/4 (0.211 mi.) Z354 657
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 22217

RESIDENCE 669 ELLIS ST NW 1/8 - 1/4 (0.218 mi.) AA366 678
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 26527

RESIDENCE 387 ELLIS ST NNE 1/8 - 1/4 (0.218 mi.) AF369 682
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019

Facility Id: 26516

RESIDENCE 400 HYDE ST NNW 1/8 - 1/4 (0.220 mi.) AA373 688
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 29364

GSA-STATE OF 560 ELLIS ST NNW 1/8 - 1/4 (0.220 mi.) AJ374 690
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 7365

HOTEL EMBASSY 610 POLK ST WNW 1/8 - 1/4 (0.221 mi.) Y377 697
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 17017

RESIDENCE 401 HYDE ST NNW 1/8 - 1/4 (0.222 mi.) AA381 703
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 24657

620 EDDY ST 620 EDDY ST WNW 1/8 - 1/4 (0.222 mi.) AD385 710
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 21548

COMMERCIAL 424 ELLIS ST NNE 1/8 - 1/4 (0.226 mi.) AF389 718
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 24432

632 ELLIS ST 632 ELLIS ST NW 1/8 - 1/4 (0.229 mi.) AA396 730
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 21040

640 EDDY STREET 640 EDDY ST WNW 1/8 - 1/4 (0.231 mi.) AD403 745
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 23240

430 HYDE ST 430 HYDE ST NNW 1/8 - 1/4 (0.232 mi.) AJ408 757
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 21569

622-632 POLK ST 622 POLK ST WNW 1/8 - 1/4 (0.236 mi.) AQ418 770
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 21807

CITI PROPERTIES, 665 EDDY ST WNW 1/8 - 1/4 (0.236 mi.) AQ419 772
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 23328

COMMERCIAL 425 HYDE ST NNW 1/8 - 1/4 (0.237 mi.) AJ421 775
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 26920

440 HYDE ST 440 HYDE ST NNW 1/8 - 1/4 (0.239 mi.) AJ427 786
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 22102

640 POLK ST 640 POLK ST WNW 1/8 - 1/4 (0.240 mi.) AQ429 792
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 22257

RESIDENCE 434 LEAVENWORTH ST N 1/8 - 1/4 (0.241 mi.) AR432 797
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 25911

RESIDENCE 442 HYDE ST NNW 1/8 - 1/4 (0.242 mi.) AJ438 805
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 30085

RESIDENCE 437 HYDE ST NNW 1/8 - 1/4 (0.243 mi.) AJ439 806
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019

Facility Id: 25912

631 OFARRELL — 631 O'FARRELL ST — NNW 1/8 - 1/4 (0.246 mi.) — AJ450 — 828
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 17054

RESIDENCE — 641 O'FARRELL ST — NNW 1/8 - 1/4 (0.246 mi.) — AJ451 — 829
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 26717

684 ELLIS ST — 684 ELLIS ST — NW 1/8 - 1/4 (0.248 mi.) — AP453 — 831
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 22359

Lower Elevation	Address	Direction / Distance	Map ID	Page
UNIV. OF	100 MCALLISTER ST	SSE 0 - 1/8 (0.012 mi.)	A2	9
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 2669				
RESIDENCE	146 MCALLISTER ST	SSW 0 - 1/8 (0.014 mi.)	A7	19
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 24824				
COMMERCIAL	172 GOLDEN GATE AV	NE 0 - 1/8 (0.027 mi.)	B19	39
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 30958				
ST. ANTHONY	150 GOLDEN GATE AV	NE 0 - 1/8 (0.048 mi.)	D33	50
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 23303				
RESIDENCE	83 MCALLISTER ST	SE 0 - 1/8 (0.051 mi.)	A36	56
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 29298				
COMMERCIAL	133 GOLDEN GATE AV	ENE 0 - 1/8 (0.052 mi.)	D37	57
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 26331				
TENDERLOIN	44 MCALLISTER ST	ESE 0 - 1/8 (0.061 mi.)	E49	67
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 24823				
BANK OF AMERICA	1 JONES ST	E 0 - 1/8 (0.084 mi.)	E83	130
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 24720				
CHINESE COMMUNITY	201 TURK ST	NE 0 - 1/8 (0.087 mi.)	D88	141
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 25161				
THE SALVATION ARMY	240 TURK ST	NNE 0 - 1/8 (0.097 mi.)	H108	174
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 29902				
MILTON MEYER	99 GOLDEN GATE AV	ENE 0 - 1/8 (0.098 mi.)	I110	181
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 24561				
140 JONES ST	140 JONES ST	NE 0 - 1/8 (0.109 mi.)	M133	205
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 21549				
1095 MARKET	1095 MARKET ST	SE 0 - 1/8 (0.109 mi.)	N135	207
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019				

Facility Id: 26127

RESIDENCE	1139 MARKET ST	SSE 0 - 1/8 (0.114 mi.)	P160	235
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 27490				
RESIDENCE	205 JONES ST	NE 0 - 1/8 (0.119 mi.)	H173	247
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 24721				
GOLDEN GATE AVENUE	64 GOLDEN GATE AV	ENE 1/8 - 1/4 (0.125 mi.)	I185	263
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 6011				
TURK STREET GARAGE	175 TURK ST	NE 1/8 - 1/4 (0.135 mi.)	M197	296
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 776				
B & F INVESTMENTS	241 JONES ST	NNE 1/8 - 1/4 (0.136 mi.)	R202	303
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 22956				
RESIDENCE	50 GOLDEN GATE AV	ENE 1/8 - 1/4 (0.137 mi.)	I205	309
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 24560				
SANGIACOMO ANGELO	1169 MARKET ST	S 1/8 - 1/4 (0.143 mi.)	J209	319
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 18060				
PROPERTY	230 JONES ST	NE 1/8 - 1/4 (0.151 mi.)	R236	393
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 20944				
1035 MARKET ST,	1035 MARKET ST	E 1/8 - 1/4 (0.153 mi.)	T240	401
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 23911				
COOPER & ROBINSON	265 EDDY ST	NE 1/8 - 1/4 (0.174 mi.)	R261	448
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 4852				
RESIDENCE	101 TAYLOR ST	NE 1/8 - 1/4 (0.196 mi.)	V324	605
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 25132				
PROPERTY	550 JESSIE ST	ESE 1/8 - 1/4 (0.209 mi.)	AE345	640
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 24715				
RESIDENCE	1100 MISSION ST	SE 1/8 - 1/4 (0.210 mi.)	X347	643
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 29071				
U.S. GENERAL SERVICE	95 7TH ST	SE 1/8 - 1/4 (0.210 mi.)	AG349	648
Database: UST, Date of Government Version: 09/09/2019 Facility Id: 38-000-025829				
238 EDDY ST	238 EDDY ST	NE 1/8 - 1/4 (0.212 mi.)	AH356	661
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 22916				
CONSTRUCTION SITE	1068 MISSION ST	ESE 1/8 - 1/4 (0.221 mi.)	AE378	699
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019 Facility Id: 26788				
SAN FRANCISCAN	1231 MARKET ST	SSW 1/8 - 1/4 (0.226 mi.)	AI390	720
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019				

Facility Id: 24814

1095 MISSION ST | 1095 MISSION ST | SE 1/8 - 1/4 (0.228 mi.) | AG393 | 725
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 24842

995 MARKET ST | 995 MARKET ST | E 1/8 - 1/4 (0.231 mi.) | AM399 | 735
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 21945

ZANC BABE SERVICE | 1127 MISSION ST | SE 1/8 - 1/4 (0.232 mi.) | AN405 | 748
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 1858

CAL BUILDING | 1145 MISSION ST | SSE 1/8 - 1/4 (0.238 mi.) | AN423 | 779
Database: SAN FRANCISCO CO. UST, Date of Government Version: 08/01/2019
Facility Id: 9858

CA AST: A listing of aboveground storage tank petroleum storage tank locations.

A review of the CA AST list, as provided by EDR, has revealed that there are 4 CA AST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
STATE OF CALIFORNIA-	***455 GOLDEN GATE AV 2***	***W 1/8 - 1/4 (0.177 mi.)***	***W287***	***513***
Database: SAN FRANCISCO AST, Date of Government Version: 08/01/2019				
Not reported	100 LARKIN ST 94102	SW 1/8 - 1/4 (0.191 mi.)	AC314	592
Database: AST, Date of Government Version: 07/06/2016				
CCSF/MAIN LIBRARY	100 LARKIN ST	SW 1/8 - 1/4 (0.191 mi.)	AC315	593
Database: AST, Date of Government Version: 07/06/2016				
Database: SAN FRANCISCO AST, Date of Government Version: 08/01/2019				

Lower Elevation	Address	Direction / Distance	Map ID	Page
SAN FRANCISCO FEDERA	90 7TH ST	SE 1/8 - 1/4 (0.205 mi.)	X336	621
Database: AST, Date of Government Version: 07/06/2016				

State and tribal voluntary cleanup sites

CA VCP: Contains low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for DTSC's costs.

A review of the CA VCP list, as provided by EDR, and dated 10/28/2019 has revealed that there are 4 CA VCP sites within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
TRINITY PROPERTIES	***1169 MARKET ST***	***S 1/8 - 1/4 (0.143 mi.)***	***J207***	***311***
Status: Refer: Other Agency				
Facility Id: 38990003				
SEVENTH AND NATOMA S	***CORNER OF SEVENTH AN***	***SE 1/4 - 1/2 (0.312 mi.)***	***BC497***	***922***

Status: Certified O&M - Land Use Restrictions Only
Facility Id: 38990007

HOTEL ABRI	***127 ELLIS STREET***	***NE 1/4 - 1/2 (0.389 mi.)***	***577***	***1136***
Status: Active Facility Id: 60002820				
241 SIXTH STREET	***241 6TH***	***ESE 1/4 - 1/2 (0.436 mi.)***	***CC626***	***1490***
Status: Certified O&M - Land Use Restrictions Only Facility Id: 38990011				

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: The EPA's listing of Brownfields properties from the Cleanups in My Community program, which provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

A review of the US BROWNFIELDS list, as provided by EDR, and dated 06/03/2019 has revealed that there are 2 US BROWNFIELDS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
BAYVIEW / HUNTERS PO ACRES property ID: 14267	200 GROVE ST	SW 1/4 - 1/2 (0.346 mi.)	BK530	1007
CENTRAL FREEWAY, PAR ACRES property ID: 16032	***SW CORNER OF GOLDEN***	***W 1/4 - 1/2 (0.412 mi.)***	***595***	***1256***

Local Lists of Landfill / Solid Waste Disposal Sites

CA WMUDS/SWAT: The Waste Management Unit Database System is used for program tracking and inventory of waste management units. The source is the State Water Resources Control Board.

A review of the CA WMUDS/SWAT list, as provided by EDR, and dated 04/01/2000 has revealed that there is 1 CA WMUDS/SWAT site within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
COMMERCIAL PROPERTY	***444 NATOMA***	***E 1/4 - 1/2 (0.387 mi.)***	***BW575***	***1132***

Local Lists of Hazardous waste / Contaminated Sites

CA HIST Cal-Sites: Formerly known as ASPIS, this database contains both known and potential hazardous substance sites. The source is the California Department of Toxic Substance Control. No longer updated by the state agency. It has been replaced by ENVIROSTOR.

A review of the CA HIST Cal-Sites list, as provided by EDR, and dated 08/08/2005 has revealed that

there is 1 CA HIST Cal-Sites site within approximately 1 mile of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
CONSOLIDATED IRON WO	*634 TOWNSEND STREET*	*SE 1/2 - 1 (0.931 mi.)*	*707*	*1743*

CA CERS HAZ WASTE: List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Hazardous Chemical Management, Hazardous Waste Onsite Treatment, Household Hazardous Waste Collection, Hazardous Waste Generator, and RCRA LQ HW Generator programs.

A review of the CA CERS HAZ WASTE list, as provided by EDR, and dated 10/21/2019 has revealed that there are 19 CA CERS HAZ WASTE sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
J & S AUTO REPAIR IN	*464 EDDY ST*	*NNW 1/8 - 1/4 (0.146 mi.)*	*S215*	*331*
ACCURATE AUTO BODY	*460 EDDY ST*	*NNW 1/8 - 1/4 (0.149 mi.)*	*S225*	*351*
ABC AUTOMOTIVE	*545 EDDY ST*	*NW 1/8 - 1/4 (0.150 mi.)*	*Q233*	*384*
TAM'S AUTO BODY CORP	*545 EDDY ST*	*NW 1/8 - 1/4 (0.150 mi.)*	*Q234*	*389*
CCSF/ASIAN ART MUSEU	*200 LARKIN ST*	*SW 1/8 - 1/4 (0.155 mi.)*	*U241*	*403*
PHILLIP BURTON FEDER	*450 GOLDEN GATE AVE*	*W 1/8 - 1/4 (0.175 mi.)*	*W274*	*485*
KAHN & KEVILLE	*500 TURK ST*	*WNW 1/8 - 1/4 (0.178 mi.)*	*Y289*	*515*
MARKET GARAGE INC	*541 ELLIS ST*	*NNW 1/8 - 1/4 (0.181 mi.)*	*S295*	*554*
CCSF/MAIN LIBRARY	*100 LARKIN ST*	*SW 1/8 - 1/4 (0.191 mi.)*	*AC313*	*588*
AUTO SPORT HAUS	*632 ELLIS ST*	*NW 1/8 - 1/4 (0.229 mi.)*	*AA395*	*728*

Lower Elevation	Address	Direction / Distance	Map ID	Page
AUTOMOTIVE TECHNICIA	*256 TURK ST*	*NNE 0 - 1/8 (0.094 mi.)*	*H102*	*165*
KCC AUTOBODY SHOP IN	*256 TURK ST*	*NNE 0 - 1/8 (0.094 mi.)*	*H105*	*170*
CVS PHARMACY #4770	*1101 MARKET ST*	*SE 0 - 1/8 (0.105 mi.)*	*N124*	*197*
DALE'S AUTO SERVICE	*150 TURK ST*	*NE 1/8 - 1/4 (0.162 mi.)*	*V248*	*417*
CITY TECH AUTO BODY	150 TURK ST UPPR	NE 1/8 - 1/4 (0.162 mi.)	V249	420
KARRYS AUTO BODY LLC	*265 EDDY ST*	*NE 1/8 - 1/4 (0.174 mi.)*	*R259*	*441*
ADVANCE AUTO REPAIR,	*265 EDDY ST*	*NE 1/8 - 1/4 (0.174 mi.)*	*R260*	*445*
COOPER & ROBINSON IN	*265 EDDY ST*	*NE 1/8 - 1/4 (0.174 mi.)*	*R263*	*452*
ASB 989 MARKET STREE	*989 MARKET ST*	*ENE 1/8 - 1/4 (0.217 mi.)*	*AB363*	*672*

Local Lists of Registered Storage Tanks

CA SWEEPS UST: Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

A review of the CA SWEEPS UST list, as provided by EDR, and dated 06/01/1994 has revealed that there are 26 CA SWEEPS UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
YMCA Status: A Tank Status: A Comp Number: 5829	*220 GOLDEN GATE AVE*	*NNW 0 - 1/8 (0.015 mi.)*	*B8*	*20*
SFFD HEADQUARTERS	*260 GOLDEN GATE AVE*	*WNW 0 - 1/8 (0.023 mi.)*	*B11*	*28*

Status: A
Tank Status: A
Comp Number: 655

HYDE STREET STATION	***168 HYDE ST***	***NW 0 - 1/8 (0.065 mi.)***	***C63***	***85***
Status: A				
Comp Number: 3130				
HOME SAVINGS OF AMER	***270 TURK ST***	***NNE 0 - 1/8 (0.090 mi.)***	***H93***	***152***
Comp Number: 901714				
****DPW/BBR/CIVIC CTR P***	***302 LARKIN ST***	***WSW 1/8 - 1/4 (0.143 mi.)***	***O211***	***325***
Comp Number: 7685				
COLLISION SPECIALIST	***460 EDDY ST***	***NNW 1/8 - 1/4 (0.149 mi.)***	***S222***	***347***
Status: A				
Comp Number: 9470				
FEDERAL BLDG & COURT	***450 GOLDEN GATE AVE***	***W 1/8 - 1/4 (0.175 mi.)***	***W271***	***471***
Status: A				
Tank Status: A				
Comp Number: 6063				
CIVIC CENTER PLAZA G	***355 MCALLISTER ST***	***WSW 1/8 - 1/4 (0.177 mi.)***	***U280***	***496***
Status: A				
Comp Number: 3429				
GENERAL SERVICES DEP	***350 MCALLISTER ST***	***W 1/8 - 1/4 (0.183 mi.)***	***W299***	***569***
Status: A				
Tank Status: A				
Comp Number: 120				
PG&E LARKIN SUBSTATI	***600 LARKIN ST***	***NW 1/8 - 1/4 (0.192 mi.)***	***AD321***	***601***
Status: A				
Tank Status: A				
Comp Number: 7006				
ISHI LIMOUSINE, INC	***550 TURK ST***	***WNW 1/8 - 1/4 (0.207 mi.)***	***Y341***	***631***
Status: A				
Tank Status: A				
Comp Number: 3055				
Comp Number: 9402				
GSA-STATE OF CALIFOR	***570 ELLIS ST***	***NNW 1/8 - 1/4 (0.215 mi.)***	***AJ360***	***667***
Status: A				
Comp Number: 5336				
GSA-STATE OF CALIFOR	***560 ELLIS ST***	***NNW 1/8 - 1/4 (0.220 mi.)***	***AJ376***	***695***
Comp Number: 7365				
POLK/MCALLISTER SURF	***401 POLK ST***	***WSW 1/8 - 1/4 (0.234 mi.)***	***AO415***	***767***
Status: A				
Tank Status: A				
Comp Number: 6844				

Lower Elevation	Address	Direction / Distance	Map ID	Page
MCALLISTER PIERCE PA	***100 MCALLISTER ST***	***SSE 0 - 1/8 (0.012 mi.)***	***A6***	***15***
Status: A				
Comp Number: 2669				
METROPOLITAN PARKING	***80 MCALLISTER ST***	***SSE 0 - 1/8 (0.028 mi.)***	***A22***	***42***
Status: A				

Tank Status: A Comp Number: 2949				
PARKING LOT Status: A Tank Status: A Comp Number: 9666	***201 TURK ST***	***NE 0 - 1/8 (0.087 mi.)***	***D87***	***137***
MILTON MEYER, PARKIN Status: A Comp Number: 4497	***99 GOLDEN GATE AVE***	***ENE 0 - 1/8 (0.098 mi.)***	***I113***	***187***
GOLDEN GATE AVENUE G Status: A Comp Number: 6011	***64 GOLDEN GATE AVE***	***ENE 1/8 - 1/4 (0.125 mi.)***	***I184***	***262***
TURK STREET GARAGE Status: A Tank Status: A Comp Number: 776	***175 TURK ST***	***NE 1/8 - 1/4 (0.135 mi.)***	***M200***	***301***
COOPER & ROBINSON Status: A Comp Number: 4852	***265 EDDY ST***	***NE 1/8 - 1/4 (0.174 mi.)***	***R262***	***450***
SAN FRANCISCAN HOTEL Status: A Comp Number: 2088	***1231 MARKET ST***	***SSW 1/8 - 1/4 (0.226 mi.)***	***AI392***	***724***
BABE ZANCA SERVICE I Status: A Comp Number: 1858	***1127 MISSION STREET***	***SE 1/8 - 1/4 (0.232 mi.)***	***AN406***	***749***
CAL BUILDING MAINTEN Status: A Comp Number: 5752	***1145 MISSION ST***	***SSE 1/8 - 1/4 (0.238 mi.)***	***AN425***	***781***
PG&E MISSION SUBSTAT Status: A Comp Number: 2664	***66 8TH ST***	***S 1/8 - 1/4 (0.243 mi.)***	***AL441***	***808***
BUBBLE CAR WASH Status: A Comp Number: 2880	***1045 MISSION ST***	***ESE 1/8 - 1/4 (0.245 mi.)***	***AS445***	***814***

CA HIST UST: Historical UST Registered Database.

A review of the CA HIST UST list, as provided by EDR, and dated 10/15/1990 has revealed that there are 35 CA HIST UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
YMCA	***220 GOLDEN GATE AVE***	***NNW 0 - 1/8 (0.015 mi.)***	***B8***	***20***
CENTRAL YMCA Facility Id: 00000067734	***220 GOLDEN GATE AVE***	***NNW 0 - 1/8 (0.015 mi.)***	***B9***	***23***
SFFD HEADQUARTERS	***260 GOLDEN GATE AVE***	***WNW 0 - 1/8 (0.023 mi.)***	***B11***	***28***
DEPARTMENT HEADQUART Facility Id: 00000055066	***260 GOLDEN GATE AVE***	***WNW 0 - 1/8 (0.023 mi.)***	***B14***	***34***
SERVICE STATION (GAS	168 HYDE ST	NW 0 - 1/8 (0.065 mi.)	C56	76

Facility Id: 00000038922				
HYDE STREET STATION	***168 HYDE ST***	***NW 0 - 1/8 (0.065 mi.)***	***C63***	***85***
CITY AND COUNTY OF S	440 TURK ST	WNW 0 - 1/8 (0.124 mi.)	Q180	253
Facility Id: 00000068918				
SF HOUSING AUTHORITY	***440 TURK ST***	***WNW 0 - 1/8 (0.124 mi.)***	***Q181***	***254***
CITY HALL POWER PLAN	LARKIN AND MCALLISTE	WSW 1/8 - 1/4 (0.145 mi.)	O212	326
Facility Id: 00000069069				
FEDERAL BUILDING AND	***450 GOLDEN GATE AVE***	***W 1/8 - 1/4 (0.175 mi.)***	***W268***	***467***
FEDERAL BLDG & COURT	***450 GOLDEN GATE AVE***	***W 1/8 - 1/4 (0.175 mi.)***	***W271***	***471***
Facility Id: 00000063750				
CIVIC CENTER PLAZA G	***355 MCALLISTER ST***	***WSW 1/8 - 1/4 (0.177 mi.)***	***U280***	***496***
Facility Id: 00000057310				
CIVIC CENTER PLAZA G	355 MCALLLISTER STRE	WSW 1/8 - 1/4 (0.177 mi.)	U281	502
DEPT. OF GENERAL SER	350 MCALLISTER ST	W 1/8 - 1/4 (0.183 mi.)	W298	569
Facility Id: 00000063396				
GENERAL SERVICES DEP	***350 MCALLISTER ST***	***W 1/8 - 1/4 (0.183 mi.)***	***W299***	***569***
STATE BUILDING	350 MCALLISTER ST	W 1/8 - 1/4 (0.183 mi.)	W300	571
Facility Id: 00000011856				
LARKIN SUBSTATION	600 LARKIN ST	NW 1/8 - 1/4 (0.192 mi.)	AD320	600
Facility Id: 00000024834				
PG&E LARKIN SUBSTATI	***600 LARKIN ST***	***NW 1/8 - 1/4 (0.192 mi.)***	***AD321***	***601***
ISHI LIMOUSINE, INC	***550 TURK ST***	***WNW 1/8 - 1/4 (0.207 mi.)***	***Y341***	***631***
FEDERAL GARAGE	550 TURK ST	WNW 1/8 - 1/4 (0.207 mi.)	Y344	639
Facility Id: 00000012064				
CIVIC CENTER GARAGE	POLK ST. @ MCALISTER	WSW 1/8 - 1/4 (0.233 mi.)	AO410	761
Facility Id: 00000065563				
CIVIS CENTER GARAGE	POLK ST AND MCALISTE	WSW 1/8 - 1/4 (0.233 mi.)	AO411	762
POLK/MCALLISTER SURF	***401 POLK ST***	***WSW 1/8 - 1/4 (0.234 mi.)***	***AO415***	***767***
POLK/MCALLISTER SURF	401 POLK ST	WSW 1/8 - 1/4 (0.234 mi.)	AO416	768
Facility Id: 00000066261				

Lower Elevation	Address	Direction / Distance	Map ID	Page
MC ALLISTER TOWER	100 MC ALLISTER STRE	SSE 0 - 1/8 (0.012 mi.)	A1	9
MC ALLISTER TOWER	100 MCALLISTER ST	SSE 0 - 1/8 (0.012 mi.)	A3	11
Facility Id: 00000063358				
506 (MAC LEAU)	80 MCALLISTER ST	SSE 0 - 1/8 (0.028 mi.)	A21	41
Facility Id: 00000018087				
GOLDEN GATE AVENUE G	***64 GOLDEN GATE AVE***	***ENE 1/8 - 1/4 (0.125 mi.)***	***I184***	***262***
GOLDEN GATE AVE. GAR	64 GOLDEN GATE AVE	ENE 1/8 - 1/4 (0.125 mi.)	I186	265
Facility Id: 00000054535				
TURK ST GARAGE	175 TURK ST	NE 1/8 - 1/4 (0.135 mi.)	M201	302
Facility Id: 00000035572				
CALIFORNIA BUILDING	1145 MISSION ST	SSE 1/8 - 1/4 (0.238 mi.)	AN424	780
Facility Id: 00000023598				
CAL BUILDING MAINTEN	***1145 MISSION ST***	***SSE 1/8 - 1/4 (0.238 mi.)***	***AN425***	***781***
MISSION SUBSTATION	66 8TH STREET	S 1/8 - 1/4 (0.243 mi.)	AL440	808
MISSION SUBSTATION	66 8TH ST	S 1/8 - 1/4 (0.243 mi.)	AL443	812
Facility Id: 00000024833				
BUBBLE CAR WASH	1045 MISSION ST	ESE 1/8 - 1/4 (0.245 mi.)	AS446	816

Facility Id: 00000011847

CA CERS TANKS: List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Aboveground Petroleum Storage and Underground Storage Tank regulatory programs.

A review of the CA CERS TANKS list, as provided by EDR, and dated 10/21/2019 has revealed that there are 6 CA CERS TANKS sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CCSF/ASIAN ART MUSEU	***200 LARKIN ST***	***SW 1/8 - 1/4 (0.155 mi.)***	***U241***	***403***
PHILLIP BURTON FEDER	***450 GOLDEN GATE AVE***	***W 1/8 - 1/4 (0.175 mi.)***	***W274***	***485***
STATE OF CALIFORNIA-	***455 GOLDEN GATE AVE***	***W 1/8 - 1/4 (0.177 mi.)***	***W284***	***505***
CCSF/MAIN LIBRARY	***100 LARKIN ST***	***SW 1/8 - 1/4 (0.191 mi.)***	***AC313***	***588***
Lower Elevation	**Address**	**Direction / Distance**	**Map ID**	**Page**
SAN FRANCISCO FEDERA	***90 7TH ST***	***SE 1/8 - 1/4 (0.205 mi.)***	***X337***	***622***
U.S. GENERAL SERVICE	***95 7TH ST***	***SE 1/8 - 1/4 (0.210 mi.)***	***AG348***	***645***

CA FID UST: The Facility Inventory Database contains active and inactive underground storage tank locations. The source is the State Water Resource Control Board.

A review of the CA FID UST list, as provided by EDR, and dated 10/31/1994 has revealed that there are 25 CA FID UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
YMCA Facility Id: 38001256 Status: A	***220 GOLDEN GATE AVE***	***NNW 0 - 1/8 (0.015 mi.)***	***B8***	***20***
*SFFD/HEADQUARTER MG Facility Id: 38000322 Status: A	260 GOLDEN GATE AVE	WNW 0 - 1/8 (0.023 mi.)	B15	36
HYDE STREET STATION Facility Id: 38004406 Status: A	***168 HYDE ST***	***NW 0 - 1/8 (0.065 mi.)***	***C63***	***85***
****DPW/BBR/CIVIC CTR P*** Facility Id: 38002233 Status: A	***302 LARKIN ST***	***WSW 1/8 - 1/4 (0.143 mi.)***	***O211***	***325***
COLLISION SPECIALIST Facility Id: 38000455 Status: A	***460 EDDY ST***	***NNW 1/8 - 1/4 (0.149 mi.)***	***S222***	***347***
FEDERAL BLDG & COURT Facility Id: 38000282 Status: A	***450 GOLDEN GATE AVE***	***W 1/8 - 1/4 (0.175 mi.)***	***W271***	***471***
CIVIC CENTER PLAZA G Facility Id: 38002618 Status: A	***355 MCALLISTER ST***	***WSW 1/8 - 1/4 (0.177 mi.)***	***U280***	***496***
GENERAL SERVICES DEP Facility Id: 38003978	***350 MCALLISTER ST***	***W 1/8 - 1/4 (0.183 mi.)***	***W299***	***569***

Status: A

PG&E LARKIN SUBSTATI Facility Id: 38005422 Status: A	***600 LARKIN ST***	***NW 1/8 - 1/4 (0.192 mi.)***	***AD321***	***601***
ISHI LIMOUSINE, INC Facility Id: 38001834 Status: A	***550 TURK ST***	***WNW 1/8 - 1/4 (0.207 mi.)***	***Y341***	***631***
GSA-STATE OF CALIFOR Facility Id: 38002864 Status: A	***570 ELLIS ST***	***NNW 1/8 - 1/4 (0.215 mi.)***	***AJ360***	***667***
GSA-STATE OF CALIFOR Facility Id: 38000214 Status: A	***560 ELLIS ST***	***NNW 1/8 - 1/4 (0.220 mi.)***	***AJ376***	***695***
POLK/MCALLISTER SURF Facility Id: 38005419 Status: A	***401 POLK ST***	***WSW 1/8 - 1/4 (0.234 mi.)***	***AO415***	***767***

Lower Elevation	Address	Direction / Distance	Map ID	Page
MCALLISTER PIERCE PA Facility Id: 38005303 Status: A	***100 MCALLISTER ST***	***SSE 0 - 1/8 (0.012 mi.)***	***A6***	***15***
METROPOLITAN PARKING Facility Id: 38005309 Status: A	***80 MCALLISTER ST***	***SSE 0 - 1/8 (0.028 mi.)***	***A22***	***42***
PARKING LOT Facility Id: 38005218 Status: A	***201 TURK ST***	***NE 0 - 1/8 (0.087 mi.)***	***D87***	***137***
MILTON MEYER, PARKIN Facility Id: 38000276 Status: A	***99 GOLDEN GATE AVE***	***ENE 0 - 1/8 (0.098 mi.)***	***I113***	***187***
GOLDEN GATE AVENUE G Facility Id: 38004683 Status: A	***64 GOLDEN GATE AVE***	***ENE 1/8 - 1/4 (0.125 mi.)***	***I184***	***262***
TURK STREET GARAGE Facility Id: 38005242 Status: A	***175 TURK ST***	***NE 1/8 - 1/4 (0.135 mi.)***	***M200***	***301***
COOPER & ROBINSON Facility Id: 38000635 Status: A	***265 EDDY ST***	***NE 1/8 - 1/4 (0.174 mi.)***	***R262***	***450***
SAN FRANCISCAN HOTEL Facility Id: 38002205 Status: A	***1231 MARKET ST***	***SSW 1/8 - 1/4 (0.226 mi.)***	***AI392***	***724***
BABE ZANCA SERVICE I Facility Id: 38001911 Status: A	***1127 MISSION STREET***	***SE 1/8 - 1/4 (0.232 mi.)***	***AN406***	***749***
CAL BUILDING MAINTEN Facility Id: 38000098 Status: A	***1145 MISSION ST***	***SSE 1/8 - 1/4 (0.238 mi.)***	***AN425***	***781***
PG&E MISSION SUBSTAT	***66 8TH ST***	***S 1/8 - 1/4 (0.243 mi.)***	***AL441***	***808***

Facility Id: 38001105
Status: A

BUBBLE CAR WASH	***1045 MISSION ST***	***ESE 1/8 - 1/4 (0.245 mi.)***	***AS445***	***814***

Facility Id: 38000147
Status: A

Local Land Records

CA DEED: The use of recorded land use restrictions is one of the methods the DTSC uses to protect the public from unsafe exposures to hazardous substances and wastes .

A review of the CA DEED list, as provided by EDR, and dated 09/03/2019 has revealed that there are 3 CA DEED sites within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
518 MINNA STREET APA	***518 MINNA STREET***	***ESE 1/4 - 1/2 (0.294 mi.)***	***AV478***	***887***
Status: CERTIFIED O&M - LAND USE RESTRICTIONS ONLY Envirostor ID: 38990005				
SEVENTH AND NATOMA S	***CORNER OF SEVENTH AN***	***SE 1/4 - 1/2 (0.312 mi.)***	***BC497***	***922***
Status: CERTIFIED O&M - LAND USE RESTRICTIONS ONLY Envirostor ID: 38990007				
241 SIXTH STREET	***241 6TH***	***ESE 1/4 - 1/2 (0.436 mi.)***	***CC626***	***1490***
Status: CERTIFIED O&M - LAND USE RESTRICTIONS ONLY Envirostor ID: 38990011				

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 12/16/2019 has revealed that there are 70 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CCSF-CURRY SENIOR CE EPA ID:: CAL000290949	333 TURK ST	NNW 0 - 1/8 (0.061 mi.)	B51	71
Not reported EPA ID:: CAC003028679	101 HYDE ST	WNW 0 - 1/8 (0.062 mi.)	C53	73
Not reported EPA ID:: CAL000450082	200 MCALLISTER ST	WSW 0 - 1/8 (0.067 mi.)	F65	88
318 TURK I7, LP EPA ID:: CAC002997564	320 TURK ST #607	NNW 0 - 1/8 (0.080 mi.)	G77	123
270 TURK, LLC	270 TURK, UNIT 703	NNE 0 - 1/8 (0.090 mi.)	H92	150

EPA ID:: CAC002969894				
FAITHFUL FOOLS STREE EPA ID:: CAC002996720	230 HYDE STREET	NW 0 - 1/8 (0.107 mi.)	K129	202
UNIVERSITY OF CALIFO EPA ID:: CAC002970520	333 GOLDEN GATE AVE	W 0 - 1/8 (0.113 mi.)	L156	229
UNIVERSITY OF CALIFO EPA ID:: CAC002984632	333 GOLDEN GATE	W 0 - 1/8 (0.113 mi.)	L157	230
COLOR MAX PHOTO EPA ID:: CAD983664384	***380 GOLDEN GATE AVE***	***W 0 - 1/8 (0.122 mi.)***	***L176***	***249***
ERNA PRESS EPA ID:: CAC002980692	471 TURK STREET	WNW 0 - 1/8 (0.123 mi.)	L177	251
CCSF-ASIAN ART MUSEU EPA ID:: CAL000013409	LARKIN AND MCALLISTE	WSW 1/8 - 1/4 (0.145 mi.)	O213	328
J&S AUTO REPAIR EPA ID:: CAL000213588	464 EDDY ST	NNW 1/8 - 1/4 (0.146 mi.)	S216	333
A&T AUTO REPAIR DBA EPA ID:: CAL000437819	460 EDDY ST	NNW 1/8 - 1/4 (0.149 mi.)	S223	349
ABC AUTOMOTIVE EPA ID:: CAL000058956	545 EDDY ST	NW 1/8 - 1/4 (0.150 mi.)	Q230	365
TAM'S AUTO BODY CORP EPA ID:: CAL000143609	545 EDDY ST	NW 1/8 - 1/4 (0.150 mi.)	Q232	382
PHILLIP BURTON FEDER EPA ID:: CA4470000098	***450 GOLDEN GATE AVEN***	***W 1/8 - 1/4 (0.175 mi.)***	***W266***	***458***
DEPARTMENT OF JUSTIC EPA ID:: CAC002998469	450 GOLDEN GATE AVE.	W 1/8 - 1/4 (0.175 mi.)	W270	470
FEDERAL BLDG & COURT EPA ID:: CAD981367832	***450 GOLDEN GATE AVE***	***W 1/8 - 1/4 (0.175 mi.)***	***W271***	***471***
Not reported EPA ID:: CAC003033267	333 HYDE ST	NW 1/8 - 1/4 (0.177 mi.)	S278	494
Not reported EPA ID:: CAC003033278	333 HYDE ST	NW 1/8 - 1/4 (0.177 mi.)	S279	495
CIVIC CENTER PLAZA G EPA ID:: CAD981170970	***355 MCALLISTER ST***	***WSW 1/8 - 1/4 (0.177 mi.)***	***U280***	***496***
DEPT OF GENERAL SERV EPA ID:: CAL000319114	455 GOLDEN GATE AVE	W 1/8 - 1/4 (0.177 mi.)	W283	504
Not reported EPA ID:: CAC003036437	500 TURK ST	WNW 1/8 - 1/4 (0.178 mi.)	Y288	514
MARKET GARAGE INC EPA ID:: CAD981970361	541 ELLIS ST	NNW 1/8 - 1/4 (0.181 mi.)	S294	553
COMMUNITY HOUSING PA EPA ID:: CAC002971131	519 ELLIS STREET, UN	NNW 1/8 - 1/4 (0.181 mi.)	S296	566
CCSF-LIBRARY-MAIN EPA ID:: CAL000194724	100 LARKIN ST	SW 1/8 - 1/4 (0.191 mi.)	AC316	594
Not reported EPA ID:: CAC003037116	359 HYDE ST	NNW 1/8 - 1/4 (0.196 mi.)	AA325	606
Not reported	359 HYDE ST	NNW 1/8 - 1/4 (0.196 mi.)	AA326	608

EPA ID:: CAC003037123				
Not reported EPA ID:: CAC003036959	359 HYDE ST	NNW 1/8 - 1/4 (0.196 mi.)	AA327	609
Not reported EPA ID:: CAC003019256	441 ELLIS ST.	N 1/8 - 1/4 (0.197 mi.)	Z328	610
LASSEN HOUSING ASSOC EPA ID:: CAC002991876	441 ELLIS ST.	N 1/8 - 1/4 (0.197 mi.)	Z329	611
Not reported EPA ID:: CAC003017404	601 EDDY ST	WNW 1/8 - 1/4 (0.210 mi.)	Y352	652
Not reported EPA ID:: CAC003036538	1234 MARKET ST	SSW 1/8 - 1/4 (0.214 mi.)	AI359	666
AUTO SPORT HAUS EPA ID:: CAL000342632	632 ELLIS ST	NW 1/8 - 1/4 (0.229 mi.)	AA394	727
650 ELLIS I7, LP EPA ID:: CAC002983330	650 ELLIS ST, UNIT 4	NW 1/8 - 1/4 (0.234 mi.)	AP413	765
650 ELLIS I7, LP EPA ID:: CAC003000111	650 ELLIS STREET	NW 1/8 - 1/4 (0.234 mi.)	AP414	766
SF 434 LEAVENWORTH S EPA ID:: CAC002986524	434 LEAVENWORTH STRE	N 1/8 - 1/4 (0.241 mi.)	AR431	795

Lower Elevation	Address	Direction / Distance	Map ID	Page
USHHS FDA EPA ID:: CA0120090402	***50 UNITED NATIONS PL***	***S 0 - 1/8 (0.093 mi.)***	***J97***	***156***
USHHS FDA EPA ID:: CA9470000093	***50 UNITED NATIONS PL***	***S 0 - 1/8 (0.093 mi.)***	***J98***	***159***
Not reported EPA ID:: CAC003045209	50 UNITED NATIONS PL	S 0 - 1/8 (0.093 mi.)	J99	162
KCC AUTO BODY SHOP EPA ID:: CAL000370441	256 TURK ST	NNE 0 - 1/8 (0.094 mi.)	H101	164
CVS PHARMACY NO 4770 EPA ID:: CAR000241885	***1101 MARKET ST***	***SE 0 - 1/8 (0.105 mi.)***	***N122***	***194***
1095 MARKET STREET O EPA ID:: CAC002997466	1095 MARKET STREET	SE 0 - 1/8 (0.109 mi.)	N138	212
BART/CIVIC CENTER ST EPA ID:: CAL000015931	1150 MARKET ST	SSE 0 - 1/8 (0.110 mi.)	J146	223
CCSF CURBSIDE HHW EPA ID:: CAH111000595	1145 MARKET ST STE 4	SSE 1/8 - 1/4 (0.131 mi.)	P192	288
SHORENSTEIN HAYS-NED EPA ID:: CAL000144070	1182 MARKET ST	S 1/8 - 1/4 (0.137 mi.)	J204	308
Not reported EPA ID:: CAC003029918	1028 MARKET STREET	E 1/8 - 1/4 (0.147 mi.)	T218	342
Not reported EPA ID:: CAC003043878	1028 MARKET STREET	E 1/8 - 1/4 (0.147 mi.)	T219	343
Not reported EPA ID:: CAC003043302	1028 MARKET STREET	E 1/8 - 1/4 (0.147 mi.)	T220	344
SAN FRANCISCO AIDS F	1035 MARKET ST STE 4	E 1/8 - 1/4 (0.153 mi.)	T239	400

EPA ID:: CAL000407205				
CITY TECH AUTO BODY EPA ID:: CAL000336661	150 TURK ST	NE 1/8 - 1/4 (0.162 mi.)	V247	416
KARRYS AUTO BODY LLC EPA ID:: CAL000422378	265 EDDY ST	NE 1/8 - 1/4 (0.174 mi.)	R258	440
GEARY GARAGE ASSOCIA EPA ID:: CAL000327408	265 EDDY ST	NE 1/8 - 1/4 (0.174 mi.)	R265	457
USPS AND US COURT OF EPA ID:: CA6470000096	7TH & MISSION STREET	SE 1/8 - 1/4 (0.177 mi.)	X282	502
SHORENSTEIN HAYS-NED EPA ID:: CAL000390589	1 TAYLOR ST	ENE 1/8 - 1/4 (0.184 mi.)	AB301	571
Not reported EPA ID:: CAC003033679	57 TAYLOR ST. #222	ENE 1/8 - 1/4 (0.190 mi.)	AB306	579
TAYLOR STREET LLC EPA ID:: CAC002998659	57 TAYLOR STREET #11	ENE 1/8 - 1/4 (0.190 mi.)	AB307	581
57 TAYLOR I7, LP EPA ID:: CAC002974838	57 TAYLOR STREET - L	ENE 1/8 - 1/4 (0.190 mi.)	AB308	582
57 TAYLOR I7, LP EPA ID:: CAC002982439	57 TAYLOR ST, UNIT 2	ENE 1/8 - 1/4 (0.190 mi.)	AB309	583
Not reported EPA ID:: CAC003033643	57 TAYLOR ST. #204	ENE 1/8 - 1/4 (0.190 mi.)	AB310	584
Not reported EPA ID:: CAC003033422	57 TAYLOR ST. #114	ENE 1/8 - 1/4 (0.190 mi.)	AB311	585
GENERAL SERVICES ADM EPA ID:: CAL000330199	90 7TH ST	SE 1/8 - 1/4 (0.205 mi.)	X335	620
URBAN SERVICES GROUP EPA ID:: CAL000369966	95 7TH ST	SE 1/8 - 1/4 (0.210 mi.)	AG350	649
ALEXANDER RESIDENCE EPA ID:: CAC002971041	230 EDDY STREET	NE 1/8 - 1/4 (0.224 mi.)	AH388	717
CVS PHARMACY #10622 EPA ID:: CAR000256982	***995 MARKET ST***	***E 1/8 - 1/4 (0.231 mi.)***	***AM401***	***739***
BRIDGETON 995 MARKET EPA ID:: CAC002994262	995 MARKET STREET, S	E 1/8 - 1/4 (0.231 mi.)	AM402	744
COM HOWARD LLC EPA ID:: CAC002984433	50 8TH STREET	S 1/8 - 1/4 (0.241 mi.)	AL434	800
COM HOWARD 1 LLC EPA ID:: CAC002974074	50 8TH STREET	S 1/8 - 1/4 (0.241 mi.)	AL435	801
Not reported EPA ID:: CAC003007406	50 8TH STREET	S 1/8 - 1/4 (0.241 mi.)	AL436	802
COM HOWARD LLC EPA ID:: CAC002993036	50 8TH STREET	S 1/8 - 1/4 (0.241 mi.)	AL437	803

FUDS: The Listing includes locations of Formerly Used Defense Sites Properties where the US Army Corps Of Engineers is actively working or will take necessary cleanup actions.

A review of the FUDS list, as provided by EDR, and dated 11/12/2019 has revealed that there are 2 FUDS sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NAVAL DISPENSARY		SW 1/4 - 1/2 (0.387 mi.)	BV572	1129
HARBOR DEFENSE SITE		WSW 1/2 - 1 (0.976 mi.)	CW713	1753

CA Cortese: The sites for the list are designated by the State Water Resource Control Board (LUST), the Integrated Waste Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites).

A review of the CA Cortese list, as provided by EDR, and dated 09/23/2019 has revealed that there are 2 CA Cortese sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
VACANT LOT	***101 POLK STREET***	***SW 1/4 - 1/2 (0.332 mi.)***	***BI522***	***987***
Cleanup Status: OPEN - ELIGIBLE FOR CLOSURE				

Lower Elevation	Address	Direction / Distance	Map ID	Page
NELSON AUTOBODY	***150 TURK ST***	***NE 1/8 - 1/4 (0.162 mi.)***	***V252***	***422***
Cleanup Status: OPEN - SITE ASSESSMENT				

CA CUPA Listings: A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

A review of the CA CUPA Listings list, as provided by EDR, has revealed that there are 50 CA CUPA Listings sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
AT&T MOBILITY/SF CIV	260 GOLDEN GATE AV	WNW 0 - 1/8 (0.023 mi.)	B12	33
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
UNIVERSITY OF CALIFO	***198 MCALLISTER ST***	***SW 0 - 1/8 (0.060 mi.)***	***F47***	***63***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
UNIVERSITY OF CALIFO	***200 MCALLISTER ST***	***WSW 0 - 1/8 (0.067 mi.)***	***F67***	***91***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
UNIVERSITY OF CALIFO	***387 GOLDEN GATE AVE***	***W 0 - 1/8 (0.123 mi.)***	***L178***	***252***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
HASTINGS GARAGE	***376 LARKIN ST***	***W 1/8 - 1/4 (0.129 mi.)***	***L190***	***272***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
J & S AUTO REPAIR IN	***464 EDDY ST***	***NNW 1/8 - 1/4 (0.146 mi.)***	***S215***	***331***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
ACCURATE AUTO BODY	***460 EDDY ST***	***NNW 1/8 - 1/4 (0.149 mi.)***	***S225***	***351***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
TAM'S AUTO BODY CORP	545 EDDY ST	NW 1/8 - 1/4 (0.150 mi.)	Q229	364
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
ABC AUTOMOTIVE	***545 EDDY ST***	***NW 1/8 - 1/4 (0.150 mi.)***	***Q233***	***384***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
CCSF/ASIAN ART MUSEU	***200 LARKIN ST***	***SW 1/8 - 1/4 (0.155 mi.)***	***U241***	***403***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
FEDERAL BUILDING	450 GOLDEN GATE AV 7	W 1/8 - 1/4 (0.175 mi.)	W272	484
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
STATE OF CALIFORNIA-	***455 GOLDEN GATE AV 2***	***W 1/8 - 1/4 (0.177 mi.)***	***W287***	***513***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
KAHN & KEVILLE	***500 TURK ST***	***WNW 1/8 - 1/4 (0.178 mi.)***	***Y289***	***515***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
MARKET GARAGE INC	***541 ELLIS ST***	***NNW 1/8 - 1/4 (0.181 mi.)***	***S295***	***554***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
CCSF/MAIN LIBRARY	***100 LARKIN ST***	***SW 1/8 - 1/4 (0.191 mi.)***	***AC313***	***588***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
PG&E: LARKIN SUBSTAT	600 LARKIN ST	NW 1/8 - 1/4 (0.192 mi.)	AD322	603
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
PHOENIX HOTEL	***601 EDDY ST***	***WNW 1/8 - 1/4 (0.210 mi.)***	***Y351***	***650***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
ARLINGTON HOTEL MERC	***480 ELLIS ST***	***N 1/8 - 1/4 (0.212 mi.)***	***Z358***	***664***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
AT&T MOBILITY - ELLI	387 ELLIS ST	NNE 1/8 - 1/4 (0.218 mi.)	AF368	682
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
AUTO SPORT HAUS	***632 ELLIS ST***	***NW 1/8 - 1/4 (0.229 mi.)***	***AA395***	***728***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
KUM LUN WONG CONSTRU	***666 ELLIS ST***	***NW 1/8 - 1/4 (0.236 mi.)***	***AP417***	***769***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
SAMANTHA 249 INC	***691 EDDY ST***	***WNW 1/8 - 1/4 (0.250 mi.)***	***AQ454***	***833***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				

Lower Elevation	Address	Direction / Distance	Map ID	Page
UNIVERSITY OF CALIFO	***100 MCALLISTER ST***	***SSE 0 - 1/8 (0.012 mi.)***	***A4***	***11***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
DOROTHY DAY COMMUNIT	***54 MCALLISTER ST***	***ESE 0 - 1/8 (0.038 mi.)***	***A27***	***44***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
CIVIC CENTER RESIDEN	***44 MCALLISTER ST***	***ESE 0 - 1/8 (0.061 mi.)***	***E50***	***69***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
VERIZON WIRELESS: MA	10 UNITED NATIONS PL	SE 0 - 1/8 (0.068 mi.)	E68	94
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
MERCY HOUSING/111 JO	***111 JONES ST***	***ENE 0 - 1/8 (0.087 mi.)***	***D85***	***132***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
SF HOTEL INVESTORS L	***1100 MARKET STREET***	***ESE 0 - 1/8 (0.089 mi.)***	***E90***	***145***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
AUTOMOTIVE TECHNICIA	***256 TURK ST***	***NNE 0 - 1/8 (0.094 mi.)***	***H102***	***165***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
KCC AUTOBODY SHOP IN	***256 TURK ST***	***NNE 0 - 1/8 (0.094 mi.)***	***H105***	***170***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				

Lower Elevation	Address	Direction / Distance	Map ID	Page
THE SALVATION ARMY	***240 TURK ST***	***NNE 0 - 1/8 (0.097 mi.)***	***H109***	***176***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
CVS PHARMACY/#4770	1101 MARKET ST	SE 0 - 1/8 (0.105 mi.)	N123	197
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
CCSF/SFMTA/MUNI MOTI	1150 MARKET ST	SSE 0 - 1/8 (0.110 mi.)	J145	223
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
VERIZON WIRELESS: BA	1150 MARKET ST	SSE 0 - 1/8 (0.110 mi.)	J147	224
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
BART/CIVIC CENTER ST	1150 MARKET ST	SSE 0 - 1/8 (0.110 mi.)	J148	224
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
205 JONES STREET APA	205 JONES ST	NE 0 - 1/8 (0.119 mi.)	H172	247
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
1155 MARKET ST	1155 MARKET ST	SSE 1/8 - 1/4 (0.138 mi.)	P206	311
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
CCSF/SFPD/TENDERLOIN	***301 EDDY ST***	***NNE 1/8 - 1/4 (0.146 mi.)***	***R214***	***329***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
CITY TECH AUTO BODY	150 TURK ST	NE 1/8 - 1/4 (0.162 mi.)	V250	422
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
DALES AUTO SERVICE	150 TURK ST	NE 1/8 - 1/4 (0.162 mi.)	V251	422
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
KARRYS AUTO BODY LLC	***265 EDDY ST***	***NE 1/8 - 1/4 (0.174 mi.)***	***R259***	***441***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
ADVANCE AUTO REPAIR,	***265 EDDY ST***	***NE 1/8 - 1/4 (0.174 mi.)***	***R260***	***445***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
COOPER & ROBINSON IN	***265 EDDY ST***	***NE 1/8 - 1/4 (0.174 mi.)***	***R263***	***452***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
ASB 989 MARKET LLC	989 MARKET ST #620	ENE 1/8 - 1/4 (0.217 mi.)	AB364	675
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
TRINITY MANAGEMENT S	***1188 MISSION ST***	***SSE 1/8 - 1/4 (0.218 mi.)***	***AK370***	***683***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
SOMA GRAND	***1160 MISSION ST***	***SSE 1/8 - 1/4 (0.222 mi.)***	***AK380***	***701***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
ALEXANDER RESIDENCE	***230 EDDY ST***	***NE 1/8 - 1/4 (0.224 mi.)***	***AH387***	***714***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
HOTEL WHITCOMB	***1231 MARKET ST***	***SSW 1/8 - 1/4 (0.226 mi.)***	***AI391***	***721***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
CVS PHARMACY #10622	***995 MARKET ST***	***E 1/8 - 1/4 (0.231 mi.)***	***AM398***	***733***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				
PIANOFIGHT	***144 TAYLOR ST***	***NE 1/8 - 1/4 (0.233 mi.)***	***409***	***759***
Database: CUPA SAN FRANCISCO CO, Date of Government Version: 10/31/2019				

CA HIST CORTESE: The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSITES]. This listing is no longer updated by the state agency.

A review of the CA HIST CORTESE list, as provided by EDR, and dated 04/01/2001 has revealed that there are 104 CA HIST CORTESE sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SFFD HEADQUARTERS Reg Id: 38-0288	***260 GOLDEN GATE AVE***	***WNW 0 - 1/8 (0.023 mi.)***	***B11***	***28***
GAS STATION COMMERCI Reg Id: 38-1588	***168 HYDE***	***NW 0 - 1/8 (0.065 mi.)***	***C59***	***80***
RESIDENCE Reg Id: 38-1027	***416 TURK STREET***	***NW 0 - 1/8 (0.110 mi.)***	***K144***	***221***
RETAIL/RESIDENTIAL A Reg Id: 38-1280	***347 EDDY STREET***	***NNE 1/8 - 1/4 (0.129 mi.)***	***H189***	***269***
WASSERMAN PROPERTY Reg Id: 38-0420	***460 EDDY STREET***	***NNW 1/8 - 1/4 (0.149 mi.)***	***S224***	***350***
FEDERAL BUILDING AND Reg Id: 38-0239	***450 GOLDEN GATE AVE***	***W 1/8 - 1/4 (0.175 mi.)***	***W268***	***467***
RESIDENTIAL/COMMERCI Reg Id: 38-1154	***333 HYDE STREET***	***NW 1/8 - 1/4 (0.177 mi.)***	***S277***	***492***
RESIDENCE Reg Id: 38-1039	***360 HYDE***	***NNW 1/8 - 1/4 (0.189 mi.)***	***S304***	***576***
BOHAN CO.. Reg Id: 38-0891	***345 JONES STREET***	***NNE 1/8 - 1/4 (0.199 mi.)***	***AF333***	***618***
MARTINEZ PROPERTY Reg Id: 38-0975	500 16 ELLIS	NW 1/8 - 1/4 (0.219 mi.)	AA371	686
HANDLERY HOTELS Reg Id: 38-0173	***560 ELLIS STREET***	***NNW 1/8 - 1/4 (0.220 mi.)***	***AJ375***	***691***
ILTOVICH PROPERTYY Reg Id: 38-0658	***401 HYDE STREET***	***NNW 1/8 - 1/4 (0.222 mi.)***	***AA382***	***705***
RESIDENCE Reg Id: 38-0908	***620 EDDY STREET***	***WNW 1/8 - 1/4 (0.222 mi.)***	***AD384***	***708***
COMMERCIAL/RESIDENTI Reg Id: 38-1211	***640 POLK STREET***	***WNW 1/8 - 1/4 (0.240 mi.)***	***AQ428***	***788***
601 O'FARRELL STREET Reg Id: 38-0508	601 O FARRELL	N 1/4 - 1/2 (0.254 mi.)	AR457	841
ADMIRAL HOTEL Reg Id: 38-1127	608 O FARRELL	N 1/4 - 1/2 (0.270 mi.)	AR462	848
AUTO SHEET METAL WOR Reg Id: 38-0959	***730 ELLIS ST***	***NW 1/4 - 1/2 (0.275 mi.)***	***AU468***	***859***
TENDERLOIN ELEMENTAR Reg Id: 38-1318	***639 TURK ST.***	***W 1/4 - 1/2 (0.279 mi.)***	***AW473***	***878***
CARTER PROPERTY Reg Id: 38-0759	750 O FARRELL	NNW 1/4 - 1/2 (0.295 mi.)	AY480	899
RESIDENCE Reg Id: 38-0965	815 O FARRELL	NW 1/4 - 1/2 (0.296 mi.)	AZ484	903
RAMADA MARK TWAIN HO	***345 TAYLOR***	***NNE 1/4 - 1/2 (0.296 mi.)***	***BA486***	***906***

Reg Id: 38-1268				
QUALITY TUNE UP Reg Id: 38-1203	490 VAN NESS	WSW 1/4 - 1/2 (0.308 mi.)	BB489	911
COMMERCIAL Reg Id: 38-1258	401 O FARRELL	NNE 1/4 - 1/2 (0.308 mi.)	BA491	914
845 O'FARRELL ST Reg Id: 38-0805	845 O FARRELL	NW 1/4 - 1/2 (0.310 mi.)	AZ495	918
APARTMENT Reg Id: 38-0954	460 VAN NESS	WSW 1/4 - 1/2 (0.317 mi.)	BB498	932
COMMERCIAL Reg Id: 38-1427	***721 GEARY STREET***	***N 1/4 - 1/2 (0.319 mi.)***	***BD499***	***933***
747 GEARY HOA Reg Id: 38-0783	***747 GEARY STREET***	***NNW 1/4 - 1/2 (0.319 mi.)***	***BD501***	***936***
RESIDENTIAL APT. Reg Id: 38-1166	***735 GEARY STREET***	***NNW 1/4 - 1/2 (0.319 mi.)***	***BD504***	***942***
775 GEARY ST. Reg Id: 38-0781	***775 GEARY STREET***	***NNW 1/4 - 1/2 (0.320 mi.)***	***BD506***	***946***
RESIDENTIAL APT. Reg Id: 38-1216	***795 GEARY STREET***	***NNW 1/4 - 1/2 (0.321 mi.)***	***BE509***	***952***
FOX PLAZA Reg Id: 38-0688 Reg Id: 38-0058	***1390 MARKET STREET***	***SSW 1/4 - 1/2 (0.327 mi.)***	***BF511***	***955***
790 VAN NESS AVE Reg Id: 38-0387	790 VAN NESS	WNW 1/4 - 1/2 (0.330 mi.)	BH521	987
DESOTO CAB CO. Reg Id: 38-1221 Reg Id: 38-0808	***855 GEARY STREET***	***NNW 1/4 - 1/2 (0.333 mi.)***	***AY524***	***993***
ALIOTO GARAGE Reg Id: 38-0539	300 VAN NESS	WSW 1/4 - 1/2 (0.342 mi.)	BK526	1000
COMMERCIAL RESIDENTI Reg Id: 38-1339	***760 GEARY***	***NNW 1/4 - 1/2 (0.344 mi.)***	***BD528***	***1002***
SAN FRANCISCO MART Reg Id: 38-1378	***1355 MARKET STREET***	***SSW 1/4 - 1/2 (0.348 mi.)***	***BF533***	***1014***
COMMERCIAL PARKING L Reg Id: 38-1152	***101 HAYES***	***SW 1/4 - 1/2 (0.348 mi.)***	***BI535***	***1017***
CHATAV PROPERTY Reg Id: 38-0764	***676 GEARY***	***N 1/4 - 1/2 (0.352 mi.)***	***BO543***	***1030***
ACADEMY OF ART UNIVE Reg Id: 38-1229 Reg Id: 38-0056	***150 HAYES STREET***	***SW 1/4 - 1/2 (0.353 mi.)***	***BI544***	***1032***
SHELL Reg Id: 38-0348	793 VAN NESS	W 1/4 - 1/2 (0.355 mi.)	BH547	1042
925 GEARY, LLC Reg Id: 38-1047	***925 GEARY ST***	***NW 1/4 - 1/2 (0.358 mi.)***	***BP549***	***1045***
HOTEL BELLEVUE (FORM Reg Id: 38-0043	***505 GEARY STREET***	***NNE 1/4 - 1/2 (0.363 mi.)***	***552***	***1051***
RESIDENTIAL APARTMEN	***200 VAN NESS***	***SW 1/4 - 1/2 (0.378 mi.)***	***BR561***	***1103***

Reg Id: 38-1413				
DEN'S AUTO SERVICE Reg Id: 38-0130	***811 EDDY STREET***	***W 1/4 - 1/2 (0.380 mi.)***	***BS562***	***1105***
CHELSEA COURT OA. Reg Id: 38-0370	***851 VAN NESS AVE***	***WNW 1/4 - 1/2 (0.384 mi.)***	***BU568***	***1117***
RESIDENTIAL APARTMEN Reg Id: 38-1164	891 POST	NNW 1/4 - 1/2 (0.384 mi.)	BT569	1125
AMTAD CONSTRUCTION S Reg Id: 38-0009	MASON ST & O FARRELL	NE 1/4 - 1/2 (0.386 mi.)	571	1129
KENT & JOHN UNION SE Reg Id: 38-0437	***999 POLK STREET***	***NW 1/4 - 1/2 (0.396 mi.)***	***BY582***	***1148***
BRITISH MOTOR CAR DI Reg Id: 2780	***901 VAN NESS AVE***	***WNW 1/4 - 1/2 (0.402 mi.)***	***BU585***	***1158***
BAAQMD. Reg Id: 38-0035	***939 ELLIS STREET***	***WNW 1/4 - 1/2 (0.411 mi.)***	***BU594***	***1247***
POST ST. PROPERTIES Reg Id: 38-0638	***750 POST STREET***	***N 1/4 - 1/2 (0.412 mi.)***	***CB596***	***1259***
APARTMENTS Reg Id: 38-1444	930 POST	NNW 1/4 - 1/2 (0.415 mi.)	CD600	1271
FORD MOTOR LAND DEVE Reg Id: 38-0416	***1000 VAN NESS AVE***	***WNW 1/4 - 1/2 (0.416 mi.)***	***BQ602***	***1275***
RESIDENTIAL APARTMEN Reg Id: 38-0819	1045 POST	NW 1/4 - 1/2 (0.422 mi.)	CF606	1284
METRO PARK Reg Id: 38-0774	***530 TAYLOR***	***NNE 1/4 - 1/2 (0.424 mi.)***	***CH612***	***1295***
SF UNIFIED SCHOOL DI Reg Id: 38-1430	***135 VAN NESS AVE***	***SW 1/4 - 1/2 (0.425 mi.)***	***BR614***	***1299***
****SFFD/FIRE STATION #*** Reg Id: 38-0276 Reg Id: 38-1103	***1067 POST ST***	***NW 1/4 - 1/2 (0.433 mi.)***	***CF620***	***1475***
SHELL Reg Id: 38-1161	***800 TURK***	***W 1/4 - 1/2 (0.439 mi.)***	***CK627***	***1503***
RESIDENCE Reg Id: 38-0943	***720 JONES STREET***	***N 1/4 - 1/2 (0.439 mi.)***	***CL629***	***1506***
APARTMENT Reg Id: 38-1441	***757 LEAVENWORTH STRE***	***N 1/4 - 1/2 (0.447 mi.)***	***CM636***	***1519***
RESIDENTIAL APT Reg Id: 38-1267	***925 SUTTER STREET***	***N 1/4 - 1/2 (0.449 mi.)***	***CM637***	***1522***
919 SUTTER ST. PROPE Reg Id: 38-0660	***919 SUTTER STREET***	***N 1/4 - 1/2 (0.449 mi.)***	***CM638***	***1525***
RESIDENTIAL APARTMEN Reg Id: 38-1271	1070 POST	NW 1/4 - 1/2 (0.451 mi.)	CF641	1534
APARTMENT BUILDING Reg Id: 38-1471	***861 SUTTER STREET***	***N 1/4 - 1/2 (0.452 mi.)***	***CB643***	***1536***
845 SUTTER Reg Id: 38-1064	***845 SUTTER STREET***	***N 1/4 - 1/2 (0.453 mi.)***	***CB646***	***1552***
BANSEMER PROPERTY	***1086 POST STREET***	***NW 1/4 - 1/2 (0.455 mi.)***	***CF649***	***1558***

Reg Id: 38-0987				
795 SUTTER STREET CO Reg Id: 38-1001	***795 SUTTER STREET***	***N 1/4 - 1/2 (0.463 mi.)***	***CL654***	***1567***
RESIDENCE Reg Id: 38-0895	***765 SUTTER***	***N 1/4 - 1/2 (0.467 mi.)***	***CL656***	***1573***
952 SUTTER ST., LTD Reg Id: 38-0782	***952 SUTTER STREET***	***NNW 1/4 - 1/2 (0.474 mi.)***	***CM660***	***1584***
CANTERBURY HOTEL Reg Id: 38-1394	***750 SUTTER***	***N 1/4 - 1/2 (0.497 mi.)***	***CR676***	***1609***
IMBELLONI PROPERTY Reg Id: 38-0961	839 LEAAVENWORTH	N 1/4 - 1/2 (0.500 mi.)	CM678	1612

Lower Elevation	Address	Direction / Distance	Map ID	Page
CHEVRON SS#9-3464 Reg Id: 3107	150 GOLDEN GATE	NE 0 - 1/8 (0.048 mi.)	D32	50
CHINESE COMMUNITY HO Reg Id: 38-0105	***201 TURK STREET***	***NE 0 - 1/8 (0.087 mi.)***	***D86***	***134***
99 GOLDEN GATE AVENU Reg Id: 38-0233	***99 GOLDEN GATE AVE***	***ENE 0 - 1/8 (0.098 mi.)***	***I112***	***185***
PINE AUTO PARTS Reg Id: 38-1040	***175 TURK***	***NE 1/8 - 1/4 (0.135 mi.)***	***M199***	***299***
COMMERCIAL Reg Id: 38-1274	***241 JONES ST***	***NNE 1/8 - 1/4 (0.136 mi.)***	***R203***	***304***
TRINITY PROPERTIES Reg Id: 38-0573	***1169 MARKET ST***	***S 1/8 - 1/4 (0.143 mi.)***	***J207***	***311***
WINDSOR HOTEL Reg Id: 38-1336	***238 EDDY***	***NE 1/8 - 1/4 (0.212 mi.)***	***AH357***	***662***
B AND E TRANSMISSION Reg Id: 38-0516	***1127 MISSION ST***	***SE 1/8 - 1/4 (0.232 mi.)***	***AN407***	***754***
CALFORNIA CARE MAINT Reg Id: 38-0053	***1145 MISSION STREET***	***SSE 1/8 - 1/4 (0.238 mi.)***	***AN426***	***783***
CHEVRON Reg Id: 38-0102	***1045 MISSION***	***ESE 1/8 - 1/4 (0.245 mi.)***	***AS447***	***817***
PG&E - STATION T Reg Id: 38490008	***465 STEVENSON***	***E 1/4 - 1/2 (0.276 mi.)***	***AM470***	***873***
ROSE HOTEL Reg Id: 38-0936	125 6TH	E 1/4 - 1/2 (0.308 mi.)	AV492	915
SFFD STATION #1 Reg Id: 38-0290	***416 JESSIE STREET***	***E 1/4 - 1/2 (0.327 mi.)***	***BG515***	***970***
SHELL STATION #4201 Reg Id: 38-0324	***1100 HOWARD STREET***	***SE 1/4 - 1/2 (0.330 mi.)***	***BC518***	***978***
RESIENTIAL APARTMENT Reg Id: 38-1371	172 6TH	ESE 1/4 - 1/2 (0.349 mi.)	BJ536	1019
1028 HOWARD STREET Reg Id: 38990006	***1028 HOWARD STREET***	***ESE 1/4 - 1/2 (0.351 mi.)***	***BM539***	***1023***
CHEVRON STATION (FOR	***1101 HOWARD STREET***	***SE 1/4 - 1/2 (0.351 mi.)***	***BN541***	***1026***

Reg Id: 38-0553				
SAN FRANCISCO NEWSPA Reg Id: 38-1354	***925 MISSION ST***	***E 1/4 - 1/2 (0.368 mi.)***	***BG553***	***1055***
COMMERCIAL PROPERTY Reg Id: 38-1247	***444 NATOMA***	***E 1/4 - 1/2 (0.387 mi.)***	***BW575***	***1132***
EPISCOPAL SANCTUARY Reg Id: 38-0923	201 8TH	SSE 1/4 - 1/2 (0.390 mi.)	BL578	1141
1298 HOWARD STREET Reg Id: 38-0747	***1298 HOWARD STREET***	***S 1/4 - 1/2 (0.403 mi.)***	***CA588***	***1233***
981 HOWARD STREET Reg Id: 38-0611	***981 HOWARD STREET***	***ESE 1/4 - 1/2 (0.412 mi.)***	***CC598***	***1267***
WCP SERVICES, INC. Reg Id: 38-1581	***870 MARKET STREET***	***ENE 1/4 - 1/2 (0.423 mi.)***	***CG609***	***1290***
201 FOLSOM ACQUISITI Reg Id: 38-0470	***1400 MISSION ST***	***SSW 1/4 - 1/2 (0.431 mi.)***	***BZ618***	***1307***
NORDSON REX PROPERTY Reg Id: 38-0445	***90 MOSS ST***	***SE 1/4 - 1/2 (0.435 mi.)***	***CI623***	***1484***
RESIDENCE Reg Id: 38-0563	***175 RUSS STREET***	***ESE 1/4 - 1/2 (0.436 mi.)***	***CJ624***	***1486***
241 SIXTH STREET Reg Id: 38990011	***241 6TH***	***ESE 1/4 - 1/2 (0.436 mi.)***	***CC626***	***1490***
AVAB AMERICA INC. Reg Id: 38-1462	***466 TEHAMA STREET***	***ESE 1/4 - 1/2 (0.439 mi.)***	***CC631***	***1510***
SHELL (EL CAMINO) Reg Id: 2688	725 TEHAMA	SSE 1/4 - 1/2 (0.441 mi.)	633	1514
HUDSON 1455 MARKET L Reg Id: 38-0037	***1455 MARKET STREET***	***SSW 1/4 - 1/2 (0.452 mi.)***	***CN645***	***1540***
HARRY LOW PROPERTY Reg Id: 38-0175	***1101 FOLSOM STREET***	***SE 1/4 - 1/2 (0.468 mi.)***	***CI657***	***1575***
SAN FRANCISCO HONDA Reg Id: 38-0046	10 VAN NESS	SSW 1/4 - 1/2 (0.474 mi.)	CO662	1587
LOWENBERY PROPERTY Reg Id: 38-1042	***1475 MISSION***	***SSW 1/4 - 1/2 (0.492 mi.)***	***CP669***	***1599***

CA HWP: Detailed information on permitted hazardous waste facilities and corrective action ("cleanups") tracked in EnviroStor.

A review of the CA HWP list, as provided by EDR, and dated 11/18/2019 has revealed that there is 1 CA HWP site within approximately 1 mile of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
C & M PLATING WORKS EPA Id: CAD009204736 Cleanup Status: CLOSED	***598 6TH ST***	***ESE 1/2 - 1 (0.834 mi.)***	***CV704***	***1720***

NY MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the NY MANIFEST list, as provided by EDR, and dated 01/01/2019 has revealed that there are 2 NY MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
DEA/SAN FRANCISCO EPA ID: CAP111111044	450 GOLDEN GATE	W 1/8 - 1/4 (0.175 mi.)	W267	465

Lower Elevation	Address	Direction / Distance	Map ID	Page
USHHS FDA EPA ID: CA0120090402	***50 UNITED NATIONS PL***	***S 0 - 1/8 (0.093 mi.)***	***J97***	***156***

CA Notify 65: Listings of all Proposition 65 incidents reported to counties by the State Water Resources Control Board and the Regional Water Quality Control Board. This database is no longer updated by the reporting agency.

A review of the CA Notify 65 list, as provided by EDR, and dated 09/16/2019 has revealed that there are 10 CA Notify 65 sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SAN FRANCISCO FIRE D	1067 POST STREET	NW 1/4 - 1/2 (0.433 mi.)	CF621	1477
S.E. ONORATO INC.	***1045 CALIFORNIA STRE***	***NNE 1/2 - 1 (0.691 mi.)***	***693***	***1688***
COGSWELL COLLEGE BUI	630 PINE STREET	NNE 1/2 - 1 (0.782 mi.)	702	1719
SF PUBLIC HOUSING PR	***364 HAIGHT STREET***	***SW 1/2 - 1 (0.967 mi.)***	***711***	***1752***

Lower Elevation	Address	Direction / Distance	Map ID	Page
SAN FRANCISCO HONDA	***10 S VANNESS AVE***	***SSW 1/2 - 1 (0.542 mi.)***	***CS685***	***1658***
SAN FRANSISCO HONDA	10 SOUTH VAN NESS	SSW 1/2 - 1 (0.542 mi.)	CS686	1665
AUTO SYMPHONY	***800 BRYANT STREET***	***ESE 1/2 - 1 (0.709 mi.)***	***CU695***	***1700***
AUTO SYMPHONY	800 BRYAN ST.	ESE 1/2 - 1 (0.709 mi.)	CU696	1702
FLAIR ELECTRO SALES	***516 TOWNSEND***	***SE 1/2 - 1 (0.937 mi.)***	***708***	***1748***
ARCO STATION #444	***1798 MISSION STREET***	***SSW 1/2 - 1 (0.941 mi.)***	***709***	***1750***

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

A review of the EDR MGP list, as provided by EDR, has revealed that there are 3 EDR MGP sites within

approximately 1 mile of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
PG AND E STATION T	465 STEVENSON STREET	E 1/4 - 1/2 (0.276 mi.)	AM471	877
SAN FRANCISCO GAS LI	HOWARD, FIFITH AND T	E 1/2 - 1 (0.511 mi.)	680	1615
PACIFIC BELL	140 NEW MONTGOMERY S	ENE 1/2 - 1 (0.833 mi.)	703	1720

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 30 EDR Hist Auto sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
ORIGINAL SAFETY CO	138 HYDE	WNW 0 - 1/8 (0.055 mi.)	C39	61
ORIGINAL SAFETY CO	136 HYDE	WNW 0 - 1/8 (0.055 mi.)	C41	62
ORIGINAL SAFETY CO	140 HYDE	WNW 0 - 1/8 (0.057 mi.)	C42	62
ORIGINAL SAFETY CO	142 HYDE	WNW 0 - 1/8 (0.058 mi.)	C43	62
ORIGINAL SAFETY CO	144 HYDE	WNW 0 - 1/8 (0.058 mi.)	C45	62
CARROLL F E JR	198 MCALLISTER	SW 0 - 1/8 (0.060 mi.)	F46	63
LINDY S RICHFIELD SE	168 HYDE	NW 0 - 1/8 (0.065 mi.)	C57	77
ORIGINAL SAFETY CO	137 HYDE	WNW 0 - 1/8 (0.072 mi.)	C69	94
ORIGINAL SAFETY CO	139 HYDE	WNW 0 - 1/8 (0.073 mi.)	C70	94
ORIGINAL SAFETY CO	141 HYDE	WNW 0 - 1/8 (0.074 mi.)	C71	94
MOORE WALTER	135 HYDE	WNW 0 - 1/8 (0.074 mi.)	C72	95
ORIGINAL SAFETY CO	143 HYDE	WNW 0 - 1/8 (0.075 mi.)	C75	122
ORIGINAL SAFETY CO	145 HYDE	WNW 0 - 1/8 (0.075 mi.)	C76	123
ACME RADIATOR AND FE	348 GOLDEN GATE AV	W 0 - 1/8 (0.101 mi.)	L117	192
BILL S UNION SERVICE	400 TURK	NW 0 - 1/8 (0.101 mi.)	K118	192
RAMSEY C J & CO	228 HYDE ST	NW 0 - 1/8 (0.107 mi.)	K128	202
COURT GARAGE	360 GOLDENGATE AVE	W 0 - 1/8 (0.113 mi.)	L154	228
TRENMARNITA SERVICE	254 LEAVENWORTH ST	N 0 - 1/8 (0.119 mi.)	H171	247
BRAUN F H & CO	367 GOLDEN GATE AV	W 0 - 1/8 (0.119 mi.)	L174	249
QUEIROLO & LEVER	472 TURK ST	WNW 0 - 1/8 (0.125 mi.)	Q182	261

Lower Elevation	Address	Direction / Distance	Map ID	Page
WALLY S RICHFIELD SE	40 LEAVENWORTH	SE 0 - 1/8 (0.023 mi.)	A16	37
RUFFNER ROY	176 GOLDEN GATE AV	NE 0 - 1/8 (0.026 mi.)	B17	37
THAYER J F	112 LEAVENWORTH	NNE 0 - 1/8 (0.032 mi.)	B23	43
TCWAJMAY IMPOUND GAR	255 TURK ST	NNE 0 - 1/8 (0.074 mi.)	D74	122
PALMORE EARL	225 TURK ST	NE 0 - 1/8 (0.082 mi.)	D79	126
LEE S RICHFIELD SERV	201 TURK	NE 0 - 1/8 (0.087 mi.)	D89	144
SIEMENS JOHN	45 JONES ST	E 0 - 1/8 (0.092 mi.)	I94	153
CAMPBELL J D	256 TURK	NNE 0 - 1/8 (0.094 mi.)	H104	169
CENTRAL PARKING STAT	151 JONES	NE 0 - 1/8 (0.104 mi.)	M121	194
BARRETT GARAGES INC	1095 MARKET ST	SE 0 - 1/8 (0.109 mi.)	N136	209

EXECUTIVE SUMMARY

EDR Hist Cleaner: EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Cleaner list, as provided by EDR, has revealed that there are 39 EDR Hist Cleaner sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
COOPER S L MRS	123 LEAVENWORTH	N 0 - 1/8 (0.033 mi.)	B24	43
BEALL C R	288 GOLDEN GATE AV	WNW 0 - 1/8 (0.037 mi.)	B25	43
RUTHERFORD G W	133 LEAVENWORTH	N 0 - 1/8 (0.038 mi.)	B26	44
AIR-LINE CLEANERS &	112 HYDE ST	WNW 0 - 1/8 (0.042 mi.)	C29	48
AIR LINE CLEANERS	116 HYDE ST	WNW 0 - 1/8 (0.046 mi.)	C31	49
ROBINSON J H	305 TURK ST	N 0 - 1/8 (0.062 mi.)	B52	72
SANOFF HARRY	289 TURK ST	NNE 0 - 1/8 (0.064 mi.)	D55	76
SERVICE LAUNDRY	283 TURK ST	NNE 0 - 1/8 (0.065 mi.)	D64	88
SPEED QUEEN LAUNDERE	318 TURK	NNW 0 - 1/8 (0.083 mi.)	G81	127
BOZMAGIAN VARTAN	272 TURK ST	NNE 0 - 1/8 (0.087 mi.)	H84	131
NEW SYSTEM LAUNDRY	421 TURK	WNW 0 - 1/8 (0.093 mi.)	C95	153
SPITZER MORTON	215 LEAVENWORTH ST	N 0 - 1/8 (0.094 mi.)	G100	163
LUNG GIN LAUNDRY	219 LEAVENWORTH ST	N 0 - 1/8 (0.096 mi.)	G106	172
BOND S T	216 HYDE ST	NW 0 - 1/8 (0.101 mi.)	K116	191
GOOD SAML	229 LEAVENWORTH ST	N 0 - 1/8 (0.102 mi.)	G119	192
ZWILLINGER SAML	234 LEAVENWORTH	N 0 - 1/8 (0.106 mi.)	G126	200
NEW SYSTEM HAND LAUN	420 TURK ST	NW 0 - 1/8 (0.110 mi.)	K140	217
NEW SYSTEM LAUNDRY	416 TURK ST	NW 0 - 1/8 (0.110 mi.)	K142	219
CHOW YEE	422 TURK	WNW 0 - 1/8 (0.111 mi.)	K150	225
ONE HOUR MARTINIZING	360 GOLDEN GATE AVE	W 0 - 1/8 (0.113 mi.)	L152	225
LAFAYETTE CLEANERS &	242 HYDE ST	NW 0 - 1/8 (0.115 mi.)	K165	245
LEE YEE WAN LAUNDERE	479 TURK ST	WNW 0 - 1/8 (0.117 mi.)	L166	245
KALYSH EVAN	250 HYDE	NW 0 - 1/8 (0.118 mi.)	K167	246
HENRY CLEANERS	252 LEAVENWORTH	N 0 - 1/8 (0.118 mi.)	H168	246
GROFF O C	253 LEAVENWORTH	N 0 - 1/8 (0.119 mi.)	G169	246
KNIGHT S CATERING &	363 GOLDENGATE AVE	W 0 - 1/8 (0.119 mi.)	L170	246
MARKLE E E	29 FULTON ST	SSW 0 - 1/8 (0.121 mi.)	175	249
BAXTER A M	393 EDDY ST	N 0 - 1/8 (0.125 mi.)	H183	261

Lower Elevation	Address	Direction / Distance	Map ID	Page
CONDOS THOS	94 MCALLISTER	SSE 0 - 1/8 (0.028 mi.)	A20	41
CIVIC CENTER CLEANER	61 MCALLISTER ST	ESE 0 - 1/8 (0.055 mi.)	E40	61
EDELSON RUDOLPH	49 MCALLISTER	ESE 0 - 1/8 (0.058 mi.)	E44	62
THOMAS LAUNDRY	126 JONES	ENE 0 - 1/8 (0.105 mi.)	I125	200
WEGLINSKY ISADORE	134 JONES ST	ENE 0 - 1/8 (0.108 mi.)	M131	205
LYRIC TAILORS & CLEA	136 JONES ST	ENE 0 - 1/8 (0.108 mi.)	M132	205
WONG H A	120 JONES ST	ENE 0 - 1/8 (0.109 mi.)	I134	207
KELLIJIAN ROBT	11 7TH	SE 0 - 1/8 (0.111 mi.)	N149	225
KELLIJIAN ROBT	11 7TH ST	SE 0 - 1/8 (0.112 mi.)	N151	225
CIVIC CENTER TAILORS	21 MCALLISTER ST	ESE 0 - 1/8 (0.113 mi.)	I155	229
GUTTERMAN BENJ	209 JONES ST	NE 0 - 1/8 (0.123 mi.)	M179	253

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 7 records.

Site Name	Database(s)
PG&E GAS PLANT SAN FRANCISCO 502 1	SEMS-ARCHIVE
PG&E GAS PLANT SAN FRANCISCO 502 1	SEMS-ARCHIVE
301 HOWARD STREET ASSOC	SEMS-ARCHIVE
PG&E GAS PLANT SAN FRANCISCO 502 1	SEMS-ARCHIVE
AMSTAD CONSTRUCTION SITE	CA LUST
CHEVRON	CA CPS-SLIC
MISSION BAY SOUTH BLOCK 14 SCHOOL	CA ENVIROSTOR, CA SCH

OVERVIEW MAP - 5959465.2S



0 1/4 1/2 1 Miles

Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

National Priority List Sites

Dept. Defense Sites

Indian Reservations BIA

Power transmission lines

National Wetland Inventory

State Wetlands

Areas of Concern

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME:	Local 2 Unite Here	CLIENT:	Partner Engineering and Science, Inc.
ADDRESS:	201-247 Golden Gate Avenue SAN FRANCISCO CA 94102	CONTACT:	Brett Nielsen
		INQUIRY #:	5959465.2s
LAT/LONG:	37.781567 / 122.414199	DATE:	February 04, 2020 4:10 pm

3089

Copyright © 2020 EDR, Inc. © 2015 TomTom Rel. 2015.

DETAIL MAP - 5959465.2S



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- Power transmission lines
- Areas of Concern

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Local 2 Unite Here	CLIENT: Partner Engineering and Science, Inc.
ADDRESS: 201-247 Golden Gate Avenue SAN FRANCISCO CA 94102	CONTACT: Brett Nielsen
LAT/LONG: 37.781567 / 122.414199	INQUIRY #: 5959465.2s DATE: February 04, 2020 4:12 pm

3090

Copyright © 2020 EDR, Inc. © 2015 TomTom Rel. 2015.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Federal NPL site list								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
Federal Delisted NPL site list								
Delisted NPL	1.000		0	0	0	0	NR	0
Federal CERCLIS list								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
Federal CERCLIS NFRAP site list								
SEMS-ARCHIVE	0.500		0	2	0	NR	NR	2
Federal RCRA CORRACTS facilities list								
CORRACTS	1.000		0	0	0	1	NR	1
Federal RCRA non-CORRACTS TSD facilities list								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Federal RCRA generators list								
RCRA-LQG	0.250		0	6	NR	NR	NR	6
RCRA-SQG	0.250		4	14	NR	NR	NR	18
RCRA-VSQG	0.250		0	0	NR	NR	NR	0
Federal institutional controls / engineering controls registries								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
Federal ERNS list								
ERNS	TP		NR	NR	NR	NR	NR	0
State- and tribal - equivalent NPL								
CA RESPONSE	1.000		0	0	2	1	NR	3
State- and tribal - equivalent CERCLIS								
CA ENVIROSTOR	1.000		0	2	14	21	NR	37
State and tribal landfill and/or solid waste disposal site lists								
CA SWF/LF	0.500		0	0	0	NR	NR	0
State and tribal leaking storage tank lists								
CA LUST	0.500		21	47	185	NR	NR	253

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
INDIAN LUST	0.500		0	0	0	NR	NR	0
CA CPS-SLIC	0.500		0	0	0	NR	NR	0
State and tribal registered storage tank lists								
FEMA UST	0.250		0	0	NR	NR	NR	0
CA UST	0.250		37	77	NR	NR	NR	114
CA AST	0.250		0	4	NR	NR	NR	4
INDIAN UST	0.250		0	0	NR	NR	NR	0
State and tribal voluntary cleanup sites								
CA VCP	0.500		0	1	3	NR	NR	4
INDIAN VCP	0.500		0	0	0	NR	NR	0
State and tribal Brownfields sites								
CA BROWNFIELDS	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	2	NR	NR	2
Local Lists of Landfill / Solid Waste Disposal Sites								
CA WMUDS/SWAT	0.500		0	0	1	NR	NR	1
CA SWRCY	0.500		0	0	0	NR	NR	0
CA HAULERS	TP		NR	NR	NR	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US HIST CDL	TP		NR	NR	NR	NR	NR	0
CA HIST Cal-Sites	1.000		0	0	0	1	NR	1
CA SCH	0.250		0	0	NR	NR	NR	0
CA CDL	TP		NR	NR	NR	NR	NR	0
CA CERS HAZ WASTE	0.250		3	16	NR	NR	NR	19
CA Toxic Pits	1.000		0	0	0	0	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
CA PFAS	0.500		0	0	0	NR	NR	0
Local Lists of Registered Storage Tanks								
CA SWEEPS UST	0.250		8	18	NR	NR	NR	26
CA HIST UST	0.250		11	24	NR	NR	NR	35
CA CERS TANKS	0.250		0	6	NR	NR	NR	6
CA FID UST	0.250		7	18	NR	NR	NR	25
Local Land Records								
CA LIENS	TP		NR	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
LIENS 2	TP		NR	NR	NR	NR	NR	0
CA DEED	0.500		0	0	3	NR	NR	3
Records of Emergency Release Reports								
HMIRS	TP		NR	NR	NR	NR	NR	0
CA CHMIRS	TP		NR	NR	NR	NR	NR	0
CA LDS	TP		NR	NR	NR	NR	NR	0
CA MCS	TP		NR	NR	NR	NR	NR	0
CA SPILLS 90	TP		NR	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		17	53	NR	NR	NR	70
FUDS	1.000		0	0	1	1	NR	2
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
ECHO	TP		NR	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
CA BOND EXP. PLAN	1.000		0	0	0	0	NR	0
CA Cortese	0.500		0	1	1	NR	NR	2
CA CUPA Listings	0.250		18	32	NR	NR	NR	50

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
CA DRYCLEANERS	0.250		0	0	NR	NR	NR	0
CA EMI	TP		NR	NR	NR	NR	NR	0
CA ENF	TP		NR	NR	NR	NR	NR	0
CA Financial Assurance	TP		NR	NR	NR	NR	NR	0
CA HAZNET	TP		NR	NR	NR	NR	NR	0
CA ICE	TP		NR	NR	NR	NR	NR	0
CA HIST CORTESE	0.500		6	18	80	NR	NR	104
CA HWP	1.000		0	0	0	1	NR	1
CA HWT	0.250		0	0	NR	NR	NR	0
NY MANIFEST	0.250		1	1	NR	NR	NR	2
CA MINES	0.250		0	0	NR	NR	NR	0
CA MWMP	0.250		0	0	NR	NR	NR	0
CA NPDES	TP		NR	NR	NR	NR	NR	0
CA PEST LIC	TP		NR	NR	NR	NR	NR	0
CA PROC	0.500		0	0	0	NR	NR	0
CA Notify 65	1.000		0	0	1	9	NR	10
CA UIC	TP		NR	NR	NR	NR	NR	0
CA UIC GEO	TP		NR	NR	NR	NR	NR	0
CA WASTEWATER PITS	0.500		0	0	0	NR	NR	0
CA WDS	TP		NR	NR	NR	NR	NR	0
CA WIP	0.250		0	0	NR	NR	NR	0
CA MILITARY PRIV SITES	TP		NR	NR	NR	NR	NR	0
CA PROJECT	TP		NR	NR	NR	NR	NR	0
CA WDR	TP		NR	NR	NR	NR	NR	0
CA CIWQS	TP		NR	NR	NR	NR	NR	0
CA CERS	TP		NR	NR	NR	NR	NR	0
CA NON-CASE INFO	TP		NR	NR	NR	NR	NR	0
CA OTHER OIL GAS	TP		NR	NR	NR	NR	NR	0
CA PROD WATER PONDS	TP		NR	NR	NR	NR	NR	0
CA SAMPLING POINT	TP		NR	NR	NR	NR	NR	0
CA WELL STIM PROJ	TP		NR	NR	NR	NR	NR	0
MINES MRDS	TP		NR	NR	NR	NR	NR	0
EDR HIGH RISK HISTORICAL RECORDS								
EDR Exclusive Records								
EDR MGP	1.000		0	0	1	2	NR	3
EDR Hist Auto	0.125		30	NR	NR	NR	NR	30
EDR Hist Cleaner	0.125		39	NR	NR	NR	NR	39
EDR RECOVERED GOVERNMENT ARCHIVES								
Exclusive Recovered Govt. Archives								
CA RGA LF	TP		NR	NR	NR	NR	NR	0
CA RGA LUST	TP		NR	NR	NR	NR	NR	0
- Totals --		0	202	340	294	37	0	873

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

A1 **MC ALLISTER TOWER** **CA HIST UST** **S118412787**
SSE **100 MC ALLISTER STREET** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.012 mi.
64 ft. **Site 1 of 14 in cluster A**

Relative: **Lower**
Actual: **54 ft.**

HIST UST:

Name:	MC ALLISTER TOWER
Address:	100 MC ALLISTER STREET
City,State,Zip:	SAN FRANCISCO, CA 94102
File Number:	0002F75C
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002F75C.pdf
Region:	Not reported
Facility ID:	Not reported
Facility Type:	Not reported
Other Type:	Not reported
Contact Name:	Not reported
Telephone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Total Tanks:	Not reported
Tank Num:	Not reported
Container Num:	Not reported
Year Installed:	Not reported
Tank Capacity:	Not reported
Tank Used for:	Not reported
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Not reported

Click here for Geo Tracker PDF:

A2 **UNIV. OF** **CA UST** **U004004403**
SSE **100 MCALLISTER ST** **N/A**
< 1/8 **, CA**
0.012 mi.
64 ft. **Site 2 of 14 in cluster A**

Relative: **Lower**
Actual: **54 ft.**

SAN FRANCISCO CO. UST:

Name:	UNIV. OF
Address:	100 MCALLISTER ST
Facility ID:	2669
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	8/31/1989
Application Name:	Not reported
Action Type:	Not reported

UNIV. OF (Continued) **U004004403**

Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported
Compartmentalized Tank: Not reported
Of Tank Compartments: Not reported
Date Tank Installed: Not reported
Tank Capacity: Not reported
Additional Desc: Not reported
Tank Use: Not reported
Petroleum Type: Not reported
Common Name: Not reported
Case Number: Not reported
Type Of Tank: Not reported
Primary Tank Material: Not reported
Secondary Tank Material: Not reported
Tank Interior Lining: Not reported
Date Interior Lining Install: Not reported
Date Closed: 5/14/1990
UST Close ID: 100
Type Of Spill Protection: Not reported
Date Alarm Overfill Protection Installed: Not reported
Date Ball Float Overfill Protection Installed: Not reported
Date Fill Tube Shut Overfill Protection Installed: Not reported
Overfill Protection Exempt: Not reported
Othr Tnk Corrosive Prtctn: Not reported
Date Corrosive Prtctn Install: Not reported
Tank Leak Detection (single walled): Not reported
Tank Leak Detection (double wall): Not reported
Estimated Date Last Used: Not reported
Estimated Qty Of Substance Remaining: Not reported
Tank Filled With Inert Material: Not reported
Piping System Type (Underground): Not reported
Piping System Type (Aboveground): Not reported
Piping Construction (Underground): Not reported
Piping Manufacturer (Underground): Not reported
Piping Construction (Aboveground): Not reported
Piping Manufacturer (Aboveground): Not reported
Piping Material & Corrosion Protection (Underground): Not reported
Piping Material & Corrosion Protection (Aboveground): Not reported
Piping Leak Detection (Undrgrnd - Single Wall): Not reported
Piping Leak Detection (2nd Contained): Not reported
Piping Leak Detection (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Underground: Not reported
Piping Leak Detection (Aboveground - Single Wall): Not reported
Piping Leak Detection (Underground - 2nd Contained): Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Aboveground: Not reported
Date Dispenser Containment Installed: Not reported
Dispenser Containment Type: Not reported
Date Certified (Tank Unit): Not reported
Certified Date: Not reported
Last Annual Monitoring Cert: Not reported

UNIV. OF (Continued) **U004004403**

2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

A3 **MC ALLISTER TOWER** **CA HIST UST** **U001595044**
SSE **100 MCALLISTER ST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.012 mi.
64 ft. **Site 3 of 14 in cluster A**

Relative: **Lower**
Actual: **54 ft.**

HIST UST:

Name:	MC ALLISTER TOWER
Address:	100 MCALLISTER ST
City,State,Zip:	SAN FRANCISCO, CA 94102
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000063358
Facility Type:	Other
Other Type:	STUDENT RESIDENCE/CO
Contact Name:	MARLENE MCCOY
Telephone:	4155570985
Owner Name:	HASTINGS COLLEGE OF THE LAW C/
Owner Address:	100 MC ALLISTER STREET
Owner City,St,Zip:	SAN FRANCISCO, CA 94102
Total Tanks:	0001
Tank Num:	001
Container Num:	1
Year Installed:	Not reported
Tank Capacity:	00000500
Tank Used for:	PRODUCT
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	None

A4 **UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF LAW** **CA CUPA Listings** **S120627661**
SSE **100 MCALLISTER ST** **CA CERS** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.012 mi.
64 ft. **Site 4 of 14 in cluster A**

Relative: **Lower**
Actual: **54 ft.**

CUPA SAN FRANCISCO CO:

Name:	UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF LAW
Address:	100 MCALLISTER ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	2669
Census Tract:	124
District:	10
Number of Tanks:	0

UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF LAW (Continued) **S120627661**

CERS:

Name:	UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF LAW
Address:	100 MCALLISTER ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	164866
CERS ID:	10056055
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	164866
Site Name:	University of California Hastings College of Law
Violation Date:	02-27-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 08/28/2018.
Violation Division:	San Francisco City & County Public Health Dept
Violation Program:	HMRRP
Violation Source:	CERS

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	02-27-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	San Francisco City & County Public Health Dept
Eval Program:	HMRRP
Eval Source:	CERS

Coordinates:

Site ID:	164866
Facility Name:	University of California Hastings College of Law
Env Int Type Code:	HMBP
Program ID:	10056055
Coord Name:	Not reported
Ref Point Type Desc:	Unknown
Latitude:	37.781162
Longitude:	-122.414078

Affiliation:

Affiliation Type Desc:	Operator
Entity Name:	John Nickelson
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(650) 465-6842

Affiliation Type Desc:	Property Owner
Entity Name:	UC Hastings
Entity Title:	Not reported

UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF LAW (Continued) **S120627661**

Affiliation Address:	100 MCALLISTER ST
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 581-8900
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	100 MCALLISTER ST
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	University Of California Hastings College of Law
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Document Preparer
Entity Name:	John Nickelson
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Environmental Contact
Entity Name:	John Nickelson
Entity Title:	Not reported
Affiliation Address:	100 MCALLISTER ST
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF LAW (Continued) **S120627661**

Affiliation Type Desc:	Identification Signer
Entity Name:	John Nickelson
Entity Title:	Chief Engineer
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	UC Hastings
Entity Title:	Not reported
Affiliation Address:	100 MCALLISTER ST
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 581-8900

A5 **HASTINGS COLLEGE OF THE LAW** **RCRA-SQG** **1004675717**
SSE **100 MC ALLISTER** **CAR000076323**
< 1/8 **SAN FRANCISCO, CA 94102**
0.012 mi.
64 ft. **Site 5 of 14 in cluster A**

Relative: **Lower**

Actual: **54 ft.**

RCRA-SQG:

Date form received by agency:	2000-06-22 00:00:00.0
Facility name:	HASTINGS COLLEGE OF THE LAW
Facility address:	100 MC ALLISTER SAN FRANCISCO, CA 94102
EPA ID:	CAR000076323
Mailing address:	200 MC ALLISTER SAN FRANCISCO, CA 94102
Contact:	DAVID SEWARD
Contact address:	200 MC ALLISTER SAN FRANCISCO, CA 94102
Contact country:	US
Contact telephone:	415-565-4710
Contact email:	Not reported
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	BOARD OF DIRECTORS HASTINGS
Owner/operator address:	200 MC ALLISTER SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-565-4700
Owner/operator email:	Not reported
Owner/operator fax:	Not reported

HASTINGS COLLEGE OF THE LAW (Continued) **1004675717**

Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

A6 **MCALLISTER PIERCE PARTNERS LP** **CA SWEEPS UST** **S101592475**
SSE **100 MCALLISTER ST** **CA FID UST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102** **CA EMI**
0.012 mi. **CA HAZNET**
64 ft. **Site 6 of 14 in cluster A**

Relative: SWEEPS UST:
Lower
Actual: Name: UNIV. OF CALIFORNIA - HASTINGS
54 ft. Address: 100 MCALLISTER ST
City: SAN FRANCISCO
Status: Active
Comp Number: 2669
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Owner Tank Id: Not reported
SWRCB Tank Id: Not reported
Tank Status: Not reported
Capacity: Not reported
Active Date: Not reported
Tank Use: Not reported
STG: Not reported
Content: Not reported

MCALLISTER PIERCE PARTNERS LP (Continued) **S101592475**

Number Of Tanks: Not reported

Name: UNIV. OF CALIFORNIA - HASTINGS
Address: 100 MCALLISTER ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 2669
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-002669-000001
Tank Status: Not reported
Capacity: 3000
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: 1

CA FID UST:
Facility ID: 38005303
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4150000000
Mail To: Not reported
Mailing Address: 100 MCALLISTER ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94102
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

EMI:
Name: HASTINGS COLLEGE OF THE LAW
Address: 100 MCALLISTER STREET
City,State,Zip: SAN FRANCISCO, CA 94102
Year: 2013
County Code: 38
Air Basin: SF
Facility ID: 21657
Air District Name: BA
SIC Code: 8221
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.003
Reactive Organic Gases Tons/Yr: 0.0025101

MCALLISTER PIERCE PARTNERS LP (Continued) **S101592475**

Carbon Monoxide Emissions Tons/Yr:	0.007
NOX - Oxides of Nitrogen Tons/Yr:	0.032
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0.001
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.001

Name:	HASTINGS COLLEGE OF THE LAW
Address:	100 MCALLISTER STREET
City,State,Zip:	SAN FRANCISCO, CA 94102
Year:	2014
County Code:	38
Air Basin:	SF
Facility ID:	21657
Air District Name:	BA
SIC Code:	8221
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.002586353
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0.006876499
NOX - Oxides of Nitrogen Tons/Yr:	0.031939909
SOX - Oxides of Sulphur Tons/Yr:	1.0875e-005
Particulate Matter Tons/Yr:	0.001491015
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.001431374

Name:	HASTINGS COLLEGE OF THE LAW
Address:	100 MCALLISTER STREET
City,State,Zip:	SAN FRANCISCO, CA 94102
Year:	2015
County Code:	38
Air Basin:	SF
Facility ID:	21657
Air District Name:	BA
SIC Code:	8221
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.002586353
Reactive Organic Gases Tons/Yr:	0.002541751
Carbon Monoxide Emissions Tons/Yr:	0.006876499
NOX - Oxides of Nitrogen Tons/Yr:	0.03193991
SOX - Oxides of Sulphur Tons/Yr:	1.0875e-005
Particulate Matter Tons/Yr:	0.001491015
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.001431374

Name:	HASTINGS COLLEGE OF THE LAW
Address:	100 MCALLISTER STREET
City,State,Zip:	SAN FRANCISCO, CA 94102
Year:	2016
County Code:	38
Air Basin:	SF
Facility ID:	21657
Air District Name:	BA
SIC Code:	8221
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported

MCALLISTER PIERCE PARTNERS LP (Continued) **S101592475**

Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.002586353
Reactive Organic Gases Tons/Yr:	0.0022721111105
Carbon Monoxide Emissions Tons/Yr:	0.006876499
NOX - Oxides of Nitrogen Tons/Yr:	0.031939909
SOX - Oxides of Sulphur Tons/Yr:	1.0875e-005
Particulate Matter Tons/Yr:	0.001491015
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.001431374

HAZNET:

Name:	MCALLISTER PIERCE PARTNERS LP
Address:	100 MCALLISTER ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941024929
Year:	2013
Gepaid:	CAC002717020
Contact:	RYAN GILBERT
Telephone:	4158142357
Mailing Name:	Not reported
Mailing Address:	700 LARKSPUR LANDING CIR
Gen County:	38
Waste Category:	Asbestos containing waste
TSD EPA ID:	CAD981382732
TSD County:	01
Disposal Method:	Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons:	0.4

Additional Info:

Year:	2013
Shipment Date:	20130115
Creation Date:	3/13/2013 22:15:46
Receipt Date:	20130116
Manifest ID:	007929332JJK
Gen EPA ID:	CAC002717020
Trans EPA ID:	CAR000216739
Trans Name:	IDEAL PROPERTY DAMAGE REPAIR INC
Trans 2 EPA ID:	CAR000037283
Trans 2 Name:	WORLD ENVIRONMENTAL & ENERGY INC
TSDF EPA ID:	CAD981382732
Trans Name:	ALTAMONT LANDFILL
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	151
RCRA Code:	Not reported
Meth Code:	H132
Quantity Tons:	0.4
Waste Quantity:	1
Quantity Unit:	Y
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

A7
SSW
< 1/8
0.014 mi.
76 ft.

RESIDENCE
146 MCALLISTER ST
, CA

Site 7 of 14 in cluster A

CA UST **U004003941**
N/A

Relative:
Lower

Actual:
56 ft.

SAN FRANCISCO CO. UST:

Name:	RESIDENCE
Address:	146 MCALLISTER ST
Facility ID:	24824
Facility Status:	Not reported
Number Of Tanks:	Not reported
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	10/6/1992
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	10/26/1992
UST Close ID:	1116
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

RESIDENCE (Continued) **U004003941**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	2/28/1997
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

B8 **YMCA** **CA SWEEPS UST** **S101592188**
NNW **220 GOLDEN GATE AVE** **CA HIST UST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102** **CA FID UST**
0.015 mi. **CA EMI**
79 ft. **Site 1 of 18 in cluster B** **CA CERS**

Relative: Higher

Actual: 58 ft.

SWEEPS UST:

Name:	YMCA
Address:	220 GOLDEN GATE AVE
City:	SAN FRANCISCO
Status:	Active
Comp Number:	5829
Number:	1
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-005829-000001
Tank Status:	A
Capacity:	6000
Active Date:	09-30-92
Tank Use:	UNKNOWN
STG:	P
Content:	DIESEL

YMCA (Continued) **S101592188**

Number Of Tanks: 1

HIST UST:

Name:	CENTRAL YMCA
Address:	220 GOLDEN GATE AVENUE
City,State,Zip:	SAN FRANCISCO, CA 94102
File Number:	0002F63F
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002F63F.pdf
Region:	Not reported
Facility ID:	Not reported
Facility Type:	Not reported
Other Type:	Not reported
Contact Name:	Not reported
Telephone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Total Tanks:	Not reported
Tank Num:	Not reported
Container Num:	Not reported
Year Installed:	Not reported
Tank Capacity:	Not reported
Tank Used for:	Not reported
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Not reported

Click here for Geo Tracker PDF:

CA FID UST:

Facility ID:	38001256
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4158850460
Mail To:	Not reported
Mailing Address:	220 GOLDEN GATE AVE
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94102
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

EMI:

Name:	CAHILL CONTRACTORS
Address:	220 GOLDEN GATE AVENUE
City,State,Zip:	SAN FRANCISCO, CA 94102
Year:	2013
County Code:	38
Air Basin:	SF

YMCA (Continued) **S101592188**

Facility ID:	21481
Air District Name:	BA
SIC Code:	1791
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.009
Reactive Organic Gases Tons/Yr:	0.0075303
Carbon Monoxide Emissions Tons/Yr:	0.022
NOX - Oxides of Nitrogen Tons/Yr:	0.16
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0.003
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.003

Name:	CAHILL CONTRACTORS
Address:	220 GOLDEN GATE AVENUE
City,State,Zip:	SAN FRANCISCO, CA 94102
Year:	2014
County Code:	38
Air Basin:	SF
Facility ID:	21481
Air District Name:	BA
SIC Code:	1791
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.0092477
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0.021778382
NOX - Oxides of Nitrogen Tons/Yr:	0.159773892
SOX - Oxides of Sulphur Tons/Yr:	0.000206625
Particulate Matter Tons/Yr:	0.003272982
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.003142063

Name:	220 GOLDEN GATE MASTER TENANT L P
Address:	220 GOLDEN GATE AVENUE
City,State,Zip:	SAN FRANCISCO, CA 94102
Year:	2015
County Code:	38
Air Basin:	SF
Facility ID:	21481
Air District Name:	BA
SIC Code:	1791
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.000116813
Reactive Organic Gases Tons/Yr:	0.000106108
Carbon Monoxide Emissions Tons/Yr:	0.000275095
NOX - Oxides of Nitrogen Tons/Yr:	0.002018196
SOX - Oxides of Sulphur Tons/Yr:	2.61e-006
Particulate Matter Tons/Yr:	4.1343e-005
Part. Matter 10 Micrometers and Smllr Tons/Yr:	3.9689e-005

Name:	220 GOLDEN GATE MASTER TENANT L P
Address:	220 GOLDEN GATE AVENUE
City,State,Zip:	SAN FRANCISCO, CA 94102

YMCA (Continued) **S101592188**

Year:	2016
County Code:	38
Air Basin:	SF
Facility ID:	21481
Air District Name:	BA
SIC Code:	1791
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.000116813
Reactive Organic Gases Tons/Yr:	0.0001026202205
Carbon Monoxide Emissions Tons/Yr:	0.000275095
NOX - Oxides of Nitrogen Tons/Yr:	0.002018196
SOX - Oxides of Sulphur Tons/Yr:	2.61e-006
Particulate Matter Tons/Yr:	4.1343e-005
Part. Matter 10 Micrometers and Smllr Tons/Yr:	3.9689e-005

CERS:

Name:	CAHILL CONTRACTORS
Address:	220 GOLDEN GATE AVENUE
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	514765
CERS ID:	110070060028
CERS Description:	US EPA Air Emission Inventory System (EIS)

B9 **CENTRAL YMCA** **CA LUST** **U001595020**
NNW **220 GOLDEN GATE AVE** **CA HIST UST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102** **CA CERS**
0.015 mi.
79 ft. **Site 2 of 18 in cluster B**

Relative:
Higher

Actual:
58 ft.

LUST:

Name:	SHIH YU-LANG CENTRAL YMCA
Address:	220 GOLDEN GATE AVE
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T10000000227
Global Id:	T10000000227
Latitude:	37.781813
Longitude:	-122.414398
Status:	Completed - Case Closed
Status Date:	08/25/2008
Case Worker:	SC
RB Case Number:	Not reported
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Local Agency
Local Case Number:	11843
Potential Media Affect:	Not reported
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T10000000227
Contact Type:	Local Agency Caseworker
Contact Name:	STEPHANIE CUSHING
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET #210

CENTRAL YMCA (Continued) **U001595020**

City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

LUST:
Global Id: T10000000227
Action Type: ENFORCEMENT
Date: 08/25/2008
Action: File review

Global Id: T10000000227
Action Type: ENFORCEMENT
Date: 08/25/2008
Action: Closure/No Further Action Letter

Global Id: T10000000227
Action Type: ENFORCEMENT
Date: 08/25/2008
Action: Closure/No Further Action Letter - #11843CCL

LUST:
Global Id: T10000000227
Status: Open - Case Begin Date
Status Date: 08/21/2008

Global Id: T10000000227
Status: Open - Site Assessment
Status Date: 08/21/2008

Global Id: T10000000227
Status: Completed - Case Closed
Status Date: 08/25/2008

HIST UST:
Name: CENTRAL YMCA
Address: 220 GOLDEN GATE AVE
City,State,Zip: SAN FRANCISCO, CA 94102
File Number: Not reported
URL: Not reported
Region: STATE
Facility ID: 00000067734
Facility Type: Other
Other Type: FUEL OIL FOR RESERVE
Contact Name: JOHN DABROW
Telephone: 4158850460
Owner Name: CENTRAL YMCA
Owner Address: 220 GOLDEN GATE AVENUE
Owner City,St,Zip: SAN FRANCISCO, CA 94102
Total Tanks: 0001

Tank Num: 001
Container Num: 1
Year Installed: Not reported
Tank Capacity: 00006000
Tank Used for: PRODUCT

CENTRAL YMCA (Continued) **U001595020**

Type of Fuel: 4
Container Construction Thickness: X
Leak Detection: None

CERS:
Name: SHIH YU-LANG CENTRAL YMCA
Address: 220 GOLDEN GATE AVE
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 232695
CERS ID: T10000000227
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: STEPHANIE CUSHING - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1390 MARKET STREET #210
Affiliation City: SAN FRANCISCO
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

B10 **YMCA** **CA UST** **U003916722**
NNW **220 GOLDEN GATE AV** **N/A**
< 1/8 **, CA**
0.015 mi.
79 ft. **Site 3 of 18 in cluster B**

Relative:
Higher

Actual:
58 ft.

SAN FRANCISCO CO. UST:
Name: YMCA
Address: 220 GOLDEN GATE AV
Facility ID: 5829
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 35 South Linden
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Accutite
Application Date: 8/6/1997
Application Name: Willie Green
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported

YMCA (Continued) **U003916722**

Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	8/13/1997
UST Close ID:	2983
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

YMCA (Continued) **U003916722**

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	2808
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported

YMCA (Continued) **U003916722**

Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

B11 **SFFD HEADQUARTERS** **CA LUST** **S102436728**
WNW **260 GOLDEN GATE AVE** **CA SWEEPS UST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102** **CA HIST UST**
0.023 mi. **CA HIST CORTESE**
121 ft. **Site 4 of 18 in cluster B** **CA CERS**

Relative: Higher
Actual: 62 ft.

LUST:

Name:	SFFD HEADQUARTERS
Address:	260 GOLDEN GATE AVE
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500253
Global Id:	T0607500253
Latitude:	37.782011
Longitude:	-122.414974
Status:	Completed - Case Closed
Status Date:	06/21/1999
Case Worker:	SC
RB Case Number:	38-0288
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Not reported
Local Case Number:	10168
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Diesel
Site History:	Not reported

LUST:

Global Id:	T0607500253
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0607500253
Contact Type:	Local Agency Caseworker
Contact Name:	STEPHANIE CUSHING
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET #210
City:	SAN FRANCISCO
Email:	stephanie.cushing@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T0607500253
Action Type:	Other
Date:	01/02/1965
Action:	Leak Reported

Global Id:	T0607500253

SFFD HEADQUARTERS (Continued) **S102436728**

Action Type: ENFORCEMENT
Date: 06/21/1999
Action: Closure/No Further Action Letter - #10168

Global Id: T0607500253
Action Type: Other
Date: 11/17/1987
Action: Leak Discovery

LUST:
Global Id: T0607500253
Status: Open - Case Begin Date
Status Date: 11/17/1987

Global Id: T0607500253
Status: Completed - Case Closed
Status Date: 06/21/1999

LUST REG 2:
Region: 2
Facility Id: 38-0288
Facility Status: Case Closed
Case Number: 10168
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: SFFD Headquarters
Address: 260 Golden Gate Ave
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 38-0288
Facility Status: Case Closed
Case Number: 10168
Case Type: Soil only
Release Date: 11/17/1987
Discovered Date: 11/17/1987
Substance: Diesel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 11/17/1987
Case Closed: 6/21/1999
Closed Date: 6/21/1999
Leak Source: Tank
Leak Cause: Structure Failure

SFFD HEADQUARTERS (Continued) **S102436728**

Leak Confirmed:	1/23/1996
Entered Date:	8/18/1993
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	SFFD
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	SC
Cross Street:	HYDE ST
NOR Date:	8/18/1993
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	R
Interim Remediation:	Yes
Priority:	Not reported
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	11/17/1987
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Diesel fuel oil
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False

SFFD HEADQUARTERS (Continued) **S102436728**

TPH Current: Not reported
TPH Current Date: Not reported
Grnd Wtr Qualifier: Not reported
Soil Qualifier: Not reported
Comments: Not reported
Summary: Not reported

SWEEPS UST:
Name: SAN FRANCISCO FIRE DEPARTMENT, HEADQUARTERS MGM'T SERVICES
Address: 260 GOLDEN GATE AVE
City: SAN FRANCISCO
Status: Active
Comp Number: 655
Number: 4
Board Of Equalization: 44-024254
Referral Date: 12-23-93
Action Date: 12-23-93
Created Date: 01-01-01
Owner Tank Id: 0345-006-201
SWRCB Tank Id: 38-000-000655-000001
Tank Status: A
Capacity: 1000
Active Date: 02-03-92
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: 2

Name: SAN FRANCISCO FIRE DEPARTMENT, HEADQUARTERS MGM'T SERVICES
Address: 260 GOLDEN GATE AVE
City: SAN FRANCISCO
Status: Active
Comp Number: 655
Number: 4
Board Of Equalization: 44-024254
Referral Date: 12-23-93
Action Date: 12-23-93
Created Date: 01-01-01
Owner Tank Id: 0345-006-202
SWRCB Tank Id: 38-000-000655-000002
Tank Status: A
Capacity: 1000
Active Date: 02-03-92
Tank Use: M.V. FUEL
STG: P
Content: LEADED
Number Of Tanks: Not reported

HIST UST:
Name: DEPARTMENT HEADQUARTERS
Address: 260 GOLDEN GATE AVENUE
City,State,Zip: SAN FRANCISCO, CA 94102
File Number: 0002F67E
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002F67E.pdf
Region: Not reported
Facility ID: Not reported

SFFD HEADQUARTERS (Continued) **S102436728**

Facility Type:	Not reported
Other Type:	Not reported
Contact Name:	Not reported
Telephone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Total Tanks:	Not reported
Tank Num:	Not reported
Container Num:	Not reported
Year Installed:	Not reported
Tank Capacity:	Not reported
Tank Used for:	Not reported
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Not reported

Click here for Geo Tracker PDF:

HIST CORTESE:

edr_fname:	SFFD HEADQUARTERS
edr_fadd1:	260 GOLDEN GATE
City,State,Zip:	SAN FRANCISCO, CA
Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0288

CERS:

Name:	SFFD HEADQUARTERS
Address:	260 GOLDEN GATE AVE
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	226927
CERS ID:	T0607500253
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	STEPHANIE CUSHING - SAN FRANCISCO COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1390 MARKET STREET #210
Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

B12 **AT&T MOBILITY/SF CIVIC CENTER (USID12733)** **CA CUPA Listings** **S120627772**
WNW **260 GOLDEN GATE AV** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.023 mi.
121 ft. **Site 5 of 18 in cluster B**

Relative: CUPA SAN FRANCISCO CO:
Higher

Name:	AT&T MOBILITY/SF CIVIC CENTER (USID12733)
Address:	260 GOLDEN GATE AV
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	27610
Census Tract:	124
District:	11
Number of Tanks:	0

Actual:
62 ft.

B13 **CCSF/SFFD/HEADQUAR** **CA UST** **U003976843**
WNW **260 GOLDEN GATE AV** **N/A**
< 1/8 **, CA**
0.023 mi.
121 ft. **Site 6 of 18 in cluster B**

Relative: SAN FRANCISCO CO. UST:
Higher

Name:	CCSF/SFFD/HEADQUAR
Address:	260 GOLDEN GATE AV
Facility ID:	655
Facility Status:	Not reported
Number Of Tanks:	2
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	5500 Shellmound
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Weiss Associates
Application Date:	10/14/1998
Application Name:	Orlando Cabaccang
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported

Actual:
62 ft.

CCSF/SFFD/HEADQUAR (Continued) **U003976843**

Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	11/20/1998
UST Close ID:	3481
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

B14 **DEPARTMENT HEADQUARTERS** **CA HIST UST** **U001595026**
WNW **260 GOLDEN GATE AVE** **CA CHMIRS** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.023 mi.
121 ft. **Site 7 of 18 in cluster B**

Relative: **Higher**
Actual: **62 ft.**

HIST UST:

Name:	DEPARTMENT HEADQUARTERS
Address:	260 GOLDEN GATE AVE
City,State,Zip:	SAN FRANCISCO, CA 94102
File Number:	Not reported

DEPARTMENT HEADQUARTERS (Continued) **U001595026**

URL:	Not reported
Region:	STATE
Facility ID:	00000055066
Facility Type:	Other
Other Type:	FIREFIGHTING
Contact Name:	ANTHONY RODRIGUEZ
Telephone:	4158618000
Owner Name:	CITY & COUNTY OF SAN FRANCISCO
Owner Address:	260 GOLDEN GATE AVENUE
Owner City,St,Zip:	SAN FRANCISCO, CA 94102
Total Tanks:	0002
Tank Num:	001
Container Num:	1
Year Installed:	1966
Tank Capacity:	00001000
Tank Used for:	PRODUCT
Type of Fuel:	REGULAR
Container Construction Thickness:	10
Leak Detection:	Stock Inventor
Tank Num:	002
Container Num:	2
Year Installed:	1966
Tank Capacity:	00001000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	10
Leak Detection:	Stock Inventor

CHMIRS:

Name:	Not reported
Address:	260 GOLDEN GATE AVE
City,State,Zip:	SAN FRANCISCO, CA 94902
OES Incident Number:	7-1716
OES notification:	04/29/1997
OES Date:	Not reported
OES Time:	Not reported
Date Completed:	**Not reported**
Property Use:	Not reported
Agency Id Number:	Not reported
Agency Incident Number:	Not reported
Time Notified:	Not reported
Time Completed:	Not reported
Surrounding Area:	Not reported
Estimated Temperature:	Not reported
Property Management:	Not reported
More Than Two Substances Involved?:	Not reported
Resp Agncy Personel # Of Decontaminated:	Not reported
Responding Agency Personel # Of Injuries:	Not reported
Responding Agency Personel # Of Fatalities:	Not reported
Others Number Of Decontaminated:	Not reported
Others Number Of Injuries:	Not reported
Others Number Of Fatalities:	Not reported
Vehicle Make/year:	Not reported
Vehicle License Number:	Not reported
Vehicle State:	Not reported

DEPARTMENT HEADQUARTERS (Continued) **U001595026**

Vehicle Id Number:	Not reported
CA DOT PUC/ICC Number:	Not reported
Company Name:	Not reported
Reporting Officer Name/ID:	Not reported
Report Date:	Not reported
Facility Telephone:	Not reported
Waterway Involved:	No
Waterway:	Not reported
Spill Site:	Not reported
Cleanup By:	Reporting Party
Containment:	Not reported
What Happened:	Not reported
Type:	Not reported
Measure:	Not reported
Other:	Not reported
Date/Time:	Not reported
Year:	1997
Agency:	San Francisco FD
Incident Date:	4/29/199712:00:00 AM
Admin Agency:	San Francisco County Health Department
Amount:	Not reported
Contained:	Yes
Site Type:	Other
E Date:	Not reported
Substance:	Lead Chromite
Gallons:	3
Unknown:	0
Substance #2:	Not reported
Substance #3:	Not reported
Evacuations:	0
Number of Injuries:	0
Number of Fatalities:	0
#1 Pipeline:	Not reported
#2 Pipeline:	Not reported
#3 Pipeline:	Not reported
#1 Vessel >= 300 Tons:	Not reported
#2 Vessel >= 300 Tons:	Not reported
#3 Vessel >= 300 Tons:	Not reported
Evacs:	Not reported
Injuries:	Not reported
Fatals:	Not reported
Comments:	Not reported
Description:	3 one gallon containers left in front of a fire station. Hazmat team called to transport. No leakage of materials.

B15 ***SFFD/HEADQUARTER MGMT SERVICE** **CA FID UST** **S101591996**
WNW **260 GOLDEN GATE AVE** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.023 mi.
121 ft. **Site 8 of 18 in cluster B**

Relative:
Higher

Actual:
62 ft.

CA FID UST:

Facility ID:	38000322
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported

***SFFD/HEADQUARTER MGMT SERVICE (Continued)** **S101591996**

Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	260 GOLDEN GATE AVE
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94102
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

A16 **WALLY S RICHFIELD SERVICE** **EDR Hist Auto** **1009000034**
SE **40 LEAVENWORTH** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.023 mi.
124 ft. **Site 8 of 14 in cluster A**

Relative: EDR Hist Auto
Lower

Actual:
52 ft.

Year:	Name:	Type:
1953	PETTIGREW WALLACE E	GASOLINE STATIONS
1958	WALLY S RICHFIELD SERVICE	GASOLINE STATIONS
1958	WALLY S RICHFIELD SERVICE	GASOLINE STATIONS
1962	WALLY S RICHFIELD SERVICE	GASOLINE STATIONS
1966	WALLY S SERVICE	GASOLINE STATIONS
1966	WALLY S SERVICE	GASOLINE STATIONS

B17 **RUFFNER ROY** **EDR Hist Auto** **1008999593**
NE **176 GOLDEN GATE AV** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.026 mi.
139 ft. **Site 9 of 18 in cluster B**

Relative: EDR Hist Auto
Lower

Actual:
54 ft.

Year:	Name:	Type:
1930	CIVIC CENTER GARAGE	AUTOMOBILE GARAGES
1944	RUFFNER ROY	AUTOMOBILE GARAGES
1949	MOYLE & MILLER	AUTOMOBILE REPAIRING
1949	SMITH SYLVESTER	AUTOMOBILE GARAGES
1949	MOYLE & MILLER	AUTOMOBILE REPAIRING

B18 **COMMERCIAL PROPERTY** **CA LUST** **S109517587**
NE **172 GOLDEN GATE AVE** **CA CERS** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.027 mi.
145 ft. **Site 10 of 18 in cluster B**

Relative: LUST:
Lower

Actual:
54 ft.

Name:	COMMERCIAL PROPERTY
Address:	172 GOLDEN GATE AVE
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP

COMMERCIAL PROPERTY (Continued) **S109517587**

Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T10000000704
Global Id:	T10000000704
Latitude:	37.781992
Longitude:	-122.4135901
Status:	Completed - Case Closed
Status Date:	02/06/2009
Case Worker:	SC
RB Case Number:	Not reported
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Local Agency
Local Case Number:	11861
Potential Media Affect:	Not reported
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T10000000704
Contact Type:	Local Agency Caseworker
Contact Name:	STEPHANIE CUSHING
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET #210
City:	SAN FRANCISCO
Email:	stephanie.cushing@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T10000000704
Action Type:	ENFORCEMENT
Date:	01/22/2009
Action:	Notice of Responsibility
Global Id:	T10000000704
Action Type:	ENFORCEMENT
Date:	01/22/2009
Action:	File review
Global Id:	T10000000704
Action Type:	ENFORCEMENT
Date:	02/06/2009
Action:	Closure/No Further Action Letter
Global Id:	T10000000704
Action Type:	ENFORCEMENT
Date:	02/06/2009
Action:	File review
Global Id:	T10000000704
Action Type:	ENFORCEMENT
Date:	02/06/2009
Action:	Closure/No Further Action Letter - #11861CCL

LUST:

Global Id:	T10000000704
Status:	Open - Case Begin Date
Status Date:	01/21/2009

COMMERCIAL PROPERTY (Continued) **S109517587**

Global Id: T10000000704
Status: Open - Site Assessment
Status Date: 01/21/2009

Global Id: T10000000704
Status: Completed - Case Closed
Status Date: 02/06/2009

CERS:
Name: COMMERCIAL PROPERTY
Address: 172 GOLDEN GATE AVE
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 196736
CERS ID: T10000000704
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: STEPHANIE CUSHING - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1390 MARKET STREET #210
Affiliation City: SAN FRANCISCO
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

B19 **COMMERCIAL** **CA UST** **U004124270**
NE **172 GOLDEN GATE AV** **N/A**
< 1/8 **, CA**
0.027 mi.
145 ft. **Site 11 of 18 in cluster B**

Relative: **Lower**
Actual: **54 ft.**

SAN FRANCISCO CO. UST:
Name: COMMERCIAL
Address: 172 GOLDEN GATE AV
Facility ID: 30958
Facility Status: Not reported
Number Of Tanks: 2
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 3730 Mission St
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Golden Gate Tank
Application Date: 9/5/2008
Application Name: Tim Hallen
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

COMMERCIAL (Continued) **U004124270**

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	9/10/2008
UST Close ID:	5038
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported

COMMERCIAL (Continued) **U004124270**

Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

A20 **CONDOS THOS** **EDR Hist Cleaner** **1009128852**
SSE **94 MCALLISTER** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.028 mi.
148 ft. **Site 9 of 14 in cluster A**

Relative: EDR Hist Cleaner
Lower

Actual: **53 ft.**

Year:	Name:	Type:
1930	CONDOS THOS	CLOTHES PRESSERS AND CLEANERS
1930	CONDOS THOS	CLOTHES PRESSERS AND CLEANER

A21 **506 (MAC LEAU)** **CA HIST UST** **U001595321**
SSE **80 MCALLISTER ST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94108**
0.028 mi.
149 ft. **Site 10 of 14 in cluster A**

Relative: HIST UST:
Lower

Actual: **52 ft.**

Name:	506 (MAC LEAU)
Address:	80 MCALLISTER ST
City,State,Zip:	SAN FRANCISCO, CA 94108
File Number:	0002F7A9
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002F7A9.pdf
Region:	STATE
Facility ID:	00000018087
Facility Type:	Gas Station
Other Type:	Not reported
Contact Name:	LARRY CARATTI
Telephone:	4159895100
Owner Name:	METROPOLITAN PARKING CORP
Owner Address:	222 SUTTER ST.
Owner City,St,Zip:	SAN FRANCISCO, CA 94108
Total Tanks:	0000
Tank Num:	001
Container Num:	506-1
Year Installed:	Not reported
Tank Capacity:	00003000
Tank Used for:	PRODUCT
Type of Fuel:	PREMIUM
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor
Tank Num:	002
Container Num:	506-2
Year Installed:	Not reported
Tank Capacity:	00003000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported

506 (MAC LEAU) (Continued) **U001595321**

Leak Detection: Stock Inventor

Click here for Geo Tracker PDF:

A22 **METROPOLITAN PARKING CORP.#506** **CA SWEEPS UST** **S101592480**
SSE **80 MCALLISTER ST** **CA FID UST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.028 mi.
149 ft. **Site 11 of 14 in cluster A**

Relative:
Lower

Actual:
52 ft.

SWEEPS UST:

Name:	METROPOLITAN PARKING CORP.#506
Address:	80 MCALLISTER ST
City:	SAN FRANCISCO
Status:	Active
Comp Number:	2949
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-002949-000001
Tank Status:	A
Capacity:	3000
Active Date:	09-30-92
Tank Use:	UNKNOWN
STG:	P
Content:	REGULAR UNLE
Number Of Tanks:	2

Name:	METROPOLITAN PARKING CORP.#506
Address:	80 MCALLISTER ST
City:	SAN FRANCISCO
Status:	Active
Comp Number:	2949
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-002949-000002
Tank Status:	A
Capacity:	3000
Active Date:	09-30-92
Tank Use:	M.V. FUEL
STG:	P
Content:	REG UNLEADED
Number Of Tanks:	Not reported

CA FID UST:

Facility ID:	38005309
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported

METROPOLITAN PARKING CORP.#506 (Continued) **S101592480**

Facility Phone: 4159895100
Mail To: Not reported
Mailing Address: 475 SANSOME ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94102
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

B23 **THAYER J F** **EDR Hist Auto** **1009068005**
NNE **112 LEAVENWORTH** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.032 mi.
167 ft. **Site 12 of 18 in cluster B**

Relative: EDR Hist Auto
Lower

Actual: **55 ft.**

Year:	Name:	Type:
1935	P & T GARAGE	AUTOMOBILE GARAGES
1940	THAYER J F	AUTOMOBILE GARAGES

B24 **COOPER S L MRS** **EDR Hist Cleaner** **1009129228**
North **123 LEAVENWORTH** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.033 mi.
173 ft. **Site 13 of 18 in cluster B**

Relative: EDR Hist Cleaner
Higher

Actual: **58 ft.**

Year:	Name:	Type:
1940	COOPER S L MRS	CLOTHES PRESSERS AND CLEANER
1940	COOPER S L MRS	CLOTHES PRESSERS AND CLEANERS

B25 **BEALL C R** **EDR Hist Cleaner** **1009129359**
WNW **288 GOLDEN GATE AV** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.037 mi.
196 ft. **Site 14 of 18 in cluster B**

Relative: EDR Hist Cleaner
Higher

Actual: **63 ft.**

Year:	Name:	Type:
1940	BEALL C R	LAUNDRIES HAN
1940	BEALL C R	LAUNDRIES-HAND

B26 **RUTHERFORD G W** **EDR Hist Cleaner** **1009180145**
North **133 LEAVENWORTH** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.038 mi.
198 ft. **Site 15 of 18 in cluster B**

Relative: EDR Hist Cleaner
Higher

Actual: Year: Name: Type:
58 ft. 1949 RUTHERFORD G W CLEANERS AND DYERS

A27 **DOROTHY DAY COMMUNITY** **CA CUPA Listings** **S120628510**
ESE **54 MCALLISTER ST** **CA CERS** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.038 mi.
203 ft. **Site 12 of 14 in cluster A**

Relative: CUPA SAN FRANCISCO CO:
Lower

Actual: Name: DOROTHY DAY COMMUNITY
51 ft. Address: 54 MCALLISTER ST
City,State,Zip: SAN FRANCISCO, CA 94102
Facility ID: 32706
Census Tract: 125
District: 10
Number of Tanks: 0

CERS:
Name: DOROTHY DAY COMMUNITY
Address: 54 MCALLISTER ST
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 112420
CERS ID: 10442791
CERS Description: Chemical Storage Facilities

Coordinates:
Site ID: 112420
Facility Name: Dorothy Day Community
Env Int Type Code: HMBP
Program ID: 10442791
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 37.781290
Longitude: -122.413170

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: San Francisco City & County Public Health Departme
Entity Title: Not reported
Affiliation Address: 1390 Market Street, Room 210
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: (415) 252-3900

Affiliation Type Desc: Identification Signer
Entity Name: Sally Li
Entity Title: Senior Property Manager
Affiliation Address: Not reported

DOROTHY DAY COMMUNITY (Continued) **S120628510**

Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	Mercy Housing Management Group
Entity Title:	Not reported
Affiliation Address:	1256 Market Street
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 355-7100
Affiliation Type Desc:	Environmental Contact
Entity Name:	Sally Li
Entity Title:	Not reported
Affiliation Address:	54 McAllister St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Sally Li
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 431-9155
Affiliation Type Desc:	Document Preparer
Entity Name:	Sally Li
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	Mercy Housing Management Group
Entity Title:	Not reported
Affiliation Address:	1256 Market Street
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	941032
Affiliation Phone:	(415) 355-7100
Affiliation Type Desc:	Parent Corporation

DOROTHY DAY COMMUNITY (Continued) **S120628510**

Entity Name:	Dorothy Day Community
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	54 McAllister Streer
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

C28 **COMMERCIAL** **CA LUST S110166127**
WNW **112-120 HYDE ST.** **CA CERS N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.042 mi.
220 ft. **Site 1 of 30 in cluster C**

Relative:
Higher

Actual:
64 ft.

LUST:

Name:	COMMERCIAL
Address:	112-120 HYDE ST.
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T10000001889
Global Id:	T10000001889
Latitude:	37.78183
Longitude:	-122.41531
Status:	Completed - Case Closed
Status Date:	03/15/2010
Case Worker:	Not reported
RB Case Number:	Not reported
Local Agency:	Not reported
File Location:	Not reported
Local Case Number:	11890
Potential Media Affect:	Not reported
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T10000001889
Action Type:	Other
Date:	07/23/2009
Action:	Leak Discovery
Global Id:	T10000001889
Action Type:	ENFORCEMENT
Date:	03/10/2010
Action:	Clean Up Fund - Letter to RP - #11890

COMMERCIAL (Continued) **S110166127**

Global Id: T10000001889
Action Type: Other
Date: 07/23/2009
Action: Leak Stopped

Global Id: T10000001889
Action Type: Other
Date: 07/24/2009
Action: Leak Reported

Global Id: T10000001889
Action Type: ENFORCEMENT
Date: 03/15/2010
Action: Closure/No Further Action Letter

Global Id: T10000001889
Action Type: ENFORCEMENT
Date: 03/10/2010
Action: State Water Board Closure Order

Global Id: T10000001889
Action Type: ENFORCEMENT
Date: 03/12/2010
Action: File Review - Closure

Global Id: T10000001889
Action Type: Other
Date: 07/23/2009
Action: Leak Began

LUST:
Global Id: T10000001889
Status: Open - Case Begin Date
Status Date: 07/23/2009

Global Id: T10000001889
Status: Open - Site Assessment
Status Date: 03/10/2010

Global Id: T10000001889
Status: Completed - Case Closed
Status Date: 03/15/2010

CERS:
Name: COMMERCIAL
Address: 112-120 HYDE ST.
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 249371
CERS ID: T10000001889
CERS Description: Leaking Underground Storage Tank Cleanup Site

C29
WNW
< 1/8
0.042 mi.
220 ft.

AIR-LINE CLEANERS & SHOE REPAIR
112 HYDE ST
SAN FRANCISCO, CA

Site 2 of 30 in cluster C

EDR Hist Cleaner **1009131921**
N/A

Relative:
Higher

Actual:
64 ft.

EDR Hist Cleaner

Year:	Name:	Type:
1962	AIR LINE CLEANERS & SHOE REPAIR	CLEANERS AND DYERS
1962	AIR LINE CLEANERS & SHOE REPAIR	CLEANERS AND DYERS
1966	AIR-LINE CLEANERS & SHOE REPAIR	CLEANERS AND DYERS
1966	AIR LINE CLEANERS & SHOE REPAIR	CLEANERS AND DYERS

B30
North
< 1/8
0.043 mi.
227 ft.

TL145
145 LEAVENWORTH
SAN FRANCISCO, CA 94102

Site 16 of 18 in cluster B

RCRA-SQG **1025882250**
CAP000300061

Relative:
Higher

Actual:
59 ft.

RCRA-SQG:

Date form received by agency:	2019-10-01 00:00:00.0
Facility name:	TL145
Facility address:	145 LEAVENWORTH SAN FRANCISCO, CA 94102
EPA ID:	CAP000300061
Mailing address:	MONTGOMERY STREET SUITE 300 SAN FRANCISCO, CA 94104
Contact:	ALEXANDER ZUCKER
Contact address:	MONTGOMERY STREET SUITE 300 SAN FRANCISCO, CA 94104
Contact country:	US
Contact telephone:	415-855-1869
Contact email:	ALEXANDER@FORGELANDCOMPANY.COM
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	BWF FORGE TL PROPERTIES OWNER LLC
Owner/operator address:	MONTGOMERY STREET SUITE 300 SAN FRANCISCO, CA 94104
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	BWF FORGE TL PROPERTIES OWNER LLC
Owner/operator address:	MONTGOMERY STREET SUITE 300

TL145 (Continued) **1025882250**

SAN FRANCISCO, CA 94104
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): Not reported
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:

. Waste code: 611
. Waste name: Contaminated soil from site clean-ups

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

C31 **AIR LINE CLEANERS** **EDR Hist Cleaner** **1009129637**
WNW **116 HYDE ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.046 mi.
243 ft. **Site 3 of 30 in cluster C**

Relative: EDR Hist Cleaner
Higher

Actual: **64 ft.**

Year:	Name:	Type:
1940	ROSE HENRY	CLOTHES PRESSERS AND CLEANERS
1940	ROSE HENRY	CLOTHES PRESSERS AND CLEANER
1944	ROSE HENRY	CLOTHES-PRESSERS AND CLEANERS
1944	ROSE HENRY	CLOTHES-PRESSERS AND CLEANERS
1949	LARSEN MARIUS	CLEANERS AND DYERS
1953	AIRLINE CLOTHES CLEANERS	CLEANERS AND DYERS
1958	AIRLINE CLEANERS	CLEANERS AND DYERS
1958	AIRLINE CLEANERS	CLEANERS AND DYERS
1971	AIR LINE CLEANERS	CLEANERS AND DYERS
1971	AIR LINE CLEANERS	CLEANERS AND DYERS
1977	AIR LINE CLEANERS	CLEANERS AND DYERS

AIR LINE CLEANERS (Continued) **1009129637**

1977	AIR LINE CLEANERS	CLEANERS AND DYERS
1982	AIR LINE CLEANERS	CLEANERS AND DYERS
1982	AIR LINE CLEANERS	CLEANERS AND DYERS
1988	MR CLEAN	Garment Pressing And Cleaners' Agents
1989	MR CLEAN	Garment Pressing And Cleaners' Agents
1990	MR CLEAN	Garment Pressing And Cleaners' Agents
1991	MR CLEAN	Garment Pressing And Cleaners' Agents
1992	MR CLEAN	Garment Pressing And Cleaners' Agents
1993	MR CLEAN	Garment Pressing And Cleaners' Agents
1994	MR CLEAN	Garment Pressing And Cleaners' Agents
1995	MR CLEAN	Garment Pressing And Cleaners' Agents
1996	MR CLEAN	Garment Pressing And Cleaners' Agents
1997	MR CLEAN	Garment Pressing And Cleaners' Agents
1998	MR CLEAN	Garment Pressing And Cleaners' Agents
1999	MR CLEAN	Garment Pressing And Cleaners' Agents
2000	MR CLEAN	Garment Pressing And Cleaners' Agents
2001	MR CLEAN	Garment Pressing And Cleaners' Agents
2002	MR CLEAN	Garment Pressing And Cleaners' Agents
2003	MR CLEAN	Garment Pressing And Cleaners' Agents
2004	MR CLEAN	Garment Pressing And Cleaners' Agents
2005	MR CLEAN	Garment Pressing And Cleaners' Agents
2006	MR CLEAN	Garment Pressing And Cleaners' Agents
2007	MR CLEAN	Garment Pressing And Cleaners' Agents
2008	MR CLEAN	Garment Pressing And Cleaners' Agents
2009	MR CLEAN	Garment Pressing And Cleaners' Agents
2010	MR CLEAN	Garment Pressing And Cleaners' Agents
2011	MR CLEAN	Garment Pressing And Cleaners' Agents
2013	MR CLEAN	Garment Pressing And Cleaners' Agents
2014	MR CLEAN	Garment Pressing And Cleaners' Agents

D32 **CHEVRON SS#9-3464** **CA HIST CORTESE** **S104567489**
NE **150 GOLDEN GATE** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.048 mi.
254 ft. **Site 1 of 12 in cluster D**

Relative: HIST CORTESE:
Lower
Actual: edr_fname: Chevron ss#9-3464
52 ft. edr_fadd1: 150 GOLDEN GATE
City,State,Zip: SAN FRANCISCO, CA 94102
Region: CORTESE
Facility County Code: 19
Reg By: LTNKA
Reg Id: 3107

D33 **ST. ANTHONY** **CA UST** **U003906216**
NE **150 GOLDEN GATE AV** **N/A**
< 1/8 **, CA**
0.048 mi.
254 ft. **Site 2 of 12 in cluster D**

Relative: SAN FRANCISCO CO. UST:
Lower
Actual: Name: ST. ANTHONY
52 ft. Address: 150 GOLDEN GATE AV
Facility ID: 23303
Facility Status: Not reported

ST. ANTHONY (Continued) **U003906216**

Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	1550 Wallace
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	L & W
Application Date:	6/7/1999
Application Name:	George Wilson
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	6/15/1999
UST Close ID:	3747
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported

ST. ANTHONY (Continued) **U003906216**

Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	11/4/1999
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

C34 **RESIDENCE** **CA UST** **U004124292**
WNW **126 HYDE ST** **N/A**
< 1/8 **, CA**
0.049 mi.
258 ft. **Site 4 of 30 in cluster C**

Relative:
Higher

Actual:
65 ft.

SAN FRANCISCO CO. UST:

Name:	RESIDENCE
Address:	126 HYDE ST
Facility ID:	30957
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	3730 Mission St
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	8/29/2008
Application Name:	Tim Hallen
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported

RESIDENCE (Continued) **U004124292**

Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	5037
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

A35
SE
< 1/8
0.051 mi.
269 ft.

APARTMENT PROPERTY
83 MCALLISTER ST
SAN FRANCISCO, CA 94109

CA LUST **S108213301**
CA CERS **N/A**

Site 13 of 14 in cluster A

Relative:
Lower

Actual:
47 ft.

LUST:

Name:	APARTMENT PROPERTY
Address:	83 MCALLISTER ST
City,State,Zip:	SAN FRANCISCO, CA 94109
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607528686
Global Id:	T0607528686
Latitude:	37.7807
Longitude:	-122.41327
Status:	Completed - Case Closed
Status Date:	09/01/2005
Case Worker:	SC
RB Case Number:	38-2361
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Local Agency
Local Case Number:	11700
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607528686
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0607528686
Contact Type:	Local Agency Caseworker
Contact Name:	STEPHANIE CUSHING
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET #210
City:	SAN FRANCISCO
Email:	stephanie.cushing@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T0607528686
Action Type:	ENFORCEMENT
Date:	08/29/2005
Action:	Notice of Responsibility

Global Id:	T0607528686
Action Type:	Other
Date:	04/01/2005
Action:	Leak Discovery

Global Id:	T0607528686
Action Type:	REMEDIATION

APARTMENT PROPERTY (Continued) **S108213301**

Date: 04/01/2005
Action: Excavation

Global Id: T0607528686
Action Type: Other
Date: 04/01/2005
Action: Leak Reported

Global Id: T0607528686
Action Type: ENFORCEMENT
Date: 09/01/2005
Action: Closure/No Further Action Letter

LUST:
Global Id: T0607528686
Status: Open - Case Begin Date
Status Date: 04/01/2005

Global Id: T0607528686
Status: Open - Site Assessment
Status Date: 04/01/2005

Global Id: T0607528686
Status: Completed - Case Closed
Status Date: 09/01/2005

CERS:
Name: APARTMENT PROPERTY
Address: 83 MCALLISTER ST
City,State,Zip: SAN FRANCISCO, CA 94109
Site ID: 206288
CERS ID: T0607528686
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: STEPHANIE CUSHING - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1390 MARKET STREET #210
Affiliation City: SAN FRANCISCO
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

A36
SE
< 1/8
0.051 mi.
269 ft.

RESIDENCE
83 MCALLISTER ST
, CA

Site 14 of 14 in cluster A

CA UST **U003995402**
N/A

Relative:
Lower

Actual:
47 ft.

SAN FRANCISCO CO. UST:

Name:	RESIDENCE
Address:	83 MCALLISTER ST
Facility ID:	29298
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley St
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	3/29/2005
Application Name:	Tracy Wallace
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	4/1/2005
UST Close ID:	4679
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

RESIDENCE (Continued) **U003995402**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

D37 **COMMERCIAL** **CA UST** **U003903350**
ENE **133 GOLDEN GATE AV** **N/A**
< 1/8 **, CA**
0.052 mi.
276 ft. **Site 3 of 12 in cluster D**

Relative: SAN FRANCISCO CO. UST:
Lower

Name:	COMMERCIAL
Address:	133 GOLDEN GATE AV
Facility ID:	26331
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Av
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	10/9/2001
Application Name:	Tracy Wallace

Actual:
51 ft.

COMMERCIAL (Continued) **U003903350**

Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	10/25/2001
UST Close ID:	4196
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported

COMMERCIAL (Continued) **U003903350**

Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

C38 **COMMERCIAL** **CA LUST S110590769**
WNW **138 HYDE** **CA CERS N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.055 mi.
288 ft. **Site 5 of 30 in cluster C**

Relative:
Higher

Actual:
66 ft.

LUST:

Name:	COMMERCIAL
Address:	138 HYDE
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T10000002600
Global Id:	T10000002600
Latitude:	37.782216
Longitude:	-122.415256
Status:	Completed - Case Closed
Status Date:	10/29/2010
Case Worker:	Not reported
RB Case Number:	Not reported
Local Agency:	Not reported
File Location:	Not reported
Local Case Number:	11916
Potential Media Affect:	Not reported
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T10000002600
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T10000002600
Action Type:	ENFORCEMENT
Date:	10/27/2010
Action:	Notice of Responsibility

Global Id:	T10000002600
Action Type:	ENFORCEMENT
Date:	10/26/2010
Action:	Clean Up Fund - Letter to RP

COMMERCIAL (Continued) **S110590769**

Global Id: T10000002600
Action Type: Other
Date: 10/01/2010
Action: Leak Discovery

Global Id: T10000002600
Action Type: ENFORCEMENT
Date: 10/29/2010
Action: State Water Board Closure Order

Global Id: T10000002600
Action Type: ENFORCEMENT
Date: 10/29/2010
Action: State Water Board Closure Order - #11916

Global Id: T10000002600
Action Type: ENFORCEMENT
Date: 10/29/2010
Action: Closure/No Further Action Letter

Global Id: T10000002600
Action Type: ENFORCEMENT
Date: 10/28/2010
Action: File Review - Closure

Global Id: T10000002600
Action Type: Other
Date: 10/01/2010
Action: Leak Stopped

Global Id: T10000002600
Action Type: Other
Date: 10/18/2010
Action: Leak Reported

Global Id: T10000002600
Action Type: Other
Date: 10/01/2010
Action: Leak Began

LUST:
Global Id: T10000002600
Status: Open - Case Begin Date
Status Date: 10/01/2010

Global Id: T10000002600
Status: Open - Site Assessment
Status Date: 10/26/2010

Global Id: T10000002600
Status: Completed - Case Closed
Status Date: 10/29/2010

CERS:
Name: COMMERCIAL

COMMERCIAL (Continued) **S110590769**

Address: 138 HYDE
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 225669
CERS ID: T10000002600
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

C39 **ORIGINAL SAFETY CO** **EDR Hist Auto** **1009068663**
WNW **138 HYDE** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.055 mi.
288 ft. **Site 6 of 30 in cluster C**

Relative: EDR Hist Auto
Higher

Actual: **66 ft.**

Year:	Name:	Type:
1949	ORIGINAL SAFETY CO	AUTOMOBILE REPAIRING

E40 **CIVIC CENTER CLEANERS** **EDR Hist Cleaner** **1009130570**
ESE **61 MCALLISTER ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.055 mi.
290 ft. **Site 1 of 7 in cluster E**

Relative: EDR Hist Cleaner
Lower

Actual: **49 ft.**

Year:	Name:	Type:
1940	GOLDMAN MAX	CLOTHES PRESSERS AND CLEANERS
1944	FISHER MAURICE	CLOTHES-PRESSERS AND CLEANERS
1944	FISHER MAURICE	CLOTHES-PRESSERS AND CLEANERS
1949	WILLIAMS F L	CLEANERS AND DYERS
1953	CIVIC CENTER CLEANERS	CLEANERS AND DYERS
1958	CIVIC CENTER CLEANERS	CLEANERS AND DYERS
1958	CIVIC CENTER CLEANERS	CLEANERS AND DYERS
1962	CIVIC CENTER CLEANERS	CLEANERS AND DYERS
1962	CIVIC CENTER CLEANERS	CLEANERS AND DYERS

C41
WNW
< 1/8
0.055 mi.
293 ft.

ORIGINAL SAFETY CO
136 HYDE
SAN FRANCISCO, CA

EDR Hist Auto **1009068661**
N/A

Site 7 of 30 in cluster C

Relative: Higher EDR Hist Auto

Actual: 66 ft.

Year:	Name:	Type:
1949	ORIGINAL SAFETY CO	AUTOMOBILE REPAIRING

C42
WNW
< 1/8
0.057 mi.
302 ft.

ORIGINAL SAFETY CO
140 HYDE
SAN FRANCISCO, CA

EDR Hist Auto **1009068664**
N/A

Site 8 of 30 in cluster C

Relative: Higher EDR Hist Auto

Actual: 66 ft.

Year:	Name:	Type:
1949	ORIGINAL SAFETY CO	AUTOMOBILE REPAIRING

C43
WNW
< 1/8
0.058 mi.
305 ft.

ORIGINAL SAFETY CO
142 HYDE
SAN FRANCISCO, CA

EDR Hist Auto **1009068666**
N/A

Site 9 of 30 in cluster C

Relative: Higher EDR Hist Auto

Actual: 66 ft.

Year:	Name:	Type:
1949	ORIGINAL SAFETY CO	AUTOMOBILE REPAIRING

E44
ESE
< 1/8
0.058 mi.
307 ft.

EDELSON RUDOLPH
49 MCALLISTER
SAN FRANCISCO, CA

EDR Hist Cleaner **1009130318**
N/A

Site 2 of 7 in cluster E

Relative: Lower EDR Hist Cleaner

Actual: 49 ft.

Year:	Name:	Type:
1935	EDELSON RUDOLPH	CLOTHES PRESSERS AND CLEANER
1935	EDELSON RUDOLPH	CLOTHES PRESSERS AND CLEANERS

C45
WNW
< 1/8
0.058 mi.
308 ft.

ORIGINAL SAFETY CO
144 HYDE
SAN FRANCISCO, CA

EDR Hist Auto **1009068668**
N/A

Site 10 of 30 in cluster C

Relative: Higher EDR Hist Auto

Actual: 66 ft.

Year:	Name:	Type:
1949	ORIGINAL SAFETY CO	AUTOMOBILE REPAIRING

F46
SW
< 1/8
0.060 mi.
319 ft.

CARROLL F E JR
198 MCALLISTER
SAN FRANCISCO, CA

EDR Hist Auto **1008998328**
N/A

Site 1 of 6 in cluster F

Relative:
Higher

Actual:
59 ft.

EDR Hist Auto

Year:	Name:	Type:
1940	CARROLL F E JR	GASOLINE AND OIL SERVICE STATIONS
1940	CARROLL F E JR	GASOLINE AND OIL SERVICE STATION

F47
SW
< 1/8
0.060 mi.
319 ft.

UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF LAW
198 MCALLISTER ST
SAN FRANCISCO, CA 94102

CA CUPA Listings **S120627626**
CA CERS **N/A**

Site 2 of 6 in cluster F

Relative:
Higher

Actual:
59 ft.

CUPA SAN FRANCISCO CO:

Name:	UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF LAW
Address:	198 MCALLISTER ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	26438
Census Tract:	124
District:	10
Number of Tanks:	0

CERS:

Name:	UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF LAW
Address:	198 MCALLISTER ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	79167
CERS ID:	10059883
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	79167
Site Name:	University of California Hastings College of Law
Violation Date:	02-27-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 10/10/2018.
Violation Division:	San Francisco City & County Public Health Dept
Violation Program:	HMRRP
Violation Source:	CERS

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	02-27-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	San Francisco City & County Public Health Dept
Eval Program:	HMRRP
Eval Source:	CERS

UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF LAW (Continued) **S120627626**

Coordinates:

Site ID:	79167
Facility Name:	University of California Hastings College of Law
Env Int Type Code:	HMBP
Program ID:	10059883
Coord Name:	Not reported
Ref Point Type Desc:	Unknown
Latitude:	37.780804
Longitude:	-122.415157

Affiliation:

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	200 McAllister Street
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

Affiliation Type Desc:	Identification Signer
Entity Name:	Barry Reynolds
Entity Title:	Facility Supervisor
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	University Of California Hastings College of Law
Entity Title:	Not reported
Affiliation Address:	200 McAllister Street
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 565-4688

Affiliation Type Desc:	Operator
Entity Name:	Sunny Dhamrait
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 565-4688

Affiliation Type Desc:	Property Owner
Entity Name:	University of California Hastings College of Law
Entity Title:	Not reported
Affiliation Address:	200 McAllister St
Affiliation City:	San Francisco

UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF LAW (Continued) **S120627626**

Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 565-4611
Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Environmental Contact
Entity Name:	Sunny Dhamrait
Entity Title:	Not reported
Affiliation Address:	198 McAllister St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	University Of California Hastings College of Law
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	Barry Reynolds
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

C48 **E.D.2** **CA UST** **U003916195**
NW **371 TURK ST** **N/A**
< 1/8 **, CA**
0.061 mi.
320 ft. **Site 11 of 30 in cluster C**

Relative:
Higher

Actual:
65 ft.

SAN FRANCISCO CO. UST:

Name:	E.D.2
Address:	371 TURK ST
Facility ID:	21639
Facility Status:	Not reported
Number Of Tanks:	1

E.D.2 (Continued) **U003916195**

Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	35 South Linden
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Accutite
Application Date:	5/9/1997
Application Name:	Willie Green
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	7/17/1997
UST Close ID:	2919
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported

E.D.2 (Continued) **U003916195**

Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	8/22/1997
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

E49 **TENDERLOIN** **CA UST** **U004004368**
ESE **44 MCALLISTER ST** **N/A**
< 1/8 **, CA**
0.061 mi.
323 ft. **Site 3 of 7 in cluster E**

Relative: **Lower**
Actual: **49 ft.**

SAN FRANCISCO CO. UST:

Name:	TENDERLOIN
Address:	44 MCALLISTER ST
Facility ID:	24823
Facility Status:	Not reported
Number Of Tanks:	Not reported
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	9/17/1993
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported

TENDERLOIN (Continued) **U004004368**

# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	9/23/1993
UST Close ID:	1449
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	1/4/1994
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

E50
ESE
< 1/8
0.061 mi.
323 ft.

CIVIC CENTER RESIDENCE
44 MCALLISTER ST
SAN FRANCISCO, CA 94102

CA CUPA Listings **S120627262**
CA CERS **N/A**

Site 4 of 7 in cluster E

Relative:
Lower

Actual:
49 ft.

CUPA SAN FRANCISCO CO:

Name:	CIVIC CENTER RESIDENCE
Address:	44 MCALLISTER ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	18498
Census Tract:	125
District:	10
Number of Tanks:	0

CERS:

Name:	CIVIC CENTER RESIDENCE
Address:	44 MCALLISTER ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	20109
CERS ID:	10058254
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	20109
Site Name:	CIVIC CENTER RESIDENCE
Violation Date:	01-24-2018
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 02/24/2018.
Violation Division:	San Francisco City & County Public Health Dept
Violation Program:	HMRRP
Violation Source:	CERS

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-24-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	San Francisco City & County Public Health Dept
Eval Program:	HMRRP
Eval Source:	CERS

Coordinates:

Site ID:	20109
Facility Name:	CIVIC CENTER RESIDENCE
Env Int Type Code:	HMBP
Program ID:	10058254
Coord Name:	Not reported
Ref Point Type Desc:	Unknown
Latitude:	37.781330
Longitude:	-122.412788

Affiliation:

Affiliation Type Desc:	Document Preparer
Entity Name:	Tiona Mitchell

CIVIC CENTER RESIDENCE (Continued) **S120627262**

Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Tiona Mitchell
Entity Title:	Senior General Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	TNDC
Entity Title:	Not reported
Affiliation Address:	201 Eddy Street
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 776-2151
Affiliation Type Desc:	Legal Owner
Entity Name:	TNDC
Entity Title:	Not reported
Affiliation Address:	201 Eddy Street
Affiliation City:	San Francisco,
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 776-2151
Affiliation Type Desc:	Operator
Entity Name:	Civic Center Residence
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 431-2870
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	44 McAllister Street
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

CIVIC CENTER RESIDENCE (Continued) **S120627262**

Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900

Affiliation Type Desc:	Environmental Contact
Entity Name:	Art Van Beek
Entity Title:	Not reported
Affiliation Address:	215 Taylor Street
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

Affiliation Type Desc:	Parent Corporation
Entity Name:	Civic Center Residence
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

B51 **CCSF-CURRY SENIOR CENTER** **RCRA NonGen / NLR** **1024810657**
NNW **333 TURK ST** **CAL000290949**
< 1/8 **SAN FRANCISCO, CA 94102**
0.061 mi.
323 ft. **Site 17 of 18 in cluster B**

Relative:
Higher

Actual:
62 ft.

RCRA NonGen / NLR:

Date form received by agency:	2005-02-09 00:00:00.0
Facility name:	CCSF-CURRY SENIOR CENTER
Facility address:	333 TURK ST SAN FRANCISCO, CA 94102
EPA ID:	CAL000290949
Mailing address:	1390 MARKET ST STE 210 SAN FRANCISCO, CA 94102
Contact:	HUMBERTO QUINONEZ
Contact address:	1390 MARKET ST. SUITE#210 SAN FRANCISCO, CA 94102
Contact country:	Not reported
Contact telephone:	415-252-3977
Contact email:	HUMBERTO.QUINONEZ@SFDPH.ORG
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	HUMBERTO QUINONEZ

CCSF-CURRY SENIOR CENTER (Continued) **1024810657**

Owner/operator address:	1390 MARKET ST. SUITE#210 SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-252-3977
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported
Owner/operator name:	CITY AND COUNTY OF SAN FRANCISCO
Owner/operator address:	1 SOUTH VAN NESS AVE SAN FRANCISCO, CA 94103
Owner/operator country:	Not reported
Owner/operator telephone:	415-701-5684
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	Yes
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

B52 **ROBINSON J H** **EDR Hist Cleaner** **1009129290**
North **305 TURK ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.062 mi.
325 ft. **Site 18 of 18 in cluster B**

Relative: EDR Hist Cleaner
Higher

Actual: **60 ft.**

Year:	Name:	Type:
1930	ROBINSON J H	CLOTHES PRESSERS AND CLEANERS
1935	ROBISON J H	CLOTHES PRESSERS AND CLEANER
1935	ROBISON J H	CLOTHES PRESSERS AND CLEANER
1940	ROBINSON J H	CLOTHES PRESSERS AND CLEANERS
1940	ROBINSON J H	CLOTHES PRESSERS AND CLEANER

ROBINSON J H (Continued) **1009129290**

1944	ROBINSON J H	CLOTHES-PRESSERS AND CLEANERS
1944	ROBINSON J H	CLOTHES-PRESSERS AND CLEANERS
1949	ROBINSON J H	CLEANERS AND DYERS
1953	ROBINSON CLEANERS & TAILORS	CLEANERS AND DYERS
1958	SERVICE LAUNDRY	LAUNDRIES
1962	TURK STREET CLEANERS & LAUNDRY	CLEANERS AND DYERS
1966	TURK STREET CLEANERS & LAUNDRY	CLEANERS AND DYERS
1971	TURK STREET CLEANERS & LAUNDRY	CLEANERS AND DYERS
1977	TURK STREET CLEANERS & LAUNDRY	CLEANERS AND DYERS
1977	TURK STREET CLEANERS & LAUNDRY	CLEANERS AND DYERS
1982	TURK STREET CLEANERS & LAUNDRY	CLEANERS AND DYERS
1982	TURK STREET CLEANERS & LAUNDRY	CLEANERS AND DYERS

C53 **RCRA NonGen / NLR** **1025848627**
WNW **101 HYDE ST** **CAC003028679**
< 1/8 **SAN FRANCISCO, CA 94102**
0.062 mi.
330 ft. **Site 12 of 30 in cluster C**

Relative:
Higher

Actual:
66 ft.

RCRA NonGen / NLR:

Date form received by agency:	2019-08-09 00:00:00.0
Facility name:	Not reported
Facility address:	101 HYDE ST SAN FRANCISCO, CA 94102-3605
EPA ID:	CAC003028679
Mailing address:	25 VAN NESS AVE., SUITE 400 SAN FRANCISCO, CA 94102
Contact:	JOSHUA KEENE
Contact address:	25 VAN NESS AVE., SUITE 400 SAN FRANCISCO, CA 94102
Contact country:	Not reported
Contact telephone:	415-554-9859
Contact email:	JOSHUA.KEENE@SFGOV.ORG
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	THE CITY AND COUNTY OF SAN FRANCISC
Owner/operator address:	25 VAN NESS AVE., SUITE 400 SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-554-9859
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	JOSHUA KEENE
Owner/operator address:	25 VAN NESS AVE., SUITE 400 SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-554-9859
Owner/operator email:	Not reported

(Continued) **1025848627**

Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

C54 **RESIDENCE** **CA UST** **U003976303**
NW **381 TURK ST** **N/A**
< 1/8 **, CA**
0.063 mi.
335 ft. **Site 13 of 30 in cluster C**

Relative: Higher
Actual: 66 ft.

SAN FRANCISCO CO. UST:
Name: RESIDENCE
Address: 381 TURK ST
Facility ID: 28981
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 255 Shipley St
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Golden Gate Tank
Application Date: 9/2/2004
Application Name: Tracy Wallace
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported

RESIDENCE (Continued) **U003976303**

Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	9/14/2004
UST Close ID:	4612
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	12/14/2004
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported

RESIDENCE (Continued) **U003976303**

Fill Tube Present: Not reported
Other Tank Leak Detection Present: Not reported

D55 **SANOFF HARRY** **EDR Hist Cleaner** **1009129644**
NNE **289 TURK ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.064 mi.
340 ft. **Site 4 of 12 in cluster D**

Relative: EDR Hist Cleaner
Higher

Actual: **57 ft.**

Year:	Name:	Type:
1935	DALRYMPLE A W	CLOTHES PRESSERS AND CLEANERS
1935	DALRYMPLE A W	CLOTHES PRESSERS AND CLEANER
1944	SANOFF HARRY	CLOTHES-PRESSERS AND CLEANERS
1944	SANOFF HARRY	CLOTHES-PRESSERS AND CLEANERS
1949	SANOFF HARRY	CLEANERS AND DYERS
1953	HARRY S TAILORS & CLEANERS	CLEANERS AND DYERS

C56 **SERVICE STATION (GASOLINE)** **CA HIST UST** **U001595052**
NW **168 HYDE ST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.065 mi.
343 ft. **Site 14 of 30 in cluster C**

Relative: HIST UST:
Higher

Actual: **67 ft.**

Name:	SERVICE STATION (GASOLINE)
Address:	168 HYDE ST
City,State,Zip:	SAN FRANCISCO, CA 94102
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000038922
Facility Type:	Gas Station
Other Type:	Not reported
Contact Name:	DEALER (UNION 76)
Telephone:	4156739455
Owner Name:	UNION 76 HYDE
Owner Address:	168 HYDE STREET
Owner City,St,Zip:	SAN FRANCISCO, CA 94102
Total Tanks:	0004
Tank Num:	001
Container Num:	C
Year Installed:	Not reported
Tank Capacity:	00008121
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Visual, Stock Inventor
Tank Num:	002
Container Num:	B
Year Installed:	Not reported
Tank Capacity:	00008121
Tank Used for:	PRODUCT

SERVICE STATION (GASOLINE) (Continued) **U001595052**

Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Visual, Stock Inventor
Tank Num:	003
Container Num:	A
Year Installed:	Not reported
Tank Capacity:	00006301
Tank Used for:	PRODUCT
Type of Fuel:	PREMIUM
Container Construction Thickness:	Not reported
Leak Detection:	Visual, Stock Inventor
Tank Num:	004
Container Num:	D
Year Installed:	Not reported
Tank Capacity:	00001000
Tank Used for:	WASTE
Type of Fuel:	WASTE OIL
Container Construction Thickness:	Not reported
Leak Detection:	Visual, Stock Inventor

C57 **LINDY S RICHFIELD SERVICE** **EDR Hist Auto** **1008999148**
NW **168 HYDE** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.065 mi.
343 ft. **Site 15 of 30 in cluster C**

Relative: EDR Hist Auto
Higher

Actual:
67 ft.

Year:	Name:	Type:
1940	TURK & HYDE TEXACO SERVICE	GASOLINE AND OIL SERVICE STATION
1940	TURK & HYDE TEXACO SERVICE	GASOLINE AND OIL SERVICE STATIONS
1953	LINDY S RICHFIELD SERVICE	GASOLINE STATIONS
1958	LINDY S RICHFIELD SERVICE STATI	GASOLINE STATIONS
1958	LINDY S RICHFIELD SERVICE STATI	GASOLINE STATIONS
1962	LINDY S RICHFIELD SERVICE STATI	GASOLINE STATIONS
1966	LINDY S RICHFIELD SERVICE STATI	GASOLINE STATIONS
1966	LINDY S RICHFIELD SERVICE STATI	GASOLINE STATIONS
1969	LINDYS RICHFIELD SERVICE	Gasoline Service Stations
1971	JIM S RICHFIELD	GASOLINE STATIONS
1971	JIM S RICHFIELD	GASOLINE STATIONS
1971	LINDY & JIMS RICHFIELD SERVICE	Gasoline Service Stations
1972	LINDY & JIMS RICHFIELD SERVICE	Gasoline Service Stations
1973	LINDY & JIMS RICHFIELD SERVICE	Gasoline Service Stations
1974	LINDY & JIMS RICHFIELD SERVICE	Gasoline Service Stations
1975	LINDY & JIMS RICHFIELD SERVICE	Gasoline Service Stations
1976	HYDE ARCO SERVICE	Gasoline Service Stations
1977	HYDE UNION SERVICE	GASOLINE STATIONS
1977	HYDE UNION SERVICE	GASOLINE STATIONS
1977	HYDE ARCO SERVICE	Gasoline Service Stations
1978	HYDE ARCO SERVICE	Gasoline Service Stations
1979	HYDE ARCO SERVICE	Gasoline Service Stations
1980	HYDE ARCO SERVICE	Gasoline Service Stations
1982	HYDE UNION SERVICE	GASOLINE STATIONS
1982	HYDE UNION SERVICE	GASOLINE STATIONS
1982	HYDE ARCO SERVICE	Gasoline Service Stations
1983	HYDE ARCO SERVICE	Gasoline Service Stations

LINDY S RICHFIELD SERVICE (Continued) **1008999148**

1985	HYDE ARCO SERVICE	Gasoline Service Stations
1985	UNION 76 STATION	Gasoline Service Stations
1986	HYDE ARCO SERVICE	Gasoline Service Stations
1986	UNION 76 STATION	Gasoline Service Stations
1987	UNION 76 STATION	Gasoline Service Stations
1987	HYDE ARCO SERVICE	Gasoline Service Stations
1988	UNION 76 STATION	Gasoline Service Stations
1988	HYDE ARCO SERVICE	Gasoline Service Stations
1989	HYDE ST STATION	Gasoline Service Stations, NEC
1989	HYDE ARCO SERVICE	Gasoline Service Stations
1991	T&D AUTO REPAIR	General Automotive Repair Shops
1992	T&D AUTO REPAIR	General Automotive Repair Shops
1993	T&D AUTO REPAIR	General Automotive Repair Shops
1994	T&D AUTO REPAIR	General Automotive Repair Shops
1995	T&D AUTO REPAIR	General Automotive Repair Shops
1996	T&D AUTO REPAIR	General Automotive Repair Shops
1997	T&D AUTO REPAIR	General Automotive Repair Shops
1998	T&D AUTO REPAIR	General Automotive Repair Shops
1999	T&D AUTO REPAIR	General Automotive Repair Shops
2000	T&D AUTO REPAIR	General Automotive Repair Shops
2001	T&D AUTO REPAIR	General Automotive Repair Shops
2002	T&D AUTO REPAIR	General Automotive Repair Shops
2003	T&D AUTO REPAIR	General Automotive Repair Shops
2004	T&D AUTO REPAIR	General Automotive Repair Shops
2005	T&D AUTO REPAIR	General Automotive Repair Shops
2006	T&D AUTO REPAIR	General Automotive Repair Shops
2007	T&D AUTO REPAIR	General Automotive Repair Shops
2008	T&D AUTO REPAIR	General Automotive Repair Shops

C58 **FORMER GASOLINE** **CA LUST** **S105627987**
NW **168 HYDE STREET** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.065 mi.
343 ft. **Site 16 of 30 in cluster C**

Relative:
Higher

Actual:
67 ft.

SAN FRANCISCO CO. LUST:

Name:	Former Gasoline
Address:	168 Hyde Street
City:	San Francisco
Region:	SAN FRANCISCO
Facility ID:	02-100-010
Facility Status:	Case Closed
Case Number:	11341
Case Type:	Soil only
Release Date:	Not reported
Discovered Date:	12/21/1999
Substance:	Waste Oil
Substance Qty:	Not reported
How Discovered:	Subsurface Monitoring
How Stopped:	Close Tank
Report Date:	12/21/1999
Case Closed:	1/31/2000
Closed Date:	1/31/2000
Leak Source:	Tank
Leak Cause:	Unknown
Leak Confirmed:	12/21/1999
Entered Date:	1/31/2000
Number of Wells:	Not reported

FORMER GASOLINE (Continued) **S105627987**

Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Sam Shum
RP Address:	3601 Lawton St
Operator:	Sam Shum
Staff Initial:	VP
Facility Staff:	SC
Cross Street:	Turk Street
NOR Date:	1/31/2000
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	YES
Maximum MTBE Soil:	28
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	1/31/2000
Workplan Submitted:	Not reported
Assessment Underway:	12/21/1999
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	Not reported
Priority:	Low Priority Site
Abatement:	ed
Enforcement Type:	NOR
Enforcement Due Date:	1/31/2000
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	1/8/1990
Free Product:	Not reported
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Used oil (waste
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	ND
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	YES
Max TPH GW:	Not reported
Max TPH Soil:	1300
TPH Date:	12/21/1999
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported

FORMER GASOLINE (Continued) **S105627987**

Comments: Not reported
Summary: Not reported

C59 **GAS STATION COMMERCIAL PR** **CA LUST** **S104405692**
NW **168 HYDE** **CA HIST CORTESE** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102** **CA CERS**
0.065 mi.
343 ft. **Site 17 of 30 in cluster C**

Relative: Higher

Actual: 67 ft.

LUST:
Name: FORMER GASOLINE STATION
Address: 168 HYDE STREET
City,State,Zip: SAN FRANCISCO, CA 94102
Lead Agency: SAN FRANCISCO COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607501369
Global Id: T0607501369
Latitude: 37.782383
Longitude: -122.415447
Status: Completed - Case Closed
Status Date: 01/31/2000
Case Worker: SC
RB Case Number: 38-2127
Local Agency: SAN FRANCISCO COUNTY LOP
File Location: Not reported
Local Case Number: 11341
Potential Media Affect: Soil
Potential Contaminants of Concern: Waste Oil / Motor / Hydraulic / Lubricating
Site History: Not reported

LUST:
Global Id: T0607501369
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0607501369
Contact Type: Local Agency Caseworker
Contact Name: STEPHANIE CUSHING
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

LUST:
Global Id: T0607501369
Action Type: Other
Date: 12/21/1999
Action: Leak Discovery

Global Id: T0607501369
Action Type: Other
Date: 01/02/1965

GAS STATION COMMERCIAL PR (Continued) **S104405692**

Action: Leak Reported

Global Id: T0607501369
Action Type: ENFORCEMENT
Date: 01/31/2000
Action: Notice of Responsibility

LUST:
Global Id: T0607501369
Status: Open - Case Begin Date
Status Date: 12/21/1999

Global Id: T0607501369
Status: Completed - Case Closed
Status Date: 01/31/2000

HIST CORTESE:
edr_fname: GAS STATION COMMERCIAL PR
edr_fadd1: 168 HYDE
City,State,Zip: SAN FRANCISCO, CA 94102
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-1588

CERS:
Name: FORMER GASOLINE STATION
Address: 168 HYDE STREET
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 196773
CERS ID: T0607501369
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: STEPHANIE CUSHING - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1390 MARKET STREET #210
Affiliation City: SAN FRANCISCO
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

C60 **FORMER GASOLINE STATION** **CA LUST** **S105688853**
NW **168 HYDE STREET** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.065 mi.
343 ft. **Site 18 of 30 in cluster C**

Relative:
Higher

Actual:
67 ft.

LUST REG 2:

Region:	2
Facility Id:	38-2127
Facility Status:	Case Closed
Case Number:	11341
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

C61 **COMMERCIAL** **CA UST** **U003903375**
NW **168 HYDE ST** **N/A**
< 1/8 **, CA**
0.065 mi.
343 ft. **Site 19 of 30 in cluster C**

Relative:
Higher

Actual:
67 ft.

SAN FRANCISCO CO. UST:

Name:	COMMERCIAL
Address:	168 HYDE ST
Facility ID:	23582
Facility Status:	Not reported
Number Of Tanks:	4
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	12/15/1999
Application Name:	Cathy Keller
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported

COMMERCIAL (Continued) **U003903375**

Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	12/21/1999
UST Close ID:	3879
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	1/31/2000
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

C62 **HYDE STREET** **CA UST** **U004003732**
NW **168 HYDE ST** **N/A**
< 1/8 **, CA**
0.065 mi.
343 ft. **Site 20 of 30 in cluster C**

Relative:
Higher

Actual:
67 ft.

SAN FRANCISCO CO. UST:

Name:	HYDE STREET
Address:	168 HYDE ST
Facility ID:	3130
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	11/2/1989
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	1/8/1990
UST Close ID:	454
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

HYDE STREET (Continued) **U004003732**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

C63 **HYDE STREET STATION** **CA SWEEPS UST** **S101592396**
NW **168 HYDE ST** **CA HIST UST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102** **CA FID UST**
0.065 mi.
343 ft. **Site 21 of 30 in cluster C**

Relative:
Higher

Actual:
67 ft.

SWEEPS UST:

Name:	HYDE STREET STATION
Address:	168 HYDE ST
City:	SAN FRANCISCO
Status:	Active
Comp Number:	3130
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Owner Tank Id:	Not reported
SWRCB Tank Id:	Not reported
Tank Status:	Not reported
Capacity:	Not reported
Active Date:	Not reported
Tank Use:	Not reported
STG:	Not reported
Content:	Not reported

HYDE STREET STATION (Continued) **S101592396**

Number Of Tanks: Not reported

Name: HYDE STREET STATION
Address: 168 HYDE ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 3130
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-003130-000001
Tank Status: Not reported
Capacity: 6000
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: 4

Name: HYDE STREET STATION
Address: 168 HYDE ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 3130
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-003130-000002
Tank Status: Not reported
Capacity: 4000
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Name: HYDE STREET STATION
Address: 168 HYDE ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 3130
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-003130-000003
Tank Status: Not reported
Capacity: 4000
Active Date: Not reported

HYDE STREET STATION (Continued) **S101592396**

Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Name: HYDE STREET STATION
Address: 168 HYDE ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 3130
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-003130-000004
Tank Status: Not reported
Capacity: 200
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

HIST UST:
Name: SERVICE STATION (GASOLINE)
Address: 168 HYDE STREET
City,State,Zip: SAN FRANCISCO, CA 94102
File Number: 0002F90C
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002F90C.pdf
Region: Not reported
Facility ID: Not reported
Facility Type: Not reported
Other Type: Not reported
Contact Name: Not reported
Telephone: Not reported
Owner Name: Not reported
Owner Address: Not reported
Owner City,St,Zip: Not reported
Total Tanks: Not reported

Tank Num: Not reported
Container Num: Not reported
Year Installed: Not reported
Tank Capacity: Not reported
Tank Used for: Not reported
Type of Fuel: Not reported
Container Construction Thickness: Not reported
Leak Detection: Not reported

Click here for Geo Tracker PDF:

CA FID UST:
Facility ID: 38004406
Regulated By: UTNKA

HYDE STREET STATION (Continued) **S101592396**

Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	168 HYDE ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94102
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

D64 **SERVICE LAUNDRY** **EDR Hist Cleaner** **1009130866**
NNE **283 TURK ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.065 mi.
343 ft. **Site 5 of 12 in cluster D**

Relative: EDR Hist Cleaner
Higher

Actual:
57 ft.

Year:	Name:	Type:
1940	SERVICE LAUNDRY	LAUNDRIES-CHINESE
1940	SERVICE LAUNDRY	LAUNDRIES CHINES
1944	GEE WOO	LAUNDRIES CHINESE
1944	GEE WOO	LAUNDRIES-CHINESE
1949	FONG M S	LAUNDRIES-CHINESE
1949	FONG M S	LAUNDRIES-CHINESE
1953	SERVICE LAUNDRY HAND	LAUNDRIES
1958	SERVICE LAUNDRY	LAUNDRIES

F65 **RCRA NonGen / NLR** **1025876946**
WSW **200 MCALLISTER ST** **CAL000450082**
< 1/8 **SAN FRANCISCO, CA 94102**
0.067 mi.
352 ft. **Site 3 of 6 in cluster F**

Relative: RCRA NonGen / NLR:
Higher

Actual:
60 ft.

Date form received by agency:	2019-10-18 00:00:00.0
Facility name:	Not reported
Facility address:	200 MCALLISTER ST SAN FRANCISCO, CA 94102
EPA ID:	CAL000450082
Contact:	LAURIE BROOKNER
Contact address:	200 MCALLISTER ST SAN FRANCISCO, CA 94102
Contact country:	Not reported
Contact telephone:	415-565-4612
Contact email:	BROOKNR@UCHASTINGS.EDU
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

(Continued) **1025876946**

Owner/Operator Summary:
- Owner/operator name: LAURIE BROOKNER
- Owner/operator address: 200 MCALLISTER ST
  SAN FRANCISCO, CA 94102
- Owner/operator country: Not reported
- Owner/operator telephone: 415-565-4612
- Owner/operator email: Not reported
- Owner/operator fax: Not reported
- Owner/operator extension: Not reported
- Legal status: Other
- Owner/Operator Type: Operator
- Owner/Op start date: Not reported
- Owner/Op end date: Not reported

- Owner/operator name: UC HASTINGS COLLEGE OF THE LAW
- Owner/operator address: 200 MCALLISTER ST
  SAN FRANCISCO, CA 94102
- Owner/operator country: Not reported
- Owner/operator telephone: 415-565-4612
- Owner/operator email: Not reported
- Owner/operator fax: Not reported
- Owner/operator extension: Not reported
- Legal status: Other
- Owner/Operator Type: Owner
- Owner/Op start date: Not reported
- Owner/Op end date: Not reported

Handler Activities Summary:
- U.S. importer of hazardous waste: No
- Mixed waste (haz. and radioactive): Not reported
- Recycler of hazardous waste: No
- Transporter of hazardous waste: No
- Treater, storer or disposer of HW: No
- Underground injection activity: No
- On-site burner exemption: No
- Furnace exemption: No
- Used oil fuel burner: No
- Used oil processor: No
- User oil refiner: No
- Used oil fuel marketer to burner: No
- Used oil Specification marketer: No
- Used oil transfer facility: No
- Used oil transporter: No

Violation Status: No violations found

F66 **HASTINGS COLLEGE OF THE LAW** **RCRA-SQG** **1000413453**
WSW **200 MCALLISTER ST** **FINDS** **CAD981654783**
< 1/8 **SAN FRANCISCO, CA 94102** **ECHO**
0.067 mi.
352 ft. **Site 4 of 6 in cluster F**

Relative:
Higher

Actual:
60 ft.

RCRA-SQG:
- Date form received by agency: 1986-09-15 00:00:00.0
- Facility name: HASTINGS COLLEGE OF THE LAW
- Facility address: 200 MCALLISTER ST
  SAN FRANCISCO, CA 94102
- EPA ID: CAD981654783

HASTINGS COLLEGE OF THE LAW (Continued) **1000413453**

Contact:	ENVIRONMENTAL MANAGER
Contact address:	200 MCALLISTER ST SAN FRANCISCO, CA 94102
Contact country:	US
Contact telephone:	415-565-4714
Contact email:	Not reported
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	UNIVERSITY OF CALIFORNIA
Owner/operator address:	NOT REQUIRED NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	415-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	State
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	NOT REQUIRED
Owner/operator address:	NOT REQUIRED NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	415-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	State
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No

HASTINGS COLLEGE OF THE LAW (Continued) **1000413453**

Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110002739234

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000413453
Registry ID: 110002739234
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110002739234

F67 **UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF LAW** **CA CUPA Listings** **S120627625**
WSW **200 MCALLISTER ST** **CA CERS** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.067 mi.
352 ft. **Site 5 of 6 in cluster F**

Relative: Higher
Actual: 60 ft.

CUPA SAN FRANCISCO CO:
Name: UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF LAW
Address: 200 MCALLISTER ST
City,State,Zip: SAN FRANCISCO, CA 94102
Facility ID: 26437
Census Tract: 124
District: 10
Number of Tanks: 0

CERS:
Name: UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF LAW
Address: 200 MCALLISTER ST
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 164867
CERS ID: 10059880
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 164867
Site Name: University of California Hastings College of Law
Violation Date: 02-27-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 10/10/2018.

UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF LAW (Continued) **S120627625**

Violation Division:	San Francisco City & County Public Health Dept
Violation Program:	HMRRP
Violation Source:	CERS

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	02-27-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	San Francisco City & County Public Health Dept
Eval Program:	HMRRP
Eval Source:	CERS

Coordinates:

Site ID:	164867
Facility Name:	University of California Hastings College of Law
Env Int Type Code:	HMBP
Program ID:	10059880
Coord Name:	Not reported
Ref Point Type Desc:	Unknown
Latitude:	37.780933
Longitude:	-122.415604

Affiliation:

Affiliation Type Desc:	Environmental Contact
Entity Name:	Barry Reynolds
Entity Title:	Not reported
Affiliation Address:	200 McAllister St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

Affiliation Type Desc:	Identification Signer
Entity Name:	Barry Reynolds
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Parent Corporation
Entity Name:	University Of California Hastings College of Law
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Document Preparer

UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF LAW (Continued) **S120627625**

Entity Name:	Barry Reynolds
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	UC Hastings College of the Law
Entity Title:	Not reported
Affiliation Address:	200 McAllister St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 565-4894

Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	200 McAllister
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

Affiliation Type Desc:	Operator
Entity Name:	Sunny Dhamrait
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 565-4894

E68
SE
< 1/8
0.068 mi.
358 ft.

VERIZON WIRELESS: MARKET & 8TH ST
10 UNITED NATIONS PLAZA
SAN FRANCISCO, CA 94102

CA CUPA Listings **S120628004**
N/A

Site 5 of 7 in cluster E

Relative:
Lower

Actual:
47 ft.

CUPA SAN FRANCISCO CO:

Name:	VERIZON WIRELESS: MARKET & 8TH ST
Address:	10 UNITED NATIONS PLAZA
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	30052
Census Tract:	124
District:	8
Number of Tanks:	0

C69
WNW
< 1/8
0.072 mi.
381 ft.

ORIGINAL SAFETY CO
137 HYDE
SAN FRANCISCO, CA

EDR Hist Auto **1009068662**
N/A

Site 22 of 30 in cluster C

Relative:
Higher

Actual:
68 ft.

EDR Hist Auto

Year:	Name:	Type:
1949	ORIGINAL SAFETY CO	AUTOMOBILE REPAIRING

C70
WNW
< 1/8
0.073 mi.
385 ft.

ORIGINAL SAFETY CO
139 HYDE
SAN FRANCISCO, CA

EDR Hist Auto **1009121218**
N/A

Site 23 of 30 in cluster C

Relative:
Higher

Actual:
68 ft.

EDR Hist Auto

Year:	Name:	Type:
1949	ORIGINAL SAFETY CO	AUTOMOBILE REPAIRING

C71
WNW
< 1/8
0.074 mi.
389 ft.

ORIGINAL SAFETY CO
141 HYDE
SAN FRANCISCO, CA

EDR Hist Auto **1009068665**
N/A

Site 24 of 30 in cluster C

Relative:
Higher

Actual:
69 ft.

EDR Hist Auto

Year:	Name:	Type:
1949	ORIGINAL SAFETY CO	AUTOMOBILE REPAIRING

C72 **MOORE WALTER** **EDR Hist Auto** **1008998943**
WNW **135 HYDE** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.074 mi.
389 ft. **Site 25 of 30 in cluster C**

Relative: EDR Hist Auto
Higher

Actual:
68 ft.

Year:	Name:	Type:
1925	STAFFORD CHRIS	AUTOMOBILE REPAIRING
1930	UNIVERSAL SAFETY CO	AUTOMOBILE REPAIRING
1930	UNIVERSAL SAFETY CO	AUTOMOBILE REPAIRING
1935	MOORE WALTER	AUTOMOBILE REPAIRING
1935	MOORE WALTER	AUTOMOBILE REPAIRING
1940	MOORE WALTER	AUTOMOBILE REPAIRING
1940	MOORE WALTER	AUTOMOBILE REPAIRING
1949	ORIGINAL SAFETY CO	AUTOMOBILE REPAIRING
1949	ORIGINAL SAFETY CO	AUTOMOBILE REPAIRING
1953	ORIGINAL BRAKE SHOP	AUTOMOBILE REPAIRING
1953	ORIGINAL BRAKE SHOP	AUTOMOBILE REPAIRING
1958	ORIGINAL SAFETY CO	AUTOMOBILE REPAIRING
1958	ORIGINAL SAFETY CO	AUTOMOBILE REPAIRING
1962	ORIGINAL SAFETY CO	AUTOMOBILE REPAIRING
1962	ORIGINAL SAFETY CO	AUTOMOBILE REPAIRING
1966	ORIGINAL SAFETY CO	AUTOMOBILE REPAIRING
1966	ORIGINAL SAFETY CO	AUTOMOBILE REPAIRING
1971	IMPORTED MOTOR SERVICE	General Automotive Repair Shops
1972	IMPORTED MOTOR SERVICE	General Automotive Repair Shops
1973	IMPORTED MOTORS OF SAN FRAN*	General Automotive Repair Shops
1974	IMPORTED MOTORS OF SAN FRAN*	General Automotive Repair Shops
1976	IMPORTED MOTORS OF SAN FRAN*	General Automotive Repair Shops
1977	IMPORTED MTRS SAN FRANCISCO NC	General Automotive Repair Shops
1978	IMPORTED MTRS SAN FRANCISCO NC	General Automotive Repair Shops
1979	IMPORTED MOTORS SAN FRANCISCO*	General Automotive Repair Shops
1980	IMPORTED MOTORS SAN FRANCISCO*	General Automotive Repair Shops
1982	IMPORTED MOTORS SAN FRANCISCO*	General Automotive Repair Shops
1983	IMPORTED MOTORS SAN FRANCISCO*	General Automotive Repair Shops
1985	IMPORTED MOTORS SAN FRANCISCO*	General Automotive Repair Shops
1986	IMPORTED MOTORS SAN FRANCISCO*	General Automotive Repair Shops
1987	IMPORTED MTRS OF SAN FRNCISCO*	General Automotive Repair Shops
1988	IMPORTED MTRS OF SAN FRNCISCO	General Automotive Repair Shops
1989	IMPORTED MTRS OF SAN FRNCISCO	General Automotive Repair Shops
1990	IMPORTED MTRS OF SAN FRNCISCO	General Automotive Repair Shops
1991	IMPORTED MTRS OF SAN FRNCISCO	General Automotive Repair Shops
1992	IMPORTED MOTOR SERVICE INC	General Automotive Repair Shops
1993	IMPORTED MOTOR SERVICE INC	General Automotive Repair Shops
1994	IMPORTED MOTOR SERVICE INC	General Automotive Repair Shops
1995	IMPORTED MOTOR SERVICE INC	General Automotive Repair Shops
1996	IMPORTED MOTOR SERVICE INC	General Automotive Repair Shops
1997	IMPORTED MOTOR SERVICE INC	General Automotive Repair Shops
1998	IMPORTED MOTOR SERVICE INC	General Automotive Repair Shops
1999	IMPORTED MOTOR SERVICE INC	General Automotive Repair Shops
2000	IMPORTED MOTOR SERVICE INC	General Automotive Repair Shops
2001	IMPORTED MOTOR SERVICE INC	General Automotive Repair Shops
2002	IMPORTED MOTOR SERVICE INC	General Automotive Repair Shops

C73 **STUDIO TECH AUTO BODY & REPAIR INC** **CA LUST** **S113125542**
WNW **135 HYDE ST** **CA HAZNET** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102** **CA CERS**
0.074 mi.
389 ft. **Site 26 of 30 in cluster C**

Relative: Higher

Actual: 68 ft.

LUST:

Name:	COMMERCIAL
Address:	135 HYDE STREET
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T10000007748
Global Id:	T10000007748
Latitude:	37.78214
Longitude:	-122.41596
Status:	Completed - Case Closed
Status Date:	10/08/2015
Case Worker:	MA
RB Case Number:	Not reported
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Not reported
Local Case Number:	12054
Potential Media Affect:	Not reported
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T10000007748
Contact Type:	Local Agency Caseworker
Contact Name:	MAMDOUH AWWAD
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210
City:	SAN FRANCISCO
Email:	mamdouh.awwad@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T10000007748
Action Type:	ENFORCEMENT
Date:	10/08/2015
Action:	Closure/No Further Action Letter - #12054
Global Id:	T10000007748
Action Type:	ENFORCEMENT
Date:	10/07/2015
Action:	LOP Case Closure Summary to RB - #12054
Global Id:	T10000007748
Action Type:	Other
Date:	09/17/2015
Action:	Leak Discovery
Global Id:	T10000007748
Action Type:	Other
Date:	09/17/2015
Action:	Leak Stopped
Global Id:	T10000007748

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Action Type: Other
Date: 09/17/2015
Action: Leak Reported

Global Id: T10000007748
Action Type: Other
Date: 09/17/2015
Action: Leak Began

Global Id: T10000007748
Action Type: ENFORCEMENT
Date: 10/06/2015
Action: Notice of Responsibility - #12054

LUST:
Global Id: T10000007748
Status: Open - Case Begin Date
Status Date: 09/17/2015

Global Id: T10000007748
Status: Open - Site Assessment
Status Date: 10/06/2015

Global Id: T10000007748
Status: Completed - Case Closed
Status Date: 10/08/2015

HAZNET:
Name: STUDIO TECH AUTO BODY & REPAIR INC
Address: 135 HYDE ST
Address 2: Not reported
City,State,Zip: SAN FRANCISCO, CA 94102
Year: 2006
Gepaid: CAL000268009
Contact: GLENN QUON/PRES
Telephone: 4159318098
Mailing Name: Not reported
Mailing Address: 135 HYDE ST
Gen County: 38
Waste Category: Hydrocarbon solvents (benzene, hexane, Stoddard, Etc.)
TSD EPA ID: NVD980895338
TSD County: 99
Disposal Method: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.06255

Additional Info:
Year: 2006
Shipment Date: 20061205
Creation Date: 9/20/2007 18:30:23
Receipt Date: 20061213
Manifest ID: 002589093JJK
Gen EPA ID: CAL000268009
Trans EPA ID: CAD982413262
Trans Name: EVERGREEN ENVIRONMENTAL SERVICES
Trans 2 EPA ID: CAR000177527

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Trans 2 Name:	PSC INDUSTRIAL OUTSOURCING INC
TSDF EPA ID:	NVD980895338
Trans Name:	21ST CENTURY EMI
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	213
RCRA Code:	D001
Meth Code:	H141
Quantity Tons:	0.06255
Waste Quantity:	15
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2006
Shipment Date:	20060518
Creation Date:	12/20/2006 18:30:06
Receipt Date:	20060519
Manifest ID:	25128537
Gen EPA ID:	CAL000268009
Trans EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECHNOLOGIES
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.255
Waste Quantity:	75
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2006
Shipment Date:	20060613
Creation Date:	9/14/2006 18:39:29
Receipt Date:	20060616
Manifest ID:	24527942
Gen EPA ID:	CAL000268009
Trans EPA ID:	CAR000129304
Trans Name:	FILTER RECYCLING
Trans 2 EPA ID:	CAD009452657
Trans 2 Name:	ROMIC ENVIRONMENTAL TECH
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Waste Code:	212
RCRA Code:	D001
Meth Code:	R01
Quantity Tons:	0.099
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	STUDIO TECH AUTO BODY & REPAIR INC
Address:	135 HYDE ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 94102
Year:	2006
Gepaid:	CAL000268009
Contact:	GLENN QUON/PRES
Telephone:	4159318098
Mailing Name:	Not reported
Mailing Address:	135 HYDE ST
Gen County:	38
Waste Category:	Oxygenated solvents (acetone, butanol, ethyl acetate, etc.)
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.099

Additional Info:

Year:	2006
Shipment Date:	20061205
Creation Date:	9/20/2007 18:30:23
Receipt Date:	20061213
Manifest ID:	002589093JJK
Gen EPA ID:	CAL000268009
Trans EPA ID:	CAD982413262
Trans Name:	EVERGREEN ENVIRONMENTAL SERVICES
Trans 2 EPA ID:	CAR000177527
Trans 2 Name:	PSC INDUSTRIAL OUTSOURCING INC
TSDF EPA ID:	NVD980895338
Trans Name:	21ST CENTURY EMI
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	213
RCRA Code:	D001
Meth Code:	H141
Quantity Tons:	0.06255
Waste Quantity:	15
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2006

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Shipment Date:	20060518
Creation Date:	12/20/2006 18:30:06
Receipt Date:	20060519
Manifest ID:	25128537
Gen EPA ID:	CAL000268009
Trans EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECHNOLOGIES
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.255
Waste Quantity:	75
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2006
Shipment Date:	20060613
Creation Date:	9/14/2006 18:39:29
Receipt Date:	20060616
Manifest ID:	24527942
Gen EPA ID:	CAL000268009
Trans EPA ID:	CAR000129304
Trans Name:	FILTER RECYCLING
Trans 2 EPA ID:	CAD009452657
Trans 2 Name:	ROMIC ENVIRONMENTAL TECH
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	D001
Meth Code:	R01
Quantity Tons:	0.099
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	STUDIO TECH AUTO BODY & REPAIR INC
Address:	135 HYDE ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 94102
Year:	2006

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Gepaid:	CAL000268009
Contact:	GLENN QUON/PRES
Telephone:	4159318098
Mailing Name:	Not reported
Mailing Address:	135 HYDE ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.255

Additional Info:

Year:	2006
Shipment Date:	20061205
Creation Date:	9/20/2007 18:30:23
Receipt Date:	20061213
Manifest ID:	002589093JJK
Gen EPA ID:	CAL000268009
Trans EPA ID:	CAD982413262
Trans Name:	EVERGREEN ENVIRONMENTAL SERVICES
Trans 2 EPA ID:	CAR000177527
Trans 2 Name:	PSC INDUSTRIAL OUTSOURCING INC
TSDF EPA ID:	NVD980895338
Trans Name:	21ST CENTURY EMI
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	213
RCRA Code:	D001
Meth Code:	H141
Quantity Tons:	0.06255
Waste Quantity:	15
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2006
Shipment Date:	20060518
Creation Date:	12/20/2006 18:30:06
Receipt Date:	20060519
Manifest ID:	25128537
Gen EPA ID:	CAL000268009
Trans EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECHNOLOGIES
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.255
Waste Quantity:	75

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	2006
Shipment Date:	20060613
Creation Date:	9/14/2006 18:39:29
Receipt Date:	20060616
Manifest ID:	24527942
Gen EPA ID:	CAL000268009
Trans EPA ID:	CAR000129304
Trans Name:	FILTER RECYCLING
Trans 2 EPA ID:	CAD009452657
Trans 2 Name:	ROMIC ENVIRONMENTAL TECH
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	D001
Meth Code:	R01
Quantity Tons:	0.099
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Name:	STUDIO TECH AUTO BODY & REPAIR INC
Address:	135 HYDE ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 94102
Year:	2003
Gepaid:	CAL000268009
Contact:	GLENN QUON/PRES
Telephone:	4159318098
Mailing Name:	Not reported
Mailing Address:	135 HYDE ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.255

Additional Info:

Year:	2003
Shipment Date:	20030701
Creation Date:	7/26/2004 18:30:41
Receipt Date:	20030703
Manifest ID:	22886549
Gen EPA ID:	CAL000268009

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Trans EPA ID:	TXR000050930
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	Not reported
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.036
Waste Quantity:	72
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20030701
Creation Date:	7/26/2004 18:30:41
Receipt Date:	20030703
Manifest ID:	22886549
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	Not reported
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.056
Waste Quantity:	112
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20031030
Creation Date:	8/5/2004 10:07:02
Receipt Date:	20031105
Manifest ID:	22516250
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.056
Waste Quantity:	112
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20031216
Creation Date:	7/30/2004 18:31:14
Receipt Date:	20031219
Manifest ID:	22572163
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.018
Waste Quantity:	36
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20031002
Creation Date:	8/3/2004 7:33:04
Receipt Date:	20031002
Manifest ID:	22976019
Gen EPA ID:	CAL000268009
Trans EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENT TECHNOLOGIES
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Meth Code:	R01
Quantity Tons:	0.255
Waste Quantity:	75
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	STUDIO TECH AUTO BODY & REPAIR INC
Address:	135 HYDE ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 94102
Year:	2003
Gepaid:	CAL000268009
Contact:	GLENN QUON/PRES
Telephone:	4159318098
Mailing Name:	Not reported
Mailing Address:	135 HYDE ST
Gen County:	38
Waste Category:	Oxygenated solvents (acetone, butanol, ethyl acetate, etc.)
TSD EPA ID:	CA0000084517
TSD County:	34
Disposal Method:	Transfer Station
Tons:	0.166

Additional Info:

Year:	2003
Shipment Date:	20030701
Creation Date:	7/26/2004 18:30:41
Receipt Date:	20030703
Manifest ID:	22886549
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	Not reported
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.036
Waste Quantity:	72
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20030701
Creation Date:	7/26/2004 18:30:41

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Receipt Date:	20030703
Manifest ID:	22886549
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	Not reported
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.056
Waste Quantity:	112
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20031030
Creation Date:	8/5/2004 10:07:02
Receipt Date:	20031105
Manifest ID:	22516250
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.056
Waste Quantity:	112
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20031216
Creation Date:	7/30/2004 18:31:14
Receipt Date:	20031219
Manifest ID:	22572163
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.018
Waste Quantity:	36
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20031002
Creation Date:	8/3/2004 7:33:04
Receipt Date:	20031002
Manifest ID:	22976019
Gen EPA ID:	CAL000268009
Trans EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENT TECHNOLOGIES
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.255
Waste Quantity:	75
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	STUDIO TECH AUTO BODY & REPAIR INC
Address:	135 HYDE ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 94102
Year:	2007
Gepaid:	CAL000268009
Contact:	GLENN QUON/PRES
Telephone:	4159318098
Mailing Name:	Not reported
Mailing Address:	135 HYDE ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

TSD EPA ID: CAD009452657
TSD County: 41
Disposal Method: Solvents Recovery
Tons: 0.272

Additional Info:
Year: 2007
Shipment Date: 20070330
Creation Date: 8/23/2007 18:30:20
Receipt Date: 20070330
Manifest ID: 001449227JJK
Gen EPA ID: CAL000268009
Trans EPA ID: CAD009452657
Trans Name: ROMIC ENVIRONMENTAL TECHNOLOGIES CORPORATION/AES
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD009452657
Trans Name: ROMIC ENVIRONMENTAL TECHNOLOGIES CORPORATION/AES
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code: 343
RCRA Code: Not reported
Meth Code: H020
Quantity Tons: 0.272
Waste Quantity: 80
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Name: STUDIO TECH AUTO BODY & REPAIR INC
Address: 135 HYDE ST
Address 2: Not reported
City,State,Zip: SAN FRANCISCO, CA 94102
Year: 2005
Gepaid: CAL000268009
Contact: GLENN QUON/PRES
Telephone: 4159318098
Mailing Name: Not reported
Mailing Address: 135 HYDE ST
Gen County: 38
Waste Category: Aqueous solution with total organic residues less than 10 percent
TSD EPA ID: CAD053044053
TSD County: 01
Disposal Method: Transfer Station
Tons: 0.1764

Additional Info:
Year: 2005
Shipment Date: 20050112
Creation Date: 3/17/2005 18:34:39
Receipt Date: 20050121
Manifest ID: 23655217
Gen EPA ID: CAL000268009
Trans EPA ID: TXR000050930

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.056
Waste Quantity:	112
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2005
Shipment Date:	20050829
Creation Date:	12/16/2005 18:31:03
Receipt Date:	20050829
Manifest ID:	24756877
Gen EPA ID:	CAL000268009
Trans EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECH
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECH
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.357
Waste Quantity:	105
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2005
Shipment Date:	20050609
Creation Date:	8/17/2005 18:33:44
Receipt Date:	20050610
Manifest ID:	24357258
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD053044053
Trans Name:	SAFETY-KLEEN SYSTEMS INC

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

TSDF Alt EPA ID:	CAD053044053
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	Not reported
Meth Code:	H01
Quantity Tons:	0.0924
Waste Quantity:	22
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2005
Shipment Date:	20050822
Creation Date:	4/13/2006 18:45:56
Receipt Date:	20050830
Manifest ID:	23670634
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.018
Waste Quantity:	36
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2005
Shipment Date:	20050822
Creation Date:	4/13/2006 18:45:56
Receipt Date:	20050830
Manifest ID:	23670634
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Quantity Tons:	0.056
Waste Quantity:	112
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	2005
Shipment Date:	20050829
Creation Date:	1/18/2006 10:22:44
Receipt Date:	20050829
Manifest ID:	23682441
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD053044053
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CAD053044053
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	Not reported
Meth Code:	H01
Quantity Tons:	0.084
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Name:	STUDIO TECH AUTO BODY & REPAIR INC
Address:	135 HYDE ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 94102
Year:	2005
Gepaid:	CAL000268009
Contact:	GLENN QUON/PRES
Telephone:	4159318098
Mailing Name:	Not reported
Mailing Address:	135 HYDE ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.357

Additional Info:

Year:	2005
Shipment Date:	20050112
Creation Date:	3/17/2005 18:34:39
Receipt Date:	20050121

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Manifest ID:	23655217
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.056
Waste Quantity:	112
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2005
Shipment Date:	20050829
Creation Date:	12/16/2005 18:31:03
Receipt Date:	20050829
Manifest ID:	24756877
Gen EPA ID:	CAL000268009
Trans EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECH
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECH
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.357
Waste Quantity:	105
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2005
Shipment Date:	20050609
Creation Date:	8/17/2005 18:33:44
Receipt Date:	20050610
Manifest ID:	24357258
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Trans 2 Name:	Not reported
TSDF EPA ID:	CAD053044053
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CAD053044053
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	Not reported
Meth Code:	H01
Quantity Tons:	0.0924
Waste Quantity:	22
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2005
Shipment Date:	20050822
Creation Date:	4/13/2006 18:45:56
Receipt Date:	20050830
Manifest ID:	23670634
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.018
Waste Quantity:	36
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2005
Shipment Date:	20050822
Creation Date:	4/13/2006 18:45:56
Receipt Date:	20050830
Manifest ID:	23670634
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.056
Waste Quantity:	112
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2005
Shipment Date:	20050829
Creation Date:	1/18/2006 10:22:44
Receipt Date:	20050829
Manifest ID:	23682441
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD053044053
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CAD053044053
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	Not reported
Meth Code:	H01
Quantity Tons:	0.084
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	STUDIO TECH AUTO BODY & REPAIR INC
Address:	135 HYDE ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 94102
Year:	2005
Gepaid:	CAL000268009
Contact:	GLENN QUON/PRES
Telephone:	4159318098
Mailing Name:	Not reported
Mailing Address:	135 HYDE ST
Gen County:	38
Waste Category:	Oxygenated solvents (acetone, butanol, ethyl acetate, etc.)
TSD EPA ID:	CA0000084517
TSD County:	34
Disposal Method:	Transfer Station
Tons:	0.13

Additional Info:

Year:	2005

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Shipment Date:	20050112
Creation Date:	3/17/2005 18:34:39
Receipt Date:	20050121
Manifest ID:	23655217
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.056
Waste Quantity:	112
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2005
Shipment Date:	20050829
Creation Date:	12/16/2005 18:31:03
Receipt Date:	20050829
Manifest ID:	24756877
Gen EPA ID:	CAL000268009
Trans EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECH
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECH
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.357
Waste Quantity:	105
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2005
Shipment Date:	20050609
Creation Date:	8/17/2005 18:33:44
Receipt Date:	20050610
Manifest ID:	24357258
Gen EPA ID:	CAL000268009

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD053044053
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CAD053044053
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	Not reported
Meth Code:	H01
Quantity Tons:	0.0924
Waste Quantity:	22
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2005
Shipment Date:	20050822
Creation Date:	4/13/2006 18:45:56
Receipt Date:	20050830
Manifest ID:	23670634
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.018
Waste Quantity:	36
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2005
Shipment Date:	20050822
Creation Date:	4/13/2006 18:45:56
Receipt Date:	20050830
Manifest ID:	23670634
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.056
Waste Quantity:	112
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2005
Shipment Date:	20050829
Creation Date:	1/18/2006 10:22:44
Receipt Date:	20050829
Manifest ID:	23682441
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD053044053
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CAD053044053
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	Not reported
Meth Code:	H01
Quantity Tons:	0.084
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	STUDIO TECH AUTO BODY & REPAIR INC
Address:	135 HYDE ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 94102
Year:	2004
Gepaid:	CAL000268009
Contact:	GLENN QUON/PRES
Telephone:	4159318098
Mailing Name:	Not reported
Mailing Address:	135 HYDE ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Tons:	0.34
Additional Info:	
Year:	2004
Shipment Date:	20040712
Creation Date:	11/1/2004 12:36:11
Receipt Date:	20040712
Manifest ID:	23887185
Gen EPA ID:	CAL000268009
Trans EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENT TECHNOLOGIES
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	NONE
Meth Code:	R01
Quantity Tons:	0.34
Waste Quantity:	100
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	2004
Shipment Date:	20040219
Creation Date:	9/10/2004 9:51:11
Receipt Date:	20040227
Manifest ID:	22587924
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.018
Waste Quantity:	36
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	2004
Shipment Date:	20040407
Creation Date:	10/14/2004 7:35:58

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Receipt Date:	20040412
Manifest ID:	23463231
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.018
Waste Quantity:	36
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2004
Shipment Date:	20040603
Creation Date:	10/15/2004 15:16:06
Receipt Date:	20040609
Manifest ID:	23500702
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.056
Waste Quantity:	112
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Click this hyperlink while viewing on your computer to access
1 additional CA HAZNET: record(s) in the EDR Site Report.

Name:	STUDIO TECH AUTO BODY & REPAIR INC
Address:	135 HYDE ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 94102

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Year:	2004
Gepaid:	CAL000268009
Contact:	GLENN QUON/PRES
Telephone:	4159318098
Mailing Name:	Not reported
Mailing Address:	135 HYDE ST
Gen County:	38
Waste Category:	Oxygenated solvents (acetone, butanol, ethyl acetate, etc.)
TSD EPA ID:	CA0000084517
TSD County:	34
Disposal Method:	Transfer Station
Tons:	0.092

Additional Info:

Year:	2004
Shipment Date:	20040712
Creation Date:	11/1/2004 12:36:11
Receipt Date:	20040712
Manifest ID:	23887185
Gen EPA ID:	CAL000268009
Trans EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENT TECHNOLOGIES
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	NONE
Meth Code:	R01
Quantity Tons:	0.34
Waste Quantity:	100
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2004
Shipment Date:	20040219
Creation Date:	9/10/2004 9:51:11
Receipt Date:	20040227
Manifest ID:	22587924
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.018

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Waste Quantity:	36
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	2004
Shipment Date:	20040407
Creation Date:	10/14/2004 7:35:58
Receipt Date:	20040412
Manifest ID:	23463231
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.018
Waste Quantity:	36
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	2004
Shipment Date:	20040603
Creation Date:	10/15/2004 15:16:06
Receipt Date:	20040609
Manifest ID:	23500702
Gen EPA ID:	CAL000268009
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	212
RCRA Code:	F005
Meth Code:	H01
Quantity Tons:	0.056
Waste Quantity:	112
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported

STUDIO TECH AUTO BODY & REPAIR INC (Continued) **S113125542**

Additional Code 4: Not reported
Additional Code 5: Not reported

Click this hyperlink while viewing on your computer to access
1 additional CA HAZNET: record(s) in the EDR Site Report.

CERS:
Name: COMMERCIAL
Address: 135 HYDE STREET
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 358832
CERS ID: T10000007748
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: MAMDOUH AWWAD - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1390 MARKET STREET, #210
Affiliation City: SAN FRANCISCO
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

D74 **TCWAJMAY IMPOUND GARAGE** **EDR Hist Auto** **1009068627**
NNE **255 TURK ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.074 mi.
393 ft. **Site 6 of 12 in cluster D**

Relative: EDR Hist Auto
Lower

Actual: Year: Name: Type:
55 ft. 1971 TCWAJMAY IMPOUND GARAGE AUTOMOBILE GARAGES

C75 **ORIGINAL SAFETY CO** **EDR Hist Auto** **1009068667**
WNW **143 HYDE** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.075 mi.
394 ft. **Site 27 of 30 in cluster C**

Relative: EDR Hist Auto
Higher

Actual: Year: Name: Type:
69 ft. 1949 ORIGINAL SAFETY CO AUTOMOBILE REPAIRING

C76 **ORIGINAL SAFETY CO** **EDR Hist Auto** **1009068669**
WNW **145 HYDE** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.075 mi.
398 ft. **Site 28 of 30 in cluster C**

Relative: Higher EDR Hist Auto

Actual: 69 ft.

Year:	Name:	Type:
1949	ORIGINAL SAFETY CO	AUTOMOBILE REPAIRING

G77 **318 TURK I7, LP** **RCRA NonGen / NLR** **1024777621**
NNW **320 TURK ST #607** **CAC002997564**
< 1/8 **SAN FRANCISCO, CA 94102**
0.080 mi.
422 ft. **Site 1 of 12 in cluster G**

Relative: Higher RCRA NonGen / NLR:

Actual: 64 ft.

Date form received by agency:	2019-01-22 00:00:00.0
Facility name:	318 TURK I7, LP
Facility address:	320 TURK ST #607 SAN FRANCISCO, CA 94102
EPA ID:	CAC002997564
Mailing address:	724 PINE ST SAN FRANCISCO, CA 94108
Contact:	318 TURK I7, LP
Contact address:	724 PINE ST SAN FRANCISCO, CA 94108
Contact country:	Not reported
Contact telephone:	415-845-7162
Contact email:	ELIZABETH.GARCIA@SYNERGYCOMPANIES.ORG
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	318 TURK I7, LP
Owner/operator address:	724 PINE ST SAN FRANCISCO, CA 94108
Owner/operator country:	Not reported
Owner/operator telephone:	415-845-7162
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	318 TURK I7, LP
Owner/operator address:	724 PINE ST SAN FRANCISCO, CA 94108
Owner/operator country:	Not reported
Owner/operator telephone:	415-845-7162
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator

318 TURK I7, LP (Continued) **1024777621**

Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

C78 **155 HYDE ST** **CA UST** **U003915015**
WNW **155 HYDE ST** **N/A**
< 1/8 **, CA**
0.082 mi.
433 ft. **Site 29 of 30 in cluster C**

Relative:
Higher

Actual:
70 ft.

SAN FRANCISCO CO. UST:
Name: 155 HYDE ST
Address: 155 HYDE ST
Facility ID: 22020
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 255 Shipley Street
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Golden Gate Tank
Application Date: 9/25/1997
Application Name: Tim Hallen
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported
Compartmentalized Tank: Not reported
Of Tank Compartments: Not reported

155 HYDE ST (Continued) **U003915015**

Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	10/9/1997
UST Close ID:	3040
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	10/31/1997
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

D79 **PALMORE EARL** **EDR Hist Auto** **1009001270**
NE **225 TURK ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.082 mi.
434 ft. **Site 7 of 12 in cluster D**

Relative: EDR Hist Auto
Lower

Actual:
53 ft.

Year:	Name:	Type:
1935	PALMORE EARL	AUTOMOBILE REPAIRING
1935	PALMORE EARL	AUTOMOBILE REPAIRING

G80 **370 TURK ST** **CA UST** **U003915404**
NW **370 TURK ST** **N/A**
< 1/8 **, CA**
0.083 mi.
438 ft. **Site 2 of 12 in cluster G**

Relative: SAN FRANCISCO CO. UST:
Higher

Actual:
68 ft.

Name:	370 TURK ST
Address:	370 TURK ST
Facility ID:	21054
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	117 Clement Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Granit Excavation
Application Date:	5/23/1996
Application Name:	Joe Cassidy
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported

370 TURK ST (Continued) **U003915404**

Date Closed:	6/19/1996
UST Close ID:	2562
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	8/16/1996
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

G81 **SPEED QUEEN LAUNDERETTE** **EDR Hist Cleaner** **1009133891**
NNW **318 TURK** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.083 mi.
438 ft. **Site 3 of 12 in cluster G**

Relative: EDR Hist Cleaner
Higher

Actual:
65 ft.

Year:	Name:	Type:
1966	SPEED QUEEN LAUNDERETTE	LAUNDRIES-SELF SERVE
1966	SPEED QUEEN LAUNDERETTE	LAUNDRIES SELF SERVE
1971	SPEED QUEEN LAUNDERETTE	LAUNDRIES SELF SERVE
1971	SPEED QUEEN LAUNDERETTE	LAUNDRIES-SELF SERVE
1977	SPEED QUEEN LAUNDERETTE	LAUNDRIES SELF SERVE

SPEED QUEEN LAUNDERETTE (Continued) **1009133891**

1977	SPEED QUEEN LAUNDERETTE	LAUNDRIES-SELF SERVE
1982	SPEED QUEEN LAUNDERETTE	LAUNDRIES SELF SERVE
1982	SPEED QUEEN LAUNDERETTE	LAUNDRIES-SELF SERVE

G82 **COMMERCIAL** **CA LUST S114458535**
NNW **318-320 TURK ST.** **CA CERS N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.083 mi.
438 ft. **Site 4 of 12 in cluster G**

Relative:
Higher

Actual:
65 ft.

LUST:

Name:	COMMERCIAL
Address:	318-320 TURK ST.
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T10000005247
Global Id:	T10000005247
Latitude:	37.7827666
Longitude:	-122.4144226
Status:	Completed - Case Closed
Status Date:	11/08/2013
Case Worker:	Not reported
RB Case Number:	Not reported
Local Agency:	Not reported
File Location:	Not reported
Local Case Number:	12007
Potential Media Affect:	Not reported
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T10000005247
Action Type:	Other
Date:	10/24/2013
Action:	Leak Discovery
Global Id:	T10000005247
Action Type:	ENFORCEMENT
Date:	11/06/2013
Action:	LOP Case Closure Summary to RB
Global Id:	T10000005247
Action Type:	ENFORCEMENT
Date:	11/07/2013
Action:	Closure/No Further Action Letter
Global Id:	T10000005247
Action Type:	Other
Date:	10/24/2013
Action:	Leak Stopped
Global Id:	T10000005247
Action Type:	ENFORCEMENT
Date:	11/06/2013
Action:	File Review - Closure
Global Id:	T10000005247

COMMERCIAL (Continued) **S114458535**

Action Type: Other
Date: 10/25/2013
Action: Leak Reported

Global Id: T10000005247
Action Type: RESPONSE
Date: 10/29/2013
Action: Tank Removal Report / UST Sampling Report

Global Id: T10000005247
Action Type: ENFORCEMENT
Date: 11/05/2013
Action: Notice of Responsibility - #12007

Global Id: T10000005247
Action Type: ENFORCEMENT
Date: 11/08/2013
Action: Technical Correspondence / Assistance / Other

Global Id: T10000005247
Action Type: Other
Date: 10/24/2013
Action: Leak Began

LUST:
Global Id: T10000005247
Status: Open - Case Begin Date
Status Date: 10/24/2013

Global Id: T10000005247
Status: Open - Site Assessment
Status Date: 11/05/2013

Global Id: T10000005247
Status: Completed - Case Closed
Status Date: 11/08/2013

Global Id: T10000005247
Status: Open - Eligible for Closure
Status Date: 11/08/2013

CERS:
Name: COMMERCIAL
Address: 318-320 TURK ST.
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 204312
CERS ID: T10000005247
CERS Description: Leaking Underground Storage Tank Cleanup Site

E83 **BANK OF AMERICA** **CA UST** **U003902920**
East **1 JONES ST** **N/A**
< 1/8 **, CA**
0.084 mi.
446 ft. **Site 6 of 7 in cluster E**

Relative: **Lower**

Actual: **47 ft.**

SAN FRANCISCO CO. UST:

Name:	BANK OF AMERICA
Address:	1 JONES ST
Facility ID:	24720
Facility Status:	Not reported
Number Of Tanks:	Not reported
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	7/30/1993
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	8/5/1993
UST Close ID:	1401
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

BANK OF AMERICA (Continued) **U003902920**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

H84 **BOZMAGIAN VARTAN** **EDR Hist Cleaner** **1009131062**
NNE **272 TURK ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.087 mi.
457 ft. **Site 1 of 21 in cluster H**

Relative: EDR Hist Cleaner
Higher

Actual:
57 ft.

Year:	Name:	Type:
1930	BOZMAGIAN VARTAN	CLOTHES PRESSERS AND CLEANERS
1930	BOZMAGIAN VARTAN	CLOTHES PRESSERS AND CLEANER
1935	BOZMAGIAN VARTAN	CLOTHES PRESSERS AND CLEANERS
1935	BOZMAGIAN VARTAN	CLOTHES PRESSERS AND CLEANER
1940	NEW SERVICE CLEANERS	CLOTHES PRESSERS AND CLEANER
1940	NEW SERVICE CLEANERS	CLOTHES PRESSERS AND CLEANERS
1944	BOZMAGIAN VARTAN	CLOTHES-PRESSERS AND CLEANERS
1944	BOZMAGIAN VARTAN	CLOTHES-PRESSERS AND CLEANERS
1953	NEW SERVICE CLEANERS	CLEANERS AND DYERS
1958	NEW SERVICE CLEANERS	CLEANERS AND DYERS
1958	NEW SERVICE CLEANERS	CLEANERS AND DYERS
1962	NEW SERVICE CLEANERS	CLEANERS AND DYERS
1962	NEW SERVICE CLEANERS	CLEANERS AND DYERS
1966	NEW SERVICE CLEANERS	CLEANERS AND DYERS
1966	NEW SERVICE CLEANERS	CLEANERS AND DYERS
1969	NEW SERVICE CLEANERS	Drycleaning Plants, Except Rugs

BOZMAGIAN VARTAN (Continued) **1009131062**

1970	NEW SERVICE CLEANERS	Drycleaning Plants, Except Rugs
1971	NEW SERVICE CLEANERS	Drycleaning Plants, Except Rugs
1972	NEW SERVICE CLEANERS	Drycleaning Plants, Except Rugs
1973	NEW SERVICE CLEANERS	Drycleaning Plants, Except Rugs
1977	LAUNDROMAT	LAUNDRIES-SELF SERVE
1982	LAUNDROMAT	LAUNDRIES-SELF SERVE

D85 **MERCY HOUSING/111 JONES ST. APTS.** **CA CUPA Listings** **S120628293**
ENE **111 JONES ST** **CA CERS** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.087 mi.
460 ft. **Site 8 of 12 in cluster D**

Relative:
Lower

Actual:
49 ft.

CUPA SAN FRANCISCO CO:

Name:	MERCY HOUSING/111 JONES ST. APTS.
Address:	111 JONES ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	31806
Census Tract:	125
District:	10
Number of Tanks:	0

CERS:

Name:	MERCY HOUSING/111 JONES ST. APTS.
Address:	111 JONES ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	134311
CERS ID:	10175063
CERS Description:	Chemical Storage Facilities

Coordinates:

Site ID:	134311
Facility Name:	Mercy Housing/111 Jones St. Apts.
Env Int Type Code:	HMBP
Program ID:	10175063
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	37.782310
Longitude:	-122.412640

Affiliation:

Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900

Affiliation Type Desc:	Environmental Contact
Entity Name:	Jimmy Newell
Entity Title:	Not reported
Affiliation Address:	111 Jones Street
Affiliation City:	San Francisco
Affiliation State:	CA

MERCY HOUSING/111 JONES ST. APTS. (Continued) **S120628293**

Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 111 Jones St
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: Jimmy Newell
Entity Title: Senior Property Manager
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Parent Corporation
Entity Name: Mercy Housing/111 Jones St. Apts.
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner
Entity Name: Mercy Housing
Entity Title: Not reported
Affiliation Address: 1256 Market Street
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 94102
Affiliation Phone: (415) 355-7100

Affiliation Type Desc: Document Preparer
Entity Name: Jimmy Newell
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: Mercy Housing Inc
Entity Title: Not reported

MERCY HOUSING/111 JONES ST. APTS. (Continued) **S120628293**

Affiliation Address:	1256 Market Street
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 355-7100
Affiliation Type Desc:	Operator
Entity Name:	Jimmy Newell
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 474-9760

D86 **CHINESE COMMUNITY HOUSING CORP** **CA LUST** **S102427845**
NE **201 TURK STREET** **CA HIST CORTESE** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102** **CA CERS**
0.087 mi.
460 ft. **Site 9 of 12 in cluster D**

Relative:
Lower

Actual:
52 ft.

LUST:

Name:	CHINESE COMMUNITY HOUSING CORP
Address:	201 TURK STREET
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500096
Global Id:	T0607500096
Latitude:	37.7829819
Longitude:	-122.4124378
Status:	Completed - Case Closed
Status Date:	12/02/1992
Case Worker:	Not reported
RB Case Number:	38-0105
Local Agency:	Not reported
File Location:	Not reported
Local Case Number:	10096
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0607500096
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0607500096
Action Type:	Other

CHINESE COMMUNITY HOUSING CORP (Continued) **S102427845**

Date: 01/02/1965
Action: Leak Reported

Global Id: T0607500096
Action Type: ENFORCEMENT
Date: 09/16/1992
Action: Notice of Responsibility

Global Id: T0607500096
Action Type: Other
Date: 03/01/1991
Action: Leak Discovery

LUST:
Global Id: T0607500096
Status: Open - Case Begin Date
Status Date: 03/01/1991

Global Id: T0607500096
Status: Completed - Case Closed
Status Date: 12/02/1992

LUST REG 2:
Region: 2
Facility Id: 38-0105
Facility Status: Case Closed
Case Number: 10096
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: Chinese Community
Address: 201 Turk Street
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 38-0105
Facility Status: Case Closed
Case Number: 10096
Case Type: Other ground water affected
Release Date: 4/5/1991
Discovered Date: 3/1/1991
Substance: Gasoline
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 4/5/1991

CHINESE COMMUNITY HOUSING CORP (Continued) **S102427845**

Case Closed:	12/2/1992
Closed Date:	12/2/1992
Leak Source:	Tank
Leak Cause:	Structure Failure
Leak Confirmed:	Not reported
Entered Date:	9/16/1992
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	CDM
Cross Street:	JONES ST
NOR Date:	9/16/1992
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	7/21/1992
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Not reported
Abatement:	No Action Taken - no action has as yet been taken at the site
Enforcement Type:	NOR
Enforcement Due Date:	9/16/1992
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	7/15/1991
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported

CHINESE COMMUNITY HOUSING CORP (Continued) **S102427845**

Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

HIST CORTESE:

edr_fname:	CHINESE COMMUNITY HOUSING
edr_fadd1:	201 TURK
City,State,Zip:	SAN FRANCISCO, CA 94105
Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0105

CERS:

Name:	CHINESE COMMUNITY HOUSING CORP
Address:	201 TURK STREET
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	203994
CERS ID:	T0607500096
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

D87 **PARKING LOT** **CA SWEEPS UST** **S101592418**
NE **201 TURK ST** **CA FID UST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.087 mi.
460 ft. **Site 10 of 12 in cluster D**

Relative:
Lower

Actual:
52 ft.

SWEEPS UST:

Name:	PARKING LOT
Address:	201 TURK ST
City:	SAN FRANCISCO
Status:	Active
Comp Number:	9666
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Owner Tank Id:	Not reported

PARKING LOT (Continued) **S101592418**

SWRCB Tank Id: 38-000-009666-000001
Tank Status: A
Capacity: 1
Active Date: 09-30-92
Tank Use: UNKNOWN
STG: P
Content: UNSPECIFIED
Number Of Tanks: 7

Name: PARKING LOT
Address: 201 TURK ST
City: SAN FRANCISCO
Status: Active
Comp Number: 9666
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-009666-000002
Tank Status: A
Capacity: 1
Active Date: 09-30-92
Tank Use: UNKNOWN
STG: P
Content: UNSPECIFIED
Number Of Tanks: Not reported

Name: PARKING LOT
Address: 201 TURK ST
City: SAN FRANCISCO
Status: Active
Comp Number: 9666
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-009666-000003
Tank Status: A
Capacity: 1
Active Date: 09-30-92
Tank Use: UNKNOWN
STG: P
Content: UNSPECIFIED
Number Of Tanks: Not reported

Name: PARKING LOT
Address: 201 TURK ST
City: SAN FRANCISCO
Status: Active
Comp Number: 9666
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92

PARKING LOT (Continued) **S101592418**

Action Date: 12-10-91
Created Date: 01-01-01
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-009666-000004
Tank Status: A
Capacity: 1
Active Date: 09-30-92
Tank Use: UNKNOWN
STG: P
Content: UNSPECIFIED
Number Of Tanks: Not reported

Name: PARKING LOT
Address: 201 TURK ST
City: SAN FRANCISCO
Status: Active
Comp Number: 9666
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-009666-000005
Tank Status: A
Capacity: 1
Active Date: 09-30-92
Tank Use: UNKNOWN
STG: P
Content: UNSPECIFIED
Number Of Tanks: Not reported

Name: PARKING LOT
Address: 201 TURK ST
City: SAN FRANCISCO
Status: Active
Comp Number: 9666
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-009666-000007
Tank Status: A
Capacity: 1
Active Date: 09-30-92
Tank Use: UNKNOWN
STG: P
Content: UNSPECIFIED
Number Of Tanks: Not reported

Name: PARKING LOT
Address: 201 TURK ST
City: SAN FRANCISCO
Status: Active
Comp Number: 9666

PARKING LOT (Continued) **S101592418**

Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-009666-000008
Tank Status: A
Capacity: 1
Active Date: 09-30-92
Tank Use: UNKNOWN
STG: P
Content: UNSPECIFIED
Number Of Tanks: Not reported

Name: PARKING LOT
Address: 201 TURK ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 9666
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-009666-000006
Tank Status: Not reported
Capacity: 7500
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: 1

CA FID UST:
Facility ID: 38005218
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4150000000
Mail To: Not reported
Mailing Address: 201 TURK ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94102
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

D88 **CHINESE COMMUNITY** **CA UST** **U003903297**
NE **201 TURK ST** **N/A**
< 1/8 **, CA**
0.087 mi.
460 ft. **Site 11 of 12 in cluster D**

Relative: **Lower**

Actual: **52 ft.**

SAN FRANCISCO CO. UST:

Name:	CHINESE COMMUNITY
Address:	201 TURK ST
Facility ID:	25161
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	11/14/1991
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	925
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

CHINESE COMMUNITY (Continued) **U003903297**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	5/27/1992
UST Close ID:	1054
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported

CHINESE COMMUNITY (Continued) **U003903297**

Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported

CHINESE COMMUNITY (Continued) **U003903297**

Date Interior Lining Install:	Not reported
Date Closed:	1/13/1992
UST Close ID:	932
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

D89 **LEE S RICHFIELD SERVICE** **EDR Hist Auto** **1008999371**
NE **201 TURK** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.087 mi.
460 ft. **Site 12 of 12 in cluster D**

Relative: EDR Hist Auto
Lower

Actual:
52 ft.

Year:	Name:	Type:
1940	BELL SERVICE STATION	GASOLINE AND OIL SERVICE STATION
1940	BELL SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1953	LEE S RICHFIELD SERVICE	GASOLINE STATIONS
1958	SISCO S STATION	GASOLINE STATIONS

LEE S RICHFIELD SERVICE (Continued) **1008999371**

1958	SISCO S STATION	GASOLINE STATIONS
1958	RUSSELL S AUTO REPAIR	AUTOMOBILE REPAIRING
1958	RUSSELL S AUTO REPAIR	AUTOMOBILE REPAIRING

E90 **SF HOTEL INVESTORS LLC** **CA CUPA Listings** **S123066479**
ESE **1100 MARKET STREET** **CA HAZNET** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102** **CA CERS**
0.089 mi.
468 ft. **Site 7 of 7 in cluster E**

Relative: **Lower**

Actual: **46 ft.**

CUPA SAN FRANCISCO CO:

Name:	SF PROPER HOTEL
Address:	1100 MARKET ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	34765
Census Tract:	125
District:	10
Number of Tanks:	0

HAZNET:

Name:	SF HOTEL INVESTORS LLC
Address:	1100 MARKET STREET
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 94102
Year:	2017
Gepaid:	CAC002926054
Contact:	KIMBERLY BOWEN
Telephone:	5102508616
Mailing Name:	Not reported
Mailing Address:	1729 ABBOT KINNEY BLVD.
Gen County:	38
Waste Category:	Other inorganic solid waste
TSD EPA ID:	CAD028409019
TSD County:	19
Disposal Method:	Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.0025

Additional Info:

Year:	2017
Shipment Date:	20170908
Creation Date:	6/27/2018 18:30:19
Receipt Date:	20170914
Manifest ID:	014959338JJK
Gen EPA ID:	CAC002926054
Trans EPA ID:	CAR000192229
Trans Name:	BLUEWATER ENVIRONMENTAL SERV
Trans 2 EPA ID:	CAD028409019
Trans 2 Name:	CROSBY & OVERTON
TSDF EPA ID:	CAD028409019
Trans Name:	CROSBY & OVERTON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	181
RCRA Code:	D008
Meth Code:	H141
Quantity Tons:	0.0025
Waste Quantity:	5

SF HOTEL INVESTORS LLC (Continued) **S123066479**

Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CERS:

Name:	SF PROPER HOTEL
Address:	1100 MARKET ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	444569
CERS ID:	10774903
CERS Description:	Chemical Storage Facilities

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-24-2019
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	San Francisco City & County Public Health Dept
Eval Program:	HMRRP
Eval Source:	CERS

Coordinates:

Site ID:	444569
Facility Name:	SF Proper Hotel
Env Int Type Code:	HMBP
Program ID:	10774903
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	37.780870
Longitude:	-122.412390

Affiliation:

Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900

Affiliation Type Desc:	Legal Owner
Entity Name:	SF Master Tenant
Entity Title:	Not reported
Affiliation Address:	1100 Market Street
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(628) 895-2022

SF HOTEL INVESTORS LLC (Continued) **S123066479**

Affiliation Type Desc:	Document Preparer
Entity Name:	Steven Solari
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Identification Signer
Entity Name:	Steven Solari
Entity Title:	Director of Engineering
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Environmental Contact
Entity Name:	Steven Solari
Entity Title:	Not reported
Affiliation Address:	1100 Market Street
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	1100 Market Street
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

Affiliation Type Desc:	Operator
Entity Name:	Steven Solari
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(628) 895-2022

Affiliation Type Desc:	Parent Corporation
Entity Name:	SF Proper Hotel
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported

SF HOTEL INVESTORS LLC (Continued) **S123066479**

Affiliation Zip: Not reported
Affiliation Phone: Not reported

H91 **COMMERCIAL** **CA UST** **U003915257**
NNE **270 TURK ST** **N/A**
< 1/8 **, CA**
0.090 mi.
476 ft. **Site 2 of 21 in cluster H**

Relative:
Higher

Actual:
57 ft.

SAN FRANCISCO CO. UST:

Name:	COMMERCIAL
Address:	270 TURK ST
Facility ID:	18616
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	3700 Mission St
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	3/4/2008
Application Name:	Tim Hallen
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	5001
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported

COMMERCIAL (Continued) **U003915257**

Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported

COMMERCIAL (Continued) **U003915257**

Date Closed:	Not reported
UST Close ID:	1714
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

H92 **270 TURK, LLC** **RCRA NonGen / NLR** **1024750106**
NNE **270 TURK, UNIT 703** **CAC002969894**
< 1/8 **SAN FRANCISCO, CA 94102**
0.090 mi.
476 ft. **Site 3 of 21 in cluster H**

Relative:
Higher

Actual:
57 ft.

RCRA NonGen / NLR:

Date form received by agency:	2018-07-09 00:00:00.0
Facility name:	270 TURK, LLC
Facility address:	270 TURK, UNIT 703 SAN FRANCISCO, CA 94102
EPA ID:	CAC002969894
Mailing address:	1 BUSH ST, SUITE 900 SAN FRANCISCO, CA 94104

270 TURK, LLC (Continued) **1024750106**

Contact: EDER DUENAS
Contact address: 1 BUSH ST, SUITE 900
SAN FRANCISCO, CA 94104
Contact country: Not reported
Contact telephone: 415-347-8600
Contact email: 270TURK@GREENTREEPMCO.COM
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: 270 TURK, LLC
Owner/operator address: 1 BUSH ST, SUITE 900
SAN FRANCISCO, CA 94104
Owner/operator country: Not reported
Owner/operator telephone: 415-347-8600
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: EDER DUENAS
Owner/operator address: 1 BUSH ST, SUITE 900
SAN FRANCISCO, CA 94104
Owner/operator country: Not reported
Owner/operator telephone: 415-347-8600
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

H93 **HOME SAVINGS OF AMERICA/MS. LYNN FOSTER** **CA SWEEPS UST** **S106927369**
NNE **270 TURK ST** **CA HAZNET** **N/A**
< 1/8 **SAN FRANCISCO, CA 94101**
0.090 mi.
476 ft. **Site 4 of 21 in cluster H**

Relative:
Higher

Actual:
57 ft.

SWEEPS UST:

Name:	HOME SAVINGS OF AMERICA/MS. LYNN FOSTER
Address:	270 TURK ST
City:	SAN FRANCISCO
Status:	Not reported
Comp Number:	901714
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-901714-000001
Tank Status:	Not reported
Capacity:	1500
Active Date:	Not reported
Tank Use:	PETROLEUM
STG:	PRODUCT
Content:	DIESEL
Number Of Tanks:	1

HAZNET:

Name:	MAG MANAGEMENT INC
Address:	270 TURK ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941023830
Year:	2013
Gepaid:	CAC002736005
Contact:	JAMES JOYCE
Telephone:	4155500300
Mailing Name:	Not reported
Mailing Address:	1550 MICHIGAN ST
Gen County:	38
Waste Category:	Other inorganic solid waste
TSD EPA ID:	CAD028409019
TSD County:	19
Disposal Method:	Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.18

Additional Info:

Year:	2013
Shipment Date:	20130712
Creation Date:	9/16/2013 22:15:07
Receipt Date:	20130723
Manifest ID:	001932107GBF
Gen EPA ID:	CAC002736005
Trans EPA ID:	CAD982500019
Trans Name:	STERLING ENVIRONMENTAL CORPORATION
Trans 2 EPA ID:	CAL000274783
Trans 2 Name:	KM INDUSTRIAL INC
TSDF EPA ID:	CAD028409019
Trans Name:	CROSBY & OVERTON INC

HOME SAVINGS OF AMERICA/MS. LYNN FOSTER (Continued) **S106927369**

TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	181
RCRA Code:	D008
Meth Code:	H141
Quantity Tons:	0.18
Waste Quantity:	360
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

I94 **SIEMENS JOHN** **EDR Hist Auto** **1008999908**
East **45 JONES ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.092 mi.
486 ft. **Site 1 of 12 in cluster I**

Relative: EDR Hist Auto
Lower

Actual: Year: Name: Type:
47 ft. 1925 SIEMENS JOHN AUTOMOBILE REPAIRING

C95 **NEW SYSTEM LAUNDRY** **EDR Hist Cleaner** **1009180490**
WNW **421 TURK** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.093 mi.
489 ft. **Site 30 of 30 in cluster C**

Relative: EDR Hist Cleaner
Higher

Actual: Year: Name: Type:
71 ft. 1958 NEW SYSTEM LAUNDRY LAUNDRIES

J96 **GENERAL SERVICES ADMINISTRATIO** **CA LUST** **S103662208**
South **50 UNITED NATIONS PLAZA** **CA EMI** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102** **CA CERS**
0.093 mi.
490 ft. **Site 1 of 12 in cluster J**

Relative: LUST:
Lower

Actual:
53 ft.

Name:	COMMERCIAL
Address:	50 UNITED NATIONS PLAZA
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T10000002041
Global Id:	T10000002041
Latitude:	37.779969
Longitude:	-122.413649
Status:	Completed - Case Closed
Status Date:	06/04/2010

GENERAL SERVICES ADMINISTRATIO (Continued) **S103662208**

Case Worker: Not reported
RB Case Number: Not reported
Local Agency: Not reported
File Location: Not reported
Local Case Number: 11902
Potential Media Affect: Not reported
Potential Contaminants of Concern: Diesel
Site History: Not reported

LUST:
Global Id: T10000002041
Action Type: ENFORCEMENT
Date: 05/28/2010
Action: Clean Up Fund - Letter to RP - #11902

Global Id: T10000002041
Action Type: Other
Date: 03/31/2010
Action: Leak Discovery

Global Id: T10000002041
Action Type: Other
Date: 03/31/2010
Action: Leak Stopped

Global Id: T10000002041
Action Type: Other
Date: 04/27/2010
Action: Leak Reported

Global Id: T10000002041
Action Type: RESPONSE
Date: 06/03/2010
Action: Tank Removal Report / UST Sampling Report

Global Id: T10000002041
Action Type: ENFORCEMENT
Date: 06/04/2010
Action: Closure/No Further Action Letter

Global Id: T10000002041
Action Type: ENFORCEMENT
Date: 06/03/2010
Action: File Review - Closure

Global Id: T10000002041
Action Type: ENFORCEMENT
Date: 06/04/2010
Action: State Water Board Closure Order

Global Id: T10000002041
Action Type: Other
Date: 03/31/2010
Action: Leak Began

LUST:
Global Id: T10000002041

GENERAL SERVICES ADMINISTRATIO (Continued) **S103662208**

Status: Open - Case Begin Date
Status Date: 03/31/2010

Global Id: T10000002041
Status: Open - Site Assessment
Status Date: 05/28/2010

Global Id: T10000002041
Status: Completed - Case Closed
Status Date: 06/04/2010

EMI:
Name: GENERAL SERVICES ADMINISTRATIO
Address: 50 UNITED NATIONS PLAZA
City,State,Zip: SAN FRANCISCO, CA 94102
Year: 2013
County Code: 38
Air Basin: SF
Facility ID: 20446
Air District Name: BA
SIC Code: 1522
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0.001
NOX - Oxides of Nitrogen Tons/Yr: 0.005
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: GENERAL SERVICES ADMINISTRATION
Address: 50 UNITED NATIONS PLAZA
City,State,Zip: SAN FRANCISCO, CA 94102
Year: 2014
County Code: 38
Air Basin: SF
Facility ID: 20446
Air District Name: BA
SIC Code: 1522
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.000262617
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0.000593535
NOX - Oxides of Nitrogen Tons/Yr: 0.004595607
SOX - Oxides of Sulphur Tons/Yr: 5.111e-006
Particulate Matter Tons/Yr: 0.000115616
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0.000110991

Name: GENERAL SERVICES ADMINISTRATION
Address: 50 UNITED NATIONS PLAZA
City,State,Zip: SAN FRANCISCO, CA 94102
Year: 2015

GENERAL SERVICES ADMINISTRATIO (Continued) **S103662208**

County Code:	38
Air Basin:	SF
Facility ID:	20446
Air District Name:	BA
SIC Code:	1522
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.000262617
Reactive Organic Gases Tons/Yr:	0.000241653
Carbon Monoxide Emissions Tons/Yr:	0.000593535
NOX - Oxides of Nitrogen Tons/Yr:	0.004595607
SOX - Oxides of Sulphur Tons/Yr:	5.111e-006
Particulate Matter Tons/Yr:	0.000115616
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.000110991

Name:	GENERAL SERVICES ADMINISTRATION
Address:	50 UNITED NATIONS PLAZA
City,State,Zip:	SAN FRANCISCO, CA 94102
Year:	2016
County Code:	38
Air Basin:	SF
Facility ID:	20446
Air District Name:	BA
SIC Code:	1522
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.000262617
Reactive Organic Gases Tons/Yr:	0.0002307090345
Carbon Monoxide Emissions Tons/Yr:	0.000593535
NOX - Oxides of Nitrogen Tons/Yr:	0.004595607
SOX - Oxides of Sulphur Tons/Yr:	5.111e-006
Particulate Matter Tons/Yr:	0.000115616
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.000110991

CERS:

Name:	COMMERCIAL
Address:	50 UNITED NATIONS PLAZA
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	215839
CERS ID:	T10000002041
CERS Description:	Leaking Underground Storage Tank Cleanup Site

---

J97 **USHHS FDA** **RCRA NonGen / NLR** **1000229971**
South **50 UNITED NATIONS PLAZA** **NY MANIFEST** **CA0120090402**
< 1/8 **SAN FRANCISCO, CA 94102**
0.093 mi.
490 ft. **Site 2 of 12 in cluster J**

Relative: RCRA NonGen / NLR:
Lower Date form received by agency: 1994-04-12 00:00:00.0
Actual: Facility name: USHHS FDA
53 ft. Facility address: 50 UNITED NATIONS PLAZA
SAN FRANCISCO, CA 94102
EPA ID: CA0120090402
Contact: JULIE B DROTZ

USHHS FDA (Continued) **1000229971**

Contact address: 50 UNITED NATIONS PLAZA
SAN FRANCISCO, CA 94102
Contact country: US
Contact telephone: 415-556-0577
Contact email: Not reported
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: GSA
Owner/operator address: 50 UNITED NATIONS PLAZA
SAN FRANCISCO, CA 94114
Owner/operator country: Not reported
Owner/operator telephone: 415-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Federal
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: 415-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Federal
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

NY MANIFEST:
Name: FOOD AND DRUG ADMINISTRATION

USHHS FDA (Continued) **1000229971**

Address:	50 UNITED NATIONS PLAZA
City,State,Zip:	SAN FRANCISCO, CA 94102
Country:	USA
EPA ID:	CA0120090402
Facility Status:	Not reported
Location Address 1:	50 UNITED NATIONS PLAZA-RM 256
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	SAN FRANCISCO
Location State:	CA
Location Zip:	94102
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	CA0120090402
Mailing Name:	FOOD AND DRUG ADMINISTRATION
Mailing Contact:	FOOD AND DRUG ADMINISTRATION
Mailing Address 1:	50 UNITED NATIONS PLAZA-RM 256
Mailing Address 2:	Not reported
Mailing City:	SAN FRANCISCO
Mailing State:	CA
Mailing Zip:	94102
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	4155562062

NY MANIFEST:

Document ID:	NYA8012853
Manifest Status:	K
seq:	Not reported
Year:	1988
Trans1 State ID:	000000000
Trans2 State ID:	000000000
Generator Ship Date:	09/23/1988
Trans1 Recv Date:	09/23/1988
Trans2 Recv Date:	/ /
TSD Site Recv Date:	10/06/1988
Part A Recv Date:	11/16/1988
Part B Recv Date:	10/14/1988
Generator EPA ID:	CA0120090402
Trans1 EPA ID:	NYD980769947
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000632372
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported

USHHS FDA (Continued) **1000229971**

Waste Code:	D003 - NON-LISTED REACTIVE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00020
Units:	P - Pounds
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100

J98 **USHHS FDA** **RCRA NonGen / NLR** **1000214136**
South **50 UNITED NATIONS PLAZA** **FINDS** **CA9470000093**
< 1/8 **SAN FRANCISCO, CA 94102** **ECHO**
0.093 mi.
490 ft. **Site 3 of 12 in cluster J**

Relative: **Lower**

Actual: **53 ft.**

RCRA NonGen / NLR:

Date form received by agency:	2004-05-12 00:00:00.0
Facility name:	FEDERAL OFFICE BUILDING
Site name:	50 UNITED NATIONS PLAZA
Facility address:	50 UNITED NATIONS PLAZA SAN FRANCISCO, CA 94102
EPA ID:	CA9470000093
Contact:	JULIUS Y DE LEON
Contact address:	Not reported Not reported
Contact country:	US
Contact telephone:	415-436-7963
Contact email:	Not reported
EPA Region:	09
Land type:	Facility is not located on Indian land. Additional information is not known.
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	GENERAL SERVICES ADMINISTRATION
Owner/operator address:	450 GOLDEN GATE AVE SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-556-1300
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Federal
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported
Owner/operator name:	GENERAL SERVICES ADMIN
Owner/operator address:	450 GOLDEN GATE AVE SAN FRANCISCO, CA 94102
Owner/operator country:	US
Owner/operator telephone:	Not reported

USHHS FDA (Continued) **1000214136**

Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Federal
Owner/Operator Type: Owner
Owner/Op start date: 1934-01-01 00:00:00.
Owner/Op end date: Not reported

Owner/operator name: GENERAL SERVICES ADMIN
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Federal
Owner/Operator Type: Operator
Owner/Op start date: 1934-01-01 00:00:00.
Owner/Op end date: Not reported

Owner/operator name: GENERAL SERVICES ADMIN
Owner/operator address: 450 GOLDEN GATE AVE STE 7-5492 PHILLIP BURTON FED BLDG & US CRTHOU
SAN FRANCISCO, CA 94102
Owner/operator country: Not reported
Owner/operator telephone: 415-436-7940
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: 415-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Federal
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: LAURIE MURATA
Owner/operator address: 450 GOLDEN GATE AVE ROOM 7-5492 PHILLIP BURTON FED BLDG
SAN FRANCISCO, CA 94102
Owner/operator country: Not reported
Owner/operator telephone: 415-436-7948
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator

USHHS FDA (Continued) **1000214136**

Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 1993-06-17 00:00:00.0
Site name: USGSA FEDERAL OFFICE BUILDING
Classification: Small Quantity Generator

Date form received by agency: 1982-07-23 00:00:00.0
Site name: FEDERAL OFFICE BUILDING
Classification: Not a generator, verified

Hazardous Waste Summary:

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D009
. Waste name: MERCURY

Facility Has Received Notices of Violations:
Regulation violated: FR - 262.10-12.A
Area of violation: Generators - General
Date violation determined: 1985-01-23 00:00:00.0
Date achieved compliance: 1990-01-23 00:00:00.0
Violation lead agency: EPA
Enforcement action: NON-FINANCIAL RECORD REVIEW
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

FINDS:

Registry ID: 110006365735

USHHS FDA (Continued) **1000214136**

Environmental Interest/Information System
California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
HAZARDOUS WASTE BIENNIAL REPORTER
Registry ID: 110002624740

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000214136
Registry ID: 110002624740
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110002624740

J99 **RCRA NonGen / NLR** **1025864387**
South **50 UNITED NATIONS PLAZA** **CAC003045209**
< 1/8 **SAN FRANCISCO, CA 94103**
0.093 mi.
490 ft. **Site 4 of 12 in cluster J**

Relative:
Lower

Actual:
53 ft.

RCRA NonGen / NLR:
Date form received by agency: 2019-11-27 00:00:00.0
Facility name: Not reported
Facility address: 50 UNITED NATIONS PLAZA
SAN FRANCISCO, CA 94103
EPA ID: CAC003045209
Contact: MICAH MAURER
Contact address: 50 UNITED NATIONS PLAZA
SAN FRANCISCO, CA 94103
Contact country: Not reported
Contact telephone: 916-439-2975
Contact email: JMTEAM@JMENV.COM
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: GSA SANSOM FIELD OFFICE
Owner/operator address: 90 7TH ST, SUITE 3-510
SAN FRANCISCO, CA 94103
Owner/operator country: Not reported

(Continued) **1025864387**

Owner/operator telephone: 916-439-2975
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: MICAH MAURER
Owner/operator address: 50 UNITED NATIONS PLAZA
SAN FRANCISCO, CA 94103
Owner/operator country: Not reported
Owner/operator telephone: 916-439-2975
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): Not reported
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

G100 **SPITZER MORTON** **EDR Hist Cleaner** **1009128284**
North **215 LEAVENWORTH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.094 mi.
496 ft. **Site 5 of 12 in cluster G**

Relative: EDR Hist Cleaner
Higher

Actual: **63 ft.**

Year:	Name:	Type:
1925	KENYON CLEANERS AND DYERS	CLEANERS AND DYER
1930	ALVAREZ JOHN	CLOTHES PRESSERS AND CLEANER
1930	ALVAREZ JOHN	CLOTHES PRESSERS AND CLEANERS
1935	SPITZER MORTON	CLOTHES PRESSERS AND CLEANER
1935	SPITZER MORTON	CLOTHES PRESSERS AND CLEANER

H101 **KCC AUTO BODY SHOP** **RCRA NonGen / NLR** **1024832416**
NNE **256 TURK ST** **CAL000370441**
< 1/8 **SAN FRANCISCO, CA 94102**
0.094 mi.
497 ft. **Site 5 of 21 in cluster H**

Relative:
Lower

Actual:
56 ft.

RCRA NonGen / NLR:

Date form received by agency:	2012-01-03 00:00:00.0
Facility name:	KCC AUTO BODY SHOP
Facility address:	256 TURK ST SAN FRANCISCO, CA 94102
EPA ID:	CAL000370441
Contact:	SIENNA CHOI
Contact address:	256 TURK ST SAN FRANCISCO, CA 94102-0000
Contact country:	Not reported
Contact telephone:	415-222-9928
Contact email:	KCC256@YAHOO.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	SIENNA CHOI
Owner/operator address:	256 TURK ST SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-222-9928
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	KOU CHOI CHOI
Owner/operator address:	2936 ARELIOUS WALKER DR SAN FRANCISCO, CA 94124
Owner/operator country:	Not reported
Owner/operator telephone:	415-222-9928
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	Yes
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No

KCC AUTO BODY SHOP (Continued) **1024832416**

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

H102 **AUTOMOTIVE TECHNICIANS** **CA CERS HAZ WASTE** **S120629172**
NNE **256 TURK ST** **CA CUPA Listings** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102** **CA CERS**
0.094 mi.
497 ft. **Site 6 of 21 in cluster H**

Relative:
Lower

Actual:
56 ft.

CERS HAZ WASTE:
Name: AUTOMOTIVE TECHNICIANS
Address: 256 TURK ST
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 96285
CERS ID: 10056154
CERS Description: Hazardous Waste Generator

CUPA SAN FRANCISCO CO:
Name: AUTOMOTIVE TECHNICIANS
Address: 256 TURK ST
City,State,Zip: SAN FRANCISCO, CA 94102
Facility ID: 3513
Census Tract: 125
District: 10
Number of Tanks: 0

CERS:
Name: AUTOMOTIVE TECHNICIANS
Address: 256 TURK ST
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 96285
CERS ID: 10056154
CERS Description: Chemical Storage Facilities

Affiliation:
Affiliation Type Desc: Document Preparer
Entity Name: Larry Louie
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Operator
Entity Name: Larry Louie
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported

AUTOMOTIVE TECHNICIANS (Continued) **S120629172**

Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (415) 673-3710

Affiliation Type Desc: CUPA District
Entity Name: San Francisco City & County Public Health Departme
Entity Title: Not reported
Affiliation Address: 1390 Market Street, Room 210
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: (415) 252-3900

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 256 Turk St
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: Larry Louie
Entity Title: owner
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner
Entity Name: Larry Louie
Entity Title: Not reported
Affiliation Address: 2918 20th Ave
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 94132
Affiliation Phone: (415) 753-2913

Affiliation Type Desc: Environmental Contact
Entity Name: Evergreen Oil
Entity Title: Not reported
Affiliation Address: 2415 Campus Drive
Affiliation City: Irvine
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92612
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: Larry Louie
Entity Title: Not reported

AUTOMOTIVE TECHNICIANS (Continued) **S120629172**

Affiliation Address:	2918-20th Ave
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94132
Affiliation Phone:	(415) 753-2913
Affiliation Type Desc:	Parent Corporation
Entity Name:	AUTOMOTIVE TECHNICIANS
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

H103 **LEES AUTOBODY AND MECHANIC SHOP** **RCRA-SQG** **1000985186**
NNE **256 TURK ST** **FINDS** **CA0001013705**
< 1/8 **SAN FRANCISCO, CA 94102** **ECHO**
0.094 mi.
497 ft. **Site 7 of 21 in cluster H**

Relative:
Lower

Actual:
56 ft.

RCRA-SQG:

Date form received by agency:	1995-01-25 00:00:00.0
Facility name:	LEES AUTOBODY AND MECHANIC SHOP
Facility address:	256 TURK ST SAN FRANCISCO, CA 94102
EPA ID:	CA0001013705
Mailing address:	TURK ST SAN FRANCISCO, CA 94102
Contact:	CHAK KWONG LEE
Contact address:	256 TURK ST SAN FRANCISCO, CA 94102
Contact country:	US
Contact telephone:	415-441-7180
Contact email:	Not reported
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	LEE CHAK KWONG
Owner/operator address:	256 TURK ST SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-441-7180
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner

LEES AUTOBODY AND MECHANIC SHOP (Continued) **1000985186**

Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110009527002

Environmental Interest/Information System
California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
HAZARDOUS AIR POLLUTANT MAJOR
Registry ID: 110058338516

Environmental Interest/Information System
AIR EMISSIONS CLASSIFICATION UNKNOWN
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000985186
Registry ID: 110058338516
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110058338516

LEES AUTOBODY AND MECHANIC SHOP (Continued) **1000985186**

Envid: 1000985186
Registry ID: 110009527002
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110009527002

H104 **CAMPBELL J D** **EDR Hist Auto** **1008999283**
NNE **256 TURK** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.094 mi.
497 ft. **Site 8 of 21 in cluster H**

Relative: EDR Hist Auto
Lower

Actual:
56 ft.

Year:	Name:	Type:
1935	CAMPBELL J D	AUTOMOBILE GARAGES
1940	JOHNSON G R	AUTOMOBILE REPAIRING
1940	CAMPBELL J D	AUTOMOBILE GARAGES
1940	JOHNSON G R	AUTOMOBILE REPAIRING
1971	CHARLES HOHMAN & SON INC	General Automotive Repair Shops
1977	333 JONES STREET GARGARE	Automotive Services, NEC
1978	333 JONES STREET GARGARE	Automotive Services, NEC
1979	JONES TOWING	Automotive Services, NEC
1979	VIKING VOLVO SERVICE	General Automotive Repair Shops
1980	VIKING VOLVO SERVICE	General Automotive Repair Shops
1982	AUTORPOTIVE TECHNICIANS	AUTOMOBILE REPAIRING
1982	AUTOMOTIVE TECHNICIANS	AUTOMOBILE REPAIRING
1982	VIKING VOLVO SERVICE	General Automotive Repair Shops
1983	AUTO ANALYSTS	General Automotive Repair Shops
1985	AUTO ANALYSTS	General Automotive Repair Shops
1985	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
1986	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
1986	AUTO ANALYSTS	General Automotive Repair Shops
1987	AUTO ANALYSTS	General Automotive Repair Shops
1987	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
1988	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
1988	AUTO ANALYSTS	General Automotive Repair Shops
1989	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
1989	AUTO ANALYSTS	General Automotive Repair Shops
1990	AUTO ANALYSTS	General Automotive Repair Shops
1990	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
1991	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
1991	AUTO ANALYSTS	General Automotive Repair Shops
1992	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
1992	AUTO ANALYSTS	General Automotive Repair Shops
1993	AUTO ANALYSTS	General Automotive Repair Shops
1993	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
1997	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
1998	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
1999	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
2000	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
2001	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
2002	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
2003	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
2004	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
2005	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
2006	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
2007	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
2008	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
2009	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops

CAMPBELL J D (Continued) **1008999283**

2010	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
2011	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
2012	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
2013	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops
2014	AUTOMOTIVE TECHNICIANS	General Automotive Repair Shops

H105 **KCC AUTOBODY SHOP INC** **CA CERS HAZ WASTE** **S120628386**
NNE **256 TURK ST** **CA CUPA Listings** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102** **CA CERS**
0.094 mi.
497 ft. **Site 9 of 21 in cluster H**

Relative:
Lower

Actual:
56 ft.

CERS HAZ WASTE:
Name: KCC AUTOBODY SHOP INC
Address: 256 TURK ST
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 127363
CERS ID: 10175345
CERS Description: Hazardous Waste Generator

CUPA SAN FRANCISCO CO:
Name: KCC AUTOBODY SHOP INC
Address: 256 TURK ST
City,State,Zip: SAN FRANCISCO, CA 94102
Facility ID: 32129
Census Tract: 125
District: 10
Number of Tanks: 0

CERS:
Name: KCC AUTOBODY SHOP INC
Address: 256 TURK ST
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 127363
CERS ID: 10175345
CERS Description: Chemical Storage Facilities

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-04-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: San Francisco City & County Public Health Dept
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-04-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: San Francisco City & County Public Health Dept
Eval Program: HW
Eval Source: CERS

KCC AUTOBODY SHOP INC (Continued) **S120628386**

Coordinates:

Site ID:	127363
Facility Name:	KCC Autobody Shop Inc
Env Int Type Code:	HWG
Program ID:	10175345
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	37.783160
Longitude:	-122.413440

Affiliation:

Affiliation Type Desc:	Identification Signer
Entity Name:	Sienna Choi
Entity Title:	Office Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Operator
Entity Name:	Kou Chio Choi
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 222-9928

Affiliation Type Desc:	Parent Corporation
Entity Name:	KCC Autobody Shop Inc
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900

Affiliation Type Desc:	Document Preparer
Entity Name:	Sienna Choi
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported

KCC AUTOBODY SHOP INC (Continued) **S120628386**

Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Environmental Contact
Entity Name:	Min Wu
Entity Title:	Not reported
Affiliation Address:	256 Turk St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	256 Turk St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	Kou Chio Choi
Entity Title:	Not reported
Affiliation Address:	256 Turk St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 222-9928

G106 **LUNG GIN LAUNDRY** **EDR Hist Cleaner** **1009131213**
North **219 LEAVENWORTH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.096 mi.
508 ft. **Site 6 of 12 in cluster G**

Relative: EDR Hist Cleaner
Higher

Actual:
64 ft.

Year:	Name:	Type:
1935	LUNG GIM	LAUNDRIES-CHINES
1935	LUNG GIM	LAUNDRIES-CHINESE
1935	LUNG GIM	LAUNDRIES-CHINES
1940	LUNG GIM	LAUNDRIES CHINES
1940	LUNG GIM	LAUNDRIES-CHINESE
1944	LUNG JIM	LAUNDRIES CHINESE
1944	LUNG JIM	LAUNDRIES-CHINESE
1949	LUNG GIM	LAUNDRIES-CHINESE
1949	LUNG GIM	LAUNDRIES-CHINESE
1953	LUNG GIM HAND	LAUNDRIES
1958	LUNG GIM LAUNDRY	LAUNDRIES
1958	LUNG GIM LAUNDRY	LAUNDRIES
1962	LUNG GINA LAUNDRY	LAUNDRIES

LUNG GIN LAUNDRY (Continued) **1009131213**

1962	LUNG GINA LAUNDRY	LAUNDRIES
1966	LUNG GIN LAUNDRY	LAUNDRIES
1966	LUNG GIM LAUNDRY	LAUNDRIES

H107 **THE SALVATION ARMY** **CA LUST** **S104567174**
NNE **240 TURK STREET** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.097 mi.
512 ft. **Site 10 of 21 in cluster H**

Relative: **Lower**

Actual: **54 ft.**

LUST:

Name:	THE SALVATION ARMY
Address:	240 TURK STREET
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607525255
Global Id:	T0607525255
Latitude:	37.782946
Longitude:	-122.41308
Status:	Completed - Case Closed
Status Date:	06/28/2006
Case Worker:	SC
RB Case Number:	38-2418
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Local Agency
Local Case Number:	11757
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607525255
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0607525255
Contact Type:	Local Agency Caseworker
Contact Name:	STEPHANIE CUSHING
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET #210
City:	SAN FRANCISCO
Email:	stephanie.cushing@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T0607525255
Action Type:	ENFORCEMENT
Date:	06/21/2006
Action:	Notice of Responsibility

Global Id:	T0607525255
Action Type:	ENFORCEMENT

THE SALVATION ARMY (Continued) **S104567174**

Date: 06/28/2006
Action: Closure/No Further Action Letter

Global Id: T0607525255
Action Type: Other
Date: 04/28/2006
Action: Leak Discovery

Global Id: T0607525255
Action Type: REMEDIATION
Date: 04/28/2006
Action: Excavation

Global Id: T0607525255
Action Type: Other
Date: 04/28/2006
Action: Leak Reported

LUST:
Global Id: T0607525255
Status: Open - Case Begin Date
Status Date: 04/28/2006

Global Id: T0607525255
Status: Open - Site Assessment
Status Date: 04/28/2006

Global Id: T0607525255
Status: Completed - Case Closed
Status Date: 06/28/2006

H108 **THE SALVATION ARMY** **CA UST** **U004051288**
NNE **240 TURK ST** **N/A**
< 1/8 **, CA**
0.097 mi.
512 ft. **Site 11 of 21 in cluster H**

Relative: **Lower**
Actual: **54 ft.**

SAN FRANCISCO CO. UST:
Name: THE SALVATION ARMY
Address: 240 TURK ST
Facility ID: 29902
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 255 Shipley Street
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: GGTR
Application Date: 4/24/2006
Application Name: Golden Gate Tank

THE SALVATION ARMY (Continued) **U004051288**

Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	4/28/2006
UST Close ID:	4832
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported

THE SALVATION ARMY (Continued) **U004051288**

Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

H109 **THE SALVATION ARMY** **CA CUPA Listings** **S112956173**
NNE **240 TURK ST** **CA HAZNET** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102** **CA CERS**
0.097 mi.
512 ft. **Site 12 of 21 in cluster H**

Relative: **Lower**

Actual: **54 ft.**

CUPA SAN FRANCISCO CO:

Name:	THE SALVATION ARMY
Address:	240 TURK ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	29902
Census Tract:	125
District:	10
Number of Tanks:	0

HAZNET:

Name:	THE SALVATION ARMY
Address:	240 TURK ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941023808
Year:	2006
Gepaid:	CAC002608030
Contact:	HOWARD CARLSON/PRES
Telephone:	4159860600
Mailing Name:	Not reported
Mailing Address:	832 FOLSOM ST
Gen County:	38
Waste Category:	Other inorganic solid waste
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.025

Additional Info:

Year:	2006
Shipment Date:	20060909
Creation Date:	3/30/2007 13:34:03
Receipt Date:	20061128
Manifest ID:	000763571JJK
Gen EPA ID:	CAC002608030
Trans EPA ID:	CAL000091436
Trans Name:	BLUEWATER ENVIRONMENTAL SERVICES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL
TSDF Alt EPA ID:	Not reported

THE SALVATION ARMY (Continued) **S112956173**

TSDF Alt Name:	Not reported
Waste Code:	181
RCRA Code:	D008
Meth Code:	H141
Quantity Tons:	0.025
Waste Quantity:	50
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CERS:

Name:	THE SALVATION ARMY
Address:	240 TURK ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	75286
CERS ID:	T0607525255
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Coordinates:

Site ID:	75286
Facility Name:	THE SALVATION ARMY
Env Int Type Code:	HMBP
Program ID:	10174757
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	37.782960
Longitude:	-122.413120

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	STEPHANIE CUSHING - SAN FRANCISCO COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1390 MARKET STREET #210
Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Parent Corporation
Entity Name:	The Salvation Army
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400

THE SALVATION ARMY (Continued) **S112956173**

Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	Randall Sam
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Environmental Contact
Entity Name:	Randall Sam
Entity Title:	Not reported
Affiliation Address:	240 Turk St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	240 Turk St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	The Salvation Army, A Calif. Corp.
Entity Title:	Not reported
Affiliation Address:	180 East Ocean Bl
Affiliation City:	Long Beach
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90802
Affiliation Phone:	(562) 436-7000
Affiliation Type Desc:	Identification Signer
Entity Name:	Randall Sam
Entity Title:	Facilities Engineer Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator

THE SALVATION ARMY (Continued) **S112956173**

Entity Name: Randy Smith
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (999) 999-9999

Affiliation Type Desc: CUPA District
Entity Name: San Francisco City & County Public Health Departme
Entity Title: Not reported
Affiliation Address: 1390 Market Street, Room 210
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: (415) 252-3900

Affiliation Type Desc: Legal Owner
Entity Name: The Salvation Army, A Calif. Corp.
Entity Title: Not reported
Affiliation Address: 180 East Ocean Bl
Affiliation City: Long Beach
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 90802
Affiliation Phone: (562) 436-7000

Name: THE SALVATION ARMY
Address: 240 TURK ST
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 75286
CERS ID: 10174757
CERS Description: Chemical Storage Facilities

Coordinates:
Site ID: 75286
Facility Name: THE SALVATION ARMY
Env Int Type Code: HMBP
Program ID: 10174757
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 37.782960
Longitude: -122.413120

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: STEPHANIE CUSHING - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1390 MARKET STREET #210
Affiliation City: SAN FRANCISCO
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

THE SALVATION ARMY (Continued) **S112956173**

Affiliation Type Desc:	Parent Corporation
Entity Name:	The Salvation Army
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Document Preparer
Entity Name:	Randall Sam
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Environmental Contact
Entity Name:	Randall Sam
Entity Title:	Not reported
Affiliation Address:	240 Turk St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	240 Turk St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

Affiliation Type Desc:	Property Owner
Entity Name:	The Salvation Army, A Calif. Corp.
Entity Title:	Not reported
Affiliation Address:	180 East Ocean Bl
Affiliation City:	Long Beach
Affiliation State:	CA
Affiliation Country:	United States

THE SALVATION ARMY (Continued) **S112956173**

Affiliation Zip:	90802
Affiliation Phone:	(562) 436-7000
Affiliation Type Desc:	Identification Signer
Entity Name:	Randall Sam
Entity Title:	Facilities Engineer Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Randy Smith
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(999) 999-9999
Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Legal Owner
Entity Name:	The Salvation Army, A Calif. Corp.
Entity Title:	Not reported
Affiliation Address:	180 East Ocean Bl
Affiliation City:	Long Beach
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90802
Affiliation Phone:	(562) 436-7000

I110 **MILTON MEYER** **CA UST** **U004003801**
ENE **99 GOLDEN GATE AV** **N/A**
< 1/8 **, CA**
0.098 mi.
517 ft. **Site 2 of 12 in cluster I**

Relative:
Lower

Actual:
47 ft.

SAN FRANCISCO CO. UST:

Name:	MILTON MEYER
Address:	99 GOLDEN GATE AV
Facility ID:	24561
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported

MILTON MEYER (Continued) **U004003801**

Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	1/10/1990
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	2/21/1990
UST Close ID:	447
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported

MILTON MEYER (Continued) **U004003801**

Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

I111 **99 GOLDEN GATE** **CA LUST** **S103890792**
ENE **99 GOLDEN GATE AVE** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.098 mi.
517 ft. **Site 3 of 12 in cluster I**

Relative:
Lower

Actual:
47 ft.

LUST REG 2:

Region:	2
Facility Id:	38-0233
Facility Status:	Case Closed
Case Number:	10100
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

SAN FRANCISCO CO. LUST:

Name:	99 Golden Gate
Address:	99 Golden Gate Ave
City:	San Francisco
Region:	SAN FRANCISCO
Facility ID:	38-0233
Facility Status:	Case Closed
Case Number:	10100
Case Type:	Soil only
Release Date:	2/26/1990
Discovered Date:	1/31/1990
Substance:	Gasoline
Substance Qty:	Not reported

99 GOLDEN GATE (Continued) **S103890792**

How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	2/26/1990
Case Closed:	5/18/1993
Closed Date:	5/18/1993
Leak Source:	Tank
Leak Cause:	Structure Failure
Leak Confirmed:	3/2/1990
Entered Date:	11/17/1992
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	CDM
Cross Street:	JONES ST
NOR Date:	11/17/1992
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	5/22/1990
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Not reported
Abatement:	No Action Taken - no action has as yet been taken at the site
Enforcement Type:	NOR
Enforcement Due Date:	11/17/1992
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	3/2/1990
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported

99 GOLDEN GATE (Continued) **S103890792**

Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

I112 **99 GOLDEN GATE AVENUE (P-LOT)** **CA LUST** **S102423563**
ENE **99 GOLDEN GATE AVE** **CA HIST CORTESE** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102** **CA CERS**
0.098 mi.
517 ft. **Site 4 of 12 in cluster I**

Relative:
Lower

Actual:
47 ft.

LUST:

Name:	99 GOLDEN GATE AVENUE (P-LOT)
Address:	99 GOLDEN GATE AVE
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500201
Global Id:	T0607500201
Latitude:	37.7820568
Longitude:	-122.4122007
Status:	Completed - Case Closed
Status Date:	05/18/1993
Case Worker:	Not reported
RB Case Number:	38-0233
Local Agency:	Not reported
File Location:	Not reported
Local Case Number:	10100
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0607500201
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0607500201
Action Type:	Other
Date:	01/02/1965
Action:	Leak Reported

Global Id:	T0607500201
Action Type:	ENFORCEMENT

99 GOLDEN GATE AVENUE (P-LOT) (Continued) **S102423563**

Date: 11/17/1992
Action: Notice of Responsibility

Global Id: T0607500201
Action Type: Other
Date: 01/31/1990
Action: Leak Discovery

LUST:
Global Id: T0607500201
Status: Open - Case Begin Date
Status Date: 01/31/1990

Global Id: T0607500201
Status: Completed - Case Closed
Status Date: 05/18/1993

HIST CORTESE:
edr_fname: 99 GOLDEN GATE AVE PARKIN
edr_fadd1: 99 GOLDEN GATE
City,State,Zip: SAN FRANCISCO, CA
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-0233

CERS:
Name: 99 GOLDEN GATE AVENUE (P-LOT)
Address: 99 GOLDEN GATE AVE
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 256188
CERS ID: T0607500201
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

I113
ENE
< 1/8
0.098 mi.
517 ft.

MILTON MEYER, PARKING LOT
99 GOLDEN GATE AVE
SAN FRANCISCO, CA 94102

Site 5 of 12 in cluster I

CA SWEEPS UST **S101591976**
CA FID UST **N/A**

Relative:
Lower

Actual:
47 ft.

SWEEPS UST:

Name:	MILTON MEYER, PARKING LOT
Address:	99 GOLDEN GATE AVE
City:	SAN FRANCISCO
Status:	Active
Comp Number:	4497
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Owner Tank Id:	Not reported
SWRCB Tank Id:	Not reported
Tank Status:	Not reported
Capacity:	Not reported
Active Date:	Not reported
Tank Use:	Not reported
STG:	Not reported
Content:	Not reported
Number Of Tanks:	Not reported

Name:	MILTON MEYER, PARKING LOT
Address:	99 GOLDEN GATE AVE
City:	SAN FRANCISCO
Status:	Not reported
Comp Number:	4497
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-004497-000001
Tank Status:	Not reported
Capacity:	4000
Active Date:	Not reported
Tank Use:	UNKNOWN
STG:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	2

Name:	MILTON MEYER, PARKING LOT
Address:	99 GOLDEN GATE AVE
City:	SAN FRANCISCO
Status:	Not reported
Comp Number:	4497
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-004497-000002

MILTON MEYER, PARKING LOT (Continued) **S101591976**

Tank Status: Not reported
Capacity: 2000
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

CA FID UST:
Facility ID: 38000276
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4150000000
Mail To: Not reported
Mailing Address: 99 GOLDEN GATE AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94102
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

G114 **RESIDENCE** **CA UST** **U003932266**
North **222 LEAVENWORTH ST** **N/A**
< 1/8 **, CA**
0.100 mi.
530 ft. **Site 7 of 12 in cluster G**

Relative:
Higher

Actual:
61 ft.

SAN FRANCISCO CO. UST:
Name: RESIDENCE
Address: 222 LEAVENWORTH ST
Facility ID: 27346
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 1601 Ocean Ave
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: City Tank - JCC
Application Date: 12/3/2003
Application Name: John Manning
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

RESIDENCE (Continued) **U003932266**

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	12/15/2003
UST Close ID:	4517
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	3/5/2004
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported

RESIDENCE (Continued) **U003932266**

Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

F115 **HASTINGS COLLEGE** **CA UST** **U004003709**
WSW **250 MCALLISTER ST** **N/A**
< 1/8 **, CA**
0.101 mi.
533 ft. **Site 6 of 6 in cluster F**

Relative: **Higher**
Actual: **64 ft.**

SAN FRANCISCO CO. UST:

Name:	HASTINGS COLLEGE
Address:	250 MCALLISTER ST
Facility ID:	24825
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	6/6/1994
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	7/10/1994
UST Close ID:	1718
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported

HASTINGS COLLEGE (Continued) **U004003709**

Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	9/20/1994
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

K116 **BOND S T** **EDR Hist Cleaner** **1009128348**
NW **216 HYDE ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.101 mi.
533 ft. **Site 1 of 16 in cluster K**

Relative: EDR Hist Cleaner
Higher

Actual: **71 ft.**

Year:	Name:	Type:
1930	BOND S T	CLOTHES PRESSERS AND CLEANERS
1930	BOND S T	CLOTHES PRESSERS AND CLEANER

L117 **ACME RADIATOR AND FENDER WORKS** **EDR Hist Auto** **1008999012**
West **348 GOLDEN GATE AV** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.101 mi.
534 ft. **Site 1 of 17 in cluster L**

Relative: EDR Hist Auto
Higher

Actual: **69 ft.**

Year:	Name:	Type:
1935	ACME RADIATOR AND FENDER WORKS	AUTOMOBILE REPAIRING
1935	ACME RADIATOR AND FENDER WORKS	AUTOMOBILE REPAIRING
1940	GILMORE DONALD	AUTOMOBILE REPAIRING
1940	GILMORE DONALD	AUTOMOBILE REPAIRING

K118 **BILL S UNION SERVICE** **EDR Hist Auto** **1009001564**
NW **400 TURK** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.101 mi.
534 ft. **Site 2 of 16 in cluster K**

Relative: EDR Hist Auto
Higher

Actual: **72 ft.**

Year:	Name:	Type:
1962	CHUCK S MC KALE SERVICE	GASOLINE STATIONS
1966	BILL S UNION SERVICE	GASOLINE STATIONS
1966	BILL S UNION SERVICE	GASOLINE STATIONS
1971	AUTO SKILL REPAIRS	GASOLINE STATIONS
1971	AUTO SKILL REPAIRS	GASOLINE STATIONS
1971	AUTO SKILL REPAIRS INC	General Automotive Repair Shops
1972	AUTO SKILL REPAIRS INC	General Automotive Repair Shops
1973	AUTO SKILL REPAIRS INC	General Automotive Repair Shops
1974	AUTO SKILL REPAIRS INC	General Automotive Repair Shops

G119 **GOOD SAML** **EDR Hist Cleaner** **1009129519**
North **229 LEAVENWORTH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.102 mi.
538 ft. **Site 8 of 12 in cluster G**

Relative: EDR Hist Cleaner
Higher

Actual: **65 ft.**

Year:	Name:	Type:
1930	GOOD SAML	CLOTHES PRESSERS AND CLEANERS
1930	GOOD SAML	CLOTHES PRESSERS AND CLEANER
1940	LEVENS OSCAR	CLOTHES PRESSERS AND CLEANER
1940	LEVENS OSCAR	CLOTHES PRESSERS AND CLEANERS

K120 **201 HYDE ST** **CA UST** **U003915127**
NW **201 HYDE ST** **N/A**
< 1/8 **, CA**
0.103 mi.
542 ft. **Site 3 of 16 in cluster K**

Relative:
Higher

Actual:
72 ft.

SAN FRANCISCO CO. UST:

Name:	201 HYDE ST
Address:	201 HYDE ST
Facility ID:	22201
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	1550 Bryant Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Micro Search
Application Date:	1/20/1998
Application Name:	Ron Brown
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	1/28/1998
UST Close ID:	3146
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

201 HYDE ST (Continued) **U003915127**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	8/26/1998
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

M121 **CENTRAL PARKING STATION** **EDR Hist Auto** **1009122415**
NE **151 JONES** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.104 mi.
549 ft. **Site 1 of 10 in cluster M**

Relative: EDR Hist Auto
Lower

Actual: **49 ft.**

Year:	Name:	Type:
1935	CENTRAL PARKING STATION	AUTOMOBILE GARAGES

N122 **CVS PHARMACY NO 4770** **RCRA NonGen / NLR** **1016447602**
SE **1101 MARKET ST** **FINDS** **CAR000241885**
< 1/8 **SAN FRANCISCO, CA 94103** **ECHO**
0.105 mi.
552 ft. **Site 1 of 10 in cluster N**

Relative: RCRA NonGen / NLR:
Lower
Date form received by agency: 2013-11-05 00:00:00.0

Actual: **45 ft.**

Facility name:	CVS PHARMACY # 4770
Facility address:	1101 MARKET ST SAN FRANCISCO, CA 94103-0000
EPA ID:	CAR000241885

CVS PHARMACY NO 4770 (Continued) **1016447602**

Mailing address: 1 CVS DR - MC 1160
WOONSOCKET, RI 02895
Contact: NICOLE WILKINSON
Contact address: 1 CVS DRIVE MAIL CODE 2340
WOONSOCKET, RI 02895-6146
Contact country: Not reported
Contact telephone: 401-770-7132
Contact email: REGULATORY@VERISK3E.COM
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: GARFIELD BEACH
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 2013-08-11 00:00:00.
Owner/Op end date: Not reported

Owner/operator name: LONGS DRUG STORES CALIFORNIA LLC
Owner/operator address: 1 CVS DR
WOONSOCKET, RI 02895
Owner/operator country: Not reported
Owner/operator telephone: 401-765-1500
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NICOLE WILKINSON
Owner/operator address: 1 CVS DRIVE MAIL CODE 2340
WOONSOCKET, RI 02895
Owner/operator country: Not reported
Owner/operator telephone: 401-770-7132
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: THE ODD FELLOWS HALL ASSOC OF SF INC
Owner/operator address: 26 7TH ST
SAN FRANCISCO, CA 94103
Owner/operator country: US
Owner/operator telephone: 415-861-1737

CVS PHARMACY NO 4770 (Continued) **1016447602**

Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 2011-07-29 00:00:00.
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: Yes
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: Yes
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 2013-09-09 00:00:00.0
Site name: CVS PHARMACY NO 4770
Classification: Large Quantity Generator

Hazardous Waste Summary:

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D009
. Waste name: MERCURY

. Waste code: D011
. Waste name: SILVER

. Waste code: P001
. Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

. Waste code: P042
. Waste name: 1,2-BENZENEDIOL, 4-[1-HYDROXY-2-(METHYLAMINO)ETHYL]-, (R)- (OR) EPINEPHRINE

. Waste code: P075
. Waste name: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

CVS PHARMACY NO 4770 (Continued) **1016447602**

. Waste code: P081
. Waste name: 1,2,3-PROPANETRIOL, TRINITRATE (R) (OR) NITROGLYCERINE (R)

Violation Status: No violations found

FINDS:

Registry ID: 110056300621

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1016447602
Registry ID: 110056300621
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110056300621

N123 **CVS PHARMACY/#4770** **CA CUPA Listings** **S120628503**
SE **1101 MARKET ST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94103**
0.105 mi.
552 ft. **Site 2 of 10 in cluster N**

Relative: **Lower**
Actual: **45 ft.**

CUPA SAN FRANCISCO CO:
Name: CVS PHARMACY/#4770
Address: 1101 MARKET ST
City,State,Zip: SAN FRANCISCO, CA 94103
Facility ID: 32696
Census Tract: 176
District: 7
Number of Tanks: 0

N124 **CVS PHARMACY #4770** **CA CERS HAZ WASTE** **S121753455**
SE **1101 MARKET ST** **CA CERS** **N/A**
< 1/8 **SAN FRANCISCO, CA 94103**
0.105 mi.
552 ft. **Site 3 of 10 in cluster N**

Relative: **Lower**
Actual: **45 ft.**

CERS HAZ WASTE:
Name: CVS PHARMACY #4770
Address: 1101 MARKET ST
City,State,Zip: SAN FRANCISCO, CA 94103
Site ID: 23057
CERS ID: 10440121
CERS Description: Hazardous Waste Generator

Name: CVS PHARMACY #4770

CVS PHARMACY #4770 (Continued) **S121753455**

Address: 1101 MARKET ST
City,State,Zip: SAN FRANCISCO, CA 94103
Site ID: 23057
CERS ID: 10440121
CERS Description: RCRA LQ HW Generator

CERS:
Name: CVS PHARMACY #4770
Address: 1101 MARKET ST
City,State,Zip: SAN FRANCISCO, CA 94103
Site ID: 23057
CERS ID: 10440121
CERS Description: Chemical Storage Facilities

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: Verisk 3E, Regulatory Services/CVS
Entity Title: Not reported
Affiliation Address: 3207 Grey Hawk Ct., Ste. 200
Affiliation City: Carlsbad
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92010
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: Garfield Beach CVS, L.L.C.
Entity Title: Not reported
Affiliation Address: One CVS Drive
Affiliation City: Woonsocket
Affiliation State: RI
Affiliation Country: United States
Affiliation Zip: 02895
Affiliation Phone: (401) 765-1500

Affiliation Type Desc: Operator
Entity Name: Garfield Beach CVS, L.L.C.
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (401) 765-1500

Affiliation Type Desc: CUPA District
Entity Name: San Francisco City & County Public Health Departme
Entity Title: Not reported
Affiliation Address: 1390 Market Street, Room 210
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: (415) 252-3900

Affiliation Type Desc: Identification Signer
Entity Name: Erin Baltazar, Agent for Garfield Beach CVS, LLC

CVS PHARMACY #4770 (Continued) **S121753455**

Entity Title:	Regulatory Compliance Specialist, Verisk 3E
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	Garfield Beach CVS, L.L.C.
Entity Title:	Not reported
Affiliation Address:	One CVS Drive
Affiliation City:	Woonsocket
Affiliation State:	RI
Affiliation Country:	United States
Affiliation Zip:	02895
Affiliation Phone:	(401) 765-1500
Affiliation Type Desc:	Parent Corporation
Entity Name:	CVS Health
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	Erin Baltazar, Agent for Garfield Beach CVS, L.L.C.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	Verisk 3E, Regulatory/Eric Ensminger, 3207 Grey Hawk Ct, Ste 200
Affiliation City:	Carlsbad
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92010
Affiliation Phone:	Not reported

I125
ENE
< 1/8
0.105 mi.
555 ft.

THOMAS LAUNDRY — **EDR Hist Cleaner** — **1009128320**
126 JONES — **N/A**
SAN FRANCISCO, CA

Site 6 of 12 in cluster I

Relative: Lower

Actual: 48 ft.

EDR Hist Cleaner

Year:	Name:	Type:
1930	THOMAS LAUNDRY	LAUNDRIES-STEAM
1930	THOMAS LAUNDRY	LAUNDRIES-STEA

G126
North
< 1/8
0.106 mi.
558 ft.

ZWILLINGER SAML — **EDR Hist Cleaner** — **1009177680**
234 LEAVENWORTH — **N/A**
SAN FRANCISCO, CA

Site 9 of 12 in cluster G

Relative: Higher

Actual: 62 ft.

EDR Hist Cleaner

Year:	Name:	Type:
1930	ZWILLINGER SAML	CLOTHES PRESSERS AND CLEANERS

O127
WSW
< 1/8
0.106 mi.
562 ft.

HASTINGS COLLEGE — **CA UST** — **U004003710**
260 MCALLISTER ST — **N/A**
, CA

Site 1 of 7 in cluster O

Relative: Higher

Actual: 64 ft.

SAN FRANCISCO CO. UST:

Name:	HASTINGS COLLEGE
Address:	260 MCALLISTER ST
Facility ID:	24826
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	6/6/1994
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported

HASTINGS COLLEGE (Continued) **U004003710**

# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	7/10/1994
UST Close ID:	1716
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	9/20/1994
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

K128
NW
< 1/8
0.107 mi.
565 ft.

RAMSEY C J & CO
228 HYDE ST
SAN FRANCISCO, CA

Database(s): EDR Hist Auto
EDR ID Number: 1009000086
EPA ID Number: N/A

Site 4 of 16 in cluster K

Relative: Higher
Actual: 72 ft.

EDR Hist Auto

Year:	Name:	Type:
1925	RAMSEY C J & CO	AUTOMOBILE REPAIRING

K129
NW
< 1/8
0.107 mi.
566 ft.

FAITHFUL FOOLS STREET MINISTRY
230 HYDE STREET
SAN FRANCISCO, CA 94102

Database(s): RCRA NonGen / NLR
EDR ID Number: 1024776783
EPA ID Number: CAC002996720

Site 5 of 16 in cluster K

Relative: Higher
Actual: 71 ft.

RCRA NonGen / NLR:

Date form received by agency:	2019-01-15 00:00:00.0
Facility name:	FAITHFUL FOOLS STREET MINISTRY
Facility address:	230 HYDE STREET SAN FRANCISCO, CA 94102
EPA ID:	CAC002996720
Mailing address:	234 HYDE STREET SAN FRANCISCO, CA 94102
Contact:	CARMEN BARSODY
Contact address:	234 HYDE STREET SAN FRANCISCO, CA 94102
Contact country:	Not reported
Contact telephone:	415-816-8631
Contact email:	NICOLE@ENV-REM.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	FAITHFUL FOOLS STREET MINISTRY
Owner/operator address:	234 HYDE STREET SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-474-0508
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	CARMEN BARSODY
Owner/operator address:	234 HYDE STREET SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-816-8631
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator

FAITHFUL FOOLS STREET MINISTRY (Continued) **1024776783**

Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

G130 **RESIDENCE** **CA UST** **U003905160**
North **236 LEAVENWORTH ST** **N/A**
< 1/8 **, CA**
0.107 mi.
566 ft. **Site 10 of 12 in cluster G**

Relative: **Higher**
Actual: **62 ft.**

SAN FRANCISCO CO. UST:
Name: RESIDENCE
Address: 236 LEAVENWORTH ST
Facility ID: 26824
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 255 Shipley St
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Golden Gate Tank
Application Date: 11/19/2002
Application Name: Tracy Wallace
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported
Compartmentalized Tank: Not reported
Of Tank Compartments: Not reported

RESIDENCE (Continued) **U003905160**

Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	12/10/2002
UST Close ID:	4370
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	1/15/2003
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

M131 **WEGLINSKY ISADORE** **EDR Hist Cleaner** **1009129218**
ENE **134 JONES ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.108 mi.
568 ft. **Site 2 of 10 in cluster M**

Relative: EDR Hist Cleaner
Lower

Actual: **49 ft.**

Year:	Name:	Type:
1935	WEGLINSKY ISADORE	CLOTHES PRESSERS AND CLEANER
1935	WEGLINSKY ISADORE	CLOTHES PRESSERS AND CLEANER

M132 **LYRIC TAILORS & CLEANERS** **EDR Hist Cleaner** **1009129323**
ENE **136 JONES ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.108 mi.
570 ft. **Site 3 of 10 in cluster M**

Relative: EDR Hist Cleaner
Lower

Actual: **49 ft.**

Year:	Name:	Type:
1930	WEGLINSKY ISADORE	CLOTHES PRESSERS AND CLEANERS
1940	WEGLINSKY ISADORE	CLOTHES PRESSERS AND CLEANERS
1940	WEGLINSKY ISADORE	CLOTHES PRESSERS AND CLEANER
1944	MISLINSKY ISADORE	CLOTHES-PRESSERS AND CLEANERS
1944	MISLINSKY ISADORE	CLOTHES-PRESSERS AND CLEANERS
1949	JUNG CHUCK	CLEANERS AND DYERS
1953	LYRIC TAILORS & CLEANERS	CLEANERS AND DYERS
1958	LYRIC TAILOR & CLEANERS	CLEANERS AND DYERS
1958	LYRIC TAILOR & CLEANERS	CLEANERS AND DYERS
1962	LYRIC TAILORS & CLEANERS	CLEANERS AND DYERS
1962	LYRIC TAILORS & CLEANERS	CLEANERS AND DYERS
1966	LYRIC TAILORS & CLEANERS	CLEANERS AND DYERS

M133 **140 JONES ST** **CA UST** **U003914955**
NE **140 JONES ST** **N/A**
< 1/8 **, CA**
0.109 mi.
574 ft. **Site 4 of 10 in cluster M**

Relative: SAN FRANCISCO CO. UST:
Lower

Actual: **49 ft.**

Name:	140 JONES ST
Address:	140 JONES ST
Facility ID:	21549
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	3/17/1997

140 JONES ST (Continued) **U003914955**

Application Name:	Tim Hallen
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	4/3/1997
UST Close ID:	2865
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported

140 JONES ST (Continued) **U003914955**

Certified Date:	5/22/1997
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

I134 **WONG H A** **EDR Hist Cleaner** **1009130946**
ENE **120 JONES ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.109 mi.
575 ft. **Site 7 of 12 in cluster I**

Relative: EDR Hist Cleaner
Lower

Actual: **48 ft.**

Year:	Name:	Type:
1935	THOMAS CHINESE LAUNDRY	LAUNDRIES-CHINESE
1935	THOMAS CHINESE LAUNDRY	LAUNDRIES-CHINES
1935	THOMAS CHINESE LAUNDRY	LAUNDRIES-CHINES
1940	WONG H A	LAUNDRIES CHINES
1940	WONG H A	LAUNDRIES-CHINESE
1944	THOMAS LAUNDRY	LAUNDRIES CHINESE
1944	THOMAS LAUNDRY	LAUNDRIES-CHINESE

N135 **1095 MARKET** **CA UST** **U003902712**
SE **1095 MARKET ST** **N/A**
< 1/8 **, CA**
0.109 mi.
578 ft. **Site 4 of 10 in cluster N**

Relative: SAN FRANCISCO CO. UST:
Lower

Actual: **44 ft.**

Name:	1095 MARKET
Address:	1095 MARKET ST
Facility ID:	26127
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	6/14/2001
Application Name:	Cathy Keller
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported

1095 MARKET (Continued) **U003902712**

Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	7/10/2001
UST Close ID:	4146
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported

1095 MARKET (Continued) **U003902712**

Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

N136 **BARRETT GARAGES INC** **EDR Hist Auto** **1021068270**
SE **1095 MARKET ST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94103**
0.109 mi.
578 ft. **Site 5 of 10 in cluster N**

Relative: EDR Hist Auto
Lower

Actual: **44 ft.**

Year:	Name:	Type:
1969	BARRETT GARAGES INC	Gasoline Service Stations
1970	BARRETT GARAGES INC	Gasoline Service Stations

N137 **COMMERCIAL PROPERTY** **CA LUST** **S104570447**
SE **1095 MARKET ST** **CA CERS** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.109 mi.
578 ft. **Site 6 of 10 in cluster N**

Relative: LUST:
Lower

Actual: **44 ft.**

Name:	COMMERCIAL PROPERTY
Address:	1095 MARKET ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607502557
Global Id:	T0607502557
Latitude:	37.780329
Longitude:	-122.412014
Status:	Completed - Case Closed
Status Date:	08/18/2001
Case Worker:	Not reported
RB Case Number:	38-2108
Local Agency:	Not reported
File Location:	Not reported
Local Case Number:	11482
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607502557
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

COMMERCIAL PROPERTY (Continued) **S104570447**

LUST:
Global Id: T0607502557
Action Type: Other
Date: 07/18/2001
Action: Leak Discovery

Global Id: T0607502557
Action Type: Other
Date: 01/02/1965
Action: Leak Reported

Global Id: T0607502557
Action Type: ENFORCEMENT
Date: 11/21/2001
Action: Notice of Responsibility

LUST:
Global Id: T0607502557
Status: Open - Case Begin Date
Status Date: 07/18/2001

Global Id: T0607502557
Status: Completed - Case Closed
Status Date: 08/18/2001

LUST REG 2:
Region: 2
Facility Id: 38-2108
Facility Status: Case Closed
Case Number: 11482
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: Commercial
Address: 1095 Market St
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 02-401-006
Facility Status: Case Closed
Case Number: 11482
Case Type: Soil only
Release Date: Not reported
Discovered Date: 7/18/2001
Substance: Heater Fuel

COMMERCIAL PROPERTY (Continued) **S104570447**

Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	8/18/2001
Case Closed:	12/3/2001
Closed Date:	Not reported
Leak Source:	Tank
Leak Cause:	Unknown
Leak Confirmed:	7/18/2001
Entered Date:	11/21/2001
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Cable Silvername
Staff Initial:	VP
Facility Staff:	AL
Cross Street:	7th St
NOR Date:	Not reported
MTBE Current:	Not reported
MTBE Current Date:	7/18/2001
MTBE:	ND
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	7/18/2001
Review Date:	11/30/2001
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Low Priority Site
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	11/21/2001
Basin:	DOWNTOWN
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	7/18/2001
Free Product:	Not reported
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Not reported
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	ND
Maximum Soil GW:	Not reported

COMMERCIAL PROPERTY (Continued) **S104570447**

Max Soil Concentration:	Not reported
TPH Tested:	YES
Max TPH GW:	Not reported
Max TPH Soil:	140
TPH Date:	7/18/2001
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	11/30/01 file

CERS:

Name:	COMMERCIAL PROPERTY
Address:	1095 MARKET ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	245495
CERS ID:	T0607502557
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

N138 **1095 MARKET STREET OWNER LLC** **RCRA NonGen / NLR** **1024777524**
SE **1095 MARKET STREET** **CAC002997466**
< 1/8 **SAN FRANCISCO, CA 94103**
0.109 mi.
578 ft. **Site 7 of 10 in cluster N**

Relative: RCRA NonGen / NLR:
Lower

Date form received by agency:	2019-01-21 00:00:00.0
Facility name:	1095 MARKET STREET OWNER LLC
Facility address:	1095 MARKET STREET SAN FRANCISCO, CA 94103
EPA ID:	CAC002997466
Mailing address:	79 MADISON AVENUE, SUITE 16044 NEW YORK, NY 10016
Contact:	1095 MARKET STREET OWNER LLC
Contact address:	79 MADISON AVENUE, SUITE 16044 NEW YORK, NY 10016
Contact country:	Not reported
Contact telephone:	212-414-0040
Contact email:	ANDREA@SYNAPSED.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Actual:
44 ft.

1095 MARKET STREET OWNER LLC (Continued) **1024777524**

Owner/Operator Summary:

Owner/operator name:	1095 MARKET STREET OWNER LLC
Owner/operator address:	79 MADISON AVENUE, SUITE 16044 NEW YORK, NY 10016
Owner/operator country:	Not reported
Owner/operator telephone:	212-414-0040
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	1095 MARKET STREET OWNER LLC
Owner/operator address:	79 MADISON AVENUE, SUITE 16044 NEW YORK, NY 10016
Owner/operator country:	Not reported
Owner/operator telephone:	212-414-0040
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

N139 **COMMERCIAL** **CA LUST S105244824**
ESE **1087 MARKET ST** **CA CERS N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.110 mi.
579 ft. **Site 8 of 10 in cluster N**

Relative: LUST:
Lower

Actual: Name:	COMMERCIAL
44 ft. Address:	1087 MARKET ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site

COMMERCIAL (Continued) **S105244824**

Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607513438
Global Id:	T0607513438
Latitude:	37.780751
Longitude:	-122.412222
Status:	Completed - Case Closed
Status Date:	06/14/2000
Case Worker:	Not reported
RB Case Number:	38-2149
Local Agency:	Not reported
File Location:	Not reported
Local Case Number:	11363
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607513438
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0607513438
Action Type:	Other
Date:	02/16/2000
Action:	Leak Discovery
Global Id:	T0607513438
Action Type:	ENFORCEMENT
Date:	04/24/2000
Action:	Notice of Responsibility
Global Id:	T0607513438
Action Type:	Other
Date:	01/02/1965
Action:	Leak Reported

LUST:

Global Id:	T0607513438
Status:	Open - Case Begin Date
Status Date:	02/16/2000
Global Id:	T0607513438
Status:	Completed - Case Closed
Status Date:	06/14/2000

LUST REG 2:

Region:	2
Facility Id:	38-2149
Facility Status:	Case Closed
Case Number:	11363

COMMERCIAL (Continued) **S105244824**

How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: Commercial
Address: 1087 Market St
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 02-200-008
Facility Status: Case Closed
Case Number: 11363
Case Type: Other ground water affected
Release Date: Not reported
Discovered Date: 2/16/2000
Substance: Heater Fuel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 3/1/2000
Case Closed: 6/14/2000
Closed Date: 6/14/2000
Leak Source: Tank
Leak Cause: Unknown
Leak Confirmed: 2/16/2000
Entered Date: 4/24/2000
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Not reported
RP Address: Not reported
Operator: Giampaolo
Staff Initial: VP
Facility Staff: AL
Cross Street: 7th St
NOR Date: 4/24/2000
MTBE Current: Not reported
MTBE Current Date: 2/16/2000
MTBE: ND
Maximum MTBE Soil: Not reported
Maximum MTBE GW: Not reported
MTBE DATE: 2/16/2000
Review Date: 4/28/2000
Workplan Submitted: Not reported
Assessment Underway: Not reported
Pollution Characterization: Not reported
Corrective Action Plan: Not reported

COMMERCIAL (Continued) **S105244824**

Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Moderate Priority Site
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	4/24/2000
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	2/16/2000
Free Product:	Not reported
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	ND
Primary Substance:	Fuel Oils Nos. 1 -
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	YES
Maximum Soil GW:	Not reported
Max Soil Concentration:	ND
TPH Tested:	ND
Max TPH GW:	Not reported
Max TPH Soil:	11
TPH Date:	2/16/2000
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	ND
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

CERS:

Name:	COMMERCIAL
Address:	1087 MARKET ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	212417
CERS ID:	T0607513438
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

K140 **NEW SYSTEM HAND LAUNDRY** **EDR Hist Cleaner** **1009128315**
NW **420 TURK ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.110 mi.
583 ft. **Site 6 of 16 in cluster K**

Relative: EDR Hist Cleaner
Higher

Actual: Year: Name: Type:
73 ft.

Year:	Name:	Type:
1930	NEW SYSTEM HAND LAUNDRY	LAUNDRIES-STEA
1930	NEW SYSTEM HAND LAUNDRY	LAUNDRIES-STEAM
1953	NEW SYSTEM CHINESE LAUNDRY	LAUNDRIES
1958	NEW SYSTEM LAUNDRY	LAUNDRIES
1958	NEW SYSTEM LAUNDRY	LAUNDRIES
1962	NEW SYSTEM LAUNDRY	LAUNDRIES
1962	NEW SYSTEM LAUNDRY	LAUNDRIES
1966	NEW SYSTEM LAUNDRY	LAUNDRIES
1966	NEW SYSTEM LAUNDRY	LAUNDRIES
1977	NEW SYSTEM LAUNDRY	LAUNDRIES AND DRY CLEANERS
1977	NEW SYSTEM LAUNDRY	LAUNDRIES AND DRY CLEANERS
1982	NEW SYSTEM LAUNDRY	LAUNDRIES AND DRY CLEANERS
1982	NEW SYSTEM LAUNDRY	LAUNDRIES AND DRY CLEANERS

K141 **416 TURK ST** **CA UST** **U003915455**
NW **416 TURK ST** **N/A**
< 1/8 **, CA**
0.110 mi.
583 ft. **Site 7 of 16 in cluster K**

Relative: SAN FRANCISCO CO. UST:
Higher

Actual:
73 ft.

Name:	416 TURK ST
Address:	416 TURK ST
Facility ID:	22103
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	1550 Wallace
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	L & W
Application Date:	10/28/1997
Application Name:	George Wilson
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported

416 TURK ST (Continued) **U003915455**

Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	11/18/1997
UST Close ID:	3069
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	12/18/1997
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

K142 **NEW SYSTEM LAUNDRY** **EDR Hist Cleaner** **1009130045**
NW **416 TURK ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.110 mi.
583 ft. **Site 8 of 16 in cluster K**

Relative: EDR Hist Cleaner
Higher

Actual: Year: Name: Type:
73 ft. 1935 NEW SYSTEM LAUNDRY LAUNDRIES-STEAM
1935 NEW SYSTEM LAUNDRY LAUNDRIES-STEA
1935 NEW SYSTEM LAUNDRY LAUNDRIES-STEA

K143 **RESIDENCE** **CA LUST** **S105248099**
NW **416 TURK STREET** **CA CERS** **N/A**
< 1/8 **SAN FRANCISCO, CA 94109**
0.110 mi.
583 ft. **Site 9 of 16 in cluster K**

Relative: LUST REG 2:
Higher
Actual: Region: 2
73 ft. Facility Id: 38-1027
Facility Status: Case Closed
Case Number: 10962
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: Residence
Address: 416 Turk Street
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 38-1027
Facility Status: Case Closed
Case Number: 10962
Case Type: Soil only
Release Date: 12/14/1997
Discovered Date: 11/24/1997
Substance: Heater Fuel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 12/14/1997
Case Closed: 6/8/1998
Closed Date: 6/8/1998
Leak Source: Tank
Leak Cause: Corrosion
Leak Confirmed: Not reported
Entered Date: 4/22/1998
Number of Wells: Not reported

RESIDENCE (Continued) **S105248099**

Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	MA
Cross Street:	HYDE ST
NOR Date:	4/22/1998
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NRQ
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	State
Interim Remediation:	Yes
Priority:	Not reported
Abatement:	Remove Free Product - remove floating product from water table
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Marina Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	11/18/1997
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Fuel Oils Nos. 1 -
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported

RESIDENCE (Continued) **S105248099**

Comments: Not reported
Summary: Not reported

CERS:
Name: RESIDENCE
Address: 416 TURK STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Site ID: 240025
CERS ID: T0607500920
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: MAMDOUH AWWAD - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1390 MARKET STREET, #210
Affiliation City: SAN FRANCISCO
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

K144 **RESIDENCE** **CA LUST U003746749**
NW **416 TURK STREET** **CA HIST CORTESE N/A**
< 1/8 **SAN FRANCISCO, CA 94109**
0.110 mi.
583 ft. **Site 10 of 16 in cluster K**

Relative: **Higher**

Actual: **73 ft.**

LUST:
Name: RESIDENCE
Address: 416 TURK STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Lead Agency: SAN FRANCISCO COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500920
Global Id: T0607500920
Latitude: 37.78271
Longitude: -122.416202
Status: Completed - Case Closed
Status Date: 06/08/1998
Case Worker: MA
RB Case Number: 38-1027
Local Agency: SAN FRANCISCO COUNTY LOP
File Location: Not reported
Local Case Number: 10962
Potential Media Affect: Soil
Potential Contaminants of Concern: Heating Oil / Fuel Oil

RESIDENCE (Continued) **U003746749**

Site History: Not reported

LUST:
Global Id: T0607500920
Contact Type: Local Agency Caseworker
Contact Name: MAMDOUH AWWAD
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET, #210
City: SAN FRANCISCO
Email: mamdouh.awwad@sfdph.org
Phone Number: Not reported

Global Id: T0607500920
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

LUST:
Global Id: T0607500920
Action Type: Other
Date: 11/24/1997
Action: Leak Discovery

Global Id: T0607500920
Action Type: Other
Date: 01/02/1965
Action: Leak Reported

LUST:
Global Id: T0607500920
Status: Open - Case Begin Date
Status Date: 11/24/1997

Global Id: T0607500920
Status: Completed - Case Closed
Status Date: 06/08/1998

HIST CORTESE:
edr_fname: RESIDENCE
edr_fadd1: 416 TURK
City,State,Zip: SAN FRANCISCO, CA 94109
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-1027

J145 **CCSF/SFMTA/MUNI MOTIVE/CIVIC CENTER SUBSTATION** **CA CUPA Listings** **S120627185**
SSE **1150 MARKET ST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.110 mi.
583 ft. **Site 5 of 12 in cluster J**

Relative: CUPA SAN FRANCISCO CO:
Lower

Name:	CCSF/SFMTA/MUNI MOTIVE/CIVIC CENTER SUBSTATION
Address:	1150 MARKET ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	16227
Census Tract:	124
District:	11
Number of Tanks:	0

Actual:
49 ft.

J146 **BART/CIVIC CENTER STATION** **RCRA NonGen / NLR** **1024786342**
SSE **1150 MARKET ST** **CAL000015931**
< 1/8 **SAN FRANCISCO, CA 94102**
0.110 mi.
583 ft. **Site 6 of 12 in cluster J**

Relative: RCRA NonGen / NLR:
Lower

Date form received by agency:	1989-11-14 00:00:00.0
Facility name:	BART/CIVIC CENTER STATION
Facility address:	1150 MARKET ST SAN FRANCISCO, CA 94102-3804
EPA ID:	CAL000015931
Mailing address:	PO BOX 12688 M/S LKS-18 OAKLAND, CA 94604-2688
Contact:	GARY JENSEN
Contact address:	P.O. BOX 12688 M/S LKS-18 OAKLAND, CA 94604-2688
Contact country:	Not reported
Contact telephone:	510-464-7659
Contact email:	GJENSEN@BART.GOV
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Actual:
49 ft.

Owner/Operator Summary:

Owner/operator name:	GARY JENSEN
Owner/operator address:	P.O. BOX 12688 M/S LKS-18 OAKLAND, CA 94604
Owner/operator country:	Not reported
Owner/operator telephone:	510-464-7659
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	SAN FRANCISCO BAY AREA RTD
Owner/operator address:	PO BOX 12688 M/S LKS-18 OAKLAND, CA 94604
Owner/operator country:	Not reported
Owner/operator telephone:	510-464-6000

BART/CIVIC CENTER STATION (Continued) **1024786342**

Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

J147 **VERIZON WIRELESS: BART TUBE CIVIC CENTER** **CA CUPA Listings** **S120627958**
SSE **1150 MARKET ST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.110 mi.
583 ft. **Site 7 of 12 in cluster J**

Relative: CUPA SAN FRANCISCO CO:
Lower
Name: VERIZON WIRELESS: BART TUBE CIVIC CENTER
Actual: Address: 1150 MARKET ST
49 ft. City,State,Zip: SAN FRANCISCO, CA 94102
Facility ID: 29815
Census Tract: 124
District: 8
Number of Tanks: 0

J148 **BART/CIVIC CENTER STATION** **CA CUPA Listings** **S120628187**
SSE **1150 MARKET ST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.110 mi.
583 ft. **Site 8 of 12 in cluster J**

Relative: CUPA SAN FRANCISCO CO:
Lower
Name: BART/CIVIC CENTER STATION
Actual: Address: 1150 MARKET ST
49 ft. City,State,Zip: SAN FRANCISCO, CA 94102
Facility ID: 31146
Census Tract: 124
District: 7
Number of Tanks: 0

N149 **KELLIJIAN ROBT** **EDR Hist Cleaner** **1009178458**
SE **11 7TH** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.111 mi.
585 ft. **Site 9 of 10 in cluster N**

Relative: EDR Hist Cleaner
Lower

Actual: **45 ft.**

Year:	Name:	Type:
1940	KELLEJIAN ROBT	CLOTHES PRESSERS AND CLEANERS
1944	KELLIJIAN ROBT	HAT CLEANERS AND BLOCKERS

K150 **CHOW YEE** **EDR Hist Cleaner** **1009130900**
WNW **422 TURK** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.111 mi.
588 ft. **Site 11 of 16 in cluster K**

Relative: EDR Hist Cleaner
Higher

Actual: **73 ft.**

Year:	Name:	Type:
1940	CHOW YEE	LAUNDRIES CHINES
1940	CHOW YEE	LAUNDRIES-CHINESE
1944	YEE CHOW	LAUNDRIES-CHINESE
1944	YEE CHOW	LAUNDRIES CHINESE
1944	CHINESE NEW SYSTEM LAUNDRY	LAUNDRIES-CHINESE
1944	CHINESE NEW SYSTEM LAUNDRY	LAUNDRIES CHINESE
1949	WONG SHUE	LAUNDRIES-CHINESE
1949	WONG SHUE	LAUNDRIES-CHINESE
1958	NEW SYSTEM LAUNDRY	LAUNDRIES

N151 **KELLIJIAN ROBT** **EDR Hist Cleaner** **1009129785**
SE **11 7TH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.112 mi.
590 ft. **Site 10 of 10 in cluster N**

Relative: EDR Hist Cleaner
Lower

Actual: **44 ft.**

Year:	Name:	Type:
1935	KELLEJIAN ROBT	CLOTHES PRESSERS AND CLEANER
1940	KELLEJIAN ROBT	CLOTHES PRESSERS AND CLEANER
1944	KELLIJIAN ROBT	HAT CLEANERS AND BLOCKERS

L152 **ONE HOUR MARTINIZING** **EDR Hist Cleaner** **1020054834**
West **360 GOLDEN GATE AVE** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.113 mi.
596 ft. **Site 2 of 17 in cluster L**

Relative: EDR Hist Cleaner
Higher

Actual: **70 ft.**

Year:	Name:	Type:
1996	ONE HOUR MARTINIZING	Drycleaning Plants, Except Rugs

L153 **360 GOLDEN GATE AV** **CA UST** **U003915390**
West **360 GOLDEN GATE AV** **N/A**
< 1/8 **, CA**
0.113 mi.
596 ft. **Site 3 of 17 in cluster L**

Relative:
Higher

Actual:
70 ft.

SAN FRANCISCO CO. UST:

Name:	360 GOLDEN GATE AV
Address:	360 GOLDEN GATE AV
Facility ID:	21141
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	8/26/1997
Application Name:	Tim Hallen
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	8/27/1997
UST Close ID:	3005
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

360 GOLDEN GATE AV (Continued) **U003915390**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	7/11/1996
UST Close ID:	2618
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported

360 GOLDEN GATE AV (Continued) **U003915390**

Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	7/29/1996
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

L154 **COURT GARAGE** **EDR Hist Auto** **1008998925**
West **360 GOLDENGATE AVE** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.113 mi.
596 ft. **Site 4 of 17 in cluster L**

Relative: EDR Hist Auto
Higher

Actual:
70 ft.

Year:	Name:	Type:
1930	COURT GARAGE	AUTOMOBILE REPAIRING
1930	COURT GARAGE	AUTOMOBILE REPAIRING

I155
ESE
< 1/8
0.113 mi.
597 ft.

CIVIC CENTER TAILORS & CLEANERS
21 MCALLISTER ST
SAN FRANCISCO, CA

EDR Hist Cleaner **1009132252**
N/A

Site 8 of 12 in cluster I

Relative:
Lower

Actual:
44 ft.

EDR Hist Cleaner

Year:	Name:	Type:
1966	CIVIC CENTER TAILORS & CLEANERS	CLEANERS AND DYERS
1966	CIVIC CENTER TAILORS & CLEANERS	CLEANERS AND DYERS

L156
West
< 1/8
0.113 mi.
599 ft.

UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF THE L
333 GOLDEN GATE AVE
SAN FRANCISCO, CA 94102

RCRA NonGen / NLR **1024750730**
CAC002970520

Site 5 of 17 in cluster L

Relative:
Higher

Actual:
68 ft.

RCRA NonGen / NLR:

Date form received by agency:	2018-07-12 00:00:00.0
Facility name:	UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF THE LAW
Facility address:	333 GOLDEN GATE AVE SAN FRANCISCO, CA 94102
EPA ID:	CAC002970520
Mailing address:	200 MCALLISTER STREET SAN FRANCISCO, CA 94102
Contact:	SUNNY DHAMRAIT
Contact address:	UC HASTINGS COLLEGE OF THE LAW 200 MCALLISTER STREET SAN FRANCISCO, CA 94102
Contact country:	Not reported
Contact telephone:	415-565-4688
Contact email:	DHAMRAIT@UCHASTINGS.EDU
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	UC HASTINGS COLLEGE OF THE LAW
Owner/operator address:	200 MCALLISTER STREET SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-565-4600
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	SUNNY DHAMRAIT
Owner/operator address:	UC HASTINGS COLLEGE OF THE LAW 200 MCALLISTER STREET SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-565-4688
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other

UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF THE LAW (Continued) **1024750730**

Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

L157 **UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF THE L** **RCRA NonGen / NLR** **1024764764**
West **333 GOLDEN GATE** **CAC002984632**
< 1/8 **SAN FRANCISCO, CA 94102**
0.113 mi.
599 ft. **Site 6 of 17 in cluster L**

Relative: Higher
Actual: 68 ft.

RCRA NonGen / NLR:
Date form received by agency: 2018-10-12 00:00:00.0
Facility name: UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF THE LAW
Facility address: 333 GOLDEN GATE
200 MCALLISTER STREET
SAN FRANCISCO, CA 94102
EPA ID: CAC002984632
Mailing address: UC HASTINGS COLLEGE OF THE LAW
200 MCALLISTER STREET
SAN FRANCISCO, CA 94102
Contact: SUNNY DHAMRAIT
Contact address: UC HASTINGS COLLEGE OF THE LAW 200 MCALLISTER STREET
SAN FRANCISCO, CA 94102
Contact country: Not reported
Contact telephone: 415-565-4688
Contact email: DHAMRAIT@UCHASTINGS.EDU
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: UC HASTINGS COLLEGE OF THE LAW
Owner/operator address: 200 MCALLISTER STREET
SAN FRANCISCO, CA 94102
Owner/operator country: Not reported
Owner/operator telephone: 415-565-4600
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported

UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF THE LAW (Continued) **1024764764**

Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: SUNNY DHAMRAIT
Owner/operator address: UC HASTINGS COLLEGE OF THE LAW 200 MCALLISTER STREET SAN FRANCISCO, CA 94102
Owner/operator country: Not reported
Owner/operator telephone: 415-565-4688
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

L158 **UC HASTINGS** **CA UST** **U003906353**
West **333 GOLDEN GATE AV** **N/A**
< 1/8 **, CA**
0.113 mi.
599 ft. **Site 7 of 17 in cluster L**

Relative: **Higher**
Actual: **68 ft.**

SAN FRANCISCO CO. UST:
Name: UC HASTINGS
Address: 333 GOLDEN GATE AV
Facility ID: 23986
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 255 Shipley St
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported

UC HASTINGS (Continued) **U003906353**

Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	6/19/2000
Application Name:	Cathy Keller
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	9/12/2000
UST Close ID:	3983
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported

UC HASTINGS (Continued) **U003906353**

Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	8/1/2001
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

G159 **RESIDENCE** **CA UST** **U004004045**
North **245 LEAVENWORTH ST** **N/A**
< 1/8 **, CA**
0.114 mi.
600 ft. **Site 11 of 12 in cluster G**

Relative: **Higher**
Actual: **67 ft.**

SAN FRANCISCO CO. UST:

Name:	RESIDENCE
Address:	245 LEAVENWORTH ST
Facility ID:	24775
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	450 - 6th Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Bay Area Tank
Application Date:	10/10/1995
Application Name:	Tim Gallagher
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported

RESIDENCE (Continued) **U004004045**

Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	10/20/1995
UST Close ID:	2179
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	2/29/1996
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

P160 **RESIDENCE** **CA UST** **U003936954**
SSE **1139 MARKET ST** **N/A**
< 1/8 **, CA**
0.114 mi.
601 ft. **Site 1 of 3 in cluster P**

Relative: **Lower**

Actual: **48 ft.**

SAN FRANCISCO CO. UST:

Name:	RESIDENCE
Address:	1139 MARKET ST
Facility ID:	27490
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley St
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	2/19/2004
Application Name:	Tracy Wallace
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	4543
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

RESIDENCE (Continued) **U003936954**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

K161 **RESIDENCE** **CA UST** **U003905119**
NW **225 HYDE ST** **N/A**
< 1/8 **, CA**
0.114 mi.
601 ft. **Site 12 of 16 in cluster K**

Relative: **Higher**

Actual: **74 ft.**

SAN FRANCISCO CO. UST:

Name:	RESIDENCE
Address:	225 HYDE ST
Facility ID:	24656
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	10/17/1994
Application Name:	Not reported

RESIDENCE (Continued) **U003905119**

Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	11/7/1994
UST Close ID:	1872
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	1/5/1995

RESIDENCE (Continued) **U003905119**

Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

K162 **MIDORI HOTEL** **CA UST** **U003904046**
NW **240 HYDE ST** **N/A**
< 1/8 **, CA**
0.114 mi.
601 ft. **Site 13 of 16 in cluster K**

Relative:
Higher

Actual:
72 ft.

SAN FRANCISCO CO. UST:

Name:	MIDORI HOTEL
Address:	240 HYDE ST
Facility ID:	25475
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	35 S. Linden
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Tec Accutitie
Application Date:	12/1/2000
Application Name:	Willie Green
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported

MIDORI HOTEL (Continued) **U003904046**

Date Closed:	3/1/2001
UST Close ID:	4060
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

K163 **MIDORI HOTEL** **CA LUST S105453742**
NW **240 HYDE ST** **CA CERS N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.114 mi.
601 ft. **Site 14 of 16 in cluster K**

Relative: **Higher**
Actual: **72 ft.**

LUST:

Name:	MIDORI HOTEL
Address:	240 HYDE ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607526654
Global Id:	T0607526654

MIDORI HOTEL (Continued) **S105453742**

Latitude:	37.783159
Longitude:	-122.415529
Status:	Completed - Case Closed
Status Date:	06/20/2002
Case Worker:	MA
RB Case Number:	38-2173
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Not reported
Local Case Number:	11503
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607526654
Contact Type:	Local Agency Caseworker
Contact Name:	MAMDOUH AWWAD
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210
City:	SAN FRANCISCO
Email:	mamdouh.awwad@sfdph.org
Phone Number:	Not reported

Global Id:	T0607526654
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0607526654
Action Type:	Other
Date:	03/01/2001
Action:	Leak Discovery

Global Id:	T0607526654
Action Type:	ENFORCEMENT
Date:	06/06/2002
Action:	Notice of Responsibility

Global Id:	T0607526654
Action Type:	Other
Date:	01/02/1965
Action:	Leak Reported

LUST:

Global Id:	T0607526654
Status:	Open - Case Begin Date
Status Date:	03/01/2001

Global Id:	T0607526654
Status:	Open - Site Assessment
Status Date:	03/01/2001

MIDORI HOTEL (Continued) **S105453742**

Global Id: T0607526654
Status: Completed - Case Closed
Status Date: 06/20/2002

LUST REG 2:
Region: 2
Facility Id: 38-2173
Facility Status: Case Closed
Case Number: 11503
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: 3/1/2001
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: Midori Hotel
Address: 240 Hyde St
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 02-202-005
Facility Status: Case Closed
Case Number: 11503
Case Type: Soil only
Release Date: Not reported
Discovered Date: 3/1/2001
Substance: Heater Fuel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 3/1/2001
Case Closed: 6/20/2002
Closed Date: Not reported
Leak Source: Tank
Leak Cause: Corrosion
Leak Confirmed: 3/1/2001
Entered Date: 6/6/2002
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Not reported
RP Address: Not reported
Operator: Martha Martinez
Staff Initial: VP
Facility Staff: MA
Cross Street: Eddy
NOR Date: Not reported

MIDORI HOTEL (Continued) **S105453742**

MTBE Current:	Not reported
MTBE Current Date:	3/1/2001
MTBE:	ND
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	3/1/2001
Review Date:	6/20/2002
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Low Priority Site
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	6/6/2002
Basin:	DOWNTOWN
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	3/1/2001
Free Product:	Not reported
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Not reported
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	ND
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	ND
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	3/1/2001
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

CERS:

Name:	MIDORI HOTEL
Address:	240 HYDE ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	195307
CERS ID:	T0607526654
CERS Description:	Leaking Underground Storage Tank Cleanup Site

MIDORI HOTEL (Continued) **S105453742**

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	MAMDOUH AWWAD - SAN FRANCISCO COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1390 MARKET STREET, #210
Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

O164 **HASTINGS COLLEGE** **CA UST** **U004003711**
WSW **270 MCALLISTER ST** **N/A**
< 1/8 **, CA**
0.115 mi.
607 ft. **Site 2 of 7 in cluster O**

Relative:
Higher

Actual:
65 ft.

SAN FRANCISCO CO. UST:

Name:	HASTINGS COLLEGE
Address:	270 MCALLISTER ST
Facility ID:	24827
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	6/6/1994
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported

HASTINGS COLLEGE (Continued) **U004003711**

# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	7/10/1994
UST Close ID:	1717
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	9/20/1994
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

K165 **LAFAYETTE CLEANERS & LAUNDRY** **EDR Hist Cleaner** **1009133213**
NW **242 HYDE ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.115 mi.
609 ft. **Site 15 of 16 in cluster K**

Relative: EDR Hist Cleaner
Higher

Actual: **72 ft.**

Year:	Name:	Type:
1949	EDWARDS WM	CLEANERS AND DYERS
1949	EDWARDS WM	CLEANERS AND DYERS
1953	LAFAYETTE	CLEANERS AND DYERS
1958	LA FAYETTE CLEANERS	CLOTHES PRESSERS AND CLEANERS
1958	LAFAYETTE CLEANERS	CLOTHES PRESSERS AND CLEANERS
1962	LAFAYETTE CLEANERS	CLEANERS AND DYERS
1962	LAFAYETTE CLEANERS	CLEANERS AND DYERS
1966	LAFAYETTE CLEANERS	CLEANERS AND DYERS
1966	LAFAYETTE CLEANERS	CLEANERS AND DYERS
1971	LAFAYETTE CLEANERS & LAUNDRY	CLEANERS AND DYERS
1971	LAFAYETTE CLEANERS & LAUNDRY	CLEANERS AND DYERS
1977	LAFAYETTE CLEANERS & LAUNDRY	CLEANERS AND DYERS

L166 **LEE YEE WAN LAUNDERETTE** **EDR Hist Cleaner** **1009129293**
WNW **479 TURK ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.117 mi.
619 ft. **Site 8 of 17 in cluster L**

Relative: EDR Hist Cleaner
Higher

Actual: **72 ft.**

Year:	Name:	Type:
1930	KRIEDER FROIM	CLOTHES PRESSERS AND CLEANERS
1940	ROSE G I MRS	CLOTHES PRESSERS AND CLEANERS
1940	ROSE G I MRS	CLOTHES PRESSERS AND CLEANER
1949	ROSE G I MRS	CLEANERS AND DYERS
1962	TURK SELF-SERVICE LAUNDRETTE	LAUNDRIES SELF SERVE
1962	TURK SELF SERVICE LAUNDRETTE	LAUNDRIES SELF SERVE
1966	TURK SELF SERVICE LAUNDERETTE	LAUNDRIES SELF SERVE
1966	TURK SELF-SERVICE LAUNDERETTE	LAUNDRIES-SELF SERVE
1971	CHU KAN LAUNDERETTE	LAUNDRIES-SELF SERVE
1971	CHU KAN LAUNDERETTE	LAUNDRIES SELF SERVE
1977	LEE YEE WAN LAUNDERETTE	LAUNDRIES SELF SERVE
1977	LEE YEE WAN LAUNDERETTE	LAUNDRIES-SELF SERVE
1982	TURK LAUNDERETTE	LAUNDRIES SELF SERVE
1982	TURK LAUNDERETTE	LAUNDRIES-SELF SERVE
1997	TURKS LAUNDRY & DRY CLEANING	Drycleaning Plants, Except Rugs
1998	TURKS LAUNDRY & DRY CLEANING	Drycleaning Plants, Except Rugs
1999	TURKS LAUNDRY & DRY CLEANING	Drycleaning Plants, Except Rugs
2000	TURKS LAUNDRY & DRY CLEANING	Drycleaning Plants, Except Rugs
2001	TURKS LAUNDRY & DRY CLEANING	Drycleaning Plants, Except Rugs
2002	TURKS LAUNDRY & DRY CLEANING	Drycleaning Plants, Except Rugs
2003	TURKS LAUNDRY & DRY CLEANING	Drycleaning Plants, Except Rugs
2004	TURKS LAUNDRY & DRY CLEANING	Drycleaning Plants, Except Rugs
2005	TURKS LAUNDRY & DRY CLEANING	Drycleaning Plants, Except Rugs

K167 **KALYSH EVAN** **EDR Hist Cleaner** **1009179751**
NW **250 HYDE** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.118 mi.
622 ft. **Site 16 of 16 in cluster K**

Relative: EDR Hist Cleaner
Higher

Actual: **73 ft.**

Year:	Name:	Type:
1930	KALYSH EVAN	CLOTHES PRESSERS AND CLEANERS

H168 **HENRY CLEANERS** **EDR Hist Cleaner** **1009131335**
North **252 LEAVENWORTH** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.118 mi.
623 ft. **Site 13 of 21 in cluster H**

Relative: EDR Hist Cleaner
Higher

Actual: **64 ft.**

Year:	Name:	Type:
1953	HENRY CLEANERS	CLEANERS AND DYERS
1958	HENRY LAUNDRY & CLEANERS	LAUNDRIES
1958	HENRY LAUNDRY & CLEANERS	LAUNDRIES
1962	HENRY LAUNDRY & CLEANERS	LAUNDRIES
1962	HENRY LAUNDRY & CLEANERS	LAUNDRIES
1966	HENRY LAUNDRY & CLEANERS	LAUNDRIES
1966	HAYES HENRY LAUNDRY & CLEANERS	LAUNDRIES

G169 **GROFF O C** **EDR Hist Cleaner** **1009130897**
North **253 LEAVENWORTH** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.119 mi.
626 ft. **Site 12 of 12 in cluster G**

Relative: EDR Hist Cleaner
Higher

Actual: **67 ft.**

Year:	Name:	Type:
1935	ZWILLINGER S S	CLOTHES PRESSERS AND CLEANER
1935	ZWILLINGER S S	CLOTHES PRESSERS AND CLEANER
1940	GROFF O C	CLOTHES PRESSERS AND CLEANERS
1940	GROFF O C	CLOTHES PRESSERS AND CLEANER
1944	SHIRLEY F T	LAUNDRIES-HAND
1944	SHIRLEY F T	LAUNDRIES-HAND

L170 **KNIGHT S CATERING & RESTAURANT** **EDR Hist Cleaner** **1009184534**
West **363 GOLDENGATE AVE** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.119 mi.
627 ft. **Site 9 of 17 in cluster L**

Relative: EDR Hist Cleaner
Higher

Actual: **69 ft.**

Year:	Name:	Type:
1982	KNIGHT S CATERING & RESTAURANT	CLEANERS

H171 **TRENMARNITA SERVICE CENTER** **EDR Hist Auto** **1009003546**
North **254 LEAVENWORTH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.119 mi.
628 ft. **Site 14 of 21 in cluster H**

Relative: EDR Hist Auto
Higher

Actual: Year: Name: Type:
64 ft. 1977 TRENMARNITA SERVICE CENTER GASOLINE STATIONS
1977 TRENMARNITA SERVICE CENTER GASOLINE STATIONS

H172 **205 JONES STREET APARTMENT** **CA CUPA Listings** **S120628507**
NE **205 JONES ST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.119 mi.
629 ft. **Site 15 of 21 in cluster H**

Relative: CUPA SAN FRANCISCO CO:
Lower
Name: 205 JONES STREET APARTMENT
Actual: Address: 205 JONES ST
52 ft. City,State,Zip: SAN FRANCISCO, CA 94102
Facility ID: 32700
Census Tract: 125
District: 10
Number of Tanks: 0

H173 **RESIDENCE** **CA UST** **U004003993**
NE **205 JONES ST** **N/A**
< 1/8 **, CA**
0.119 mi.
629 ft. **Site 16 of 21 in cluster H**

Relative: SAN FRANCISCO CO. UST:
Lower
Name: RESIDENCE
Actual: Address: 205 JONES ST
52 ft. Facility ID: 24721
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Not reported
Application Date: 9/22/1994
Application Name: Not reported
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported

RESIDENCE (Continued) **U004003993**

Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	10/13/1994
UST Close ID:	1846
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	11/14/1994
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported

RESIDENCE (Continued) **U004003993**

Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

L174 **BRAUN F H & CO** **EDR Hist Auto** **1008999004**
West **367 GOLDEN GATE AV** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.119 mi.
630 ft. **Site 10 of 17 in cluster L**

Relative: EDR Hist Auto
Higher

Actual: **69 ft.**

Year:	Name:	Type:
1930	WEINBERG BROS	AUTOMOBILE REPAIRING
1930	WEINBERG BROS	AUTOMOBILE REPAIRING
1935	BRAUN F H & CO	AUTOMOBILE GARAGES
1940	SMITH C R	AUTOMOBILE REPAIRING
1940	SMITH C R	AUTOMOBILE REPAIRING
1944	SMITH C R	AUTOMOBILE GARAGES

---

175 **MARKLE E E** **EDR Hist Cleaner** **1009129586**
SSW **29 FULTON ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.121 mi.
641 ft.

Relative: EDR Hist Cleaner
Higher

Actual: **57 ft.**

Year:	Name:	Type:
1940	MARKLE E E	CLOTHES PRESSERS AND CLEANERS
1940	MARKLE E E	CLOTHES PRESSERS AND CLEANER
1944	MARKLE E E	CLOTHES-PRESSERS AND CLEANERS
1944	MARKLE E E	CLOTHES-PRESSERS AND CLEANERS

L176 **COLOR MAX PHOTO** **RCRA NonGen / NLR** **1000820403**
West **380 GOLDEN GATE AVE** **FINDS** **CAD983664384**
< 1/8 **SAN FRANCISCO, CA 94102** **ECHO**
0.122 mi.
644 ft. **Site 11 of 17 in cluster L**

Relative: RCRA NonGen / NLR:
Higher

Actual: **70 ft.**

Date form received by agency:	1996-05-06 00:00:00.0
Facility name:	COLOR MAX PHOTO
Facility address:	380 GOLDEN GATE AVE SAN FRANCISCO, CA 94102
EPA ID:	CAD983664384
Mailing address:	3416 GEARY BLVD SAN FRANCISCO, CA 94118
Contact:	RICKY LEUNG
Contact address:	380 GOLDEN GATE AVE SAN FRANCISCO, CA 94102
Contact country:	US
Contact telephone:	415-928-1886
Contact email:	Not reported
EPA Region:	09

COLOR MAX PHOTO (Continued) **1000820403**

Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: RICKY LEUNG
Owner/operator address: 1243 OAK RIDGE RD
PINOLE, CA 94564
Owner/operator country: Not reported
Owner/operator telephone: 510-724-7156
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110002896386

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000820403
Registry ID: 110002896386
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110002896386

L177 **ERNA PRESS** **RCRA NonGen / NLR** **1024760836**
WNW **471 TURK STREET** **CAC002980692**
< 1/8 **SAN FRANCISCO, CA 94112**
0.123 mi.
647 ft. **Site 12 of 17 in cluster L**

Relative:
Higher

Actual:
74 ft.

RCRA NonGen / NLR:

Date form received by agency:	2018-09-17 00:00:00.0
Facility name:	ERNA PRESS
Facility address:	471 TURK STREET SAN FRANCISCO, CA 94112
EPA ID:	CAC002980692
Contact:	NONA RANJO
Contact address:	471 TURK STREET SAN FRANCISCO, CA 94112
Contact country:	Not reported
Contact telephone:	415-334-8540
Contact email:	NONAERNA@ERNAPRESS.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	NONA RANJO
Owner/operator address:	471 TURK STREET SAN FRANCISCO, CA 94112
Owner/operator country:	Not reported
Owner/operator telephone:	415-334-8540
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	NONA RANJO
Owner/operator address:	471 TURK STREET SAN FRANCISCO, CA 94112
Owner/operator country:	Not reported
Owner/operator telephone:	415-334-8540
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No

ERNA PRESS (Continued) **1024760836**

Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

L178 **UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF THE L** **CA CUPA Listings** **S112985341**
West **387 GOLDEN GATE AVE** **CA HAZNET** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.123 mi.
649 ft. **Site 13 of 17 in cluster L**

Relative:
Higher

Actual:
69 ft.

CUPA SAN FRANCISCO CO:

Name:	UCSF/COMMUNITY RESEARCH CENTER
Address:	387 GOLDEN GATE AV
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	35134
Census Tract:	124
District:	6
Number of Tanks:	0

HAZNET:

Name:	UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF THE LAW
Address:	387 GOLDEN GATE AVE
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 94102
Year:	2011
Gepaid:	CAC002665518
Contact:	SUNNY DHAMRAIT
Telephone:	4155654600
Mailing Name:	Not reported
Mailing Address:	200 MCALLISTER ST
Gen County:	38
Waste Category:	Other inorganic solid waste
TSD EPA ID:	CAT000646117
TSD County:	16
Disposal Method:	Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons:	0.005

Additional Info:

Year:	2011
Shipment Date:	20110415
Creation Date:	7/14/2011 18:30:34
Receipt Date:	20110610
Manifest ID:	002000697FLE
Gen EPA ID:	CAC002665518
Trans EPA ID:	CAL000291177
Trans Name:	SYNERGY ENTERPRISES INC
Trans 2 EPA ID:	CAR000037283
Trans 2 Name:	WORLD ENVIRONMENTAL & ENERGY
TSDF EPA ID:	CAT000646117
Trans Name:	CHEMICAL WASTE MANAGEMENT INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported

UNIVERSITY OF CALIFORNIA HASTINGS COLLEGE OF THE LAW (Continued) **S112985341**

Waste Code:	181
RCRA Code:	D008
Meth Code:	H132
Quantity Tons:	0.005
Waste Quantity:	10
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

M179 **GUTTERMAN BENJ** **EDR Hist Cleaner** **1009130667**
NE **209 JONES ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.123 mi.
651 ft. **Site 5 of 10 in cluster M**

Relative: EDR Hist Cleaner
Lower

Actual: **52 ft.**

Year:	Name:	Type:
1930	ULEBEN BASIL	CLOTHES PRESSERS AND CLEANERS
1935	GUTTERMAN BENJ	CLOTHES PRESSERS AND CLEANER
1935	GUTTERMAN BENJ	CLOTHES PRESSERS AND CLEANERS
1940	GUTTERMAN BENJ	CLOTHES PRESSERS AND CLEANERS
1940	GUTTERMAN BENJ	CLOTHES PRESSERS AND CLEANER
1944	GUTTERMAN BENJ	CLOTHES-PRESSERS AND CLEANERS
1944	GUTTERMAN BENJ	CLOTHES-PRESSERS AND CLEANERS

Q180 **CITY AND COUNTY OF SAN FRANCIS** **CA HIST UST** **U001595649**
WNW **440 TURK ST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94124**
0.124 mi.
655 ft. **Site 1 of 14 in cluster Q**

Relative: HIST UST:
Higher

Actual: **75 ft.**

Name:	CITY AND COUNTY OF SAN FRANCIS
Address:	440 TURK ST
City,State,Zip:	SAN FRANCISCO, CA 94124
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000068918
Facility Type:	Other
Other Type:	LOCAL GOVERNMENT
Contact Name:	TIM WASHINGTON
Telephone:	4154683800
Owner Name:	CITY AND COUNTY OF SAN FRANCIS
Owner Address:	440 TURK STREET
Owner City,St,Zip:	SAN FRANCISCO, CA 94124
Total Tanks:	0004
Tank Num:	001
Container Num:	078
Year Installed:	Not reported

CITY AND COUNTY OF SAN FRANCIS (Continued) **U001595649**

Tank Capacity:	00005000
Tank Used for:	WASTE
Type of Fuel:	2
Container Construction Thickness:	X
Leak Detection:	None
Tank Num:	002
Container Num:	080
Year Installed:	1962
Tank Capacity:	00000285
Tank Used for:	WASTE
Type of Fuel:	WASTE OIL
Container Construction Thickness:	Not reported
Leak Detection:	None
Tank Num:	003
Container Num:	079
Year Installed:	Not reported
Tank Capacity:	00000500
Tank Used for:	PRODUCT
Type of Fuel:	DIESEL
Container Construction Thickness:	Not reported
Leak Detection:	None
Tank Num:	004
Container Num:	077
Year Installed:	Not reported
Tank Capacity:	00005000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	None

Q181 **SF HOUSING AUTHORITY** **CA HIST UST** **S112841509**
WNW **440 TURK ST** **CA HAZNET** **N/A**
< 1/8 **SAN FRANCISCO, CA 94102**
0.124 mi.
655 ft. **Site 2 of 14 in cluster Q**

Relative: **Higher**

Actual: **75 ft.**

HIST UST:

Name:	CITY AND COUNTY OF SAN FRANCIS
Address:	440 TURK STREET
City,State,Zip:	SAN FRANCISCO, CA 94124
File Number:	0002F6DE
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002F6DE.pdf
Region:	Not reported
Facility ID:	Not reported
Facility Type:	Not reported
Other Type:	Not reported
Contact Name:	Not reported
Telephone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Total Tanks:	Not reported
Tank Num:	Not reported
Container Num:	Not reported

SF HOUSING AUTHORITY (Continued) **S112841509**

Year Installed:	Not reported
Tank Capacity:	Not reported
Tank Used for:	Not reported
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Not reported

Click here for Geo Tracker PDF:

HAZNET:

Name:	SF HOUSING AUTHORITY
Address:	440 TURK ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1997
Gepaid:	CAC000736336
Contact:	TOM MURRY
Telephone:	4157153174
Mailing Name:	Not reported
Mailing Address:	440 TURK ST
Gen County:	38
Waste Category:	Not reported
TSD EPA ID:	AZ0000337360
TSD County:	99
Disposal Method:	Not reported
Tons:	0

Additional Info:

Year:	1997
Shipment Date:	19970205
Creation Date:	5/30/1997 0:00:00
Receipt Date:	19970207
Manifest ID:	96212457
Gen EPA ID:	CAC000736336
Trans EPA ID:	AZ0000337360
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZ0000337360
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	Not reported
RCRA Code:	Not reported
Meth Code:	Not reported
Quantity Tons:	0
Waste Quantity:	0
Quantity Unit:	Not reported
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1997
Shipment Date:	19970205
Creation Date:	5/30/1997 0:00:00

SF HOUSING AUTHORITY (Continued) **S112841509**

Receipt Date:	19970207
Manifest ID:	96212457
Gen EPA ID:	CAC000736336
Trans EPA ID:	AZ0000337360
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZ0000337360
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	Not reported
RCRA Code:	D009
Meth Code:	R01
Quantity Tons:	0.1807
Waste Quantity:	164
Quantity Unit:	K
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1997
Shipment Date:	19970205
Creation Date:	5/30/1997 0:00:00
Receipt Date:	19970207
Manifest ID:	96212458
Gen EPA ID:	CAC000736336
Trans EPA ID:	AZD983473539
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZD983473539
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	261
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.8011
Waste Quantity:	727
Quantity Unit:	K
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1997
Shipment Date:	19970205
Creation Date:	5/30/1997 0:00:00
Receipt Date:	19970207
Manifest ID:	96212458
Gen EPA ID:	CAC000736336
Trans EPA ID:	AZD983473539
Trans Name:	Not reported

SF HOUSING AUTHORITY (Continued) **S112841509**

Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZD983473539
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	261
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.3857
Waste Quantity:	350
Quantity Unit:	K
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	SF HOUSING AUTHORITY
Address:	440 TURK ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1997
Gepaid:	CAC000736336
Contact:	TOM MURRY
Telephone:	4157153174
Mailing Name:	Not reported
Mailing Address:	440 TURK ST
Gen County:	38
Waste Category:	Not reported
TSD EPA ID:	AZ0000337360
TSD County:	99
Disposal Method:	Recycler
Tons:	0.1807

Additional Info:

Year:	1997
Shipment Date:	19970205
Creation Date:	5/30/1997 0:00:00
Receipt Date:	19970207
Manifest ID:	96212457
Gen EPA ID:	CAC000736336
Trans EPA ID:	AZ0000337360
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZ0000337360
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	Not reported
RCRA Code:	Not reported
Meth Code:	Not reported
Quantity Tons:	0
Waste Quantity:	0
Quantity Unit:	Not reported
Additional Code 1:	Not reported

SF HOUSING AUTHORITY (Continued) **S112841509**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1997
Shipment Date:	19970205
Creation Date:	5/30/1997 0:00:00
Receipt Date:	19970207
Manifest ID:	96212457
Gen EPA ID:	CAC000736336
Trans EPA ID:	AZ0000337360
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZ0000337360
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	Not reported
RCRA Code:	D009
Meth Code:	R01
Quantity Tons:	0.1807
Waste Quantity:	164
Quantity Unit:	K
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1997
Shipment Date:	19970205
Creation Date:	5/30/1997 0:00:00
Receipt Date:	19970207
Manifest ID:	96212458
Gen EPA ID:	CAC000736336
Trans EPA ID:	AZD983473539
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZD983473539
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	261
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.8011
Waste Quantity:	727
Quantity Unit:	K
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

SF HOUSING AUTHORITY (Continued) **S112841509**

Year:	1997
Shipment Date:	19970205
Creation Date:	5/30/1997 0:00:00
Receipt Date:	19970207
Manifest ID:	96212458
Gen EPA ID:	CAC000736336
Trans EPA ID:	AZD983473539
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZD983473539
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	261
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.3857
Waste Quantity:	350
Quantity Unit:	K
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	SF HOUSING AUTHORITY
Address:	440 TURK ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1997
Gepaid:	CAC000736336
Contact:	TOM MURRY
Telephone:	4157153174
Mailing Name:	Not reported
Mailing Address:	440 TURK ST
Gen County:	38
Waste Category:	Polychlorinated biphenyls and material containing PCBs
TSD EPA ID:	AZD983473539
TSD County:	99
Disposal Method:	Recycler
Tons:	1.1868

Additional Info:

Year:	1997
Shipment Date:	19970205
Creation Date:	5/30/1997 0:00:00
Receipt Date:	19970207
Manifest ID:	96212457
Gen EPA ID:	CAC000736336
Trans EPA ID:	AZ0000337360
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZ0000337360
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported

SF HOUSING AUTHORITY (Continued) **S112841509**

TSDF Alt Name:	Not reported
Waste Code:	Not reported
RCRA Code:	Not reported
Meth Code:	Not reported
Quantity Tons:	0
Waste Quantity:	0
Quantity Unit:	Not reported
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1997
Shipment Date:	19970205
Creation Date:	5/30/1997 0:00:00
Receipt Date:	19970207
Manifest ID:	96212457
Gen EPA ID:	CAC000736336
Trans EPA ID:	AZ0000337360
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZ0000337360
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	Not reported
RCRA Code:	D009
Meth Code:	R01
Quantity Tons:	0.1807
Waste Quantity:	164
Quantity Unit:	K
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1997
Shipment Date:	19970205
Creation Date:	5/30/1997 0:00:00
Receipt Date:	19970207
Manifest ID:	96212458
Gen EPA ID:	CAC000736336
Trans EPA ID:	AZD983473539
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZD983473539
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	261
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.8011

SF HOUSING AUTHORITY (Continued) **S112841509**

Waste Quantity:	727
Quantity Unit:	K
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1997
Shipment Date:	19970205
Creation Date:	5/30/1997 0:00:00
Receipt Date:	19970207
Manifest ID:	96212458
Gen EPA ID:	CAC000736336
Trans EPA ID:	AZD983473539
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZD983473539
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	261
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.3857
Waste Quantity:	350
Quantity Unit:	K
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Q182 **QUEIROLO & LEVER** **EDR Hist Auto** **1009000085**
WNW **472 TURK ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.125 mi.
658 ft. **Site 3 of 14 in cluster Q**

Relative: EDR Hist Auto
Higher

Actual: Year: Name: Type:
75 ft. 1925 QUEIROLO & LEVER AUTOMOBILE REPAIRING

H183 **BAXTER A M** **EDR Hist Cleaner** **1009130077**
North **393 EDDY ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.125 mi.
658 ft. **Site 17 of 21 in cluster H**

Relative: EDR Hist Cleaner
Higher

Actual: Year: Name: Type:
65 ft. 1935 BAXTER A M HAT CLEANERS AND BLOCKERS

BAXTER A M (Continued) **1009130077**

1935	BAXTER A M	HAT CLEANERS AND BLOCKER	
1935	BAXTER A M	HAT CLEANERS AND BLOCKER	

I184 **GOLDEN GATE AVENUE GARAGE** **CA SWEEPS UST** **S101623160**
ENE **64 GOLDEN GATE AVE** **CA HIST UST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102** **CA FID UST**
0.125 mi.
661 ft. **Site 9 of 12 in cluster I**

Relative:
Lower

Actual:
46 ft.

SWEEPS UST:

Name:	GOLDEN GATE AVENUE GARAGE
Address:	64 GOLDEN GATE AVE
City:	SAN FRANCISCO
Status:	Active
Comp Number:	6011
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Owner Tank Id:	Not reported
SWRCB Tank Id:	Not reported
Tank Status:	Not reported
Capacity:	Not reported
Active Date:	Not reported
Tank Use:	Not reported
STG:	Not reported
Content:	Not reported
Number Of Tanks:	Not reported

Name:	GOLDEN GATE AVENUE GARAGE
Address:	64 GOLDEN GATE AVE
City:	SAN FRANCISCO
Status:	Not reported
Comp Number:	6011
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-006011-000001
Tank Status:	Not reported
Capacity:	1000
Active Date:	Not reported
Tank Use:	UNKNOWN
STG:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	1

HIST UST:

Name:	GOLDEN GATE AVE GARAGE
Address:	64 GOLDEN GATE AVENUE
City,State,Zip:	SAN FRANCISCO, CA 94102
File Number:	0002F810
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002F810.pdf
Region:	Not reported

GOLDEN GATE AVENUE GARAGE (Continued) **S101623160**

Facility ID:	Not reported
Facility Type:	Not reported
Other Type:	Not reported
Contact Name:	Not reported
Telephone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Total Tanks:	Not reported
Tank Num:	Not reported
Container Num:	Not reported
Year Installed:	Not reported
Tank Capacity:	Not reported
Tank Used for:	Not reported
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Not reported

Click here for Geo Tracker PDF:

CA FID UST:

Facility ID:	38004683
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	64 GOLDEN GATE AVE
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94102
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

I185 **GOLDEN GATE AVENUE** **CA UST** **U004003686**
ENE **64 GOLDEN GATE AV** **N/A**
1/8-1/4 **, CA**
0.125 mi.
661 ft. **Site 10 of 12 in cluster I**

Relative:
Lower

Actual:
46 ft.

SAN FRANCISCO CO. UST:

Name:	GOLDEN GATE AVENUE
Address:	64 GOLDEN GATE AV
Facility ID:	6011
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported

GOLDEN GATE AVENUE (Continued) **U004003686**

Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	6/14/1989
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	304
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported

GOLDEN GATE AVENUE (Continued) **U004003686**

Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

I186 **GOLDEN GATE AVE. GARAGE** **CA HIST UST** **U001595039**
ENE **64 GOLDEN GATE AVE** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.125 mi.
661 ft. **Site 11 of 12 in cluster I**

Relative:
Lower

Actual:
46 ft.

HIST UST:

Name:	GOLDEN GATE AVE. GARAGE
Address:	64 GOLDEN GATE AVE
City,State,Zip:	SAN FRANCISCO, CA 94102
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000054535
Facility Type:	Gas Station
Other Type:	Not reported
Contact Name:	MICHAEL CRONIN
Telephone:	4156733491
Owner Name:	PHILIPS PETROLEUM (?)
Owner Address:	64 GOLDEN GATE AVE.
Owner City,St,Zip:	SAN FRANCISCO, CA 94102
Total Tanks:	0001
Tank Num:	001
Container Num:	1
Year Installed:	1968
Tank Capacity:	00001000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor

O187 **HASTINGS COLLEGE** **CA UST** **U004003712**
WSW **324 LARKIN ST** **N/A**
1/8-1/4 **, CA**
0.127 mi.
669 ft. **Site 3 of 7 in cluster O**

Relative:
Higher

Actual:
67 ft.

SAN FRANCISCO CO. UST:

Name:	HASTINGS COLLEGE
Address:	324 LARKIN ST
Facility ID:	24766
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	6/6/1994
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	7/10/1994
UST Close ID:	1715
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

HASTINGS COLLEGE (Continued) **U004003712**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	9/20/1994
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

H188 **347 EDDY STREET** **CA UST** **U003915372**
NNE **347 EDDY ST** **N/A**
1/8-1/4 **, CA**
0.129 mi.
680 ft. **Site 18 of 21 in cluster H**

Relative: **Higher**

Actual: **58 ft.**

SAN FRANCISCO CO. UST:

Name:	347 EDDY STREET
Address:	347 EDDY ST
Facility ID:	22943
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	1550 Wallace
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	L & W
Application Date:	11/16/1998
Application Name:	George Wilson

347 EDDY STREET (Continued) **U003915372**

Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	12/18/1998
UST Close ID:	3544
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported

347 EDDY STREET (Continued) **U003915372**

Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

H189 **RETAIL/RESIDENTIAL APT.** **CA LUST** **S103879579**
NNE **347 EDDY STREET** **CA HIST CORTESE** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102** **CA CERS**
0.129 mi.
680 ft. **Site 19 of 21 in cluster H**

Relative:
Higher

Actual:
58 ft.

LUST:

Name:	RETAIL/RESIDENTIAL APT.
Address:	347 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607501165
Global Id:	T0607501165
Latitude:	37.783558
Longitude:	-122.413331
Status:	Completed - Case Closed
Status Date:	02/03/1999
Case Worker:	Not reported
RB Case Number:	38-1280
Local Agency:	Not reported
File Location:	Not reported
Local Case Number:	11147
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607501165
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0607501165
Action Type:	Other
Date:	12/17/1998
Action:	Leak Discovery

Global Id:	T0607501165
Action Type:	Other
Date:	01/02/1965
Action:	Leak Reported

RETAIL/RESIDENTIAL APT. (Continued) **S103879579**

LUST:
Global Id: T0607501165
Status: Open - Case Begin Date
Status Date: 12/17/1998

Global Id: T0607501165
Status: Completed - Case Closed
Status Date: 02/03/1999

LUST REG 2:
Region: 2
Facility Id: 38-1280
Facility Status: Case Closed
Case Number: 11147
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: Retail/Residential
Address: 347 Eddy Street
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 38-1280
Facility Status: Case Closed
Case Number: 11147
Case Type: Soil only
Release Date: 12/17/1998
Discovered Date: 12/17/1998
Substance: Heater Fuel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Repair Tank
Report Date: 12/7/1998
Case Closed: 2/3/1999
Closed Date: 2/3/1999
Leak Source: Tank
Leak Cause: Corrosion
Leak Confirmed: Not reported
Entered Date: 1/27/1999
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Bill Phua
RP Address: Not reported

RETAIL/RESIDENTIAL APT. (Continued) **S103879579**

Operator:	Not reported
Staff Initial:	VP
Facility Staff:	AL
Cross Street:	WAGNER ST
NOR Date:	1/27/1999
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NRQ
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Not reported
Abatement:	No Action Required - incident is minor, requiring no remedial action
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	12/17/1998
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Fuel Oils Nos. 1 -
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	1500 gallon

HIST CORTESE:

edr_fname:	RETAIL RESIDENTIAL APARTM
edr_fadd1:	347 EDDY

RETAIL/RESIDENTIAL APT. (Continued) **S103879579**

City,State,Zip: SAN FRANCISCO, CA 94102
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-1280

CERS:
Name: RETAIL/RESIDENTIAL APT.
Address: 347 EDDY STREET
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 246607
CERS ID: T0607501165
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

L190 **HASTINGS GARAGE** **CA CUPA Listings** **S120628204**
West **376 LARKIN ST** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.129 mi.
681 ft. **Site 14 of 17 in cluster L**

Relative:
Higher

Actual:
69 ft.

CUPA SAN FRANCISCO CO:
Name: HASTINGS GARAGE
Address: 376 LARKIN ST
City,State,Zip: SAN FRANCISCO, CA 94102
Facility ID: 31355
Census Tract: 124
District: 10
Number of Tanks: 0

CERS:
Name: HASTINGS GARAGE
Address: 376 LARKIN ST
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 121819
CERS ID: 10174821
CERS Description: Chemical Storage Facilities

Coordinates:
Site ID: 121819
Facility Name: Hastings Garage
Env Int Type Code: HMBP
Program ID: 10174821
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 37.781160
Longitude: -122.417030

HASTINGS GARAGE (Continued) **S120628204**

Affiliation:

Affiliation Type Desc:	Document Preparer
Entity Name:	Sunny Dhamrait
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Identification Signer
Entity Name:	Angel Solano
Entity Title:	Manager, Garage Operations
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Parent Corporation
Entity Name:	Hastings Garage
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Environmental Contact
Entity Name:	Sunny Dhamrait
Entity Title:	Not reported
Affiliation Address:	200 McAllister St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	200 McAllister St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA

HASTINGS GARAGE (Continued) **S120628204**

Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Legal Owner
Entity Name:	UC Hastings College of The Law Garage
Entity Title:	Not reported
Affiliation Address:	200 McAllister St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 565-4688
Affiliation Type Desc:	Property Owner
Entity Name:	UC Hastings College of The Law
Entity Title:	Not reported
Affiliation Address:	200 McAlllister St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 565-4688
Affiliation Type Desc:	Operator
Entity Name:	Sunny Dhamrait
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 565-4688

H191 **APPAREL CLEANERS** **RCRA-SQG 1000155314**
NNE **365 EDDY ST** **FINDS CAD981658255**
1/8-1/4 **SAN FRANCISCO, CA 94102** **ECHO**
0.130 mi. **CA HAZNET**
687 ft. **Site 20 of 21 in cluster H**

Relative: RCRA-SQG:
Higher Date form received by agency: 1986-11-11 00:00:00.0

Actual: Facility name: APPAREL CLEANERS
61 ft. Facility address: 365 EDDY ST
SAN FRANCISCO, CA 94102
EPA ID: CAD981658255
Mailing address: EDDY ST
SAN FRANCISCO, CA 94102
Contact: ENVIRONMENTAL MANAGER
Contact address: 365 EDDY ST
SAN FRANCISCO, CA 94102
Contact country: US
Contact telephone: 415-775-5530
Contact email: Not reported
EPA Region: 09
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous

APPAREL CLEANERS (Continued) **1000155314**

waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	ADAM GOTTSTEIN
Owner/operator address:	NOT REQUIRED
	NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	415-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported
Owner/operator name:	NOT REQUIRED
Owner/operator address:	NOT REQUIRED
	NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	415-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

FINDS:

Registry ID: 110009539179

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource

APPAREL CLEANERS (Continued) **1000155314**

Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000155314
Registry ID:	110009539179
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110009539179

HAZNET:

Name:	APPAREL CLEANERS
Address:	365 EDDY ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1994
Gepaid:	CAD981658255
Contact:	--
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	365 EDDY ST
Gen County:	38
Waste Category:	Liquids with halogenated organic compounds >= 1,000 Mg./L
TSD EPA ID:	CAT000613943
TSD County:	49
Disposal Method:	Transfer Station
Tons:	0.585

Additional Info:

Year:	1994
Shipment Date:	19940113
Creation Date:	9/15/1995 0:00:00
Receipt Date:	19940113
Manifest ID:	93119914
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.0975
Waste Quantity:	195
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported

APPAREL CLEANERS (Continued) **1000155314**

Additional Code 5:	Not reported
Year:	1994
Shipment Date:	19940601
Creation Date:	10/10/1995 0:00:00
Receipt Date:	19940601
Manifest ID:	93646565
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.0975
Waste Quantity:	195
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1994
Shipment Date:	19940214
Creation Date:	9/15/1995 0:00:00
Receipt Date:	19940214
Manifest ID:	93199417
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.0975
Waste Quantity:	195
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1994
Shipment Date:	19940406
Creation Date:	3/25/1996 0:00:00

APPAREL CLEANERS (Continued) **1000155314**

Receipt Date:	19940406
Manifest ID:	93425282
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.0975
Waste Quantity:	195
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1994
Shipment Date:	19940505
Creation Date:	3/26/1996 0:00:00
Receipt Date:	19940505
Manifest ID:	93549724
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.0975
Waste Quantity:	195
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1994
Shipment Date:	19940315
Creation Date:	10/5/1995 0:00:00
Receipt Date:	19940315
Manifest ID:	93545485
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported

APPAREL CLEANERS (Continued) **1000155314**

Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.0975
Waste Quantity:	195
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	APPAREL CLEANERS
Address:	365 EDDY ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1987
Gepaid:	CAD981658255
Contact:	--
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	365 EDDY ST
Gen County:	38
Waste Category:	Halogenated solvents (chloroforms, methyl chloride, perchloroethylene, etc)
TSD EPA ID:	CAD980737548
TSD County:	19
Disposal Method:	Transfer Station
Tons:	0.5175

Name:	APPAREL CLEANERS
Address:	365 EDDY ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1987
Gepaid:	CAD981658255
Contact:	--
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	365 EDDY ST
Gen County:	38
Waste Category:	Halogenated solvents (chloroforms, methyl chloride, perchloroethylene, etc)
TSD EPA ID:	CAD980737584
TSD County:	0
Disposal Method:	Not reported
Tons:	0.6

Name:	APPAREL CLEANERS
Address:	365 EDDY ST

APPAREL CLEANERS (Continued) **1000155314**

Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1993
Gepaid:	CAD981658255
Contact:	--
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	365 EDDY ST
Gen County:	38
Waste Category:	Liquids with halogenated organic compounds >= 1,000 Mg./L
TSD EPA ID:	CAT000613943
TSD County:	49
Disposal Method:	Not reported
Tons:	0.035

Additional Info:

Year:	1993
Shipment Date:	19930726
Creation Date:	9/11/1995 0:00:00
Receipt Date:	19930726
Manifest ID:	92562476
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.0975
Waste Quantity:	195
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1993
Shipment Date:	19930920
Creation Date:	9/12/1995 0:00:00
Receipt Date:	19930920
Manifest ID:	93082693
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002

APPAREL CLEANERS (Continued) **1000155314**

Meth Code:	H01
Quantity Tons:	0.035
Waste Quantity:	70
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1993
Shipment Date:	19930823
Creation Date:	9/12/1995 0:00:00
Receipt Date:	19930823
Manifest ID:	93036851
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.035
Waste Quantity:	70
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1993
Shipment Date:	19931118
Creation Date:	9/14/1995 0:00:00
Receipt Date:	19931118
Manifest ID:	93134358
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.0975
Waste Quantity:	195
Quantity Unit:	P
Additional Code 1:	Not reported

APPAREL CLEANERS (Continued) **1000155314**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1993
Shipment Date:	19931215
Creation Date:	9/14/1995 0:00:00
Receipt Date:	19931215
Manifest ID:	93118808
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.0975
Waste Quantity:	195
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1993
Shipment Date:	19930603
Creation Date:	9/8/1995 0:00:00
Receipt Date:	19930603
Manifest ID:	92612014
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.1325
Waste Quantity:	265
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

APPAREL CLEANERS (Continued) **1000155314**

Year:	1993
Shipment Date:	19931020
Creation Date:	9/14/1995 0:00:00
Receipt Date:	19931020
Manifest ID:	93095291
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.0975
Waste Quantity:	195
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1993
Shipment Date:	19930706
Creation Date:	9/8/1995 0:00:00
Receipt Date:	Not reported
Manifest ID:	92568241
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	Not reported
Quantity Tons:	0.035
Waste Quantity:	70
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	APPAREL CLEANERS
Address:	365 EDDY ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000

APPAREL CLEANERS (Continued) **1000155314**

Year:	1993
Gepaid:	CAD981658255
Contact:	--
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	365 EDDY ST
Gen County:	38
Waste Category:	Liquids with halogenated organic compounds >= 1,000 Mg./L
TSD EPA ID:	CAT000613943
TSD County:	49
Disposal Method:	Transfer Station
Tons:	0.5925

Additional Info:

Year:	1993
Shipment Date:	19930726
Creation Date:	9/11/1995 0:00:00
Receipt Date:	19930726
Manifest ID:	92562476
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.0975
Waste Quantity:	195
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1993
Shipment Date:	19930920
Creation Date:	9/12/1995 0:00:00
Receipt Date:	19930920
Manifest ID:	93082693
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.035

APPAREL CLEANERS (Continued) **1000155314**

Waste Quantity:	70
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1993
Shipment Date:	19930823
Creation Date:	9/12/1995 0:00:00
Receipt Date:	19930823
Manifest ID:	93036851
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.035
Waste Quantity:	70
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1993
Shipment Date:	19931118
Creation Date:	9/14/1995 0:00:00
Receipt Date:	19931118
Manifest ID:	93134358
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.0975
Waste Quantity:	195
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported

APPAREL CLEANERS (Continued) **1000155314**

Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1993
Shipment Date:	19931215
Creation Date:	9/14/1995 0:00:00
Receipt Date:	19931215
Manifest ID:	93118808
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.0975
Waste Quantity:	195
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1993
Shipment Date:	19930603
Creation Date:	9/8/1995 0:00:00
Receipt Date:	19930603
Manifest ID:	92612014
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.1325
Waste Quantity:	265
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1993
Shipment Date:	19931020

APPAREL CLEANERS (Continued) **1000155314**

Creation Date:	9/14/1995 0:00:00
Receipt Date:	19931020
Manifest ID:	93095291
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.0975
Waste Quantity:	195
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1993
Shipment Date:	19930706
Creation Date:	9/8/1995 0:00:00
Receipt Date:	Not reported
Manifest ID:	92568241
Gen EPA ID:	CAD981658255
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	Not reported
Quantity Tons:	0.035
Waste Quantity:	70
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

P192 **CCSF CURBSIDE HHW** **RCRA NonGen / NLR** **1024784575**
SSE **1145 MARKET ST STE 401** **CAH111000595**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.131 mi.
692 ft. **Site 2 of 3 in cluster P**

Relative:
Lower

Actual:
49 ft.

RCRA NonGen / NLR:

Date form received by agency:	1997-07-18 00:00:00.0
Facility name:	CCSF CURBSIDE HHW
Facility address:	1145 MARKET ST STE 401 SAN FRANCISCO, CA 94103-0000
EPA ID:	CAH111000595
Contact:	ALEX E DONG-CITY PROG MGR
Contact address:	1145 MARKET ST STE 401 SAN FRANCISCO, CA 94103-0000
Contact country:	Not reported
Contact telephone:	415-554-1675
Contact email:	Not reported
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	CITY AND COUNTY OF SAN FRANCISCO
Owner/operator address:	1145 MARKET ST STE 401 SAN FRANCISCO, CA 94103
Owner/operator country:	Not reported
Owner/operator telephone:	000-000-0000
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	ALEX E DONG-CITY PROG MGR
Owner/operator address:	1145 MARKET ST STE 401 SAN FRANCISCO, CA 94103
Owner/operator country:	Not reported
Owner/operator telephone:	415-554-1675
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	Yes
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No

CCSF CURBSIDE HHW (Continued) **1024784575**

Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

H193 **RESIDENCE** **CA UST** **U003936999**
NNE **355 EDDY ST** **N/A**
1/8-1/4 **, CA**
0.132 mi.
697 ft. **Site 21 of 21 in cluster H**

Relative:
Higher

Actual:
60 ft.

SAN FRANCISCO CO. UST:

Name:	RESIDENCE
Address:	355 EDDY ST
Facility ID:	27478
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	1601 Ocean Av,
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	City Tanks - JCC
Application Date:	2/11/2004
Application Name:	John Manning
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	3/4/2004

RESIDENCE (Continued) **U003936999**

UST Close ID:	4539
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

L194 **RESIDENTIAL** **CA LUST** **S105627956**
WNW **444 LARKIN STREET ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.134 mi.
706 ft. **Site 15 of 17 in cluster L**

Relative: **Higher**
Actual: **73 ft.**

SAN FRANCISCO CO. LUST:

Name:	Residential
Address:	444 Larkin Street St
City:	San Francisco
Region:	SAN FRANCISCO
Facility ID:	02-301-020
Facility Status:	Case Closed
Case Number:	11471
Case Type:	Soil only

RESIDENTIAL (Continued) **S105627956**

Release Date:	Not reported
Discovered Date:	7/10/2001
Substance:	Heater Fuel
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	7/10/2001
Case Closed:	9/24/2001
Closed Date:	Not reported
Leak Source:	Tank
Leak Cause:	Corrosion
Leak Confirmed:	7/10/2001
Entered Date:	9/20/2001
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	James Broussard
Staff Initial:	VP
Facility Staff:	MA
Cross Street:	Golden Gate Avenue
NOR Date:	Not reported
MTBE Current:	Not reported
MTBE Current Date:	7/10/2001
MTBE:	ND
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	7/10/2001
Review Date:	9/24/2001
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Low Priority Site
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	9/20/2001
Basin:	DOWNTOWN
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	7/10/2001
Free Product:	Not reported
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Not reported
Enforcement Type:	Not reported

RESIDENTIAL (Continued) **S105627956**

Amount of Free Produce:	Not reported
Benzene Test:	ND
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	YES
Max TPH GW:	Not reported
Max TPH Soil:	44
TPH Date:	7/10/2001
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

L195 **RESIDENTIAL APARTMENT** **CA LUST** **S105688838**
WNW **444 LARKIN STREET ST** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.134 mi.
706 ft. **Site 16 of 17 in cluster L**

Relative:
Higher

Actual:
73 ft.

LUST:

Name:	RESIDENTIAL APARTMENT
Address:	444 LARKIN STREET ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607578688
Global Id:	T0607578688
Latitude:	Not reported
Longitude:	Not reported
Status:	Completed - Case Closed
Status Date:	07/10/2001
Case Worker:	MA
RB Case Number:	38-2097
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Not reported
Local Case Number:	11471
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607578688
Contact Type:	Local Agency Caseworker
Contact Name:	MAMDOUH AWWAD
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210
City:	SAN FRANCISCO
Email:	mamdouh.awwad@sfdph.org
Phone Number:	Not reported

Global Id:	T0607578688
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board

RESIDENTIAL APARTMENT (Continued) **S105688838**

Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

LUST:
Global Id: T0607578688
Action Type: Other
Date: 07/10/2001
Action: Leak Discovery

Global Id: T0607578688
Action Type: ENFORCEMENT
Date: 09/20/2001
Action: Notice of Responsibility

Global Id: T0607578688
Action Type: Other
Date: 01/02/1965
Action: Leak Reported

LUST:
Global Id: T0607578688
Status: Completed - Case Closed
Status Date: 07/10/2001

Global Id: T0607578688
Status: Open - Case Begin Date
Status Date: 07/10/2001

LUST REG 2:
Region: 2
Facility Id: 38-2097
Facility Status: Case Closed
Case Number: 11471
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

CERS:
Name: RESIDENTIAL APARTMENT
Address: 444 LARKIN STREET ST
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 201643
CERS ID: T0607578688

RESIDENTIAL APARTMENT (Continued) **S105688838**

CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: MAMDOUH AWWAD - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1390 MARKET STREET, #210
Affiliation City: SAN FRANCISCO
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

L196 **RESIDENCE** **CA UST** **U003905682**
WNW **444 LARKIN ST** **N/A**
1/8-1/4 **, CA**
0.134 mi.
706 ft. **Site 17 of 17 in cluster L**

Relative:
Higher

Actual:
73 ft.

SAN FRANCISCO CO. UST:
Name: RESIDENCE
Address: 444 LARKIN ST
Facility ID: 26134
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 255 Shipley St
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Golden Gate Tank
Application Date: 6/22/2001
Application Name: Tracy Wallace
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported

RESIDENCE (Continued) **U003905682**

Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	7/10/2001
UST Close ID:	4148
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

M197
NE
1/8-1/4
0.135 mi.
714 ft.

TURK STREET GARAGE
175 TURK ST
, CA

Site 6 of 10 in cluster M

CA UST **U004004393**
N/A

Relative:
Lower

Actual:
48 ft.

SAN FRANCISCO CO. UST:

Name:	TURK STREET GARAGE
Address:	175 TURK ST
Facility ID:	776
Facility Status:	Not reported
Number Of Tanks:	2
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	9/5/1997
Application Name:	Tim Hallen
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	10/23/1997
UST Close ID:	3016
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

TURK STREET GARAGE (Continued) **U004004393**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	5/6/1998
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

M198 **PINE AUTO PARTS** **CA LUST** **U003746697**
NE **175 TURK STREET** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.135 mi.
714 ft. **Site 7 of 10 in cluster M**

Relative: **Lower**

Actual: **48 ft.**

LUST REG 2:

Region:	2
Facility Id:	38-1040
Facility Status:	Case Closed
Case Number:	10983
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

SAN FRANCISCO CO. LUST:

PINE AUTO PARTS (Continued) **U003746697**

Name:	Pine Auto Parts
Address:	175 Turk Street
City:	San Francisco
Region:	SAN FRANCISCO
Facility ID:	38-1040
Facility Status:	Case Closed
Case Number:	10983
Case Type:	Soil only
Release Date:	10/23/1997
Discovered Date:	11/3/1997
Substance:	Gasoline
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Repair Tank
Report Date:	10/23/1997
Case Closed:	7/8/1998
Closed Date:	7/8/1998
Leak Source:	Unknown
Leak Cause:	Unknown
Leak Confirmed:	Not reported
Entered Date:	6/4/1998
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	MA
Cross Street:	TAYLOR
NOR Date:	6/4/1998
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	Yes
Priority:	Not reported
Abatement:	Remove Free Product - remove floating product from water table
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No

PINE AUTO PARTS (Continued) **U003746697**

Stopped Date:	10/23/1997
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	10/23/97 [leak

M199 **PINE AUTO PARTS** **CA LUST** **S103636324**
NE **175 TURK** **CA HIST CORTESE** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102** **CA CERS**
0.135 mi.
714 ft. **Site 8 of 10 in cluster M**

Relative: **Lower**

Actual: **48 ft.**

LUST:

Name:	PINE AUTO PARTS
Address:	175 TURK STREET
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500933
Global Id:	T0607500933
Latitude:	37.782782
Longitude:	-122.411905
Status:	Completed - Case Closed
Status Date:	07/08/1998
Case Worker:	MA
RB Case Number:	38-1040
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Not reported
Local Case Number:	10983
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0607500933
Contact Type:	Local Agency Caseworker
Contact Name:	MAMDOUH AWWAD
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210

PINE AUTO PARTS (Continued) **S103636324**

City: SAN FRANCISCO
Email: mamdouh.awwad@sfdph.org
Phone Number: Not reported

Global Id: T0607500933
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

LUST:
Global Id: T0607500933
Action Type: Other
Date: 11/03/1997
Action: Leak Discovery

Global Id: T0607500933
Action Type: Other
Date: 01/02/1965
Action: Leak Reported

LUST:
Global Id: T0607500933
Status: Open - Case Begin Date
Status Date: 11/03/1997

Global Id: T0607500933
Status: Completed - Case Closed
Status Date: 07/08/1998

HIST CORTESE:
edr_fname: PINE AUTO PARTS
edr_fadd1: 175 TURK
City,State,Zip: SAN FRANCISCO, CA 94102
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-1040

CERS:
Name: PINE AUTO PARTS
Address: 175 TURK STREET
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 210542
CERS ID: T0607500933
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: MAMDOUH AWWAD - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1390 MARKET STREET, #210

PINE AUTO PARTS (Continued) **S103636324**

Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

M200 **TURK STREET GARAGE** **CA SWEEPS UST** **S101623164**
NE **175 TURK ST** **CA FID UST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.135 mi.
714 ft. **Site 9 of 10 in cluster M**

Relative: **Lower**
Actual: **48 ft.**

SWEEPS UST:

Name:	TURK STREET GARAGE
Address:	175 TURK ST
City:	SAN FRANCISCO
Status:	Active
Comp Number:	776
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-000776-000001
Tank Status:	A
Capacity:	1000
Active Date:	09-30-92
Tank Use:	M.V. FUEL
STG:	P
Content:	REG UNLEADED
Number Of Tanks:	2

Name:	TURK STREET GARAGE
Address:	175 TURK ST
City:	SAN FRANCISCO
Status:	Active
Comp Number:	776
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-000776-000002
Tank Status:	A
Capacity:	1000

TURK STREET GARAGE (Continued) **S101623164**

Active Date: 09-30-92
Tank Use: UNKNOWN
STG: P
Content: REGULAR UNLE
Number Of Tanks: Not reported

CA FID UST:
Facility ID: 38005242
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4150000000
Mail To: Not reported
Mailing Address: 175 TURK ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94102
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

M201 **TURK ST GARAGE** **CA HIST UST** **U001595058**
NE **175 TURK ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.135 mi.
714 ft. **Site 10 of 10 in cluster M**

Relative: HIST UST:
Lower
Name: TURK ST GARAGE
Actual: Address: 175 TURK ST
48 ft. City,State,Zip: SAN FRANCISCO, CA 94102
File Number: 0002F812
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002F812.pdf
Region: STATE
Facility ID: 00000035572
Facility Type: Gas Station
Other Type: Not reported
Contact Name: Not reported
Telephone: 4158853080
Owner Name: PINE AUTO PARTS INC
Owner Address: 175 TURK ST.
Owner City,St,Zip: SAN FRANCISCO, CA 94102
Total Tanks: 0002

Tank Num: 001
Container Num: 1
Year Installed: 1975
Tank Capacity: 00001000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: Not reported
Leak Detection: None

TURK ST GARAGE (Continued) **U001595058**

Tank Num:	002
Container Num:	2
Year Installed:	Not reported
Tank Capacity:	00000000
Tank Used for:	PRODUCT
Type of Fuel:	PREMIUM
Container Construction Thickness:	Not reported
Leak Detection:	None

Click here for Geo Tracker PDF:

R202 **B & F INVESTMENTS** **CA UST** **U003902909**
NNE **241 JONES ST** **N/A**
1/8-1/4 **, CA**
0.136 mi.
717 ft. **Site 1 of 14 in cluster R**

Relative: SAN FRANCISCO CO. UST:
Lower

Actual: **53 ft.**

Name:	B & F INVESTMENTS
Address:	241 JONES ST
Facility ID:	22956
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	11/23/1998
Application Name:	Randy McManus
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported

B & F INVESTMENTS (Continued) **U003902909**

Date Interior Lining Install:	Not reported
Date Closed:	12/10/1998
UST Close ID:	3552
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	5/17/2000
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

R203 **COMMERCIAL** **CA LUST** **S103980805**
NNE **241 JONES ST** **CA HIST CORTESE** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102** **CA CERS**
0.136 mi.
717 ft. **Site 2 of 14 in cluster R**

Relative: **Lower**
Actual: **53 ft.**

LUST:

Name:	COMMERCIAL
Address:	241 JONES ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607501159

COMMERCIAL (Continued) **S103980805**

Global Id: T0607501159
Latitude: 37.783479
Longitude: -122.412866
Status: Completed - Case Closed
Status Date: 05/17/2000
Case Worker: Not reported
RB Case Number: 38-1274
Local Agency: Not reported
File Location: Not reported
Local Case Number: 11177
Potential Media Affect: Soil
Potential Contaminants of Concern: Heating Oil / Fuel Oil
Site History: Not reported

LUST:
Global Id: T0607501159
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

LUST:
Global Id: T0607501159
Action Type: Other
Date: 12/10/1998
Action: Leak Discovery

Global Id: T0607501159
Action Type: Other
Date: 01/02/1965
Action: Leak Reported

LUST:
Global Id: T0607501159
Status: Open - Case Begin Date
Status Date: 12/10/1998

Global Id: T0607501159
Status: Completed - Case Closed
Status Date: 05/17/2000

LUST REG 2:
Region: 2
Facility Id: 38-1274
Facility Status: Case Closed
Case Number: 11177
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported

COMMERCIAL (Continued) **S103980805**

Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

SAN FRANCISCO CO. LUST:

Name:	Commercial
Address:	241 Jones St
City:	San Francisco
Region:	SAN FRANCISCO
Facility ID:	38-1274
Facility Status:	Case Closed
Case Number:	11177
Case Type:	Soil only
Release Date:	12/21/1998
Discovered Date:	12/10/1998
Substance:	Heater Fuel
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Repair Tank
Report Date:	12/21/1998
Case Closed:	5/17/2000
Closed Date:	5/17/2000
Leak Source:	Tank
Leak Cause:	Spill
Leak Confirmed:	2/24/1999
Entered Date:	2/24/1999
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	B & F Investments
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	AL
Cross Street:	TURK ST
NOR Date:	2/24/1999
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NRQ
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	5/16/2000
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Low Priority Site
Abatement:	No Action Required - incident is minor, requiring no remedial action

COMMERCIAL (Continued) **S103980805**

Enforcement Type:	Not reported
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	12/10/1998
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	ND
Primary Substance:	Fuel Oils Nos. 1 -
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	ND
Maximum Soil GW:	Not reported
Max Soil Concentration:	ND
TPH Tested:	ND
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	12/10/1998
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

HIST CORTESE:

edr_fname:	COMMERCIAL
edr_fadd1:	241 JONES
City,State,Zip:	SAN FRANCISCO, CA 94102
Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-1274

CERS:

Name:	COMMERCIAL
Address:	241 JONES ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	224671
CERS ID:	T0607501159
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported

COMMERCIAL (Continued) **S103980805**

Affiliation Zip: Not reported
Affiliation Phone: Not reported

J204 **SHORENSTEIN HAYS-NEDERLANDER THEATRES LL** **RCRA NonGen / NLR** **1024793923**
South **1182 MARKET ST** **CAL000144070**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.137 mi.
724 ft. **Site 9 of 12 in cluster J**

Relative:
Lower

Actual:
54 ft.

RCRA NonGen / NLR:
Date form received by agency: 1996-07-02 00:00:00.0
Facility name: SHORENSTEIN HAYS-NEDERLANDER THEATRES LL
Facility address: 1182 MARKET ST
SAN FRANCISCO, CA 94102-4922
EPA ID: CAL000144070
Mailing address: 1182 MARKET STREET, SUITE 200
SAN FRANCISCO, CA 94102-0000
Contact: JOHN OLSEN
Contact address: 1182 MARKET STREET, SUITE 200
SAN FRANCISCO, CA 94102
Contact country: Not reported
Contact telephone: 415-716-9825
Contact email: JOLSEN@SHNSF.COM
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: JOHN OLSEN
Owner/operator address: 1182 MARKET STREET, SUITE 200
SAN FRANCISCO, CA 94102
Owner/operator country: Not reported
Owner/operator telephone: 415-716-9825
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: SHORENSTEIN-HAYS NEDERLANDER
Owner/operator address: 1182 MARKET ST STE 200
SAN FRANCISCO, CA 94102
Owner/operator country: Not reported
Owner/operator telephone: 415-551-2013
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No

SHORENSTEIN HAYS-NEDERLANDER THEATRES LL (Continued) **1024793923**

Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	Yes
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

I205 **RESIDENCE** **CA UST** **U003905720**
ENE **50 GOLDEN GATE AV** **N/A**
1/8-1/4 **, CA**
0.137 mi.
724 ft. **Site 12 of 12 in cluster I**

Relative: **Lower**

Actual: **45 ft.**

SAN FRANCISCO CO. UST:

Name:	RESIDENCE
Address:	50 GOLDEN GATE AV
Facility ID:	24560
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	3/21/1994
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported

RESIDENCE (Continued) **U003905720**

Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	6/2/1994
UST Close ID:	1639
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	7/29/1994
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

P206 **1155 MARKET ST** **CA CUPA Listings** **S120628875**
SSE **1155 MARKET ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.138 mi.
729 ft. **Site 3 of 3 in cluster P**

Relative:
Lower

Actual:
49 ft.

CUPA SAN FRANCISCO CO:

Name:	1155 MARKET ST
Address:	1155 MARKET ST
City,State,Zip:	SAN FRANCISCO, CA 94103
Facility ID:	33598
Census Tract:	176
District:	6
Number of Tanks:	0

J207 **TRINITY PROPERTIES** **CA ENVIROSTOR** **S101338589**
South **1169 MARKET ST** **CA LUST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103** **CA VCP**
0.143 mi. **CA HAZNET**
755 ft. **Site 10 of 12 in cluster J** **CA HIST CORTESE**
CA CERS

Relative:
Lower

Actual:
51 ft.

ENVIROSTOR:

Name:	TRINITY PROPERTIES
Address:	1169 MARKET STREET
City,State,Zip:	SAN FRANCISCO, CA 94103
Facility ID:	38990003
Status:	Refer: Other Agency
Status Date:	01/23/2004
Site Code:	201478
Site Type:	Voluntary Cleanup
Site Type Detailed:	Voluntary Cleanup
Acres:	Not reported
NPL:	NO
Regulatory Agencies:	SMBRP, SAN FRANCISCO COUNTY
Lead Agency:	SAN FRANCISCO COUNTY
Program Manager:	Not reported
Supervisor:	Barbara Cook
Division Branch:	Cleanup Berkeley
Assembly:	17
Senate:	11
Special Program:	Voluntary Cleanup Program
Restricted Use:	NO
Site Mgmt Req:	NONE SPECIFIED
Funding:	Responsible Party
Latitude:	37.77863
Longitude:	-122.4138
APN:	3702051
Past Use:	NONE SPECIFIED
Potential COC:	Lead
Confirmed COC:	NONE SPECIFIED
Potential Description:	NONE SPECIFIED
Alias Name:	TRINITY PROPERTIES
Alias Type:	Alternate Name
Alias Name:	3702051
Alias Type:	APN
Alias Name:	110033609691
Alias Type:	EPA (FRS #)
Alias Name:	201478
Alias Type:	Project Code (Site Code)

TRINITY PROPERTIES (Continued) **S101338589**

Alias Name: 38990003
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Voluntary Cleanup Consultation
Completed Date: 05/13/2003
Comments: VCA terminated.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Voluntary Cleanup Agreement
Completed Date: 03/24/2003
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Screening
Completed Date: 11/03/1994
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Screening
Completed Date: 09/30/1999
Comments: Releases occurred, but there is no information on how they were remediated.

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

LUST:
Name: TRINITY PROPERTY
Address: 1169 MARKET STREET
City,State,Zip: SAN FRANCISCO, CA 94103
Lead Agency: SAN FRANCISCO COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500500
Global Id: T0607500500
Latitude: 37.778416
Longitude: -122.413493
Status: Completed - Case Closed
Status Date: 06/29/1995
Case Worker: Not reported
RB Case Number: 38-0573
Local Agency: Not reported
File Location: Not reported
Local Case Number: 10414
Potential Media Affect: Soil

TRINITY PROPERTIES (Continued) **S101338589**

Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0607500500
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

LUST:
Global Id: T0607500500
Action Type: Other
Date: 10/15/1994
Action: Leak Discovery

Global Id: T0607500500
Action Type: Other
Date: 01/02/1965
Action: Leak Reported

Global Id: T0607500500
Action Type: ENFORCEMENT
Date: 05/02/1995
Action: Notice of Responsibility

LUST:
Global Id: T0607500500
Status: Open - Case Begin Date
Status Date: 10/15/1994

Global Id: T0607500500
Status: Completed - Case Closed
Status Date: 06/29/1995

LUST REG 2:
Region: 2
Facility Id: 38-0573
Facility Status: Case Closed
Case Number: 10414
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

TRINITY PROPERTIES (Continued) **S101338589**

SAN FRANCISCO CO. LUST:

Name:	Trinity Property
Address:	1169 Market Street
City:	San Francisco
Region:	SAN FRANCISCO
Facility ID:	38-0573
Facility Status:	Case Closed
Case Number:	10414
Case Type:	Soil only
Release Date:	11/4/1994
Discovered Date:	10/15/1994
Substance:	Gasoline
Substance Qty:	Not reported
How Discovered:	Not reported
How Stopped:	Not reported
Report Date:	11/4/1994
Case Closed:	6/29/1995
Closed Date:	6/29/1995
Leak Source:	Not reported
Leak Cause:	Not reported
Leak Confirmed:	Not reported
Entered Date:	5/2/1995
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	CDM
Cross Street:	8TH ST
NOR Date:	5/2/1995
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	5/26/1995
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	Not reported
Priority:	Low Priority Site
Abatement:	Not reported
Enforcement Type:	NOR
Enforcement Due Date:	5/2/1995
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported

TRINITY PROPERTIES (Continued) **S101338589**

Suspended:	No
Stopped Date:	Not reported
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

VCP:

Name:	TRINITY PROPERTIES
Address:	1169 MARKET STREET
City,State,Zip:	SAN FRANCISCO, CA 94103
Facility ID:	38990003
Site Type:	Voluntary Cleanup
Site Type Detail:	Voluntary Cleanup
Site Mgmt. Req.:	NONE SPECIFIED
Acres:	Not reported
National Priorities List:	NO
Cleanup Oversight Agencies:	SMBRP, SAN FRANCISCO COUNTY
Lead Agency:	SAN FRANCISCO COUNTY
Lead Agency Description:	SAN FRANCISCO COUNTY
Project Manager:	Not reported
Supervisor:	Barbara Cook
Division Branch:	Cleanup Berkeley
Site Code:	201478
Assembly:	17
Senate:	11
Special Programs Code:	Voluntary Cleanup Program
Status:	Refer: Other Agency
Status Date:	01/23/2004
Restricted Use:	NO
Funding:	Responsible Party
Lat/Long:	37.77863 / -122.4138
APN:	3702051
Past Use:	NONE SPECIFIED
Potential COC:	30013
Confirmed COC:	NONE SPECIFIED
Potential Description:	NONE SPECIFIED
Alias Name:	TRINITY PROPERTIES

TRINITY PROPERTIES (Continued) **S101338589**

Alias Type: Alternate Name
Alias Name: 3702051
Alias Type: APN
Alias Name: 110033609691
Alias Type: EPA (FRS #)
Alias Name: 201478
Alias Type: Project Code (Site Code)
Alias Name: 38990003
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Voluntary Cleanup Consultation
Completed Date: 05/13/2003
Comments: VCA terminated.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Voluntary Cleanup Agreement
Completed Date: 03/24/2003
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Screening
Completed Date: 11/03/1994
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Screening
Completed Date: 09/30/1999
Comments: Releases occurred, but there is no information on how they were remediated.

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

HAZNET:
Name: TRINITY PROPERTIES
Address: 1169 MARKET ST
Address 2: Not reported
City,State,Zip: SAN FRANCISCO, CA 941031520
Year: 2013
Gepaid: CAC002718902
Contact: YOLANDA ORELLANA
Telephone: Not reported
Mailing Name: Not reported
Mailing Address: 1169 MARKET ST

TRINITY PROPERTIES (Continued) **S101338589**

Gen County: 38
Waste Category: Asbestos containing waste
TSD EPA ID: CAD982042475
TSD County: 48
Disposal Method: Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons: 12

Additional Info:
Year: 2013
Shipment Date: 20130108
Creation Date: 3/15/2013 22:15:33
Receipt Date: 20130208
Manifest ID: 009216964JJK
Gen EPA ID: CAC002718902
Trans EPA ID: CAR000153395
Trans Name: C&H VETERN ENT
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD982042475
Trans Name: NWS HAY RD LANDFILL
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code: 151
RCRA Code: Not reported
Meth Code: H132
Quantity Tons: 12
Waste Quantity: 30
Quantity Unit: Y
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

HIST CORTESE:
edr_fname: TRINITY PROPERTY
edr_fadd1: 1169 MARKET
City,State,Zip: SAN FRANCISCO, CA
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-0573

CERS:
Name: TRINITY PROPERTY
Address: 1169 MARKET STREET
City,State,Zip: SAN FRANCISCO, CA 94103
Site ID: 244685
CERS ID: T0607500500
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported

TRINITY PROPERTIES (Continued) **S101338589**

Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

J208 **TRINITY PROPS** **RCRA-SQG** **1000316500**
South **1169 MARKET ST** **CAD981161714**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.143 mi.
755 ft. **Site 11 of 12 in cluster J**

Relative:
Lower

Actual:
51 ft.

RCRA-SQG:

Date form received by agency:	1996-09-01 00:00:00.0
Facility name:	TRINITY PROPS
Facility address:	1169 MARKET ST SAN FRANCISCO, CA 94103
EPA ID:	CAD981161714
Mailing address:	333 BAY ST SAN FRANCISCO, CA 94133
Contact:	Not reported
Contact address:	Not reported Not reported
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	TRINITY PROPS, INC
Owner/operator address:	NOT REQUIRED NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	415-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported
Owner/operator name:	NOT REQUIRED
Owner/operator address:	NOT REQUIRED NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	415-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported

TRINITY PROPS (Continued) **1000316500**

Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 1985-11-02 00:00:00.0
Site name: TRINITY PROPS
Classification: Large Quantity Generator

Violation Status: No violations found

J209 **SANGIACOMO ANGELO** **CA UST** **U003916538**
South **1169 MARKET ST** **N/A**
1/8-1/4 **, CA**
0.143 mi.
755 ft. **Site 12 of 12 in cluster J**

Relative: SAN FRANCISCO CO. UST:
Lower
Actual: Name: SANGIACOMO ANGELO
51 ft. Address: 1169 MARKET ST
Facility ID: 18060
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Not reported
Application Date: 9/6/1994
Application Name: Not reported
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported

SANGIACOMO ANGELO (Continued) **U003916538**

Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported
Compartmentalized Tank: Not reported
Of Tank Compartments: Not reported
Date Tank Installed: Not reported
Tank Capacity: Not reported
Additional Desc: Not reported
Tank Use: Not reported
Petroleum Type: Not reported
Common Name: Not reported
Case Number: Not reported
Type Of Tank: Not reported
Primary Tank Material: Not reported
Secondary Tank Material: Not reported
Tank Interior Lining: Not reported
Date Interior Lining Install: Not reported
Date Closed: 10/1/1994
UST Close ID: 1822
Type Of Spill Protection: Not reported
Date Alarm Overfill Protection Installed: Not reported
Date Ball Float Overfill Protection Installed: Not reported
Date Fill Tube Shut Overfill Protection Installed: Not reported
Overfill Protection Exempt: Not reported
Othr Tnk Corrosive Prtctn: Not reported
Date Corrosive Prtctn Install: Not reported
Tank Leak Detection (single walled): Not reported
Tank Leak Detection (double wall): Not reported
Estimated Date Last Used: Not reported
Estimated Qty Of Substance Remaining: Not reported
Tank Filled With Inert Material: Not reported
Piping System Type (Underground): Not reported
Piping System Type (Aboveground): Not reported
Piping Construction (Underground): Not reported
Piping Manufacturer (Underground): Not reported
Piping Construction (Aboveground): Not reported
Piping Manufacturer (Aboveground): Not reported
Piping Material & Corrosion Protection (Underground): Not reported
Piping Material & Corrosion Protection (Aboveground): Not reported
Piping Leak Detection (Undrgrnd - Single Wall): Not reported
Piping Leak Detection (2nd Contained): Not reported
Piping Leak Detection (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Underground: Not reported
Piping Leak Detection (Aboveground - Single Wall): Not reported
Piping Leak Detection (Underground - 2nd Contained): Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Aboveground: Not reported
Date Dispenser Containment Installed: Not reported
Dispenser Containment Type: Not reported
Date Certified (Tank Unit): Not reported
Certified Date: 3/10/1995
Last Annual Monitoring Cert: Not reported
2nd Containment Test: Not reported
Spill Containment Present: Not reported

SANGIACOMO ANGELO (Continued) **U003916538**

Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

O210 **CCSF/DPW/BBR/CITY** **CA UST** **U003916020**
WSW **302 LARKIN ST** **N/A**
1/8-1/4 **, CA**
0.143 mi.
756 ft. **Site 4 of 7 in cluster O**

Relative:
Higher

Actual:
65 ft.

SAN FRANCISCO CO. UST:

Name:	CCSF/DPW/BBR/CITY
Address:	302 LARKIN ST
Facility ID:	7685
Facility Status:	Not reported
Number Of Tanks:	Not reported
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	12/2/1993
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	12/10/1993
UST Close ID:	1549
Type Of Spill Protection:	Not reported

CCSF/DPW/BBR/CITY (Continued) **U003916020**

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	12/9/1994
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported

CCSF/DPW/BBR/CITY (Continued) **U003916020**

Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	3/14/1988
UST Close ID:	58
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported

CCSF/DPW/BBR/CITY (Continued) **U003916020**

Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	9/11/1996
UST Close ID:	2678
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	2/14/1997
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

O211 ***DPW/BBR/CIVIC CTR POWER HOUSE** **CA SWEEPS UST** **S101592292**
WSW **302 LARKIN ST** **CA FID UST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.143 mi.
756 ft. **Site 5 of 7 in cluster O**

Relative:
Higher

Actual:
65 ft.

SWEEPS UST:

Name:	*DPW/BBR/CIVIC CTR POWER HOUSE
Address:	302 LARKIN ST
City:	SAN FRANCISCO
Status:	Not reported
Comp Number:	7685
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-007685-000001
Tank Status:	Not reported
Capacity:	10000
Active Date:	Not reported
Tank Use:	UNKNOWN
STG:	PRODUCT
Content:	DIESEL
Number Of Tanks:	4

Name:	*DPW/BBR/CIVIC CTR POWER HOUSE
Address:	302 LARKIN ST
City:	SAN FRANCISCO
Status:	Not reported
Comp Number:	7685
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-007685-000002
Tank Status:	Not reported
Capacity:	10000
Active Date:	Not reported
Tank Use:	UNKNOWN
STG:	PRODUCT
Content:	DIESEL
Number Of Tanks:	Not reported

Name:	*DPW/BBR/CIVIC CTR POWER HOUSE
Address:	302 LARKIN ST
City:	SAN FRANCISCO
Status:	Not reported
Comp Number:	7685
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-007685-000003

***DPW/BBR/CIVIC CTR POWER HOUSE (Continued)** **S101592292**

Tank Status:	Not reported
Capacity:	6000
Active Date:	Not reported
Tank Use:	UNKNOWN
STG:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	Not reported

Name:	*DPW/BBR/CIVIC CTR POWER HOUSE
Address:	302 LARKIN ST
City:	SAN FRANCISCO
Status:	Not reported
Comp Number:	7685
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-007685-000004
Tank Status:	Not reported
Capacity:	500
Active Date:	Not reported
Tank Use:	UNKNOWN
STG:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	Not reported

CA FID UST:

Facility ID:	38002233
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	302 LARKIN ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94102
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

O212 **CITY HALL POWER PLANT** **CA HIST UST** **U001595022**
WSW **LARKIN AND MCALLISTER** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.145 mi.
764 ft. **Site 6 of 7 in cluster O**

Relative: HIST UST:
Higher

Name:	CITY HALL POWER PLANT
Address:	LARKIN AND MCALLISTER
City,State,Zip:	SAN FRANCISCO, CA 94102

Actual:
66 ft.

CITY HALL POWER PLANT (Continued) **U001595022**

File Number:	0002F6DF
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002F6DF.pdf
Region:	STATE
Facility ID:	00000069069
Facility Type:	Other
Other Type:	LOCAL GOVERNMENT
Contact Name:	JOHN CONE
Telephone:	4155544930
Owner Name:	CITY AND COUNTY OF SAN FRANCIS
Owner Address:	200 VAN NESS AVENUE
Owner City,St,Zip:	SAN FRANCISCO, CA 94102
Total Tanks:	0004
Tank Num:	001
Container Num:	A00
Year Installed:	Not reported
Tank Capacity:	00006000
Tank Used for:	WASTE
Type of Fuel:	6E
Container Construction Thickness:	X
Leak Detection:	None
Tank Num:	002
Container Num:	B00
Year Installed:	Not reported
Tank Capacity:	00006000
Tank Used for:	PRODUCT
Type of Fuel:	06
Container Construction Thickness:	Not reported
Leak Detection:	None
Tank Num:	003
Container Num:	203
Year Installed:	Not reported
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	DIESEL
Container Construction Thickness:	Not reported
Leak Detection:	None
Tank Num:	004
Container Num:	204
Year Installed:	Not reported
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	DIESEL
Container Construction Thickness:	Not reported
Leak Detection:	None

Click here for Geo Tracker PDF:

O213 **CCSF-ASIAN ART MUSEUM** **RCRA NonGen / NLR** **1024786153**
WSW **LARKIN AND MCALLISTER STS** **CAL000013409**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.145 mi.
764 ft. **Site 7 of 7 in cluster O**

Relative:
Higher

Actual:
66 ft.

RCRA NonGen / NLR:

Date form received by agency:	1989-11-14 00:00:00.0
Facility name:	CCSF-ASIAN ART MUSEUM
Facility address:	LARKIN AND MCALLISTER STS SAN FRANCISCO, CA 94102-0000
EPA ID:	CAL000013409
Mailing address:	1390 MARKET ST STE 210 SAN FRANCISCO, CA 94102
Contact:	HUMBERTO QUINONEZ
Contact address:	1390 MARKET ST. SUITE#210 SAN FRANCISCO, CA 94102
Contact country:	Not reported
Contact telephone:	415-252-3977
Contact email:	HUMBERTO.QUINONEZ@SFDPH.ORG
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	HUMBERTO QUINONEZ
Owner/operator address:	1390 MARKET ST. SUITE#210 SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-252-3977
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	CITY AND COUNTY OF SAN FRANCISCO
Owner/operator address:	1 SOUTH VAN NESS AVE SAN FRANCISCO, CA 94103
Owner/operator country:	Not reported
Owner/operator telephone:	415-701-5684
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	Yes
Treater, storer or disposer of HW:	No
Underground injection activity:	No

CCSF-ASIAN ART MUSEUM (Continued) **1024786153**

On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

R214 **CCSF/SFPD/TENDERLOIN STATION** **CA CUPA Listings** **S120627458**
NNE **301 EDDY ST** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.146 mi.
769 ft. **Site 3 of 14 in cluster R**

Relative: **Lower**
Actual: **53 ft.**

CUPA SAN FRANCISCO CO:

Name:	CCSF/SFPD/TENDERLOIN STATION
Address:	301 EDDY ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	23546
Census Tract:	125
District:	12
Number of Tanks:	0

CERS:

Name:	CCSF/SFPD/TENDERLOIN STATION
Address:	301 EDDY ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	17288
CERS ID:	10059121
CERS Description:	Chemical Storage Facilities

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	06-20-2018
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	San Francisco City & County Public Health Dept
Eval Program:	HMRRP
Eval Source:	CERS

Coordinates:

Site ID:	17288
Facility Name:	CCSF/SFPD/TENDERLOIN STATION
Env Int Type Code:	HMBP
Program ID:	10059121
Coord Name:	Not reported
Ref Point Type Desc:	Unknown
Latitude:	37.783665
Longitude:	-122.412903

Affiliation:

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address

CCSF/SFPD/TENDERLOIN STATION (Continued) **S120627458**

Entity Title: Not reported
Affiliation Address: 1245 Third Street, 6186C
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94158
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: Ivan Sequeira
Entity Title: Facilities Manager
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: CCSF Police Department
Entity Title: Not reported
Affiliation Address: 1245 Third Street, 6186C
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 94158
Affiliation Phone: (415) 553-1551

Affiliation Type Desc: Operator
Entity Name: Ivan Sequeira
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (415) 553-1076

Affiliation Type Desc: Property Owner
Entity Name: CCSF Police department
Entity Title: Not reported
Affiliation Address: 1245 Third Street, 6186C
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 94158
Affiliation Phone: (415) 553-1551

Affiliation Type Desc: CUPA District
Entity Name: San Francisco City & County Public Health Departme
Entity Title: Not reported
Affiliation Address: 1390 Market Street, Room 210
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: (415) 252-3900

CCSF/SFPD/TENDERLOIN STATION (Continued) **S120627458**

Affiliation Type Desc:	Document Preparer
Entity Name:	Ivan Sequeira
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Environmental Contact
Entity Name:	Ivan Sequeira
Entity Title:	Not reported
Affiliation Address:	1245 Third Street, 6186C
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94158
Affiliation Phone:	Not reported

Affiliation Type Desc:	Parent Corporation
Entity Name:	CCSF/SFPD
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

S215 **J & S AUTO REPAIR INC** **CA CERS HAZ WASTE** **S120627445**
NNW **464 EDDY ST** **CA CUPA Listings** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109** **CA CERS**
0.146 mi.
771 ft. **Site 1 of 24 in cluster S**

Relative:
Higher

Actual:
75 ft.

CERS HAZ WASTE:

Name:	J & S AUTO REPAIR INC
Address:	464 EDDY ST
City,State,Zip:	SAN FRANCISCO, CA 94109
Site ID:	124962
CERS ID:	10059046
CERS Description:	Hazardous Waste Generator

CUPA SAN FRANCISCO CO:

Name:	J & S AUTO REPAIR INC
Address:	464 EDDY ST
City,State,Zip:	SAN FRANCISCO, CA 94109
Facility ID:	23304
Census Tract:	124
District:	1
Number of Tanks:	0

CERS:

Name:	J & S AUTO REPAIR INC
Address:	464 EDDY ST

J & S AUTO REPAIR INC (Continued) **S120627445**

City,State,Zip: SAN FRANCISCO, CA 94109
Site ID: 124962
CERS ID: 10059046
CERS Description: Chemical Storage Facilities

Coordinates:
Site ID: 124962
Facility Name: J & S Auto Repair Inc
Env Int Type Code: HWG
Program ID: 10059046
Coord Name: Not reported
Ref Point Type Desc: Unknown
Latitude: 37.783637
Longitude: -122.415274

Affiliation:
Affiliation Type Desc: Document Preparer
Entity Name: Alexander Hwee
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: Alexander Hwee
Entity Title: CEO
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Parent Corporation
Entity Name: J & S Auto Repair Inc
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 464 Eddy St
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94109
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner

J & S AUTO REPAIR INC (Continued) **S120627445**

Entity Name:	John Hwee,Stephen Hwee
Entity Title:	Not reported
Affiliation Address:	464 Eddy St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94109
Affiliation Phone:	(415) 885-0888
Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Environmental Contact
Entity Name:	John Hwee
Entity Title:	Not reported
Affiliation Address:	464 Eddy St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94109
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Stephen Hwee
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 885-0888

S216 **J&S AUTO REPAIR** **RCRA NonGen / NLR** **1024799729**
NNW **464 EDDY ST** **CAL000213588**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.146 mi.
771 ft. **Site 2 of 24 in cluster S**

Relative:
Higher

Actual:
75 ft.

RCRA NonGen / NLR:

Date form received by agency:	2000-01-03 00:00:00.0
Facility name:	J&S AUTO REPAIR
Facility address:	464 EDDY ST SAN FRANCISCO, CA 94109-8110
EPA ID:	CAL000213588
Contact:	JOHN HWEE
Contact address:	464 EDDY ST SAN FRANCISCO, CA 94109
Contact country:	Not reported
Contact telephone:	415-885-0888
Contact email:	JANDSAUTOREPAIR@GMAIL.COM

J&S AUTO REPAIR (Continued) **1024799729**

EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: JOHN HWEE
Owner/operator address: 464 EDDY ST
SAN FRANCISCO, CA 94109
Owner/operator country: Not reported
Owner/operator telephone: 415-885-0888
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: J&S AUTO REPAIR INC
Owner/operator address: 464 EDDY ST
SAN FRANCISCO, CA 94109
Owner/operator country: Not reported
Owner/operator telephone: 415-885-0888
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

R217 **WAGNER AUTO BODY** **RCRA-SQG** **1000313320**
NNE **315 EDDY ST** **FINDS** **CAD982008625**
1/8-1/4 **SAN FRANCISCO, CA 94102** **ECHO**
0.146 mi. **CA HAZNET**
772 ft. **Site 4 of 14 in cluster R**

Relative: Lower

Actual: 55 ft.

RCRA-SQG:

Date form received by agency:	1996-09-01 00:00:00.0
Facility name:	WAGNER AUTO BODY
Facility address:	315 EDDY ST SAN FRANCISCO, CA 94102
EPA ID:	CAD982008625
Mailing address:	EDDY ST SAN FRANCISCO, CA 94102
Contact:	Not reported
Contact address:	Not reported Not reported
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	LORENZ WAGNER
Owner/operator address:	NOT REQUIRED NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	415-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	NOT REQUIRED
Owner/operator address:	NOT REQUIRED NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	415-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No

WAGNER AUTO BODY (Continued) **1000313320**

Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

FINDS:

Registry ID: 110002774926

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000313320
Registry ID:	110002774926
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002774926

HAZNET:

Name:	WAGNER AUTO BODY
Address:	315 EDDY ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1993
Gepaid:	CAD982008625
Contact:	--
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	315 EDDY ST
Gen County:	38
Waste Category:	Unspecified solvent mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.1836

Additional Info:

Year:	1993
Shipment Date:	19930524

WAGNER AUTO BODY (Continued) **1000313320**

Creation Date:	9/8/1995 0:00:00
Receipt Date:	19930524
Manifest ID:	92032994
Gen EPA ID:	CAD982008625
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.1836
Waste Quantity:	51
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	WAGNER AUTO BODY
Address:	315 EDDY ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1991
Gepaid:	CAD982008625
Contact:	--
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	315 EDDY ST
Gen County:	38
Waste Category:	Unspecified solvent mixture
TSD EPA ID:	CAD009452657
TSD County:	43
Disposal Method:	Recycler
Tons:	0.2168

Name:	WAGNER AUTO BODY
Address:	315 EDDY ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1995
Gepaid:	CAD982008625
Contact:	--
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	315 EDDY ST
Gen County:	38
Waste Category:	Unspecified solvent mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler

WAGNER AUTO BODY (Continued) **1000313320**

Tons:	1.7208
Additional Info:	
Year:	1995
Shipment Date:	19950123
Creation Date:	10/20/1995 0:00:00
Receipt Date:	19950123
Manifest ID:	93350332
Gen EPA ID:	CAD982008625
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	D001
Meth Code:	R01
Quantity Tons:	0.126
Waste Quantity:	35
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1995
Shipment Date:	19950815
Creation Date:	4/1/1996 0:00:00
Receipt Date:	19950816
Manifest ID:	95354729
Gen EPA ID:	CAD982008625
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	D001
Meth Code:	R01
Quantity Tons:	1.5948
Waste Quantity:	443
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Name:	WAGNER AUTO BODY
Address:	315 EDDY ST

WAGNER AUTO BODY (Continued) **1000313320**

Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1994
Gepaid:	CAD982008625
Contact:	--
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	315 EDDY ST
Gen County:	38
Waste Category:	Unspecified solvent mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.3456

Additional Info:

Year:	1994
Shipment Date:	19940307
Creation Date:	9/15/1995 0:00:00
Receipt Date:	19940307
Manifest ID:	92598192
Gen EPA ID:	CAD982008625
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.1728
Waste Quantity:	48
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1994
Shipment Date:	19940725
Creation Date:	10/16/1995 0:00:00
Receipt Date:	19940726
Manifest ID:	92605438
Gen EPA ID:	CAD982008625
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	Not reported

WAGNER AUTO BODY (Continued) **1000313320**

Meth Code:	R01
Quantity Tons:	0.1728
Waste Quantity:	48
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	WAGNER AUTO BODY
Address:	315 EDDY ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1996
Gepaid:	CAD982008625
Contact:	--
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	315 EDDY ST
Gen County:	38
Waste Category:	Unspecified solvent mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.4428

Additional Info:

Year:	1996
Shipment Date:	19961028
Creation Date:	5/21/1997 0:00:00
Receipt Date:	19961029
Manifest ID:	96556623
Gen EPA ID:	CAD982008625
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	D001
Meth Code:	R01
Quantity Tons:	0.1008
Waste Quantity:	28
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1996
Shipment Date:	19960307
Creation Date:	10/16/1996 0:00:00

WAGNER AUTO BODY (Continued) **1000313320**

Receipt Date:	19960307
Manifest ID:	95478586
Gen EPA ID:	CAD982008625
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	D001
Meth Code:	R01
Quantity Tons:	0.1512
Waste Quantity:	42
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1996
Shipment Date:	19961028
Creation Date:	5/21/1997 0:00:00
Receipt Date:	19961028
Manifest ID:	96556622
Gen EPA ID:	CAD982008625
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	D001
Meth Code:	R01
Quantity Tons:	0.072
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1996
Shipment Date:	19960909
Creation Date:	5/30/1997 0:00:00
Receipt Date:	19960909
Manifest ID:	96298624
Gen EPA ID:	CAD982008625
Trans EPA ID:	CAD008252405
Trans Name:	Not reported

WAGNER AUTO BODY (Continued) **1000313320**

Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	D001
Meth Code:	R01
Quantity Tons:	0.1188
Waste Quantity:	33
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

T218 **RCRA NonGen / NLR** **1025849840**
East **1028 MARKET STREET** **CAC003029918**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.147 mi.
777 ft. **Site 1 of 8 in cluster T**

Relative:
Lower

Actual:
43 ft.

RCRA NonGen / NLR:

Date form received by agency:	2019-08-19 00:00:00.0
Facility name:	Not reported
Facility address:	1028 MARKET STREET SAN FRANCISCO, CA 94102
EPA ID:	CAC003029918
Mailing address:	235 MONTGOMERY ST, SUITE 960 SAN FRANCISCO, CA 94104
Contact:	ADAM TETENBAUM
Contact address:	235 MONTGOMERY ST, SUITE 960 SAN FRANCISCO, CA 94104
Contact country:	Not reported
Contact telephone:	415-947-7884
Contact email:	ADAM@OLYMPICRG.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	ADAM TETENBAUM
Owner/operator address:	235 MONTGOMERY ST, SUITE 960 SAN FRANCISCO, CA 94104
Owner/operator country:	Not reported
Owner/operator telephone:	415-947-7884
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

(Continued) **1025849840**

Owner/operator name: 1028 MARKET STREET OWNER, LLC
Owner/operator address: 235 MONTGOMERY ST, SUITE 960
SAN FRANCISCO, CA 94104
Owner/operator country: Not reported
Owner/operator telephone: 415-947-7884
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

T219 **RCRA NonGen / NLR** **1025863124**
East **1028 MARKET STREET** **CAC003043878**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.147 mi.
777 ft. **Site 2 of 8 in cluster T**

Relative:
Lower

Actual:
43 ft.

RCRA NonGen / NLR:
Date form received by agency: 2019-11-19 00:00:00.0
Facility name: Not reported
Facility address: 1028 MARKET STREET
SAN FRANCISCO, CA 94102
EPA ID: CAC003043878
Mailing address: 235 MONTGOMERY ST, SUITE 960
SAN FRANCISCO, CA 94104
Contact: 1028 MARKET STREET OWNER, LLC
Contact address: 235 MONTGOMERY ST, SUITE 960
SAN FRANCISCO, CA 94104
Contact country: Not reported
Contact telephone: 415-947-7884
Contact email: ADAM@OLYMPICRG.COM
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: 1028 MARKET STREET OWNER, LLC

(Continued) **1025863124**

Owner/operator address:	235 MONTGOMERY ST, SUITE 960 SAN FRANCISCO, CA 94104
Owner/operator country:	Not reported
Owner/operator telephone:	415-947-7884
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported
Owner/operator name:	1028 MARKET STREET OWNER, LLC
Owner/operator address:	235 MONTGOMERY ST, SUITE 960 SAN FRANCISCO, CA 94104
Owner/operator country:	Not reported
Owner/operator telephone:	415-947-7884
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	Not reported
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

T220 **RCRA NonGen / NLR** **1025862574**
East **1028 MARKET STREET** **CAC003043302**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.147 mi.
777 ft. **Site 3 of 8 in cluster T**

Relative: RCRA NonGen / NLR:
Lower

Date form received by agency:	2019-11-14 00:00:00.0
Facility name:	Not reported
Facility address:	1028 MARKET STREET SAN FRANCISCO, CA 94102
EPA ID:	CAC003043302
Mailing address:	235 MONTGOMERY ST, SUITE 960 SAN FRANCISCO, CA 94104

Actual:
43 ft.

(Continued) **1025862574**

Contact: DAN DEIBEL
Contact address: 235 MONTGOMERY ST, SUITE 960
SAN FRANCISCO, CA 94104
Contact country: Not reported
Contact telephone: 415-947-7884
Contact email: ADAM@OLYMPICRG.COM
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: DAN DEIBEL
Owner/operator address: 235 MONTGOMERY ST, SUITE 960
SAN FRANCISCO, CA 94104
Owner/operator country: Not reported
Owner/operator telephone: 415-947-7884
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: 1028 MARKET STREET OWNER, LLC
Owner/operator address: 235 MONTGOMERY ST, SUITE 960
SAN FRANCISCO, CA 94104
Owner/operator country: Not reported
Owner/operator telephone: 415-947-7884
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): Not reported
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

T221
East
1/8-1/4
0.147 mi.
777 ft.

1028 MARKET STREET
1028 MARKET STREET
SAN FRANCISCO, CA 94102

Site 4 of 8 in cluster T

RCRA-LQG **1025883061**
CAR000301739

Relative:
Lower

Actual:
43 ft.

RCRA-LQG:

Date form received by agency:	2019-11-15 00:00:00.0
Facility name:	1028 MARKET STREET
Facility address:	1028 MARKET STREET SAN FRANCISCO, CA 94102
EPA ID:	CAR000301739
Mailing address:	MONTGOMERY STREET SUITE 960 SAN FRANCISCO, CA 94104
Contact:	GARTH HERREMA
Contact address:	MONTGOMERY STREET SUITE 960 SAN FRANCISCO, CA 94104
Contact country:	US
Contact telephone:	415-299-1380
Contact email:	GARTH@BUILDGC.COM
EPA Region:	09
Classification:	Large Quantity Generator
Description:	Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name:	1028 MARKET STREET OWNER, LLC
Owner/operator address:	MONTGOMERY STREET SAN FRANCISCO, CA 94104
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	ADAM@OLYMPICRG.COM
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	1028 MARKET STREET OWNER, LLC
Owner/operator address:	MONTGOMERY STREEET SUITE 960 SAN FRANCISCO, CA 94104
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	ADAM@OLYMPICRG.COM
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private

1028 MARKET STREET (Continued) **1025883061**

Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): Not reported
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:

. Waste code: 121
. Waste name: Alkaline solution (pH >12.5) with metals (antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, copper, lead, mercury, molybdenum, nickel, selenium, silver, thallium, vanadium, and zinc)

. Waste code: 181
. Waste name: Other inorganic solid waste

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

S222 **COLLISION SPECIALIST** **CA SWEEPS UST** **S101592083**
NNW **460 EDDY ST** **CA FID UST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.149 mi.
786 ft. **Site 3 of 24 in cluster S**

Relative: Higher
Actual: 76 ft.

SWEEPS UST:
Name: COLLISION SPECIALIST
Address: 460 EDDY ST
City: SAN FRANCISCO
Status: Active
Comp Number: 9470
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Owner Tank Id: Not reported
SWRCB Tank Id: Not reported
Tank Status: Not reported
Capacity: Not reported
Active Date: Not reported

COLLISION SPECIALIST (Continued) **S101592083**

Tank Use: Not reported
STG: Not reported
Content: Not reported
Number Of Tanks: Not reported

Name: COLLISION SPECIALIST
Address: 460 EDDY ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 9470
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-009470-000001
Tank Status: Not reported
Capacity: 300
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: 2

Name: COLLISION SPECIALIST
Address: 460 EDDY ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 9470
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-009470-000002
Tank Status: Not reported
Capacity: 300
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

CA FID UST:
Facility ID: 38000455
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4150000000
Mail To: Not reported
Mailing Address: 460 EDDY ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94109
Contact: Not reported

COLLISION SPECIALIST (Continued) **S101592083**

Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

S223 **A&T AUTO REPAIR DBA ACCURATE AUTOBODY** **RCRA NonGen / NLR** **1024869207**
NNW **460 EDDY ST** **CAL000437819**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.149 mi.
786 ft. **Site 4 of 24 in cluster S**

Relative: Higher

Actual: 76 ft.

RCRA NonGen / NLR:
Date form received by agency: 2018-07-26 00:00:00.0
Facility name: A&T AUTO REPAIR DBA ACCURATE AUTOBODY
Facility address: 460 EDDY ST
SAN FRANCISCO, CA 94109
EPA ID: CAL000437819
Contact: SHIHAO GUAN
Contact address: 460 EDDY ST
SAN FRANCISCO, CA 94109
Contact country: Not reported
Contact telephone: 415-776-7578
Contact email: ACCURATE460@GMAIL.COM
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: SHIHAO GUAN
Owner/operator address: 1800 46TH AVE #303
SAN FRANCISCO, CA 94122
Owner/operator country: Not reported
Owner/operator telephone: 415-823-2832
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: SHIHAO GUAN
Owner/operator address: 460 EDDY ST
SAN FRANCISCO, CA 94109
Owner/operator country: Not reported
Owner/operator telephone: 415-776-7578
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

A&T AUTO REPAIR DBA ACCURATE AUTOBODY (Continued) **1024869207**

Handler Activities Summary:
- U.S. importer of hazardous waste: No
- Mixed waste (haz. and radioactive): No
- Recycler of hazardous waste: No
- Transporter of hazardous waste: Yes
- Treater, storer or disposer of HW: No
- Underground injection activity: No
- On-site burner exemption: No
- Furnace exemption: No
- Used oil fuel burner: No
- Used oil processor: No
- User oil refiner: No
- Used oil fuel marketer to burner: No
- Used oil Specification marketer: No
- Used oil transfer facility: No
- Used oil transporter: No

Violation Status: No violations found

S224 **WASSERMAN PROPERTY** **CA LUST** **S102441086**
NNW **460 EDDY STREET** **CA HIST CORTESE** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.149 mi.
786 ft. **Site 5 of 24 in cluster S**

Relative: Higher
Actual: 76 ft.

LUST:
- Name: WASSERMAN PROPERTY
- Address: 460 EDDY STREET
- City,State,Zip: SAN FRANCISCO, CA 94109
- Lead Agency: SAN FRANCISCO COUNTY LOP
- Case Type: LUST Cleanup Site
- Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500372
- Global Id: T0607500372
- Latitude: 37.783884
- Longitude: -122.41525
- Status: Completed - Case Closed
- Status Date: 06/24/1993
- Case Worker: Not reported
- RB Case Number: 38-0420
- Local Agency: Not reported
- File Location: Not reported
- Local Case Number: 10119
- Potential Media Affect: Soil
- Potential Contaminants of Concern: Gasoline
- Site History: Not reported

LUST:
- Global Id: T0607500372
- Contact Type: Regional Board Caseworker
- Contact Name: Regional Water Board
- Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
- Address: 1515 CLAY ST SUITE 1400
- City: OAKLAND
- Email: Not reported
- Phone Number: Not reported

LUST:
- Global Id: T0607500372

WASSERMAN PROPERTY (Continued) **S102441086**

Action Type: Other
Date: 01/02/1965
Action: Leak Reported

Global Id: T0607500372
Action Type: ENFORCEMENT
Date: 12/02/1992
Action: Notice of Responsibility

Global Id: T0607500372
Action Type: Other
Date: 03/11/1991
Action: Leak Discovery

LUST:
Global Id: T0607500372
Status: Open - Case Begin Date
Status Date: 03/11/1991

Global Id: T0607500372
Status: Completed - Case Closed
Status Date: 06/24/1993

HIST CORTESE:
edr_fname: WASSERMAN PROPERTY
edr_fadd1: 460 EDDY
City,State,Zip: SAN FRANCISCO, CA
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-0420

S225 **ACCURATE AUTO BODY** **CA CERS HAZ WASTE** **S120627659**
NNW **460 EDDY ST** **CA CUPA Listings** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109** **CA CERS**
0.149 mi.
786 ft. **Site 6 of 24 in cluster S**

Relative:
Higher

Actual:
76 ft.

CERS HAZ WASTE:
Name: ACCURATE AUTO BODY
Address: 460 EDDY ST
City,State,Zip: SAN FRANCISCO, CA 94109
Site ID: 89446
CERS ID: 10060006
CERS Description: Hazardous Waste Generator

CUPA SAN FRANCISCO CO:
Name: ACCURATE AUTO BODY
Address: 460 EDDY ST
City,State,Zip: SAN FRANCISCO, CA 94109
Facility ID: 34697
Census Tract: 124
District: 101
Number of Tanks: 0

ACCURATE AUTO BODY (Continued) **S120627659**

CERS:
- Name: ACCURATE AUTO BODY
- Address: 460 EDDY ST
- City,State,Zip: SAN FRANCISCO, CA 94109
- Site ID: 89446
- CERS ID: 10060006
- CERS Description: Chemical Storage Facilities

Evaluation:
- Eval General Type: Compliance Evaluation Inspection
- Eval Date: 11-06-2018
- Violations Found: No
- Eval Type: Routine done by local agency
- Eval Notes: Not reported
- Eval Division: San Francisco City & County Public Health Dept
- Eval Program: HW
- Eval Source: CERS

- Eval General Type: Compliance Evaluation Inspection
- Eval Date: 11-06-2018
- Violations Found: No
- Eval Type: Routine done by local agency
- Eval Notes: Not reported
- Eval Division: San Francisco City & County Public Health Dept
- Eval Program: HMRRP
- Eval Source: CERS

Coordinates:
- Site ID: 89446
- Facility Name: Accurate Auto Body
- Env Int Type Code: HWG
- Program ID: 10060006
- Coord Name: Not reported
- Ref Point Type Desc: Unknown
- Latitude: 37.783882
- Longitude: -122.415253

Affiliation:
- Affiliation Type Desc: CUPA District
- Entity Name: San Francisco City & County Public Health Departme
- Entity Title: Not reported
- Affiliation Address: 1390 Market Street, Room 210
- Affiliation City: San Francisco
- Affiliation State: CA
- Affiliation Country: Not reported
- Affiliation Zip: 94102
- Affiliation Phone: (415) 252-3900

- Affiliation Type Desc: Identification Signer
- Entity Name: shihao guan
- Entity Title: CFO
- Affiliation Address: Not reported
- Affiliation City: Not reported
- Affiliation State: Not reported
- Affiliation Country: Not reported
- Affiliation Zip: Not reported

ACCURATE AUTO BODY (Continued) **S120627659**

Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	460 eddy st
Affiliation City:	san francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94109
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Andrew Guan
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 823-2832
Affiliation Type Desc:	Parent Corporation
Entity Name:	A&T Auto Repair
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	Andrew Guan
Entity Title:	Not reported
Affiliation Address:	460 eddy st
Affiliation City:	san francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94109
Affiliation Phone:	(415) 823-2832
Affiliation Type Desc:	Document Preparer
Entity Name:	shihao guan
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Environmental Contact
Entity Name:	shihao guan
Entity Title:	Not reported
Affiliation Address:	460 Eddy St
Affiliation City:	San Francisco

ACCURATE AUTO BODY (Continued) **S120627659**

Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94109
Affiliation Phone:	Not reported

S226 **COLLISION** **CA UST** **U003903332**
NNW **460 EDDY ST** **N/A**
1/8-1/4 **, CA**
0.149 mi.
786 ft. **Site 7 of 24 in cluster S**

Relative: **Higher**

Actual: **76 ft.**

SAN FRANCISCO CO. UST:

Name:	COLLISION
Address:	460 EDDY ST
Facility ID:	24415
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	2/28/1991
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	820
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported

COLLISION (Continued) **U003903332**

Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

S227 **WASSERMAN PROPERTY** **CA LUST S103660773**
NNW **460 EDDY STREET** **CA EMI N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109** **CA CERS**
0.149 mi.
786 ft. **Site 8 of 24 in cluster S**

Relative:
Higher

Actual:
76 ft.

LUST REG 2:

Region:	2
Facility Id:	38-0420
Facility Status:	Case Closed
Case Number:	10119
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported

WASSERMAN PROPERTY (Continued) **S103660773**

Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: Wasserman Property
Address: 460 Eddy Street
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 38-0420
Facility Status: Case Closed
Case Number: 10119
Case Type: Soil only
Release Date: 3/11/1991
Discovered Date: 3/11/1991
Substance: Gasoline
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 3/11/1991
Case Closed: 6/24/1993
Closed Date: 6/24/1993
Leak Source: Tank
Leak Cause: Structure Failure
Leak Confirmed: Not reported
Entered Date: 12/2/1992
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Not reported
RP Address: Not reported
Operator: Not reported
Staff Initial: VP
Facility Staff: AL
Cross Street: HYDE ST
NOR Date: 12/2/1992
MTBE Current: Not reported
MTBE Current Date: Not reported
MTBE: NT
Maximum MTBE Soil: Not reported
Maximum MTBE GW: Not reported
MTBE DATE: Not reported
Review Date: Not reported
Workplan Submitted: Not reported
Assessment Underway: 4/1/1991
Pollution Characterization: Not reported
Corrective Action Plan: Not reported
Remediation Underway: Not reported
Monitoring Begun: Not reported
Funding: Federal
Interim Remediation: No
Priority: Not reported
Abatement: No Action Taken - no action has as yet been taken at the site
Enforcement Type: NOR

WASSERMAN PROPERTY (Continued) **S103660773**

Enforcement Due Date:	12/2/1992
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	3/22/1991
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

EMI:

Name:	ACCURATE AUTO BODY, INC
Address:	460 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2002
County Code:	38
Air Basin:	SF
Facility ID:	15216
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	ACCURATE AUTO BODY, INC
Address:	460 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2003
County Code:	38

WASSERMAN PROPERTY (Continued) **S103660773**

Air Basin:	SF
Facility ID:	15216
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	ACCURATE AUTO BODY, INC
Address:	460 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2004
County Code:	38
Air Basin:	SF
Facility ID:	15216
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.756
Reactive Organic Gases Tons/Yr:	0.548744
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	ACCURATE AUTO BODY, INC
Address:	460 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2005
County Code:	38
Air Basin:	SF
Facility ID:	15216
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	.756
Reactive Organic Gases Tons/Yr:	.548744
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	ACCURATE AUTO BODY, INC
Address:	460 EDDY STREET

WASSERMAN PROPERTY (Continued) **S103660773**

City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2006
County Code:	38
Air Basin:	SF
Facility ID:	15216
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	.756
Reactive Organic Gases Tons/Yr:	.548744
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	ACCURATE AUTO BODY, INC
Address:	460 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2007
County Code:	38
Air Basin:	SF
Facility ID:	15216
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	.756
Reactive Organic Gases Tons/Yr:	.548744
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	ACCURATE AUTO BODY, INC
Address:	460 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2008
County Code:	38
Air Basin:	SF
Facility ID:	15216
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	.245
Reactive Organic Gases Tons/Yr:	.2324484
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

WASSERMAN PROPERTY (Continued) **S103660773**

Name:	ACCURATE AUTO BODY, INC
Address:	460 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2009
County Code:	38
Air Basin:	SF
Facility ID:	15216
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.245
Reactive Organic Gases Tons/Yr:	0.2324484
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	ACCURATE AUTO BODY, INC
Address:	460 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2010
County Code:	38
Air Basin:	SF
Facility ID:	15216
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.104
Reactive Organic Gases Tons/Yr:	9.2640600000000003E-2
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	ACCURATE AUTO BODY, INC
Address:	460 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2011
County Code:	38
Air Basin:	SF
Facility ID:	15216
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.104
Reactive Organic Gases Tons/Yr:	0.0926406
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0

WASSERMAN PROPERTY (Continued) **S103660773**

Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: ACCURATE AUTO BODY, INC
Address: 460 EDDY STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Year: 2012
County Code: 38
Air Basin: SF
Facility ID: 15216
Air District Name: BA
SIC Code: 7532
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.104
Reactive Organic Gases Tons/Yr: 0.0926406
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: ACCURATE AUTO BODY, INC
Address: 460 EDDY STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Year: 2013
County Code: 38
Air Basin: SF
Facility ID: 15216
Air District Name: BA
SIC Code: 7532
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.104
Reactive Organic Gases Tons/Yr: 0.0926406
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: ACCURATE AUTO BODY, INC
Address: 460 EDDY STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Year: 2014
County Code: 38
Air Basin: SF
Facility ID: 15216
Air District Name: BA
SIC Code: 7532
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.103513004
Reactive Organic Gases Tons/Yr: 0

WASSERMAN PROPERTY (Continued) **S103660773**

Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	ACCURATE AUTO BODY, INC
Address:	460 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2015
County Code:	38
Air Basin:	SF
Facility ID:	15216
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.103513012
Reactive Organic Gases Tons/Yr:	0.103513003
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

CERS:

Name:	ACCURATE AUTO BODY, INC
Address:	460 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109-8110
Site ID:	449442
CERS ID:	110021329864
CERS Description:	US EPA Air Emission Inventory System (EIS)

Affiliation:

Affiliation Type Desc:	Environmental Contact
Entity Name:	Alexander Hwee
Entity Title:	Not reported
Affiliation Address:	460 EDDY ST
Affiliation City:	SANFRANCISCO
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Name:	WASSERMAN PROPERTY
Address:	460 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Site ID:	199384
CERS ID:	T0607500372
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400

WASSERMAN PROPERTY (Continued) **S103660773**

Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

S228 **COMMERCIAL** **CA UST** **U003903460**
NNW **480 EDDY ST** **N/A**
1/8-1/4 **, CA**
0.150 mi.
794 ft. **Site 9 of 24 in cluster S**

Relative:
Higher

Actual:
77 ft.

SAN FRANCISCO CO. UST:

Name:	COMMERCIAL
Address:	480 EDDY ST
Facility ID:	24416
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	3/30/1994
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	4/11/1994
UST Close ID:	1657
Type Of Spill Protection:	Not reported

COMMERCIAL (Continued) **U003903460**

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	7/11/1994
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Q229 **TAM'S AUTO BODY CORP.** **CA CUPA Listings** **S120627615**
NW **545 EDDY ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.150 mi.
794 ft. **Site 4 of 14 in cluster Q**

Relative:
Higher

Actual:
80 ft.

CUPA SAN FRANCISCO CO:

Name:	TAM'S AUTO BODY CORP.
Address:	545 EDDY ST
City,State,Zip:	SAN FRANCISCO, CA 94109
Facility ID:	26361
Census Tract:	124
District:	10
Number of Tanks:	0

Q230 **ABC AUTOMOTIVE** **RCRA NonGen / NLR** **1024789080**
NW **545 EDDY ST** **CAL000058956**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.150 mi.
794 ft. **Site 5 of 14 in cluster Q**

Relative:
Higher

Actual:
80 ft.

RCRA NonGen / NLR:

Date form received by agency:	1992-02-24 00:00:00.0
Facility name:	ABC AUTOMOTIVE
Facility address:	545 EDDY ST SAN FRANCISCO, CA 94109-8017
EPA ID:	CAL000058956
Contact:	WILLIAM TAI
Contact address:	545 EDDY ST SAN FRANCISCO, CA 94109
Contact country:	Not reported
Contact telephone:	415-606-2589
Contact email:	ABCAUTO@PACBELL.NET
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	AMO AUTOTMOTIVE INC
Owner/operator address:	545 EDDY ST SAN FRANCISCO, CA 94109
Owner/operator country:	Not reported
Owner/operator telephone:	415-441-1579
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	WILLIAM TAI
Owner/operator address:	545 EDDY ST SAN FRANCISCO, CA 94109
Owner/operator country:	Not reported
Owner/operator telephone:	415-606-2589
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	Yes
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No

ABC AUTOMOTIVE (Continued) **1024789080**

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

Q231 **JIMS AUTO BODY** **RCRA-SQG** **1000373849**
NW **545 EDDY STREET** **FINDS** **CAD102949666**
1/8-1/4 **SAN FRANCISCO, CA 94102** **ECHO**
0.150 mi. **CA EMI**
794 ft. **Site 6 of 14 in cluster Q** **CA HAZNET**

Relative: Higher

Actual: 80 ft.

RCRA-SQG:
Date form received by agency: 1986-06-03 00:00:00.0
Facility name: JIMS AUTO BODY
Facility address: 545 EDDY STREET
SAN FRANCISCO, CA 94102
EPA ID: CAD102949666
Mailing address: EDDY STREET
SAN FRANCISCO, CA 94102
Contact: ENVIRONMENTAL MANAGER
Contact address: 545 EDDY STREET
SAN FRANCISCO, CA 94102
Contact country: US
Contact telephone: 415-474-5166
Contact email: Not reported
EPA Region: 09
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: JIMMY ENG
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: 415-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: 415-555-1212
Owner/operator email: Not reported

JIMS AUTO BODY (Continued) **1000373849**

Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110001191781

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
HAZARDOUS AIR POLLUTANT MAJOR
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000373849
Registry ID: 110001191781
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110001191781

EMI:
Name: JIM'S AUTO BODY REPAIR
Address: 545 EDDY STREET
City,State,Zip: SAN FRANCISCO, CA 941020000
Year: 1990
County Code: 38
Air Basin: SF
Facility ID: 4587

JIMS AUTO BODY (Continued) **1000373849**

Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	TAM'S AUTO BODY SHOP
Address:	545 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1996
County Code:	38
Air Basin:	SF
Facility ID:	10930
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	TAM'S AUTO BODY SHOP
Address:	545 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1997
County Code:	38
Air Basin:	SF
Facility ID:	10930
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	TAM'S AUTO BODY SHOP
Address:	545 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1998

JIMS AUTO BODY (Continued) **1000373849**

County Code:	38
Air Basin:	SF
Facility ID:	10930
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	TAM'S AUTO BODY SHOP
Address:	545 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1999
County Code:	38
Air Basin:	SF
Facility ID:	10930
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	TAM'S AUTO BODY SHOP
Address:	545 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	2000
County Code:	38
Air Basin:	SF
Facility ID:	10930
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	TAM'S AUTO BODY SHOP

JIMS AUTO BODY (Continued) **1000373849**

Address:	545 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	2001
County Code:	38
Air Basin:	SF
Facility ID:	10930
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	TAM'S AUTO BODY SHOP
Address:	545 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	2002
County Code:	38
Air Basin:	SF
Facility ID:	10930
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	TAM'S AUTO BODY SHOP
Address:	545 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	2003
County Code:	38
Air Basin:	SF
Facility ID:	10930
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0

JIMS AUTO BODY (Continued) **1000373849**

Part. Matter 10 Micrometers and Smllr Tons/Yr:0

Name:	TAM'S AUTO BODY SHOP
Address:	545 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	2004
County Code:	38
Air Basin:	SF
Facility ID:	10930
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.19
Reactive Organic Gases Tons/Yr:	0.1619118
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	TAM'S AUTO BODY SHOP
Address:	545 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	2005
County Code:	38
Air Basin:	SF
Facility ID:	10930
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	.492
Reactive Organic Gases Tons/Yr:	.3668074
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	TAM'S AUTO BODY SHOP
Address:	545 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	2006
County Code:	38
Air Basin:	SF
Facility ID:	10930
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	.492
Reactive Organic Gases Tons/Yr:	.3668074
Carbon Monoxide Emissions Tons/Yr:	0

JIMS AUTO BODY (Continued) **1000373849**

NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: TAM'S AUTO BODY SHOP
Address: 545 EDDY STREET
City,State,Zip: SAN FRANCISCO, CA 941020000
Year: 2007
County Code: 38
Air Basin: SF
Facility ID: 10930
Air District Name: BA
SIC Code: 7532
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: .492
Reactive Organic Gases Tons/Yr: .3668074
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: TAM'S AUTO BODY SHOP
Address: 545 EDDY STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Year: 2008
County Code: 38
Air Basin: SF
Facility ID: 10930
Air District Name: BA
SIC Code: 7532
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: .492
Reactive Organic Gases Tons/Yr: .3668074
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: TAM'S AUTO BODY SHOP
Address: 545 EDDY STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Year: 2009
County Code: 38
Air Basin: SF
Facility ID: 10930
Air District Name: BA
SIC Code: 7532
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported

JIMS AUTO BODY (Continued) **1000373849**

Total Organic Hydrocarbon Gases Tons/Yr:	0.39800000000000002
Reactive Organic Gases Tons/Yr:	0.28929880000000002
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	TAM'S AUTO BODY SHOP
Address:	545 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2010
County Code:	38
Air Basin:	SF
Facility ID:	10930
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.39800000000000002
Reactive Organic Gases Tons/Yr:	0.28929880000000002
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	TAM'S AUTO BODY SHOP
Address:	545 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2011
County Code:	38
Air Basin:	SF
Facility ID:	10930
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.398
Reactive Organic Gases Tons/Yr:	0.2892988
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	TAM'S AUTO BODY SHOP
Address:	545 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2012
County Code:	38
Air Basin:	SF
Facility ID:	10930
Air District Name:	BA
SIC Code:	7532

JIMS AUTO BODY (Continued) **1000373849**

Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.398
Reactive Organic Gases Tons/Yr:	0.2892988
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	TAM'S AUTO BODY SHOP
Address:	545 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2013
County Code:	38
Air Basin:	SF
Facility ID:	10930
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.099
Reactive Organic Gases Tons/Yr:	0.080148
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	TAM'S AUTO BODY SHOP
Address:	545 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2014
County Code:	38
Air Basin:	SF
Facility ID:	10930
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.099632967
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	TAM'S AUTO BODY SHOP
Address:	545 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2015
County Code:	38
Air Basin:	SF

JIMS AUTO BODY (Continued) **1000373849**

Facility ID:	10930
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.09963296
Reactive Organic Gases Tons/Yr:	0.09963295
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

HAZNET:

Name:	JIMS AUTO BODY
Address:	545 EDDY STREET
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1991
Gepaid:	CAD102949666
Contact:	INACTIVE MOVED OUT
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	545 EDDY STREET
Gen County:	38
Waste Category:	Oxygenated solvents (acetone, butanol, ethyl acetate, etc.)
TSD EPA ID:	CAD008302903
TSD County:	19
Disposal Method:	Recycler
Tons:	0.688

Name:	JIMS AUTO BODY
Address:	545 EDDY STREET
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1991
Gepaid:	CAD102949666
Contact:	INACTIVE MOVED OUT
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	545 EDDY STREET
Gen County:	38
Waste Category:	Unspecified solvent mixture
TSD EPA ID:	CAD008302903
TSD County:	19
Disposal Method:	Recycler
Tons:	1.1467

Name:	JIMS AUTO BODY
Address:	545 EDDY STREET
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1992
Gepaid:	CAD102949666
Contact:	INACTIVE MOVED OUT
Telephone:	--

JIMS AUTO BODY (Continued) **1000373849**

Mailing Name:	Not reported
Mailing Address:	545 EDDY STREET
Gen County:	38
Waste Category:	Oxygenated solvents (acetone, butanol, ethyl acetate, etc.)
TSD EPA ID:	CAD008302903
TSD County:	19
Disposal Method:	Recycler
Tons:	0.9174
Name:	JIMS AUTO BODY
Address:	545 EDDY STREET
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1992
Gepaid:	CAD102949666
Contact:	INACTIVE MOVED OUT
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	545 EDDY STREET
Gen County:	38
Waste Category:	Unspecified solvent mixture
TSD EPA ID:	CAD009452657
TSD County:	43
Disposal Method:	Recycler
Tons:	0.3961
Name:	JIMS AUTO BODY
Address:	545 EDDY STREET
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1994
Gepaid:	CAD102949666
Contact:	INACTIVE MOVED OUT
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	545 EDDY STREET
Gen County:	38
Waste Category:	Unspecified solvent mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.1512

Additional Info:

Year:	1994
Shipment Date:	19940802
Creation Date:	10/16/1995 0:00:00
Receipt Date:	19940802
Manifest ID:	93344160
Gen EPA ID:	CAD102949666
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported

JIMS AUTO BODY (Continued) **1000373849**

Waste Code:	214
RCRA Code:	D001
Meth Code:	R01
Quantity Tons:	0.1512
Waste Quantity:	42
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	JIMS AUTO BODY
Address:	545 EDDY STREET
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1987
Gepaid:	CAD102949666
Contact:	INACTIVE MOVED OUT
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	545 EDDY STREET
Gen County:	38
Waste Category:	Unspecified solvent mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.6255

Name:	JIMS AUTO BODY
Address:	545 EDDY STREET
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1989
Gepaid:	CAD102949666
Contact:	INACTIVE MOVED OUT
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	545 EDDY STREET
Gen County:	38
Waste Category:	Unspecified solvent mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.9174

Name:	JIMS AUTO BODY
Address:	545 EDDY STREET
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1990
Gepaid:	CAD102949666
Contact:	INACTIVE MOVED OUT
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	545 EDDY STREET

JIMS AUTO BODY (Continued) **1000373849**

Gen County:	38
Waste Category:	Unspecified solvent mixture
TSD EPA ID:	CAD009452657
TSD County:	43
Disposal Method:	Recycler
Tons:	1.3761
Name:	JIMS AUTO BODY
Address:	545 EDDY STREET
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1986
Gepaid:	CAD102949666
Contact:	INACTIVE MOVED OUT
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	545 EDDY STREET
Gen County:	38
Waste Category:	Unspecified solvent mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.3753
Name:	JIMS AUTO BODY
Address:	545 EDDY STREET
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1993
Gepaid:	CAD102949666
Contact:	INACTIVE MOVED OUT
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	545 EDDY STREET
Gen County:	38
Waste Category:	Unspecified solvent mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Not reported
Tons:	0.1908

Additional Info:

Year:	1993
Shipment Date:	19930715
Creation Date:	9/8/1995 0:00:00
Receipt Date:	Not reported
Manifest ID:	92600166
Gen EPA ID:	CAD102949666
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	Not reported

JIMS AUTO BODY (Continued) **1000373849**

Meth Code:	Not reported
Quantity Tons:	0.1908
Waste Quantity:	53
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1993
Shipment Date:	19930125
Creation Date:	9/6/1995 0:00:00
Receipt Date:	19930126
Manifest ID:	92033407
Gen EPA ID:	CAD102949666
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.1692
Waste Quantity:	47
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1993
Shipment Date:	19930322
Creation Date:	9/6/1995 0:00:00
Receipt Date:	19930323
Manifest ID:	92040070
Gen EPA ID:	CAD102949666
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.1728
Waste Quantity:	48
Quantity Unit:	G
Additional Code 1:	Not reported

JIMS AUTO BODY (Continued) **1000373849**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1993
Shipment Date:	19931018
Creation Date:	9/13/1995 0:00:00
Receipt Date:	19931018
Manifest ID:	92601744
Gen EPA ID:	CAD102949666
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.108
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Click this hyperlink while viewing on your computer to access
4 additional CA HAZNET: record(s) in the EDR Site Report.

Name:	JIMS AUTO BODY
Address:	545 EDDY STREET
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1993
Gepaid:	CAD102949666
Contact:	INACTIVE MOVED OUT
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	545 EDDY STREET
Gen County:	38
Waste Category:	Unspecified solvent mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.45

Additional Info:

Year:	1993
Shipment Date:	19930715
Creation Date:	9/8/1995 0:00:00
Receipt Date:	Not reported
Manifest ID:	92600166

JIMS AUTO BODY (Continued) **1000373849**

Gen EPA ID:	CAD102949666
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	Not reported
Meth Code:	Not reported
Quantity Tons:	0.1908
Waste Quantity:	53
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1993
Shipment Date:	19930125
Creation Date:	9/6/1995 0:00:00
Receipt Date:	19930126
Manifest ID:	92033407
Gen EPA ID:	CAD102949666
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.1692
Waste Quantity:	47
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1993
Shipment Date:	19930322
Creation Date:	9/6/1995 0:00:00
Receipt Date:	19930323
Manifest ID:	92040070
Gen EPA ID:	CAD102949666
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported

JIMS AUTO BODY (Continued) **1000373849**

TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.1728
Waste Quantity:	48
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1993
Shipment Date:	19931018
Creation Date:	9/13/1995 0:00:00
Receipt Date:	19931018
Manifest ID:	92601744
Gen EPA ID:	CAD102949666
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.108
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Click this hyperlink while viewing on your computer to access
4 additional CA HAZNET: record(s) in the EDR Site Report.

Q232 **TAM'S AUTO BODY CORP** **RCRA NonGen / NLR** **1024793886**
NW **545 EDDY ST** **CAL000143609**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.150 mi.
794 ft. **Site 7 of 14 in cluster Q**

Relative: RCRA NonGen / NLR:
Higher

Date form received by agency:	1996-03-12 00:00:00.0
Facility name:	TAM'S AUTO BODY CORP
Facility address:	545 EDDY ST SAN FRANCISCO, CA 94109-8017
EPA ID:	CAL000143609

Actual:
80 ft.

TAM'S AUTO BODY CORP (Continued) **1024793886**

Contact: ERIC NG
Contact address: 545 EDDY ST
SAN FRANCISCO, CA 94109
Contact country: Not reported
Contact telephone: 415-885-5221
Contact email: TAMSAUTO@AOL.COM
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: ERIC NG
Owner/operator address: 545 EDDY ST
SAN FRANCISCO, CA 94109
Owner/operator country: Not reported
Owner/operator telephone: 415-885-5221
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: HANG LING TAM
Owner/operator address: 37 LOIS LN
SAN FRANCISCO, CA 94134
Owner/operator country: Not reported
Owner/operator telephone: 415-330-0908
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

Q233 **ABC AUTOMOTIVE** **CA CERS HAZ WASTE** **S120627031**
NW **545 EDDY ST** **CA CUPA Listings** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109** **CA HAZNET**
0.150 mi. **CA CERS**
794 ft. **Site 8 of 14 in cluster Q**

Relative:
Higher

Actual:
80 ft.

CERS HAZ WASTE:

Name:	ABC AUTOMOTIVE
Address:	545 EDDY ST
City,State,Zip:	SAN FRANCISCO, CA 94109
Site ID:	89247
CERS ID:	10057255
CERS Description:	Hazardous Waste Generator

CUPA SAN FRANCISCO CO:

Name:	ABC AUTOMOTIVE
Address:	545 EDDY ST
City,State,Zip:	SAN FRANCISCO, CA 94109
Facility ID:	11174
Census Tract:	124
District:	1
Number of Tanks:	0

HAZNET:

Name:	ABC AUTOMOTIVE
Address:	545 EDDY ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941098017
Year:	1992
Gepaid:	CAL000058956
Contact:	WILLIAM TAI
Telephone:	4156062589
Mailing Name:	Not reported
Mailing Address:	545 EDDY ST
Gen County:	38
Waste Category:	Aqueous solution with total organic residues less than 10 percent
TSD EPA ID:	CAD980887418
TSD County:	1
Disposal Method:	Recycler
Tons:	0.4378

Name:	ABC AUTOMOTIVE
Address:	545 EDDY ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941098017
Year:	1993
Gepaid:	CAL000058956
Contact:	WILLIAM TAI
Telephone:	4156062589
Mailing Name:	Not reported
Mailing Address:	545 EDDY ST
Gen County:	38
Waste Category:	Aqueous solution with total organic residues less than 10 percent
TSD EPA ID:	CAD980887418
TSD County:	01
Disposal Method:	Transfer Station
Tons:	1.0122

ABC AUTOMOTIVE (Continued) **S120627031**

Additional Info:

Year:	1993
Shipment Date:	19930809
Creation Date:	9/12/1995 0:00:00
Receipt Date:	19930809
Manifest ID:	92716131
Gen EPA ID:	CAL000058956
Trans EPA ID:	CAD981377633
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD980887418
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD980887418
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	Not reported
Meth Code:	H01
Quantity Tons:	0.3192
Waste Quantity:	76
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1993
Shipment Date:	19930921
Creation Date:	9/13/1995 0:00:00
Receipt Date:	19930922
Manifest ID:	92716312
Gen EPA ID:	CAL000058956
Trans EPA ID:	CAD981377633
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD980887418
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD980887418
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	Not reported
Meth Code:	H01
Quantity Tons:	0.231
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1993
Shipment Date:	19931109
Creation Date:	9/14/1995 0:00:00
Receipt Date:	19931110

ABC AUTOMOTIVE (Continued) **S120627031**

Manifest ID:	92716331
Gen EPA ID:	CAL000058956
Trans EPA ID:	CAD981377633
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD980887418
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD980887418
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	Not reported
Meth Code:	H01
Quantity Tons:	0.231
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1993
Shipment Date:	19930321
Creation Date:	9/9/1995 0:00:00
Receipt Date:	19930323
Manifest ID:	92716039
Gen EPA ID:	CAL000058956
Trans EPA ID:	CAD981377633
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD980887418
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	Not reported
Meth Code:	H01
Quantity Tons:	0.231
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CERS:

Name:	ABC AUTOMOTIVE
Address:	545 EDDY ST
City,State,Zip:	SAN FRANCISCO, CA 94109
Site ID:	89247
CERS ID:	10057255
CERS Description:	Chemical Storage Facilities

ABC AUTOMOTIVE (Continued) **S120627031**

Coordinates:

Site ID:	89247
Facility Name:	ABC AUTOMOTIVE
Env Int Type Code:	HWG
Program ID:	10057255
Coord Name:	Not reported
Ref Point Type Desc:	Unknown
Latitude:	37.783146
Longitude:	-122.416527

Affiliation:

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	545 eddy st
Affiliation City:	san francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94109
Affiliation Phone:	Not reported

Affiliation Type Desc:	Property Owner
Entity Name:	richard fiore
Entity Title:	Not reported
Affiliation Address:	510 mission st
Affiliation City:	san francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94015
Affiliation Phone:	(415) 771-1300

Affiliation Type Desc:	Environmental Contact
Entity Name:	william tai
Entity Title:	Not reported
Affiliation Address:	545 eddy st
Affiliation City:	san francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94109
Affiliation Phone:	Not reported

Affiliation Type Desc:	Identification Signer
Entity Name:	william tai
Entity Title:	president
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	william tai
Entity Title:	Not reported
Affiliation Address:	545 eddy st
Affiliation City:	San Francisco

ABC AUTOMOTIVE (Continued) **S120627031**

Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94109
Affiliation Phone:	(415) 441-1579
Affiliation Type Desc:	Parent Corporation
Entity Name:	ABC AUTOMOTIVE
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Document Preparer
Entity Name:	william tai
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	william tai
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 441-1579
Name:	TAM'S AUTO BODY SHOP
Address:	545 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109-8017
Site ID:	497641
CERS ID:	110001191781
CERS Description:	US EPA Air Emission Inventory System (EIS)

Affiliation:

Affiliation Type Desc:	Environmental Contact
Entity Name:	HANG LING TAM
Entity Title:	Not reported
Affiliation Address:	545 EDDY ST

ABC AUTOMOTIVE (Continued) **S120627031**

Affiliation City:	SANFRANCISCO
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Environmental Contact
Entity Name:	ENVIR MGMT
Entity Title:	Not reported
Affiliation Address:	545 EDDY ST
Affiliation City:	SANFRANCISCO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	FIORE &
Entity Title:	Not reported
Affiliation Address:	238 TOWNSEND ST
Affiliation City:	SANFRANCISCO
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Q234 **TAM'S AUTO BODY CORP.** **CA CERS HAZ WASTE** **S121748045**
NW **545 EDDY ST** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.150 mi.
794 ft. **Site 9 of 14 in cluster Q**

Relative:
Higher

Actual:
80 ft.

CERS HAZ WASTE:

Name:	TAM'S AUTO BODY CORP.
Address:	545 EDDY ST
City,State,Zip:	SAN FRANCISCO, CA 94109
Site ID:	159573
CERS ID:	10059829
CERS Description:	Hazardous Waste Generator

CERS:

Name:	TAM'S AUTO BODY CORP.
Address:	545 EDDY ST
City,State,Zip:	SAN FRANCISCO, CA 94109
Site ID:	159573
CERS ID:	10059829
CERS Description:	Chemical Storage Facilities

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	08-07-2018
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	San Francisco City & County Public Health Dept
Eval Program:	HMRRP
Eval Source:	CERS

TAM'S AUTO BODY CORP. (Continued) **S121748045**

Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-07-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: San Francisco City & County Public Health Dept
Eval Program: HW
Eval Source: CERS

Coordinates:
Site ID: 159573
Facility Name: Tam's Auto Body Corp.
Env Int Type Code: HWG
Program ID: 10059829
Coord Name: Not reported
Ref Point Type Desc: Unknown
Latitude: 37.783146
Longitude: -122.416527

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: Hang Ling Tam
Entity Title: Not reported
Affiliation Address: 545 Eddy St
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94109
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: Hang Ling Tam
Entity Title: Not reported
Affiliation Address: 545 Eddy St
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 94109
Affiliation Phone: (415) 885-5221

Affiliation Type Desc: CUPA District
Entity Name: San Francisco City & County Public Health Departme
Entity Title: Not reported
Affiliation Address: 1390 Market Street, Room 210
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: (415) 252-3900

Affiliation Type Desc: Property Owner
Entity Name: Fiore and Company
Entity Title: Not reported
Affiliation Address: 238 Townsend St
Affiliation City: San Francisco
Affiliation State: CA

TAM'S AUTO BODY CORP. (Continued) **S121748045**

Affiliation Country:	United States
Affiliation Zip:	94107
Affiliation Phone:	(415) 777-1300
Affiliation Type Desc:	Document Preparer
Entity Name:	eric ng
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	545 Eddy St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94109
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Eric Ng
Entity Title:	Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Hang Ling Tam
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 205-0725
Affiliation Type Desc:	Parent Corporation
Entity Name:	Tam's Auto Body Corp.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Q235
NW
1/8-1/4
0.150 mi.
794 ft.

ABC AUTOMOTIVE
545 EDDY ST
, CA

Site 10 of 14 in cluster Q

CA UST **U004003400**
N/A

Relative:
Higher

Actual:
80 ft.

SAN FRANCISCO CO. UST:

Name:	ABC AUTOMOTIVE
Address:	545 EDDY ST
Facility ID:	11174
Facility Status:	Not reported
Number Of Tanks:	3
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	3100 Kerner Bl,
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Artesian
Application Date:	10/18/1996
Application Name:	Richard A. Fiore
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	1/5/1997
UST Close ID:	2737
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

ABC AUTOMOTIVE (Continued) **U004003400**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	2/18/1997
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

R236 **PROPERTY** **CA UST** **U003976267**
NE **230 JONES ST** **N/A**
1/8-1/4 **, CA**
0.151 mi.
796 ft. **Site 5 of 14 in cluster R**

Relative: **Lower**

Actual: **51 ft.**

SAN FRANCISCO CO. UST:

Name:	PROPERTY
Address:	230 JONES ST
Facility ID:	20944
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	3/29/1996
Application Name:	Jim Tracy

PROPERTY (Continued) **U003976267**

Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported
Compartmentalized Tank: Not reported
Of Tank Compartments: Not reported
Date Tank Installed: Not reported
Tank Capacity: Not reported
Additional Desc: Not reported
Tank Use: Not reported
Petroleum Type: Not reported
Common Name: Not reported
Case Number: Not reported
Type Of Tank: Not reported
Primary Tank Material: Not reported
Secondary Tank Material: Not reported
Tank Interior Lining: Not reported
Date Interior Lining Install: Not reported
Date Closed: 5/7/1996
UST Close ID: 2499
Type Of Spill Protection: Not reported
Date Alarm Overfill Protection Installed: Not reported
Date Ball Float Overfill Protection Installed: Not reported
Date Fill Tube Shut Overfill Protection Installed: Not reported
Overfill Protection Exempt: Not reported
Othr Tnk Corrosive Prtctn: Not reported
Date Corrosive Prtctn Install: Not reported
Tank Leak Detection (single walled): Not reported
Tank Leak Detection (double wall): Not reported
Estimated Date Last Used: Not reported
Estimated Qty Of Substance Remaining: Not reported
Tank Filled With Inert Material: Not reported
Piping System Type (Underground): Not reported
Piping System Type (Aboveground): Not reported
Piping Construction (Underground): Not reported
Piping Manufacturer (Underground): Not reported
Piping Construction (Aboveground): Not reported
Piping Manufacturer (Aboveground): Not reported
Piping Material & Corrosion Protection (Underground): Not reported
Piping Material & Corrosion Protection (Aboveground): Not reported
Piping Leak Detection (Undrgrnd - Single Wall): Not reported
Piping Leak Detection (2nd Contained): Not reported
Piping Leak Detection (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Underground: Not reported
Piping Leak Detection (Aboveground - Single Wall): Not reported
Piping Leak Detection (Underground - 2nd Contained): Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Aboveground: Not reported
Date Dispenser Containment Installed: Not reported
Dispenser Containment Type: Not reported
Date Certified (Tank Unit): Not reported
Certified Date: 6/21/1996

PROPERTY (Continued) **U003976267**

Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Q237 **COMMERCIAL** **CA UST** **U004003593**
WNW **500 LARKIN ST** **N/A**
1/8-1/4 **, CA**
0.152 mi.
804 ft. **Site 11 of 14 in cluster Q**

Relative:
Higher

Actual:
78 ft.

SAN FRANCISCO CO. UST:

Name:	COMMERCIAL
Address:	500 LARKIN ST
Facility ID:	24767
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	5/12/1994
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported

COMMERCIAL (Continued) **U004003593**

Date Closed:	5/26/1994
UST Close ID:	1703
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	7/13/1994
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

T238 **COMMERCIAL BUILDING** **CA LUST S104809905**
East **1035 MARKET ST** **CA CERS N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.153 mi.
809 ft. **Site 5 of 8 in cluster T**

Relative: LUST:
Lower

Name:	COMMERCIAL BUILDING
Address:	1035 MARKET ST
City,State,Zip:	SAN FRANCISCO, CA 94103
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607592786
Global Id:	T0607592786

Actual:
42 ft.

COMMERCIAL BUILDING (Continued) **S104809905**

Latitude:	37.78137
Longitude:	-122.410878
Status:	Completed - Case Closed
Status Date:	07/20/2000
Case Worker:	MA
RB Case Number:	38-2018
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Not reported
Local Case Number:	11406
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607592786
Contact Type:	Local Agency Caseworker
Contact Name:	MAMDOUH AWWAD
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210
City:	SAN FRANCISCO
Email:	mamdouh.awwad@sfdph.org
Phone Number:	Not reported

Global Id:	T0607592786
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0607592786
Action Type:	Other
Date:	06/29/2000
Action:	Leak Discovery

Global Id:	T0607592786
Action Type:	ENFORCEMENT
Date:	10/20/2000
Action:	Notice of Responsibility

Global Id:	T0607592786
Action Type:	Other
Date:	01/02/1965
Action:	Leak Reported

LUST:

Global Id:	T0607592786
Status:	Open - Case Begin Date
Status Date:	06/29/2000

Global Id:	T0607592786
Status:	Completed - Case Closed
Status Date:	07/20/2000

COMMERCIAL BUILDING (Continued) **S104809905**

LUST REG 2:

Region:	2
Facility Id:	38-2018
Facility Status:	Case Closed
Case Number:	11406
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

SAN FRANCISCO CO. LUST:

Name:	Commercial
Address:	1035 Market St
City:	San Francisco
Region:	SAN FRANCISCO
Facility ID:	02-400-006
Facility Status:	Case Closed
Case Number:	11406
Case Type:	Soil only
Release Date:	Not reported
Discovered Date:	6/29/2000
Substance:	Heater Fuel
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	7/20/2000
Case Closed:	10/25/2000
Closed Date:	Not reported
Leak Source:	Tank
Leak Cause:	Corrosion
Leak Confirmed:	6/29/2000
Entered Date:	10/20/2000
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Walter Armer
Staff Initial:	VP
Facility Staff:	MA
Cross Street:	6th St
NOR Date:	Not reported
MTBE Current:	Not reported
MTBE Current Date:	6/29/2000
MTBE:	ND
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported

COMMERCIAL BUILDING (Continued) **S104809905**

MTBE DATE:	6/29/2000
Review Date:	10/25/2000
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Low Priority Site
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	10/20/2000
Basin:	DOWNTOWN
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	6/29/2000
Free Product:	Not reported
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Not reported
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	ND
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	ND
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	6/29/2000
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

CERS:

Name:	COMMERCIAL BUILDING
Address:	1035 MARKET ST
City,State,Zip:	SAN FRANCISCO, CA 94103
Site ID:	251326
CERS ID:	T0607592786
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	MAMDOUH AWWAD - SAN FRANCISCO COUNTY LOP
Entity Title:	Not reported

COMMERCIAL BUILDING (Continued) **S104809905**

Affiliation Address:	1390 MARKET STREET, #210
Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

T239 **SAN FRANCISCO AIDS FOUNDATION** **RCRA NonGen / NLR** **1024850035**
East **1035 MARKET ST STE 400** **CAL000407205**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.153 mi.
809 ft. **Site 6 of 8 in cluster T**

Relative: **Lower**

Actual: **42 ft.**

RCRA NonGen / NLR:

Date form received by agency:	2015-05-27 00:00:00.0
Facility name:	SAN FRANCISCO AIDS FOUNDATION
Facility address:	1035 MARKET ST STE 400 SAN FRANCISCO, CA 94103
EPA ID:	CAL000407205
Mailing address:	470 CASTRO ST. SAN FRANCISCO, CA 94114
Contact:	PIERRE CROUCH
Contact address:	470 CASTRO ST. SAN FRANCISCO, CA 94114
Contact country:	Not reported
Contact telephone:	415-581-1606
Contact email:	PCROUCH@SFAF.ORG
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	SAN FRANCISCO AIDS FOUNDATION
Owner/operator address:	1035 MARKET ST. SUITE 400 SAN FRANCISCO, CA 94103
Owner/operator country:	Not reported
Owner/operator telephone:	415-581-1600
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported
Owner/operator name:	PIERRE CROUCH

SAN FRANCISCO AIDS FOUNDATION (Continued) **1024850035**

Owner/operator address: 470 CASTRO ST.
SAN FRANCISCO, CA 94114
Owner/operator country: Not reported
Owner/operator telephone: 415-581-1606
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

T240 **1035 MARKET ST,** **CA UST** **U003914875**
East **1035 MARKET ST** **N/A**
1/8-1/4 **, CA**
0.153 mi.
809 ft. **Site 7 of 8 in cluster T**

Relative: SAN FRANCISCO CO. UST:
Lower
Name: 1035 MARKET ST,
Actual: Address: 1035 MARKET ST
42 ft. Facility ID: 23911
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 255 Shipley Street
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Golden Gate Tank
Application Date: 6/19/2000
Application Name: Cathy Keller
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported

1035 MARKET ST, (Continued) **U003914875**

Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	6/29/2000
UST Close ID:	3981
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported

1035 MARKET ST, (Continued) **U003914875**

Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

U241 **CCSF/ASIAN ART MUSEUM OF SF** **CA CERS HAZ WASTE** **S120627587**
SW **200 LARKIN ST** **CA CERS TANKS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102** **CA CUPA Listings**
0.155 mi. **CA CERS**
819 ft. **Site 1 of 5 in cluster U**

Relative: Higher
Actual: 64 ft.

CERS HAZ WASTE:

Name:	CCSF/ASIAN ART MUSEUM OF SF
Address:	200 LARKIN ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	17201
CERS ID:	10059694
CERS Description:	Hazardous Waste Generator

CERS TANKS:

Name:	CCSF/ASIAN ART MUSEUM OF SF
Address:	200 LARKIN ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	17201
CERS ID:	10059694
CERS Description:	Underground Storage Tank

CUPA SAN FRANCISCO CO:

Name:	CCSF/ASIAN ART MUSEUM OF SF
Address:	200 LARKIN ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	26114
Census Tract:	124
District:	10
Number of Tanks:	1

CERS:

Name:	CCSF/ASIAN ART MUSEUM OF SF
Address:	200 LARKIN ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	17201
CERS ID:	10059694
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	17201
Site Name:	CCSF/Asian Art Museum of SF
Violation Date:	04-12-2018
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 04/12/2018.

CCSF/ASIAN ART MUSEUM OF SF (Continued) **S120627587**

Violation Division: San Francisco City & County Public Health Dept
Violation Program: HMRRP
Violation Source: CERS

Site ID: 17201
Site Name: CCSF/Asian Art Museum of SF
Violation Date: 04-12-2018
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Not reported
Violation Division: San Francisco City & County Public Health Dept
Violation Program: HMRRP
Violation Source: CERS

Site ID: 17201
Site Name: CCSF/Asian Art Museum of SF
Violation Date: 04-12-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 01/16/2019.
Violation Division: San Francisco City & County Public Health Dept
Violation Program: HMRRP
Violation Source: CERS

Site ID: 17201
Site Name: CCSF/Asian Art Museum of SF
Violation Date: 04-12-2018
Citation: Un-Specified
Violation Description: Business Plan Program - Administration/Documentation - General Local Ordinance
Violation Notes: Returned to compliance on 05/07/2018.
Violation Division: San Francisco City & County Public Health Dept
Violation Program: HMRRP
Violation Source: CERS

Site ID: 17201
Site Name: CCSF/Asian Art Museum of SF
Violation Date: 04-12-2018
Citation: HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description: Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes: Not reported
Violation Division: San Francisco City & County Public Health Dept
Violation Program: HMRRP
Violation Source: CERS

Site ID: 17201
Site Name: CCSF/Asian Art Museum of SF
Violation Date: 04-12-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter

CCSF/ASIAN ART MUSEUM OF SF (Continued) **S120627587**

6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Returned to compliance on 01/16/2019.
Violation Division: San Francisco City & County Public Health Dept
Violation Program: HMRRP
Violation Source: CERS

Site ID: 17201
Site Name: CCSF/Asian Art Museum of SF
Violation Date: 09-20-2018
Citation: 23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description: Failure to submit the UPA. of the designated operator (DO) identification and/or change of the DO within 30 days.
Violation Notes: Returned to compliance on 01/16/2019.
Violation Division: San Francisco City & County Public Health Dept
Violation Program: UST
Violation Source: CERS

Site ID: 17201
Site Name: CCSF/Asian Art Museum of SF
Violation Date: 09-20-2018
Citation: 23 CCR 16 2715(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(e)
Violation Description: Failure to maintain a copy of the designated operator monthly inspections for the last 12 months on-site or off-site at a readily available location, if approved by the UPA.
Violation Notes: Returned to compliance on 01/16/2019.
Violation Division: San Francisco City & County Public Health Dept
Violation Program: UST
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-20-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: San Francisco City & County Public Health Dept
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-12-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: San Francisco City & County Public Health Dept
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-12-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported

CCSF/ASIAN ART MUSEUM OF SF (Continued) **S120627587**

Eval Division: San Francisco City & County Public Health Dept
Eval Program: HW
Eval Source: CERS

Coordinates:
Site ID: 17201
Facility Name: CCSF/Asian Art Museum of SF
Env Int Type Code: HWG
Program ID: 10059694
Coord Name: Not reported
Ref Point Type Desc: Unknown
Latitude: 37.779639
Longitude: -122.416714

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: Erik Cline
Entity Title: Not reported
Affiliation Address: 200 Larkin St.
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: Not reported

Affiliation Type Desc: UST Tank Owner
Entity Name: CCSF/Asian Art Museum
Entity Title: Not reported
Affiliation Address: 200 Larkin St.
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 94102
Affiliation Phone: (415) 581-3500

Affiliation Type Desc: Document Preparer
Entity Name: Erik Cline
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: Asian Art Museum
Entity Title: Not reported
Affiliation Address: 200 Larkin St.
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 94102
Affiliation Phone: (415) 581-3500

Affiliation Type Desc: Operator

CCSF/ASIAN ART MUSEUM OF SF (Continued) **S120627587**

Entity Name:	Erik Cline
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 581-3592
Affiliation Type Desc:	Parent Corporation
Entity Name:	CCSF/Asian Art Museum of SF
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Identification Signer
Entity Name:	Erik Cline
Entity Title:	Director of Facilities and Operations
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	UST Permit Applicant
Entity Name:	Erik Cline
Entity Title:	Manager of Facilities and Operations
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 581-3592
Affiliation Type Desc:	UST Tank Operator
Entity Name:	David Cleasby
Entity Title:	Not reported
Affiliation Address:	200 Larkin St
Affiliation City:	San Francisco
Affiliation State:	ca
Affiliation Country:	United States
Affiliation Zip:	94102

CCSF/ASIAN ART MUSEUM OF SF (Continued) **S120627587**

Affiliation Phone:	(415) 581-3561
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	200 Larkin St.
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported
Affiliation Type Desc:	UST Property Owner Name
Entity Name:	CCSF/Asian Art Museum
Entity Title:	Not reported
Affiliation Address:	200 Larkin St.
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 581-3500

U242 **CCSF/ASIAN ART MUSEUM OF SF** **CA UST** **U004262322**
SW **200 LARKIN ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.155 mi.
819 ft. **Site 2 of 5 in cluster U**

Relative: UST:
Higher

Actual: Name:	CCSF/ASIAN ART MUSEUM OF SF
64 ft. Address:	200 LARKIN ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	38-000-026114
Permitting Agency:	San Francisco City & County Public Health Department
Latitude:	37.779654
Longitude:	-122.416597

U243 **CCSF/ASIAN ART** **CA UST** **U003931841**
SW **200 LARKIN ST** **N/A**
1/8-1/4 **, CA**
0.155 mi.
819 ft. **Site 3 of 5 in cluster U**

Relative: SAN FRANCISCO CO. UST:
Higher

Actual: Name:	CCSF/ASIAN ART
64 ft. Address:	200 LARKIN ST
Facility ID:	26114
Facility Status:	Not reported
Number Of Tanks:	Not reported
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	CCSF/Asian Art
Care Of Addr:	Kathryn Chan
2nd Care Of Add:	Not reported
Mailing Address:	200 Larkin St

CCSF/ASIAN ART (Continued) **U003931841**

Mailing City,St,Zip:	San Francisco, CA 94102
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	Not reported
Application Name:	Not reported
Action Type:	1
Yr Spill/Overfill Installed1:	6/1/2001
Yr Spill/Overfill Installed2:	6/1/2001
Yr Spill/Overfill Installed3:	6/1/2001

Tank ID:	1001
Tank Test:	Not reported
Local Tank Id:	26114001001
Tank Manufacturer:	Containment
Compartmentalized Tank:	No
# Of Tank Compartments:	Not reported
Date Tank Installed:	6/1/2001
Tank Capacity:	3000
Additional Desc:	Not reported
Tank Use:	1
Petroleum Type:	Diesel
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Double wall
Primary Tank Material:	Fiberglass/plastic
Secondary Tank Material:	Not reported
Tank Interior Lining:	Unlined
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	Not reported
Type Of Spill Protection:	spill containment, drop tube, striker plate
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	6/1/2001
Overfill Protection Exempt:	No
Othr Tnk Corrosive Prtctn:	Fiberglass Reinforced Plastic (FRP)
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Continuous Interstitial Monitoring
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	0
Tank Filled With Inert Material:	0
Piping System Type (Underground):	Pressure
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Double Wall
Piping Manufacturer (Underground):	Contain It
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Plastic Compatible with Contents
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported

CCSF/ASIAN ART (Continued) **U003931841**

Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	10/10/2002
2nd Containment Test:	11/27/2006
Spill Containment Present:	Yes
Drop Tube Present:	Yes
Striker Plate Present:	Yes
Alarm Present:	No
Ball Float Present:	No
Fill Tube Present:	Yes
Other Tank Leak Detection Present:	No

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	Not reported
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported

CCSF/ASIAN ART (Continued) **U003931841**

Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Q244 **RESIDENCE** **CA UST** **U004113996**
NW **555 EDDY ST** **N/A**
1/8-1/4 **, CA**
0.158 mi.
834 ft. **Site 12 of 14 in cluster Q**

Relative: **Higher**
Actual: **81 ft.**

SAN FRANCISCO CO. UST:

Name:	RESIDENCE
Address:	555 EDDY ST
Facility ID:	30529
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	3730 Mission St
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	7/19/2007
Application Name:	Tim Hallen
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported

RESIDENCE (Continued) **U004113996**

# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	7/31/2007
UST Close ID:	4945
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

S245 **COMMERCIAL** **CA UST** **U004113958**
NW **305 HYDE ST** **N/A**
1/8-1/4 **, CA**
0.160 mi.
845 ft. **Site 10 of 24 in cluster S**

Relative:
Higher

Actual:
79 ft.

SAN FRANCISCO CO. UST:

Name:	COMMERCIAL
Address:	305 HYDE ST
Facility ID:	30507
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	3730 Mission St
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	6/26/2007
Application Name:	Tim Hallen
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	7/9/2007
UST Close ID:	4940
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

COMMERCIAL (Continued) **U004113958**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	8/28/2007
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

R246 **COMMERCIAL** **CA UST** **U004003586**
NNE **326 EDDY ST** **N/A**
1/8-1/4 **, CA**
0.160 mi.
845 ft. **Site 6 of 14 in cluster R**

Relative: **Higher**

Actual: **58 ft.**

SAN FRANCISCO CO. UST:

Name:	COMMERCIAL
Address:	326 EDDY ST
Facility ID:	23504
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	11/3/1999
Application Name:	Cathy Keller

COMMERCIAL (Continued) **U004003586**

Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported
Compartmentalized Tank: Not reported
Of Tank Compartments: Not reported
Date Tank Installed: Not reported
Tank Capacity: Not reported
Additional Desc: Not reported
Tank Use: Not reported
Petroleum Type: Not reported
Common Name: Not reported
Case Number: Not reported
Type Of Tank: Not reported
Primary Tank Material: Not reported
Secondary Tank Material: Not reported
Tank Interior Lining: Not reported
Date Interior Lining Install: Not reported
Date Closed: Not reported
UST Close ID: 3850
Type Of Spill Protection: Not reported
Date Alarm Overfill Protection Installed: Not reported
Date Ball Float Overfill Protection Installed: Not reported
Date Fill Tube Shut Overfill Protection Installed: Not reported
Overfill Protection Exempt: Not reported
Othr Tnk Corrosive Prtctn: Not reported
Date Corrosive Prtctn Install: Not reported
Tank Leak Detection (single walled): Not reported
Tank Leak Detection (double wall): Not reported
Estimated Date Last Used: Not reported
Estimated Qty Of Substance Remaining: Not reported
Tank Filled With Inert Material: Not reported
Piping System Type (Underground): Not reported
Piping System Type (Aboveground): Not reported
Piping Construction (Underground): Not reported
Piping Manufacturer (Underground): Not reported
Piping Construction (Aboveground): Not reported
Piping Manufacturer (Aboveground): Not reported
Piping Material & Corrosion Protection (Underground): Not reported
Piping Material & Corrosion Protection (Aboveground): Not reported
Piping Leak Detection (Undrgrnd - Single Wall): Not reported
Piping Leak Detection (2nd Contained): Not reported
Piping Leak Detection (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Underground: Not reported
Piping Leak Detection (Aboveground - Single Wall): Not reported
Piping Leak Detection (Underground - 2nd Contained): Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Aboveground: Not reported
Date Dispenser Containment Installed: Not reported
Dispenser Containment Type: Not reported
Date Certified (Tank Unit): Not reported
Certified Date: Not reported

COMMERCIAL (Continued) **U004003586**

Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

V247 **CITY TECH AUTO BODY INC** **RCRA NonGen / NLR** **1024821285**
NE **150 TURK ST** **CAL000336661**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.162 mi.
857 ft. **Site 1 of 7 in cluster V**

Relative:
Lower

Actual:
48 ft.

RCRA NonGen / NLR:

Date form received by agency:	2008-09-24 00:00:00.0
Facility name:	CITY TECH AUTO BODY INC
Facility address:	150 TURK ST UPPER UNIT SAN FRANCISCO, CA 94102-3915
EPA ID:	CAL000336661
Mailing address:	150 TURK ST UPPER UNIT SAN FRANCISCO, CA 94102-0000
Contact:	FANNY FANG
Contact address:	9 MOON GATE CT PACIFICA, CA 94044-0000
Contact country:	Not reported
Contact telephone:	415-563-8888
Contact email:	FANNIE1823@GMAIL.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	CITYTECH AUTO BODY, INC.
Owner/operator address:	150 TURK ST UPPER UNIT SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-563-8888
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported
Owner/operator name:	FANNY FANG
Owner/operator address:	9 MOON GATE CT PACIFICA, CA 94044
Owner/operator country:	Not reported
Owner/operator telephone:	415-563-8888
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported

CITY TECH AUTO BODY INC (Continued) **1024821285**

Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

V248 **DALE'S AUTO SERVICE** **CA CERS HAZ WASTE** **S121795252**
NE **150 TURK ST** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.162 mi.
857 ft. **Site 2 of 7 in cluster V**

Relative: **Lower**
Actual: **48 ft.**

CERS HAZ WASTE:
Name: DALE'S AUTO SERVICE
Address: 150 TURK ST
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 98369
CERS ID: 10061155
CERS Description: Hazardous Waste Generator

CERS:
Name: DALE'S AUTO SERVICE
Address: 150 TURK ST
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 98369
CERS ID: 10061155
CERS Description: Chemical Storage Facilities

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-11-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: San Francisco City & County Public Health Dept
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-11-2019

DALE'S AUTO SERVICE (Continued) **S121795252**

Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	San Francisco City & County Public Health Dept
Eval Program:	HW
Eval Source:	CERS

Coordinates:

Site ID:	98369
Facility Name:	Dale's Auto Service
Env Int Type Code:	HWG
Program ID:	10061155
Coord Name:	Not reported
Ref Point Type Desc:	Unknown
Latitude:	37.783148
Longitude:	-122.411617

Affiliation:

Affiliation Type Desc:	Identification Signer
Entity Name:	Dalip Singh
Entity Title:	Owner
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Parent Corporation
Entity Name:	Dale's Auto Service
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Property Owner
Entity Name:	William Fischman
Entity Title:	Not reported
Affiliation Address:	P.O. Box1239
Affiliation City:	Alamo
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94507
Affiliation Phone:	(415) 516-0555

Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102

DALE'S AUTO SERVICE (Continued) **S121795252**

Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Document Preparer
Entity Name:	Dalip Singh
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	dale singh
Entity Title:	Not reported
Affiliation Address:	150 Turk St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 861-3253
Affiliation Type Desc:	Operator
Entity Name:	Dale's Auto Service
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 861-3253
Affiliation Type Desc:	Environmental Contact
Entity Name:	dale singh
Entity Title:	Not reported
Affiliation Address:	150 Turk St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	150 Turk St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

V249 **CITY TECH AUTO BODY SVC CENTER** **CA CERS HAZ WASTE** **S121751599**
NE **150 TURK ST UPPR** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.162 mi.
857 ft. **Site 3 of 7 in cluster V**

Relative:
Lower

Actual:
48 ft.

CERS HAZ WASTE:

Name:	CITY TECH AUTO BODY SVC CENTER
Address:	150 TURK ST UPPR
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	20077
CERS ID:	10062910
CERS Description:	Hazardous Waste Generator

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	07-29-2019
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	San Francisco City & County Public Health Dept
Eval Program:	HW
Eval Source:	CERS

Affiliation:

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	150 TURK ST UPPER UNIT
Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

Affiliation Type Desc:	Operator
Entity Name:	FANNY FANG
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 690-9039

Affiliation Type Desc:	Parent Corporation
Entity Name:	City Tech Auto Body Svc Center
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Property Owner
Entity Name:	Fishman family Limited Partnership
Entity Title:	Not reported
Affiliation Address:	P O BOX 1239

CITY TECH AUTO BODY SVC CENTER (Continued) **S121751599**

Affiliation City:	ALAMO
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94507
Affiliation Phone:	(415) 516-0555
Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Document Preparer
Entity Name:	Fanny Fang
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	CITYTECH AUTO BODY , INC
Entity Title:	Not reported
Affiliation Address:	150 TURK ST UPPER UNIT
Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 563-8888
Affiliation Type Desc:	Environmental Contact
Entity Name:	FANNY FANG
Entity Title:	Not reported
Affiliation Address:	150 Turk St Uppr
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Fanny Fang
Entity Title:	OWNER
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

V250 **CITY TECH AUTO BODY SVC CENTER** **CA CUPA Listings** **S120628143**
NE **150 TURK ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.162 mi.
857 ft. **Site 4 of 7 in cluster V**

Relative: CUPA SAN FRANCISCO CO:
Lower
Actual: Name: CITY TECH AUTO BODY SVC CENTER
48 ft. Address: 150 TURK ST
City,State,Zip: SAN FRANCISCO, CA 94102
Facility ID: 30954
Census Tract: 125
District: 10
Number of Tanks: 0

V251 **DALES AUTO SERVICE** **CA CUPA Listings** **S120628642**
NE **150 TURK ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.162 mi.
857 ft. **Site 5 of 7 in cluster V**

Relative: CUPA SAN FRANCISCO CO:
Lower
Actual: Name: DALES AUTO SERVICE
48 ft. Address: 150 TURK ST
City,State,Zip: SAN FRANCISCO, CA 94102
Facility ID: 33061
Census Tract: 125
District: 10
Number of Tanks: 0

V252 **NELSON AUTOBODY** **CA LUST** **S113099424**
NE **150 TURK ST** **CA Cortese** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102** **CA HAZNET**
0.162 mi. **CA CERS**
857 ft. **Site 6 of 7 in cluster V**

Relative: LUST:
Lower
Actual: Name: CITY TECH AUTO BODY SVC CENTER
48 ft. Address: 150 TURK STREET
City,State,Zip: SAN FRANCISCO, CA 94102
Lead Agency: SAN FRANCISCO COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T10000009239
Global Id: T10000009239
Latitude: 37.7834
Longitude: -122.41169
Status: Open - Site Assessment
Status Date: 08/11/2016
Case Worker: MA
RB Case Number: Not reported
Local Agency: SAN FRANCISCO COUNTY LOP
File Location: Not reported
Local Case Number: 12082
Potential Media Affect: Not reported
Potential Contaminants of Concern: Not reported
Site History: Not reported

LUST:
Global Id: T10000009239

NELSON AUTOBODY (Continued) **S113099424**

Contact Type: Local Agency Caseworker
Contact Name: JOSUWA BERNARDO
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 Market Street Ste. 210
City: SAN FRANCISCO
Email: josuwa.bernardo@sfdph.org
Phone Number: 4152523927

LUST:
Global Id: T10000009239
Action Type: ENFORCEMENT
Date: 08/11/2016
Action: Notice of Responsibility - #12082

Global Id: T10000009239
Action Type: Other
Date: 05/31/2016
Action: Leak Discovery

Global Id: T10000009239
Action Type: ENFORCEMENT
Date: 08/27/2018
Action: File review

Global Id: T10000009239
Action Type: ENFORCEMENT
Date: 09/07/2018
Action: Staff Letter

Global Id: T10000009239
Action Type: ENFORCEMENT
Date: 06/26/2018
Action: File review

Global Id: T10000009239
Action Type: ENFORCEMENT
Date: 03/06/2019
Action: Other Report

Global Id: T10000009239
Action Type: Other
Date: 05/31/2016
Action: Leak Reported

Global Id: T10000009239
Action Type: Other
Date: 05/31/2016
Action: Leak Began

LUST:
Global Id: T10000009239
Status: Open - Case Begin Date
Status Date: 05/31/2016

Global Id: T10000009239
Status: Open - Site Assessment

NELSON AUTOBODY (Continued) **S113099424**

Status Date: 08/11/2016

CORTESE:

Name:	CITY TECH AUTO BODY SVC CENTER
Address:	150 TURK STREET
City,State,Zip:	SAN FRANCISCO, CA 94102
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T10000009239
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	OPEN - SITE ASSESSMENT
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

HAZNET:

Name:	NELSON AUTOBODY
Address:	150 TURK ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	2003
Gepaid:	CAL000189713
Contact:	FRANCO DE PALO/MGR
Telephone:	4159236717
Mailing Name:	Not reported
Mailing Address:	150 TURK ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture
TSD EPA ID:	CAD044429835
TSD County:	19
Disposal Method:	Recycler
Tons:	0.187

Additional Info:

Year:	2003
Shipment Date:	20030514
Creation Date:	9/2/2003 18:30:58
Receipt Date:	20030520
Manifest ID:	22565069
Gen EPA ID:	CAL000189713
Trans EPA ID:	CAD982492399
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982492399

NELSON AUTOBODY (Continued) **S113099424**

Trans 2 Name:	Not reported
TSDF EPA ID:	CAD044429835
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD044429835
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	D001
Meth Code:	R01
Quantity Tons:	0.187
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	NELSON AUTOBODY
Address:	150 TURK ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1999
Gepaid:	CAL000189713
Contact:	FRANCO DE PALO/MGR
Telephone:	4159236717
Mailing Name:	Not reported
Mailing Address:	150 TURK ST
Gen County:	38
Waste Category:	Unspecified solvent mixture
TSD EPA ID:	CAD008252405
TSD County:	19
Disposal Method:	Recycler
Tons:	0.144

Additional Info:

Year:	1999
Shipment Date:	19990111
Creation Date:	3/15/1999 0:00:00
Receipt Date:	19990112
Manifest ID:	98410955
Gen EPA ID:	CAL000189713
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	D001
Meth Code:	R01
Quantity Tons:	0.144
Waste Quantity:	40
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported

NELSON AUTOBODY (Continued) **S113099424**

Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1999
Shipment Date:	19990111
Creation Date:	3/15/1999 0:00:00
Receipt Date:	19990112
Manifest ID:	98410955
Gen EPA ID:	CAL000189713
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	D001
Meth Code:	Not reported
Quantity Tons:	0
Waste Quantity:	0
Quantity Unit:	Not reported
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Name:	NELSON AUTOBODY
Address:	150 TURK ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1999
Gepaid:	CAL000189713
Contact:	FRANCO DE PALO/MGR
Telephone:	4159236717
Mailing Name:	Not reported
Mailing Address:	150 TURK ST
Gen County:	38
Waste Category:	Unspecified solvent mixture
TSD EPA ID:	CAD008252405
TSD County:	19
Disposal Method:	Not reported
Tons:	0

Additional Info:

Year:	1999
Shipment Date:	19990111
Creation Date:	3/15/1999 0:00:00
Receipt Date:	19990112
Manifest ID:	98410955
Gen EPA ID:	CAL000189713
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported

NELSON AUTOBODY (Continued) **S113099424**

Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	D001
Meth Code:	R01
Quantity Tons:	0.144
Waste Quantity:	40
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1999
Shipment Date:	19990111
Creation Date:	3/15/1999 0:00:00
Receipt Date:	19990112
Manifest ID:	98410955
Gen EPA ID:	CAL000189713
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	D001
Meth Code:	Not reported
Quantity Tons:	0
Waste Quantity:	0
Quantity Unit:	Not reported
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	NELSON AUTOBODY
Address:	150 TURK ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	2004
Gepaid:	CAL000189713
Contact:	FRANCO DE PALO/MGR
Telephone:	4159236717
Mailing Name:	Not reported
Mailing Address:	150 TURK ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture
TSD EPA ID:	CAD044429835

NELSON AUTOBODY (Continued) **S113099424**

TSD County:	19
Disposal Method:	Recycler
Tons:	0.34

Additional Info:

Year:	2004
Shipment Date:	20041103
Creation Date:	1/10/2005 18:31:02
Receipt Date:	20041109
Manifest ID:	22565599
Gen EPA ID:	CAL000189713
Trans EPA ID:	CAD982492399
Trans Name:	ALL CHEMICAL DISPOSAL INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD044429835
Trans Name:	TERIS
TSDF Alt EPA ID:	CAD044429835
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	D001
Meth Code:	R01
Quantity Tons:	0.34
Waste Quantity:	100
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	NELSON AUTOBODY
Address:	150 TURK ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	2000
Gepaid:	CAL000189713
Contact:	FRANCO DE PALO/MGR
Telephone:	4159236717
Mailing Name:	Not reported
Mailing Address:	150 TURK ST
Gen County:	38
Waste Category:	Unspecified solvent mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.162

Additional Info:

Year:	2000
Shipment Date:	20000731
Creation Date:	9/25/2000 0:00:00
Receipt Date:	20000804
Manifest ID:	20274160
Gen EPA ID:	CAL000189713
Trans EPA ID:	CAD008252405
Trans Name:	Not reported

NELSON AUTOBODY (Continued) **S113099424**

Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	D001
Meth Code:	R01
Quantity Tons:	0.162
Waste Quantity:	45
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2000
Shipment Date:	20000731
Creation Date:	9/25/2000 0:00:00
Receipt Date:	20000804
Manifest ID:	20274160
Gen EPA ID:	CAL000189713
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	D001
Meth Code:	Not reported
Quantity Tons:	0
Waste Quantity:	0
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	NELSON AUTOBODY
Address:	150 TURK ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	2000
Gepaid:	CAL000189713
Contact:	FRANCO DE PALO/MGR
Telephone:	4159236717
Mailing Name:	Not reported
Mailing Address:	150 TURK ST
Gen County:	38
Waste Category:	Unspecified solvent mixture

NELSON AUTOBODY (Continued) **S113099424**

TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Not reported
Tons:	0

Additional Info:

Year:	2000
Shipment Date:	20000731
Creation Date:	9/25/2000 0:00:00
Receipt Date:	20000804
Manifest ID:	20274160
Gen EPA ID:	CAL000189713
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	D001
Meth Code:	R01
Quantity Tons:	0.162
Waste Quantity:	45
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2000
Shipment Date:	20000731
Creation Date:	9/25/2000 0:00:00
Receipt Date:	20000804
Manifest ID:	20274160
Gen EPA ID:	CAL000189713
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	214
RCRA Code:	D001
Meth Code:	Not reported
Quantity Tons:	0
Waste Quantity:	0
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

NELSON AUTOBODY (Continued) **S113099424**

Name:	NELSON AUTOBODY
Address:	150 TURK ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	2001
Gepaid:	CAL000189713
Contact:	FRANCO DE PALO/MGR
Telephone:	4159236717
Mailing Name:	Not reported
Mailing Address:	150 TURK ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture
TSD EPA ID:	CAD044429835
TSD County:	19
Disposal Method:	Recycler
Tons:	0.153

Additional Info:

Year:	2001
Shipment Date:	20010316
Creation Date:	4/30/2001 0:00:00
Receipt Date:	20010320
Manifest ID:	20442453
Gen EPA ID:	CAL000189713
Trans EPA ID:	CAD982492399
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982492399
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD044429835
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD044429835
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	D001
Meth Code:	R01
Quantity Tons:	0.153
Waste Quantity:	45
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CERS:

Name:	CITY TECH AUTO BODY SVC CENTER
Address:	150 TURK STREET
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	376145
CERS ID:	T10000009239
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	JOSUWA BERNARDO - SAN FRANCISCO COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1390 Market Street Ste. 210

NELSON AUTOBODY (Continued) **S113099424**

Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	4152523927

T253 **COMMERCIAL** **CA LUST** **S113804515**
ENE **25 TAYLOR ST.** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.165 mi.
871 ft. **Site 8 of 8 in cluster T**

Relative: **Lower**

Actual: **45 ft.**

LUST:

Name:	COMMERCIAL
Address:	25 TAYLOR ST.
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T10000004858
Global Id:	T10000004858
Latitude:	37.7824505
Longitude:	-122.4107479
Status:	Completed - Case Closed
Status Date:	06/27/2013
Case Worker:	Not reported
RB Case Number:	Not reported
Local Agency:	Not reported
File Location:	Not reported
Local Case Number:	12001
Potential Media Affect:	Not reported
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T10000004858
Action Type:	Other
Date:	05/02/2013
Action:	Leak Discovery
Global Id:	T10000004858
Action Type:	RESPONSE
Date:	06/27/2013
Action:	Tank Removal Report / UST Sampling Report - Regulator Responded
Global Id:	T10000004858
Action Type:	Other
Date:	05/02/2013
Action:	Leak Stopped
Global Id:	T10000004858
Action Type:	ENFORCEMENT
Date:	06/21/2013
Action:	Notice of Responsibility - #12001
Global Id:	T10000004858
Action Type:	ENFORCEMENT
Date:	06/27/2013

COMMERCIAL (Continued) **S113804515**

Action: File Review - Closure

Global Id: T10000004858
Action Type: Other
Date: 05/07/2013
Action: Leak Reported

Global Id: T10000004858
Action Type: ENFORCEMENT
Date: 06/27/2013
Action: Closure/No Further Action Letter

Global Id: T10000004858
Action Type: Other
Date: 05/02/2013
Action: Leak Began

LUST:
Global Id: T10000004858
Status: Open - Case Begin Date
Status Date: 05/02/2013

Global Id: T10000004858
Status: Open - Site Assessment
Status Date: 06/21/2013

Global Id: T10000004858
Status: Completed - Case Closed
Status Date: 06/27/2013

CERS:
Name: COMMERCIAL
Address: 25 TAYLOR ST.
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 221234
CERS ID: T10000004858
CERS Description: Leaking Underground Storage Tank Cleanup Site

---

S254 **RESIDENCE** **CA UST** **U004014419**
NW **315 HYDE ST** **N/A**
1/8-1/4 **, CA**
0.170 mi.
897 ft. **Site 11 of 24 in cluster S**

Relative: Higher
Actual: 82 ft.

SAN FRANCISCO CO. UST:
Name: RESIDENCE
Address: 315 HYDE ST
Facility ID: 29628
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 255 Shipley St

RESIDENCE (Continued) **U004014419**

Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	10/14/2005
Application Name:	Tracy Wallace
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	10/31/2005
UST Close ID:	4761
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported

RESIDENCE (Continued) **U004014419**

Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	3/22/2006
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Q255 **APARTMENTS** **CA UST** **U004003431**
WNW **556 LARKIN ST** **N/A**
1/8-1/4 **, CA**
0.170 mi.
900 ft. **Site 13 of 14 in cluster Q**

Relative: **Higher**
Actual: **82 ft.**

SAN FRANCISCO CO. UST:

Name:	APARTMENTS
Address:	556 LARKIN ST
Facility ID:	25455
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	1550 Wallace
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	L&W Environmental
Application Date:	11/14/2000
Application Name:	George Wilson
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported

APARTMENTS (Continued) **U004003431**

Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	12/6/2000
UST Close ID:	4052
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	5/7/2001
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Q256
WNW
1/8-1/4
0.174 mi.
917 ft.

LESLIE HOTEL
560 LARKIN ST
, CA

Site 14 of 14 in cluster Q

CA UST **U003903976**
N/A

Relative:
Higher

Actual:
83 ft.

SAN FRANCISCO CO. UST:

Name:	LESLIE HOTEL
Address:	560 LARKIN ST
Facility ID:	21745
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	1751 Leslie Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	HK2, Inc./Semco
Application Date:	7/17/1997
Application Name:	Rhonda Kiper
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	7/28/1997
UST Close ID:	2978
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

LESLIE HOTEL (Continued) **U003903976**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	7/30/1997
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

S257 **334 HYDE STREET** **CA UST** **U003915353**
NNW **334 HYDE ST** **N/A**
1/8-1/4 **, CA**
0.174 mi.
920 ft. **Site 12 of 24 in cluster S**

Relative: **Higher**

Actual: **83 ft.**

SAN FRANCISCO CO. UST:

Name:	334 HYDE STREET
Address:	334 HYDE ST
Facility ID:	12211
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	2111 Jennings
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	L & W
Application Date:	12/15/1995
Application Name:	George Wilson

334 HYDE STREET (Continued) **U003915353**

Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	1/9/1996
UST Close ID:	2226
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	1/31/1996

334 HYDE STREET (Continued) **U003915353**

Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

R258 **KARRYS AUTO BODY LLC** **RCRA NonGen / NLR** **1024857234**
NE **265 EDDY ST** **CAL000422378**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.174 mi.
921 ft. **Site 7 of 14 in cluster R**

Relative:
Lower

Actual:
50 ft.

RCRA NonGen / NLR:

Date form received by agency:	2016-11-18 00:00:00.0
Facility name:	KARRYS AUTO BODY LLC
Facility address:	265 EDDY ST SAN FRANCISCO, CA 94102
EPA ID:	CAL000422378
Contact:	KARRY MAN
Contact address:	265 EDDY STREET KARRY'S AUTO BODY SAN FRANCISCO, CA 94102
Contact country:	Not reported
Contact telephone:	415-516-7731
Contact email:	KARRYS265EDDY@GMAIL.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	KARRY MAN
Owner/operator address:	265 EDDY STREET KARRY'S AUTO BODY SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-516-7731
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	KARRY MAN
Owner/operator address:	265 EDDY STREET SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-516-7731
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported

KARRYS AUTO BODY LLC (Continued) **1024857234**

Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

R259 **KARRYS AUTO BODY LLC** **CA CERS HAZ WASTE** **S120628733**
NE **265 EDDY ST** **CA CUPA Listings** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102** **CA HAZNET**
0.174 mi. **CA CERS**
921 ft. **Site 8 of 14 in cluster R**

Relative:
Lower

Actual:
50 ft.

CERS HAZ WASTE:
Name: AUTO DYNAMIK, INC.
Address: 265 EDDY ST
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 9564
CERS ID: 10614157
CERS Description: Hazardous Waste Generator

CUPA SAN FRANCISCO CO:
Name: AUTO DYNAMIK, INC.
Address: 265 EDDY ST
City,State,Zip: SAN FRANCISCO, CA 94102
Facility ID: 33282
Census Tract: 125
District: 10
Number of Tanks: 0

HAZNET:
Name: KARRYS AUTO BODY LLC
Address: 265 EDDY ST
Address 2: Not reported
City,State,Zip: SAN FRANCISCO, CA 94102
Year: 2017
Gepaid: CAL000422378
Contact: KARY MAN
Telephone: 4155167731
Mailing Name: Not reported
Mailing Address: 265 EDDY ST
Gen County: 38
Waste Category: Oxygenated solvents (acetone, butanol, ethyl acetate, etc.)

KARRYS AUTO BODY LLC (Continued) **S120628733**

TSD EPA ID: CA0000084517
TSD County: 34
Disposal Method: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.1

Additional Info:
Year: 2017
Shipment Date: 20170316
Creation Date: 5/25/2017 18:30:38
Receipt Date: 20170327
Manifest ID: 005938924SKS
Gen EPA ID: CAL000422378
Trans EPA ID: TXR000081205
Trans Name: SAFETY-KLEEN SYSTEMS, INC.
Trans 2 EPA ID: MAD039322250
Trans 2 Name: CLEAN HARBORS
TSDF EPA ID: CA0000084517
Trans Name: SAFETY-KLEEN SYSTEMS, INC.
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code: 212
RCRA Code: F005
Meth Code: H141
Quantity Tons: 0.1
Waste Quantity: 200
Quantity Unit: P
Additional Code 1: F003
Additional Code 2: D035
Additional Code 3: D018
Additional Code 4: D001
Additional Code 5: Not reported

CERS:
Name: AUTO DYNAMIK, INC.
Address: 265 EDDY ST
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 9564
CERS ID: 10614157
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 9564
Site Name: Auto Dynamik, Inc.
Violation Date: 08-07-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 08/07/2018.
Violation Division: San Francisco City & County Public Health Dept
Violation Program: HMRRP
Violation Source: CERS

Site ID: 9564
Site Name: Auto Dynamik, Inc.

KARRYS AUTO BODY LLC (Continued) **S120628733**

Violation Date: 08-07-2018
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: Returned to compliance on 08/07/2018.
Violation Division: San Francisco City & County Public Health Dept
Violation Program: HW
Violation Source: CERS

Site ID: 9564
Site Name: Auto Dynamik, Inc.
Violation Date: 08-07-2018
Citation: HSC 6.5 25250.22 - California Health and Safety Code, Chapter 6.5, Section(s) 25250.22
Violation Description: Failure to properly manage used oil and/or fuel filters in accordance with the requirements.
Violation Notes: Returned to compliance on 08/07/2018.
Violation Division: San Francisco City & County Public Health Dept
Violation Program: HW
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-07-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: San Francisco City & County Public Health Dept
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-07-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: San Francisco City & County Public Health Dept
Eval Program: HMRRP
Eval Source: CERS

Coordinates:
Site ID: 9564
Facility Name: Auto Dynamik, Inc.
Env Int Type Code: HWG
Program ID: 10614157
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 37.783730
Longitude: -122.411950

Affiliation:
Affiliation Type Desc: Environmental Contact

KARRYS AUTO BODY LLC (Continued) **S120628733**

Entity Name: Hami Pramono
Entity Title: Not reported
Affiliation Address: 265 Eddy Street
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 265 Eddy St
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: Hami Pramono
Entity Title: Not reported
Affiliation Address: 265 Eddy St
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 94102
Affiliation Phone: (415) 861-8668

Affiliation Type Desc: Operator
Entity Name: Auto Dynamik
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (415) 861-8668

Affiliation Type Desc: Document Preparer
Entity Name: Auto Dynamik
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: CUPA District
Entity Name: San Francisco City & County Public Health Departme
Entity Title: Not reported
Affiliation Address: 1390 Market Street, Room 210
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102

KARRYS AUTO BODY LLC (Continued) **S120628733**

Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Parent Corporation
Entity Name:	Auto Dynamik, Inc..
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Auto Dynamik
Entity Title:	Office Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

R260 **ADVANCE AUTO REPAIR, LLC** **CA CERS HAZ WASTE** **S120628396**
NE **265 EDDY ST** **CA CUPA Listings** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102** **CA CERS**
0.174 mi.
921 ft. **Site 9 of 14 in cluster R**

Relative: **Lower**
Actual: **50 ft.**

CERS HAZ WASTE:

Name:	ADVANCE AUTO REPAIR, LLC
Address:	265 EDDY ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	3153
CERS ID:	10175379
CERS Description:	Hazardous Waste Generator

CUPA SAN FRANCISCO CO:

Name:	ADVANCE AUTO REPAIR, LLC
Address:	265 EDDY ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	32176
Census Tract:	125
District:	10
Number of Tanks:	0

CERS:

Name:	ADVANCE AUTO REPAIR, LLC
Address:	265 EDDY ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	3153
CERS ID:	10175379
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	3153
Site Name:	Advance Auto Repair, LLC

ADVANCE AUTO REPAIR, LLC (Continued) **S120628396**

Violation Date:	05-09-2018
Citation:	HSC 6.5 25250.22 - California Health and Safety Code, Chapter 6.5, Section(s) 25250.22
Violation Description:	Failure to properly manage used oil and/or fuel filters in accordance with the requirements.
Violation Notes:	Returned to compliance on 09/04/2018.
Violation Division:	San Francisco City & County Public Health Dept
Violation Program:	HW
Violation Source:	CERS

Site ID:	3153
Site Name:	Advance Auto Repair, LLC
Violation Date:	05-09-2018
Citation:	HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)
Violation Description:	Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.
Violation Notes:	Returned to compliance on 09/04/2018.
Violation Division:	San Francisco City & County Public Health Dept
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	3153
Site Name:	Advance Auto Repair, LLC
Violation Date:	05-09-2018
Citation:	Un-Specified
Violation Description:	Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes:	Returned to compliance on 09/04/2018.
Violation Division:	San Francisco City & County Public Health Dept
Violation Program:	HMRRP
Violation Source:	CERS

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	05-09-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	San Francisco City & County Public Health Dept
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	05-09-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	San Francisco City & County Public Health Dept
Eval Program:	HW
Eval Source:	CERS

Coordinates:

Site ID:	3153

ADVANCE AUTO REPAIR, LLC (Continued) **S120628396**

Facility Name: Advance Auto Repair, LLC
Env Int Type Code: HWG
Program ID: 10175379
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 37.783740
Longitude: -122.411950

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: Igor Stolpek
Entity Title: Not reported
Affiliation Address: 265 Eddy St
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 265 Eddy St
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: Igor Stolper
Entity Title: President
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner
Entity Name: Mikle Wolkwen
Entity Title: Not reported
Affiliation Address: 265 Eddy St
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 94102
Affiliation Phone: (415) 716-1125

Affiliation Type Desc: CUPA District
Entity Name: San Francisco City & County Public Health Departme
Entity Title: Not reported
Affiliation Address: 1390 Market Street, Room 210
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102

ADVANCE AUTO REPAIR, LLC (Continued) **S120628396**

Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Legal Owner
Entity Name:	Advance Auto Repair, LLC
Entity Title:	Not reported
Affiliation Address:	265 Eddy St 5 Floor
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 552-1831
Affiliation Type Desc:	Parent Corporation
Entity Name:	Advance Auto Repair, LLC
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	Igor
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Igor Stolpek
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 552-1831

R261 **COOPER & ROBINSON** **CA UST** **U003903570**
NE **265 EDDY ST** **N/A**
1/8-1/4 **, CA**
0.174 mi.
921 ft. **Site 10 of 14 in cluster R**

Relative: **Lower**
Actual: **50 ft.**

SAN FRANCISCO CO. UST:

Name:	COOPER & ROBINSON
Address:	265 EDDY ST
Facility ID:	4852
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported

COOPER & ROBINSON (Continued) **U003903570**

Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	7/9/1987
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	8/5/1987
UST Close ID:	309
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported

COOPER & ROBINSON (Continued) **U003903570**

Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

R262 **COOPER & ROBINSON** **CA SWEEPS UST** **S101592133**
NE **265 EDDY ST** **CA FID UST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.174 mi.
921 ft. **Site 11 of 14 in cluster R**

Relative: **Lower**

Actual: **50 ft.**

SWEEPS UST:

Name:	COOPER & ROBINSON
Address:	265 EDDY ST
City:	SAN FRANCISCO
Status:	Active
Comp Number:	4852
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Owner Tank Id:	Not reported
SWRCB Tank Id:	Not reported
Tank Status:	Not reported
Capacity:	Not reported
Active Date:	Not reported
Tank Use:	Not reported
STG:	Not reported
Content:	Not reported
Number Of Tanks:	Not reported

Name:	COOPER & ROBINSON
Address:	265 EDDY ST
City:	SAN FRANCISCO
Status:	Not reported
Comp Number:	4852
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported

COOPER & ROBINSON (Continued) **S101592133**

SWRCB Tank Id: 38-000-004852-000001
Tank Status: Not reported
Capacity: 4000
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: 2

Name: COOPER & ROBINSON
Address: 265 EDDY ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 4852
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-004852-000002
Tank Status: Not reported
Capacity: 2000
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

CA FID UST:
Facility ID: 38000635
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4150000000
Mail To: Not reported
Mailing Address: 265 EDDY ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94102
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

R263 **COOPER & ROBINSON INC** **CA CERS HAZ WASTE** **S113029323**
NE **265 EDDY ST** **CA CUPA Listings** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102** **CA HAZNET**
0.174 mi. **CA CERS**
921 ft. **Site 12 of 14 in cluster R**

Relative:
Lower

Actual:
50 ft.

CERS HAZ WASTE:

Name:	KARRY'S AUTOBODY LLC
Address:	265 EDDY ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	513487
CERS ID:	10777891
CERS Description:	Hazardous Waste Generator

CUPA SAN FRANCISCO CO:

Name:	KARRY'S AUTOBODY LLC
Address:	265 EDDY ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	34814
Census Tract:	125
District:	10
Number of Tanks:	0

HAZNET:

Name:	COOPER & ROBINSON INC
Address:	265 EDDY ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	2007
Gepaid:	CAL000021696
Contact:	--
Telephone:	4157753302
Mailing Name:	Not reported
Mailing Address:	434 OFARRELL ST
Gen County:	38
Waste Category:	Oil/water separation sludge
TSD EPA ID:	CAL000161743
TSD County:	43
Disposal Method:	Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.06255

Additional Info:

Year:	2007
Shipment Date:	20070320
Creation Date:	8/23/2007 18:30:34
Receipt Date:	20070323
Manifest ID:	002100259JJK
Gen EPA ID:	CAL000021696
Trans EPA ID:	CAD028277036
Trans Name:	ASBURY ENVIRONMENTAL SERVICES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAL000161743
Trans Name:	ALVISO INDEPENDENT OIL
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	222
RCRA Code:	Not reported

COOPER & ROBINSON INC (Continued) **S113029323**

Meth Code:	H141
Quantity Tons:	0.06255
Waste Quantity:	15
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CERS:

Name:	KARRY'S AUTOBODY LLC
Address:	265 EDDY ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	513487
CERS ID:	10777891
CERS Description:	Chemical Storage Facilities

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-29-2019
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	San Francisco City & County Public Health Dept
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-29-2019
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	San Francisco City & County Public Health Dept
Eval Program:	HW
Eval Source:	CERS

Coordinates:

Site ID:	513487
Facility Name:	Karry's Autobody LLC
Env Int Type Code:	HMBP
Program ID:	10777891
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	37.783740
Longitude:	-122.411950

Affiliation:

Affiliation Type Desc:	Document Preparer
Entity Name:	Karry Man
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported

COOPER & ROBINSON INC (Continued) **S113029323**

Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	Karry's Autobody LLC
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Karry Man
Entity Title:	Owner/Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	karry man
Entity Title:	Not reported
Affiliation Address:	265 Eddy St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 516-7731
Affiliation Type Desc:	Operator
Entity Name:	karry man
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 516-7731
Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Environmental Contact
Entity Name:	karry man
Entity Title:	Not reported
Affiliation Address:	265 Eddy St

COOPER & ROBINSON INC (Continued) **S113029323**

Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	265 Eddy St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

R264 **BAYSIDE AUTO BODY** **RCRA-SQG** **1000188060**
NE **265 EDDY ST** **FINDS** **CAD981434608**
1/8-1/4 **SAN FRANCISCO, CA 94102** **ECHO**
0.174 mi. **CA EMI**
921 ft. **Site 13 of 14 in cluster R**

Relative: **Lower**
Actual: **50 ft.**

RCRA-SQG:

Date form received by agency:	1992-10-20 00:00:00.0
Facility name:	BAYSIDE AUTO BODY
Facility address:	265 EDDY ST SAN FRANCISCO, CA 94102
EPA ID:	CAD981434608
Contact:	VICTOR MARTINEZ
Contact address:	265 EDDY ST SAN FRANCISCO, CA 94102
Contact country:	US
Contact telephone:	707-422-1003
Contact email:	Not reported
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	NOT REQUIRED
Owner/operator address:	NOT REQUIRED NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	415-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

BAYSIDE AUTO BODY (Continued) **1000188060**

Owner/operator name: VICTOR MARTINEZ
Owner/operator address: 265 EDDY ST
SAN FRANCISCO, CA 94102
Owner/operator country: Not reported
Owner/operator telephone: 707-422-1003
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110001192995

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000188060
Registry ID: 110001192995
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110001192995

EMI:
Name: WAGNER AUTO BODY
Address: 265 EDDY STREET
City,State,Zip: SAN FRANCISCO, CA 94102

BAYSIDE AUTO BODY (Continued) **1000188060**

Year:	1990
County Code:	38
Air Basin:	SF
Facility ID:	4719
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	2
Reactive Organic Gases Tons/Yr:	2
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

R265 **GEARY GARAGE ASSOCIATES** **RCRA NonGen / NLR** **1024818881**
NE **265 EDDY ST** **CAL000327408**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.174 mi.
921 ft. **Site 14 of 14 in cluster R**

Relative: **Lower**

Actual: **50 ft.**

RCRA NonGen / NLR:

Date form received by agency:	2007-12-03 00:00:00.0
Facility name:	GEARY GARAGE ASSOCIATES
Facility address:	265 EDDY ST SAN FRANCISCO, CA 94102
EPA ID:	CAL000327408
Contact:	DAN WALDMAN
Contact address:	459 FULTON ST STE 307 SAN FRANCISCO, CA 94102
Contact country:	Not reported
Contact telephone:	415-922-2224
Contact email:	SBROWN@WALDMANSF.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	DAN WALDMAN
Owner/operator address:	459 FULTON ST STE 307 SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-922-2224
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	GEARY GARAGE ASSOCIATES
Owner/operator address:	265 EDDY ST SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported

GEARY GARAGE ASSOCIATES (Continued) **1024818881**

Owner/operator telephone: 415-775-3302
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

W266 **PHILLIP BURTON FEDERAL BLDG & US COURTHOUSE** **SEMS-ARCHIVE** **1000113985**
West **450 GOLDEN GATE AVENUE** **CA UST** **CA4470000098**
1/8-1/4 **SAN FRANCISCO, CA 94102** **RCRA NonGen / NLR**
0.175 mi. **FINDS**
926 ft. **Site 1 of 18 in cluster W**

Relative: Higher
Actual: 73 ft.

SEMS Archive:
Site ID: 0903428
EPA ID: CA4470000098
Cong District: 05
FIPS Code: 06075
FF: Y
NPL: Not on the NPL
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:
Region: 09
Site ID: 0903428
EPA ID: CA4470000098
Site Name: GSA FEDERAL BUILDING
NPL: N
FF: Y
OU: 00
Action Code: DS
Action Name: DISCVRY
SEQ: 1
Start Date: 1988-05-01 04:00:00
Finish Date: 1988-05-01 04:00:00
Qual: Not reported
Current Action Lead: Fed Fac

PHILLIP BURTON FEDERAL BLDG & US COURTHOUSE (Continued) **1000113985**

Region:	09
Site ID:	0903428
EPA ID:	CA4470000098
Site Name:	GSA FEDERAL BUILDING
NPL:	N
FF:	Y
OU:	00
Action Code:	VS
Action Name:	ARCH SITE
SEQ:	1
Start Date:	Not reported
Finish Date:	1992-06-30 04:00:00
Qual:	Not reported
Current Action Lead:	EPA Perf In-Hse

Region:	09
Site ID:	0903428
EPA ID:	CA4470000098
Site Name:	GSA FEDERAL BUILDING
NPL:	N
FF:	Y
OU:	00
Action Code:	PA
Action Name:	PA
SEQ:	1
Start Date:	Not reported
Finish Date:	1992-06-30 04:00:00
Qual:	N
Current Action Lead:	Fed Fac

SAN FRANCISCO CO. UST:

Name:	PHILLIP BURTON
Address:	450 GOLDEN GATE AV
Facility ID:	6063
Facility Status:	Not reported
Number Of Tanks:	Not reported
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Philip Burton
Care Of Addr:	Juilus De Leon
2nd Care Of Add:	Not reported
Mailing Address:	450 Golden Gate
Mailing City,St,Zip:	San Francisco, CA 94102
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	Not reported
Application Name:	Not reported
Action Type:	1
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	1002
Tank Test:	Not reported

PHILLIP BURTON FEDERAL BLDG & US COURTHOUSE (Continued) **1000113985**

Local Tank Id:	6063001002
Tank Manufacturer:	Permatank
Compartmentalized Tank:	No
# Of Tank Compartments:	Not reported
Date Tank Installed:	10/1/1998
Tank Capacity:	12000
Additional Desc:	Not reported
Tank Use:	1
Petroleum Type:	Diesel
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Double wall
Primary Tank Material:	Bare steel
Secondary Tank Material:	Not reported
Tank Interior Lining:	Unlined
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	Not reported
Type Of Spill Protection:	drop tube
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	No
Othr Tnk Corrosive Prtctn:	Fiberglass Reinforced Plastic (FRP)
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Continuous Interstitial Monitoring
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	0
Tank Filled With Inert Material:	0
Piping System Type (Underground):	Suction
Piping System Type (Aboveground):	Pressure
Piping Construction (Underground):	Double Wall
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Single Wall
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Fexible (HDPE - High Density Polyethylene
Piping Material & Corrosion Protection (Aboveground):	Bare Steel
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Suction,Gravity ,Sump Sensor,Alarms
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Single Wall, Pressure Daily Visual Check
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	2/11/2003
2nd Containment Test:	2/11/2003
Spill Containment Present:	Yes
Drop Tube Present:	Yes
Striker Plate Present:	Yes
Alarm Present:	Yes
Ball Float Present:	No

PHILLIP BURTON FEDERAL BLDG & US COURTHOUSE (Continued) **1000113985**

Fill Tube Present:	Yes
Other Tank Leak Detection Present:	No

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	8/25/1998
UST Close ID:	3373
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	11/25/1998
Last Annual Monitoring Cert:	Not reported

PHILLIP BURTON FEDERAL BLDG & US COURTHOUSE (Continued) **1000113985**

2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	Not reported
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported

PHILLIP BURTON FEDERAL BLDG & US COURTHOUSE (Continued) **1000113985**

Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

RCRA NonGen / NLR:

Date form received by agency:	2004-03-03 00:00:00.0
Facility name:	FEDERAL BUILDING
Site name:	PHILLIP BURTON FEDERAL BUILDING
Facility address:	450 GOLDEN GATE AVE SAN FRANCISCO, CA 94102
EPA ID:	CA4470000098
Contact:	JULIUS Y DE LEON
Contact address:	Not reported Not reported
Contact country:	US
Contact telephone:	415-436-7967
Contact email:	Not reported
EPA Region:	09
Land type:	Facility is not located on Indian land. Additional information is not known.
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	GENERAL SERVICE ADMIN
Owner/operator address:	Not reported Not reported
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Federal
Owner/Operator Type:	Operator
Owner/Op start date:	1962-01-01 00:00:00.
Owner/Op end date:	Not reported
Owner/operator name:	GENERAL SERVICES ADMIN
Owner/operator address:	450 GOLDEN GATE AVE STE 7-5492 PHILLIP BURTON FED BLDG & US CRTHOU SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-436-7940
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other

PHILLIP BURTON FEDERAL BLDG & US COURTHOUSE (Continued) **1000113985**

Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: GENERAL SERVICE ADMIN
Owner/operator address: 450 GOLDEN GATE AVE
SAN FRANCISCO, CA 94102
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Federal
Owner/Operator Type: Owner
Owner/Op start date: 1962-01-01 00:00:00.
Owner/Op end date: Not reported

Owner/operator name: LAURIE MURATA
Owner/operator address: 450 GOLDEN GATE AVE ROOM 7-5492 PHILLIP BURTON FED BLDG
SAN FRANCISCO, CA 94102
Owner/operator country: Not reported
Owner/operator telephone: 415-436-7948
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 1982-07-23 00:00:00.0
Site name: FEDERAL BUILDING
Classification: Not a generator, verified

Hazardous Waste Summary:

. Waste code: D001
. Waste name: IGNITABLE WASTE

PHILLIP BURTON FEDERAL BLDG & US COURTHOUSE (Continued) **1000113985**

. Waste code: D002
. Waste name: CORROSIVE WASTE

Violation Status: No violations found

FINDS:

Registry ID: 110055673588

Environmental Interest/Information System
STATE MASTER
Registry ID: 110013822417

Environmental Interest/Information System
California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
HAZARDOUS AIR POLLUTANT MAJOR
HAZARDOUS WASTE BIENNIAL REPORTER
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

W267 **DEA/SAN FRANCISCO** **NY MANIFEST** **1009219155**
West **450 GOLDEN GATE** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.175 mi.
926 ft. **Site 2 of 18 in cluster W**

Relative:
Higher

Actual:
73 ft.

NY MANIFEST:
Name: DEA/SAN FRANCISCO
Address: 450 GOLDEN GATE
City,State,Zip: SAN FRANCISCO, CA 94102
Country: USA
EPA ID: CAP111111044
Facility Status: Not reported
Location Address 1: 450 GOLDEN GATE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: SAN FRANCISCO
Location State: CA
Location Zip: 94102
Location Zip 4: Not reported

NY MANIFEST:
EPAID: CAP111111044
Mailing Name: DEA/SAN FRANCISCO
Mailing Contact: DAVID DENCI
Mailing Address 1: 450 GOLDEN GATE
Mailing Address 2: Not reported

DEA/SAN FRANCISCO (Continued) **1009219155**

Mailing City:	SAN FRANCISCO
Mailing State:	CA
Mailing Zip:	94102
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	4155566771

NY MANIFEST:

Document ID:	NYG1191708
Manifest Status:	Not reported
seq:	01
Year:	1999
Trans1 State ID:	71070NNY
Trans2 State ID:	Not reported
Generator Ship Date:	10/01/1999
Trans1 Recv Date:	10/01/1999
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/14/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CAP111111044
Trans1 EPA ID:	NYD982792814
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000632372
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D002 - NON-LISTED CORROSIVE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00198
Units:	P - Pounds
Number of Containers:	001
Container Type:	CY - Cylinders
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00

W268
West
1/8-1/4
0.175 mi.
926 ft.

FEDERAL BUILDING AND COURTHOUSE
450 GOLDEN GATE AVE
SAN FRANCISCO, CA 94102

Site 3 of 18 in cluster W

CA LUST **S101308288**
CA HIST UST **N/A**
CA HIST CORTESE
CA CERS

Relative:
Higher

Actual:
73 ft.

LUST:

Name:	FEDERAL BLDG.
Address:	450 GOLDEN GATE AVE
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500206
Global Id:	T0607500206
Latitude:	37.781599
Longitude:	-122.416861
Status:	Completed - Case Closed
Status Date:	01/25/1999
Case Worker:	Not reported
RB Case Number:	38-0239
Local Agency:	Not reported
File Location:	Not reported
Local Case Number:	10971
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Diesel
Site History:	Not reported

LUST:

Global Id:	T0607500206
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0607500206
Action Type:	Other
Date:	03/09/1998
Action:	Leak Discovery
Global Id:	T0607500206
Action Type:	Other
Date:	01/02/1965
Action:	Leak Reported

LUST:

Global Id:	T0607500206
Status:	Open - Case Begin Date
Status Date:	03/09/1998
Global Id:	T0607500206
Status:	Completed - Case Closed
Status Date:	01/25/1999

FEDERAL BUILDING AND COURTHOUSE (Continued) **S101308288**

HIST UST:

Name:	FEDERAL BUILDING AND COURTHOUSE
Address:	450 GOLDEN GATE AVE
City,State,Zip:	SAN FRANCISCO, CA 94102
File Number:	0002F737
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002F737.pdf
Region:	Not reported
Facility ID:	Not reported
Facility Type:	Not reported
Other Type:	Not reported
Contact Name:	Not reported
Telephone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Total Tanks:	Not reported
Tank Num:	Not reported
Container Num:	Not reported
Year Installed:	Not reported
Tank Capacity:	Not reported
Tank Used for:	Not reported
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Not reported

Click here for Geo Tracker PDF:

HIST CORTESE:

edr_fname:	FEDERAL BUILDING
edr_fadd1:	450 GOLDEN GATE
City,State,Zip:	SAN FRANCISCO, CA
Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0239

CERS:

Name:	FEDERAL BLDG.
Address:	450 GOLDEN GATE AVE
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	195762
CERS ID:	T0607500206
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

W269
West
1/8-1/4
0.175 mi.
926 ft.

GENERAL SERVICES
450 GOLDEN GATE AV
, CA

Site 4 of 18 in cluster W

CA UST **U003936896**
N/A

Relative:
Higher

Actual:
73 ft.

SAN FRANCISCO CO. UST:

Name:	GENERAL SERVICES
Address:	450 GOLDEN GATE AV
Facility ID:	2033
Facility Status:	Not reported
Number Of Tanks:	2
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	2040 Peabody Rd,
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Cal Inc.
Application Date:	1/7/1998
Application Name:	Michelle Coker
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	3/4/1998
UST Close ID:	3131
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

GENERAL SERVICES (Continued) **U003936896**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

W270
West
1/8-1/4
0.175 mi.
926 ft.

DEPARTMENT OF JUSTICE/FBI
450 GOLDEN GATE AVE.
SAN FRANCISCO, CA 94102

RCRA NonGen / NLR **1024778524**
CAC002998469

Site 5 of 18 in cluster W

Relative:
Higher

Actual:
73 ft.

RCRA NonGen / NLR:

Date form received by agency:	2019-01-28 00:00:00.0
Facility name:	DEPARTMENT OF JUSTICE/FBI
Facility address:	450 GOLDEN GATE AVE. SAN FRANCISCO, CA 94102
EPA ID:	CAC002998469
Contact:	PETER BIERWIRTH
Contact address:	450 GOLDEN GATE AVE. SAN FRANCISCO, CA 94102
Contact country:	Not reported
Contact telephone:	415-553-7553
Contact email:	PMBIERWIRTH@FBI.GOV
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	DOJ/FBI OF MODESTO

DEPARTMENT OF JUSTICE/FBI (Continued) **1024778524**

Owner/operator address:	450 GOLDEN GATE AVE. SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-553-7553
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	PETER BIERWIRTH
Owner/operator address:	450 GOLDEN GATE AVE. SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-553-7553
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

W271
West
1/8-1/4
0.175 mi.
926 ft.

Relative:
Higher

Actual:
73 ft.

FEDERAL BLDG & COURTHOUSE
450 GOLDEN GATE AVE #36038
SAN FRANCISCO, CA 94102

Site 6 of 18 in cluster W

CA LUST **1000214085**
CA SWEEPS UST **CAD981367832**
CA HIST UST
CA FID UST
RCRA NonGen / NLR
CA HAZNET

LUST REG 2:

Region:	2
Facility Id:	38-0239
Facility Status:	Case Closed
Case Number:	10971
How Discovered:	Not reported
Leak Cause:	Not reported

FEDERAL BLDG & COURTHOUSE (Continued) **1000214085**

Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: Federal Bldg.
Address: 450 Golden Gate Ave
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 38-0239
Facility Status: Case Closed
Case Number: 10971
Case Type: Soil only
Release Date: 3/9/1998
Discovered Date: 3/9/1998
Substance: Diesel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 3/9/1998
Case Closed: 1/25/1999
Closed Date: 1/25/1999
Leak Source: Tank
Leak Cause: Structure Failure
Leak Confirmed: 9/20/1995
Entered Date: 5/15/1998
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: General Services
RP Address: Not reported
Operator: Not reported
Staff Initial: VP
Facility Staff: AL
Cross Street: Not reported
NOR Date: 5/15/1998
MTBE Current: Not reported
MTBE Current Date: Not reported
MTBE: NT
Maximum MTBE Soil: Not reported
Maximum MTBE GW: Not reported
MTBE DATE: Not reported
Review Date: Not reported
Workplan Submitted: Not reported
Assessment Underway: Not reported
Pollution Characterization: Not reported
Corrective Action Plan: Not reported
Remediation Underway: Not reported
Monitoring Begun: Not reported

FEDERAL BLDG & COURTHOUSE (Continued) **1000214085**

Funding:	Federal
Interim Remediation:	Yes
Priority:	Not reported
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	10/31/1990
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Diesel fuel oil
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	2x12000 gallon

SWEEPS UST:

Name:	FEDERAL BUILDING
Address:	450 GOLDEN GATE AVE
City:	SAN FRANCISCO
Status:	Active
Comp Number:	6063
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-006063-000001
Tank Status:	A
Capacity:	12000
Active Date:	09-30-92
Tank Use:	UNKNOWN
STG:	P
Content:	DIESEL
Number Of Tanks:	3

FEDERAL BLDG & COURTHOUSE (Continued) **1000214085**

Name: FEDERAL BUILDING
Address: 450 GOLDEN GATE AVE
City: SAN FRANCISCO
Status: Active
Comp Number: 6063
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-006063-000002
Tank Status: A
Capacity: 12000
Active Date: 09-30-92
Tank Use: UNKNOWN
STG: P
Content: DIESEL
Number Of Tanks: Not reported

Name: FEDERAL BUILDING
Address: 450 GOLDEN GATE AVE
City: SAN FRANCISCO
Status: Active
Comp Number: 6063
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-006063-000003
Tank Status: A
Capacity: 2000
Active Date: 09-30-92
Tank Use: UNKNOWN
STG: P
Content: UNSPECIFIED
Number Of Tanks: Not reported

HIST UST:
Name: FEDERAL BUILDING & COURTHOUSE
Address: 450 GOLDEN GATE AVE
City,State,Zip: SAN FRANCISCO, CA 94102
File Number: Not reported
URL: Not reported
Region: STATE
Facility ID: 00000063750
Facility Type: Other
Other Type: FEDERAL AGENCY
Contact Name: Not reported
Telephone: 4155561300
Owner Name: GENERAL SERVICES ADMINISTRATOR
Owner Address: 450 GOLDEN GATE
Owner City,St,Zip: SAN FRANCISCO, CA 94102
Total Tanks: 0002

FEDERAL BLDG & COURTHOUSE (Continued) **1000214085**

Tank Num: 001
Container Num: T-3-1
Year Installed: 1961
Tank Capacity: 00005000
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Container Construction Thickness: 1/4
Leak Detection: Stock Inventor

Tank Num: 002
Container Num: T-3-2
Year Installed: 1961
Tank Capacity: 00005000
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Container Construction Thickness: 1/4
Leak Detection: None

CA FID UST:
Facility ID: 38000282
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4155561300
Mail To: Not reported
Mailing Address: 450 GOLDEN GATE AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94102
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

RCRA NonGen / NLR:
Date form received by agency: 1986-01-23 00:00:00.0
Facility name: FEDERAL BLDG & COURTHOUSE
Facility address: 450 GOLDEN GATE AVE #36038
SAN FRANCISCO, CA 94102
EPA ID: CAD981367832
Mailing address: GOLDEN GATE AVE #36038
SAN FRANCISCO, CA 94102
Contact: ENVIRONMENTAL MANAGER
Contact address: 450 GOLDEN GATE AVE #36038
SAN FRANCISCO, CA 94102
Contact country: US
Contact telephone: 415-556-1300
Contact email: Not reported
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

FEDERAL BLDG & COURTHOUSE (Continued) **1000214085**

Owner/Operator Summary:
- Owner/operator name: US GENL SVCES AGNCY
- Owner/operator address: NOT REQUIRED
  NOT REQUIRED, ME 99999
- Owner/operator country: Not reported
- Owner/operator telephone: 415-555-1212
- Owner/operator email: Not reported
- Owner/operator fax: Not reported
- Owner/operator extension: Not reported
- Legal status: Private
- Owner/Operator Type: Owner
- Owner/Op start date: Not reported
- Owner/Op end date: Not reported

- Owner/operator name: NOT REQUIRED
- Owner/operator address: NOT REQUIRED
  NOT REQUIRED, ME 99999
- Owner/operator country: Not reported
- Owner/operator telephone: 415-555-1212
- Owner/operator email: Not reported
- Owner/operator fax: Not reported
- Owner/operator extension: Not reported
- Legal status: Private
- Owner/Operator Type: Operator
- Owner/Op start date: Not reported
- Owner/Op end date: Not reported

Handler Activities Summary:
- U.S. importer of hazardous waste: No
- Mixed waste (haz. and radioactive): No
- Recycler of hazardous waste: No
- Transporter of hazardous waste: No
- Treater, storer or disposer of HW: No
- Underground injection activity: No
- On-site burner exemption: No
- Furnace exemption: No
- Used oil fuel burner: No
- Used oil processor: No
- User oil refiner: No
- Used oil fuel marketer to burner: No
- Used oil Specification marketer: No
- Used oil transfer facility: No
- Used oil transporter: No

Violation Status: No violations found

HAZNET:
- Name: FEDERAL BLDG & COURTHOUSE
- Address: 450 GOLDEN GATE AVE #36038
- Address 2: Not reported
- City,State,Zip: SAN FRANCISCO, CA 941020000
- Year: 1998
- Gepaid: CAD981367832
- Contact: ANDO MERENDI
- Telephone: --
- Mailing Name: Not reported
- Mailing Address: 450 GOLDEN GATE

FEDERAL BLDG & COURTHOUSE (Continued) **1000214085**

Gen County:	38
Waste Category:	Other inorganic solid waste
TSD EPA ID:	CAT000646117
TSD County:	16
Disposal Method:	Disposal, Land Fill
Tons:	0.045

Additional Info:

Year:	1998
Shipment Date:	19980825
Creation Date:	10/20/1998 0:00:00
Receipt Date:	19980825
Manifest ID:	98234548
Gen EPA ID:	CAD981367832
Trans EPA ID:	CAD982484370
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009466392
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	512
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	1.5
Waste Quantity:	3000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1998
Shipment Date:	19981118
Creation Date:	1/13/1999 0:00:00
Receipt Date:	19981118
Manifest ID:	98601632
Gen EPA ID:	CAD981367832
Trans EPA ID:	CAD063547996
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000646117
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000646117
TSDF Alt Name:	Not reported
Waste Code:	181
RCRA Code:	Not reported
Meth Code:	D80
Quantity Tons:	0.045
Waste Quantity:	90
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported

FEDERAL BLDG & COURTHOUSE (Continued) **1000214085**

Additional Code 5:	Not reported
Year:	1998
Shipment Date:	19980421
Creation Date:	6/26/1998 0:00:00
Receipt Date:	19980427
Manifest ID:	96805487
Gen EPA ID:	CAD981367832
Trans EPA ID:	CA0000646497
Trans Name:	Not reported
Trans 2 EPA ID:	CAD981634116
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD000088252
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD000088252
TSDF Alt Name:	Not reported
Waste Code:	223
RCRA Code:	Not reported
Meth Code:	H01
Quantity Tons:	0.225
Waste Quantity:	450
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1998
Shipment Date:	19980304
Creation Date:	4/16/1998 0:00:00
Receipt Date:	19980305
Manifest ID:	96835763
Gen EPA ID:	CAD981367832
Trans EPA ID:	CAD982484370
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009466392
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD009466392
TSDF Alt Name:	Not reported
Waste Code:	512
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	6
Waste Quantity:	12000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1998
Shipment Date:	19980303
Creation Date:	4/16/1998 0:00:00

FEDERAL BLDG & COURTHOUSE (Continued) **1000214085**

Receipt Date:	19980305
Manifest ID:	96835766
Gen EPA ID:	CAD981367832
Trans EPA ID:	CAD982484370
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009466392
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD009466392
TSDF Alt Name:	Not reported
Waste Code:	512
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	6.15
Waste Quantity:	12300
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	FEDERAL BLDG & COURTHOUSE
Address:	450 GOLDEN GATE AVE #36038
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1998
Gepaid:	CAD981367832
Contact:	ANDO MERENDI
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	450 GOLDEN GATE
Gen County:	38
Waste Category:	Other empty containers 30 gallons or more
TSD EPA ID:	CAD009466392
TSD County:	07
Disposal Method:	Recycler
Tons:	13.65

Additional Info:

Year:	1998
Shipment Date:	19980825
Creation Date:	10/20/1998 0:00:00
Receipt Date:	19980825
Manifest ID:	98234548
Gen EPA ID:	CAD981367832
Trans EPA ID:	CAD982484370
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009466392
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	512
RCRA Code:	Not reported

FEDERAL BLDG & COURTHOUSE (Continued) **1000214085**

Meth Code:	R01
Quantity Tons:	1.5
Waste Quantity:	3000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1998
Shipment Date:	19981118
Creation Date:	1/13/1999 0:00:00
Receipt Date:	19981118
Manifest ID:	98601632
Gen EPA ID:	CAD981367832
Trans EPA ID:	CAD063547996
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000646117
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000646117
TSDF Alt Name:	Not reported
Waste Code:	181
RCRA Code:	Not reported
Meth Code:	D80
Quantity Tons:	0.045
Waste Quantity:	90
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1998
Shipment Date:	19980421
Creation Date:	6/26/1998 0:00:00
Receipt Date:	19980427
Manifest ID:	96805487
Gen EPA ID:	CAD981367832
Trans EPA ID:	CA0000646497
Trans Name:	Not reported
Trans 2 EPA ID:	CAD981634116
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD000088252
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD000088252
TSDF Alt Name:	Not reported
Waste Code:	223
RCRA Code:	Not reported
Meth Code:	H01
Quantity Tons:	0.225
Waste Quantity:	450
Quantity Unit:	P
Additional Code 1:	Not reported

FEDERAL BLDG & COURTHOUSE (Continued) **1000214085**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1998
Shipment Date:	19980304
Creation Date:	4/16/1998 0:00:00
Receipt Date:	19980305
Manifest ID:	96835763
Gen EPA ID:	CAD981367832
Trans EPA ID:	CAD982484370
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009466392
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD009466392
TSDF Alt Name:	Not reported
Waste Code:	512
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	6
Waste Quantity:	12000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1998
Shipment Date:	19980303
Creation Date:	4/16/1998 0:00:00
Receipt Date:	19980305
Manifest ID:	96835766
Gen EPA ID:	CAD981367832
Trans EPA ID:	CAD982484370
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009466392
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD009466392
TSDF Alt Name:	Not reported
Waste Code:	512
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	6.15
Waste Quantity:	12300
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

FEDERAL BLDG & COURTHOUSE (Continued) **1000214085**

Name:	FEDERAL BLDG & COURTHOUSE
Address:	450 GOLDEN GATE AVE #36038
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1998
Gepaid:	CAD981367832
Contact:	ANDO MERENDI
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	450 GOLDEN GATE
Gen County:	38
Waste Category:	Unspecified oil-containing waste
TSD EPA ID:	CAD000088252
TSD County:	19
Disposal Method:	Transfer Station
Tons:	0.225

Additional Info:

Year:	1998
Shipment Date:	19980825
Creation Date:	10/20/1998 0:00:00
Receipt Date:	19980825
Manifest ID:	98234548
Gen EPA ID:	CAD981367832
Trans EPA ID:	CAD982484370
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009466392
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	512
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	1.5
Waste Quantity:	3000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1998
Shipment Date:	19981118
Creation Date:	1/13/1999 0:00:00
Receipt Date:	19981118
Manifest ID:	98601632
Gen EPA ID:	CAD981367832
Trans EPA ID:	CAD063547996
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000646117
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000646117
TSDF Alt Name:	Not reported

FEDERAL BLDG & COURTHOUSE (Continued) **1000214085**

Waste Code:	181
RCRA Code:	Not reported
Meth Code:	D80
Quantity Tons:	0.045
Waste Quantity:	90
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1998
Shipment Date:	19980421
Creation Date:	6/26/1998 0:00:00
Receipt Date:	19980427
Manifest ID:	96805487
Gen EPA ID:	CAD981367832
Trans EPA ID:	CA0000646497
Trans Name:	Not reported
Trans 2 EPA ID:	CAD981634116
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD000088252
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD000088252
TSDF Alt Name:	Not reported
Waste Code:	223
RCRA Code:	Not reported
Meth Code:	H01
Quantity Tons:	0.225
Waste Quantity:	450
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1998
Shipment Date:	19980304
Creation Date:	4/16/1998 0:00:00
Receipt Date:	19980305
Manifest ID:	96835763
Gen EPA ID:	CAD981367832
Trans EPA ID:	CAD982484370
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009466392
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD009466392
TSDF Alt Name:	Not reported
Waste Code:	512
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	6
Waste Quantity:	12000

FEDERAL BLDG & COURTHOUSE (Continued) **1000214085**

Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1998
Shipment Date:	19980303
Creation Date:	4/16/1998 0:00:00
Receipt Date:	19980305
Manifest ID:	96835766
Gen EPA ID:	CAD981367832
Trans EPA ID:	CAD982484370
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009466392
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD009466392
TSDF Alt Name:	Not reported
Waste Code:	512
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	6.15
Waste Quantity:	12300
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

W272 **FEDERAL BUILDING** **CA CUPA Listings** **S120629239**
West **450 GOLDEN GATE AV 7-5492** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.175 mi.
926 ft. **Site 7 of 18 in cluster W**

Relative: CUPA SAN FRANCISCO CO:
Higher

Name:	FEDERAL BUILDING
Address:	450 GOLDEN GATE AV 7-5492
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	6063
Census Tract:	124
District:	10
Number of Tanks:	1

Actual:
73 ft.

W273
West
1/8-1/4
0.175 mi.
926 ft.

PHILLIP BURTON FEDERAL BUILDING & U. S. COURTHOUSE
450 GOLDEN GATE AVE
SAN FRANCISCO, CA 94102

CA UST **U004262294**
N/A

Site 8 of 18 in cluster W

Relative:
Higher

Actual:
73 ft.

UST:

Name:	PHILLIP BURTON FEDERAL BUILDING & U. S. COURTHOUSE
Address:	450 GOLDEN GATE AVE
City,State,Zip:	SAN FRANCISCO, CA 94102-3434
Facility ID:	38-000-006063
Permitting Agency:	San Francisco City & County Public Health Department
Latitude:	37.78138
Longitude:	-122.418

W274
West
1/8-1/4
0.175 mi.
926 ft.

PHILLIP BURTON FEDERAL BUILDING & U. S. COURTHOUSE
450 GOLDEN GATE AVE
SAN FRANCISCO, CA 94102

CA CERS HAZ WASTE **S121788389**
CA CERS TANKS **N/A**
CA CERS

Site 9 of 18 in cluster W

Relative:
Higher

Actual:
73 ft.

CERS HAZ WASTE:

Name:	PHILLIP BURTON FEDERAL BUILDING & U. S. COURTHOUSE
Address:	450 GOLDEN GATE AVE
City,State,Zip:	SAN FRANCISCO, CA 94102-3434
Site ID:	57416
CERS ID:	10153093
CERS Description:	Hazardous Waste Generator

CERS TANKS:

Name:	PHILLIP BURTON FEDERAL BUILDING & U. S. COURTHOUSE
Address:	450 GOLDEN GATE AVE
City,State,Zip:	SAN FRANCISCO, CA 94102-3434
Site ID:	57416
CERS ID:	10153093
CERS Description:	Underground Storage Tank

CERS:

Name:	PHILLIP BURTON FEDERAL BUILDING & U. S. COURTHOUSE
Address:	450 GOLDEN GATE AVE
City,State,Zip:	SAN FRANCISCO, CA 94102-3434
Site ID:	57416
CERS ID:	10153093
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	57416
Site Name:	Phillip Burton Federal Building & U. S. Courthouse
Violation Date:	05-31-2018
Citation:	23 CCR 16 2644.1(a)(4) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2644.1(a)(4)
Violation Description:	Failure to notify the UPA 48 hours prior to testing.
Violation Notes:	Returned to compliance on 05/31/2018.
Violation Division:	San Francisco City & County Public Health Dept
Violation Program:	UST
Violation Source:	CERS

Evaluation:

Eval General Type:	Compliance Evaluation Inspection

PHILLIP BURTON FEDERAL BUILDING & U. S. COURTHOUSE (Continued) **S121788389**

Eval Date: 02-21-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: San Francisco City & County Public Health Dept
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-05-2009
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspector Name: Sue Cone
Eval Division: San Francisco City & County Public Health Dept
Eval Program: HWLQG
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-31-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: San Francisco City & County Public Health Dept
Eval Program: UST
Eval Source: CERS

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: Jackie Peters
Entity Title: Not reported
Affiliation Address: 450 Golden Gate Ave, 7-5492
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: Not reported

Affiliation Type Desc: Parent Corporation
Entity Name: FEDERAL BUILDING
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: UST Tank Owner
Entity Name: General Services Administration
Entity Title: Not reported
Affiliation Address: 450 Golden Gate Ave., 7-5492
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 94102-3434
Affiliation Phone: (415) 436-7940

PHILLIP BURTON FEDERAL BUILDING & U. S. COURTHOUSE (Continued) **S121788389**

Affiliation Type Desc:	Legal Owner
Entity Name:	GENERAL SERVICES ADMIN
Entity Title:	Not reported
Affiliation Address:	450 Golden Gate Ave, Room 7-5492
Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 436-7940

Affiliation Type Desc:	Property Owner
Entity Name:	General Services Administration
Entity Title:	Not reported
Affiliation Address:	450 Golden Gate Ave Room 7-5492
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102-3434
Affiliation Phone:	(415) 436-7940

Affiliation Type Desc:	UST Permit Applicant
Entity Name:	Julius de Leon
Entity Title:	Building Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 436-7940

Affiliation Type Desc:	UST Tank Operator
Entity Name:	Dellew
Entity Title:	Not reported
Affiliation Address:	450 Golden Gate Ave, B-5178
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 436-7940

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	450 GOLDEN GATE AVE RM 7-5492
Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

Affiliation Type Desc:	Operator
Entity Name:	General Services Administration
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported

PHILLIP BURTON FEDERAL BUILDING & U. S. COURTHOUSE (Continued) **S121788389**

Affiliation Zip: Not reported
Affiliation Phone: (415) 436-7940

Affiliation Type Desc: CUPA District
Entity Name: San Francisco City & County Public Health Departme
Entity Title: Not reported
Affiliation Address: 1390 Market Street, Room 210
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: (415) 252-3900

Affiliation Type Desc: Identification Signer
Entity Name: Jackie Peters
Entity Title: Senior Property Manager
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: UST Property Owner Name
Entity Name: General Services Administration
Entity Title: Not reported
Affiliation Address: 450 Golden Gate Ave., 7-5492
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 94102-3434
Affiliation Phone: (415) 436-7940

S275 **RESIDENTIAL/COMMERCIAL** **CA LUST** **S103472599**
NW **333 HYDE STREET** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.177 mi.
932 ft. **Site 13 of 24 in cluster S**

Relative:
Higher

Actual:
84 ft.

LUST REG 2:
Region: 2
Facility Id: 38-1154
Facility Status: Case Closed
Case Number: 11046
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

RESIDENTIAL/COMMERCIAL (Continued) **S103472599**

SAN FRANCISCO CO. LUST:

Name:	RESIDENTIAL/COMMER
Address:	333 Hyde Street
City:	San Francisco
Region:	SAN FRANCISCO
Facility ID:	38-1154
Facility Status:	Case Closed
Case Number:	11046
Case Type:	Soil only
Release Date:	5/27/1998
Discovered Date:	5/27/1998
Substance:	Heater Fuel
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Repair Tank
Report Date:	5/27/1998
Case Closed:	9/25/1998
Closed Date:	9/25/1998
Leak Source:	Tank
Leak Cause:	Corrosion
Leak Confirmed:	Not reported
Entered Date:	9/15/1998
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Chu Tong Kwong
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	SC
Cross Street:	ELLIS ST
NOR Date:	9/15/1998
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NRQ
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Not reported
Abatement:	No Action Required - incident is minor, requiring no remedial action
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported

RESIDENTIAL/COMMERCIAL (Continued) **S103472599**

Suspended:	No
Stopped Date:	5/26/1998
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Fuel Oils Nos. 1 -
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Soils ONly

CERS:

Name:	RESIDENTIAL/COMMERCIAL
Address:	333 HYDE STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Site ID:	257126
CERS ID:	T0607501042
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	STEPHANIE CUSHING - SAN FRANCISCO COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1390 MARKET STREET #210
Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

S276 **333 HYDE ST** **CA UST** **U003886126**
NW **333 HYDE ST** **N/A**
1/8-1/4 **, CA**
0.177 mi.
932 ft. **Site 14 of 24 in cluster S**

Relative:
Higher

Actual:
84 ft.

SAN FRANCISCO CO. UST:

Name:	333 HYDE ST
Address:	333 HYDE ST
Facility ID:	22470
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	5/4/1998
Application Name:	Tim Hallen
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	5/26/1998
UST Close ID:	3274
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

333 HYDE ST (Continued) **U003886126**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	7/16/1998
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

S277 **RESIDENTIAL/COMMERCIAL** **CA LUST S103966299**
NW **333 HYDE STREET** **CA HIST CORTESE N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.177 mi.
932 ft. **Site 15 of 24 in cluster S**

Relative: **Higher**

Actual: **84 ft.**

LUST:

Name:	RESIDENTIAL/COMMERCIAL
Address:	333 HYDE STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607501042
Global Id:	T0607501042
Latitude:	37.783912
Longitude:	-122.416275
Status:	Completed - Case Closed
Status Date:	09/25/1998
Case Worker:	SC
RB Case Number:	38-1154
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Not reported
Local Case Number:	11046
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil

RESIDENTIAL/COMMERCIAL (Continued) **S103966299**

Site History: Not reported

LUST:
Global Id: T0607501042
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0607501042
Contact Type: Local Agency Caseworker
Contact Name: STEPHANIE CUSHING
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

LUST:
Global Id: T0607501042
Action Type: Other
Date: 05/27/1998
Action: Leak Discovery

Global Id: T0607501042
Action Type: Other
Date: 01/02/1965
Action: Leak Reported

LUST:
Global Id: T0607501042
Status: Open - Case Begin Date
Status Date: 05/27/1998

Global Id: T0607501042
Status: Completed - Case Closed
Status Date: 09/25/1998

HIST CORTESE:
edr_fname: RESIDENTIAL COMMERCIAL
edr_fadd1: 333 HYDE
City,State,Zip: SAN FRANCISCO, CA 94109
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-1154

S278 **RCRA NonGen / NLR** **1025853065**
NW **333 HYDE ST** **CAC003033267**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.177 mi.
932 ft. **Site 16 of 24 in cluster S**

Relative:
Higher

Actual:
84 ft.

RCRA NonGen / NLR:

Date form received by agency:	2019-09-10 00:00:00.0
Facility name:	Not reported
Facility address:	333 HYDE ST SAN FRANCISCO, CA 94109
EPA ID:	CAC003033267
Contact:	333-335 HYDE, LLC
Contact address:	333 HYDE ST SAN FRANCISCO, CA 94109
Contact country:	Not reported
Contact telephone:	510-759-6916
Contact email:	RUTH.DELGADILLO@SYNERGYCOMPANIES.ORG
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	333-335 HYDE, LLC
Owner/operator address:	333 HYDE ST SAN FRANCISCO, CA 94109
Owner/operator country:	Not reported
Owner/operator telephone:	510-759-6916
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	333-335 HYDE, LLC
Owner/operator address:	333 HYDE ST SAN FRANCISCO, CA 94109
Owner/operator country:	Not reported
Owner/operator telephone:	510-759-6916
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	Not reported
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No

(Continued) **1025853065**

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

S279 **RCRA NonGen / NLR** **1025853076**
NW **333 HYDE ST** **CAC003033278**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.177 mi.
932 ft. **Site 17 of 24 in cluster S**

Relative:
Higher

Actual:
84 ft.

RCRA NonGen / NLR:
Date form received by agency: 2019-09-10 00:00:00.0
Facility name: Not reported
Facility address: 333 HYDE ST
SAN FRANCISCO, CA 94109
EPA ID: CAC003033278
Contact: 333-335 HYDE, LLC
Contact address: 333 HYDE ST
SAN FRANCISCO, CA 94109
Contact country: Not reported
Contact telephone: 510-759-6916
Contact email: RUTH.DELGADILLO@SYNERGYCOMPANIES.ORG
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: 333-335 HYDE, LLC
Owner/operator address: 333 HYDE ST
SAN FRANCISCO, CA 94109
Owner/operator country: Not reported
Owner/operator telephone: 510-759-6916
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: 333-335 HYDE, LLC
Owner/operator address: 333 HYDE ST
SAN FRANCISCO, CA 94109
Owner/operator country: Not reported
Owner/operator telephone: 510-759-6916
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

(Continued) **1025853076**

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): Not reported
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

U280 **CIVIC CENTER PLAZA GARAGE** **CA SWEEPS UST** **1000246412**
WSW **355 MCALLISTER ST** **CA HIST UST** **CAD981170970**
1/8-1/4 **SAN FRANCISCO, CA 94102** **CA FID UST**
0.177 mi. **RCRA NonGen / NLR**
932 ft. **Site 4 of 5 in cluster U** **FINDS**
ECHO
Relative: **CA HAZNET**
Higher

Actual: **68 ft.**

SWEEPS UST:
Name: CIVIC CTR. PLAZA GARAGE INC.
Address: 355 MCALLISTER ST
City: SAN FRANCISCO
Status: Active
Comp Number: 3429
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Owner Tank Id: Not reported
SWRCB Tank Id: Not reported
Tank Status: Not reported
Capacity: Not reported
Active Date: Not reported
Tank Use: Not reported
STG: Not reported
Content: Not reported
Number Of Tanks: Not reported

Name: CIVIC CTR. PLAZA GARAGE INC.
Address: 355 MCALLISTER ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 3429
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported

CIVIC CENTER PLAZA GARAGE (Continued) **1000246412**

Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-003429-000001
Tank Status: Not reported
Capacity: 3900
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: 4

Name: CIVIC CTR. PLAZA GARAGE INC.
Address: 355 MCALLISTER ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 3429
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-003429-000002
Tank Status: Not reported
Capacity: 3900
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Name: CIVIC CTR. PLAZA GARAGE INC.
Address: 355 MCALLISTER ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 3429
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-003429-000003
Tank Status: Not reported
Capacity: 3900
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Name: CIVIC CTR. PLAZA GARAGE INC.
Address: 355 MCALLISTER ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 3429
Number: Not reported
Board Of Equalization: Not reported

CIVIC CENTER PLAZA GARAGE (Continued) **1000246412**

Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-003429-000004
Tank Status: Not reported
Capacity: 500
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

HIST UST:
Name: CIVIC CENTER PLAZA GARAGE
Address: 355 MCALLISTER ST
City,State,Zip: SAN FRANCISCO, CA 94102
File Number: Not reported
URL: Not reported
Region: STATE
Facility ID: 00000057310
Facility Type: Other
Other Type: PARKING GARGARE
Contact Name: PAN, KOUEY
Telephone: 4158631537
Owner Name: CIVIC CENTER PLAZA GARAGE
Owner Address: 355 MCALLISTER STREET
Owner City,St,Zip: SAN FRANCISCO, CA 94102
Total Tanks: 0003

Tank Num: 001
Container Num: 1
Year Installed: Not reported
Tank Capacity: 00003900
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 002
Container Num: 2
Year Installed: Not reported
Tank Capacity: 00003900
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 003
Container Num: 3
Year Installed: Not reported
Tank Capacity: 00003900
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

CIVIC CENTER PLAZA GARAGE (Continued) **1000246412**

CA FID UST:
Facility ID: 38002618
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4150000000
Mail To: Not reported
Mailing Address: 355 MCALLISTER ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94102
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

RCRA NonGen / NLR:
Date form received by agency: 1985-01-21 00:00:00.0
Facility name: CIVIC CENTER PLAZA GARAGE
Facility address: 355 MCALLISTER ST
SAN FRANCISCO, CA 94102
EPA ID: CAD981170970
Mailing address: MCALLISTER ST
SAN FRANCISCO, CA 94102
Contact: ENVIRONMENTAL MANAGER
Contact address: 355 MCALLISTER ST
SAN FRANCISCO, CA 94102
Contact country: US
Contact telephone: 415-863-1537
Contact email: Not reported
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: CIVIC CENTER PLAZA GARAGE
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: 415-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: 415-555-1212

CIVIC CENTER PLAZA GARAGE (Continued) **1000246412**

Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110002681447

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000246412
Registry ID: 110002681447
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110002681447

HAZNET:
Name: CIVIC CENTER PLAZA GARAGE
Address: 355 MCALLISTER ST
Address 2: Not reported
City,State,Zip: SAN FRANCISCO, CA 941020000
Year: 2017
Gepaid: CAD981170970
Contact: NON-DELIVERABLE 11/94 SURVEY
Telephone: 4158631537

CIVIC CENTER PLAZA GARAGE (Continued) **1000246412**

Mailing Name:	Not reported
Mailing Address:	355 MCALLISTER ST
Gen County:	38
Waste Category:	Asbestos containing waste
TSD EPA ID:	CAD981382732
TSD County:	01
Disposal Method:	Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons:	0.46

Additional Info:

Year:	2017
Shipment Date:	20170927
Creation Date:	5/20/2018 18:31:29
Receipt Date:	20171012
Manifest ID:	005961805JJK
Gen EPA ID:	CAD981170970
Trans EPA ID:	CAR000182295
Trans Name:	COASTWIDE ENVIRONMENTAL TECHNOLOGIES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981382732
Trans Name:	ALTAMONT
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	151
RCRA Code:	Not reported
Meth Code:	H132
Quantity Tons:	0.23
Waste Quantity:	1
Quantity Unit:	Y
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2017
Shipment Date:	20171030
Creation Date:	6/13/2018 18:30:34
Receipt Date:	20171102
Manifest ID:	005961857JJK
Gen EPA ID:	CAD981170970
Trans EPA ID:	CAR000182295
Trans Name:	COASTWIDE ENVIRONMENTAL TECHNOLOGIES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981382732
Trans Name:	ALTAMONT
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	151
RCRA Code:	Not reported
Meth Code:	H132
Quantity Tons:	0.23
Waste Quantity:	1
Quantity Unit:	Y
Additional Code 1:	Not reported

CIVIC CENTER PLAZA GARAGE (Continued) **1000246412**

Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

U281 **CIVIC CENTER PLAZA GARAGE** **CA HIST UST** **S118408722**
WSW **355 MCALLLISTER STREET** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.177 mi.
932 ft. **Site 5 of 5 in cluster U**

Relative: **Higher**
Actual: **68 ft.**

HIST UST:

Name:	CIVIC CENTER PLAZA GARAGE
Address:	355 MCALLLISTER STREET
City,State,Zip:	SAN FRANCISCO, CA 94102
File Number:	0002F6E4
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002F6E4.pdf
Region:	Not reported
Facility ID:	Not reported
Facility Type:	Not reported
Other Type:	Not reported
Contact Name:	Not reported
Telephone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Total Tanks:	Not reported
Tank Num:	Not reported
Container Num:	Not reported
Year Installed:	Not reported
Tank Capacity:	Not reported
Tank Used for:	Not reported
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Not reported

Click here for Geo Tracker PDF:

X282 **USPS AND US COURT OF APPEALS** **RCRA NonGen / NLR** **1000180624**
SE **7TH & MISSION STREETS** **CA6470000096**
1/8-1/4 **SAN FRANCISCO, CA 94107**
0.177 mi.
932 ft. **Site 1 of 7 in cluster X**

Relative: **Lower**
Actual: **41 ft.**

RCRA NonGen / NLR:

Date form received by agency:	1980-12-23 00:00:00.0
Facility name:	USPS AND US COURT OF APPEALS
Facility address:	7TH & MISSION STREETS SAN FRANCISCO, CA 94107
EPA ID:	CA6470000096
Mailing address:	450 GOLDEN GATE AVE BOX 36038 SAN FRANCISCO, CA 94107
Contact:	ENVIRONMENTAL MANAGER
Contact address:	7TH & MISSION STREETS

USPS AND US COURT OF APPEALS (Continued) **1000180624**

SAN FRANCISCO, CA 94107
Contact country: US
Contact telephone: 415-556-1300
Contact email: Not reported
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: 415-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Federal
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: 415-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Federal
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

W283
West
1/8-1/4
0.177 mi.
934 ft.

DEPT OF GENERAL SERVICES RESD-BLDG & PROPERTY MANA — **RCRA NonGen / NLR** — **1024816777**
455 GOLDEN GATE AVE STE 2600 — **CAL000319114**
SAN FRANCISCO, CA 94102

Site 10 of 18 in cluster W

Relative:
Higher

Actual:
73 ft.

RCRA NonGen / NLR:

Date form received by agency:	2007-04-30 00:00:00.0
Facility name:	DEPT OF GENERAL SERVICES RESD-BLDG & PROPERTY MANAGEMENT
Facility address:	455 GOLDEN GATE AVE STE 2600 SAN FRANCISCO, CA 94102-3670
EPA ID:	CAL000319114
Mailing address:	1421 N. MARKET BLVD. SACRAMENTO, CA 95834-0000
Contact:	CHARL SANCHEZ
Contact address:	1421 N. MARKET BLVD. SACRAMENTO, CA 95834
Contact country:	Not reported
Contact telephone:	916-696-3041
Contact email:	CHARL.SANCHEZ@DGS.CA.GOV
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	CHARL SANCHEZ
Owner/operator address:	1421 N. MARKET BLVD. SACRAMENTO, CA 95834
Owner/operator country:	Not reported
Owner/operator telephone:	916-696-3041
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	STATE OF CALIFORNIA
Owner/operator address:	707 THIRD STREET WEST SACRAMENTO, CA 95605
Owner/operator country:	Not reported
Owner/operator telephone:	916-375-4990
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	Yes
Treater, storer or disposer of HW:	No
Underground injection activity:	No

DEPT OF GENERAL SERVICES RESD-BLDG & PROPERTY MANAGEMENT (Continued) **1024816777**

On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

W284 **STATE OF CALIFORNIA- SF CIVIC CENTER COMPLEX** **CA CERS TANKS** **S121790926**
West **455 GOLDEN GATE AVE** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.177 mi.
934 ft. **Site 11 of 18 in cluster W**

Relative:
Higher

Actual:
73 ft.

CERS TANKS:
Name: STATE OF CALIFORNIA- SF CIVIC CENTER COMPLEX
Address: 455 GOLDEN GATE AVE
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 71236
CERS ID: 10058479
CERS Description: Aboveground Petroleum Storage

CERS:
Name: STATE OF CALIFORNIA- SF CIVIC CENTER COMPLEX
Address: 455 GOLDEN GATE AVE
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 71236
CERS ID: 10058479
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 71236
Site Name: State of California- SF Civic Center Complex
Violation Date: 04-25-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Returned to compliance on 04/25/2018.
Violation Division: San Francisco City & County Public Health Dept
Violation Program: HMRRP
Violation Source: CERS

Site ID: 71236
Site Name: State of California- SF Civic Center Complex
Violation Date: 04-25-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 04/25/2018.
Violation Division: San Francisco City & County Public Health Dept
Violation Program: HMRRP
Violation Source: CERS

STATE OF CALIFORNIA- SF CIVIC CENTER COMPLEX (Continued) **S121790926**

Site ID:	71236
Site Name:	State of California- SF Civic Center Complex
Violation Date:	03-15-2018
Citation:	23 CCR 16 2641(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(a)
Violation Description:	Failure of leak detection equipment to be located such that equipment is capable of detecting a leak at the earliest possible opportunity.
Violation Notes:	Returned to compliance on 04/10/2018.
Violation Division:	San Francisco City & County Public Health Dept
Violation Program:	UST
Violation Source:	CERS

Site ID:	71236
Site Name:	State of California- SF Civic Center Complex
Violation Date:	03-15-2018
Citation:	23 CCR 16 2715(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(e)
Violation Description:	Failure to maintain a copy of the designated operator monthly inspections for the last 12 months on-site or off-site at a readily available location, if approved by the UPA.
Violation Notes:	Returned to compliance on 03/15/2018.
Violation Division:	San Francisco City & County Public Health Dept
Violation Program:	UST
Violation Source:	CERS

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-15-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	San Francisco City & County Public Health Dept
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-25-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	San Francisco City & County Public Health Dept
Eval Program:	HMRRP
Eval Source:	CERS

Coordinates:

Site ID:	71236
Facility Name:	State of California- SF Civic Center Complex
Env Int Type Code:	HMBP
Program ID:	10058479
Coord Name:	Not reported
Ref Point Type Desc:	Unknown
Latitude:	37.781282
Longitude:	-122.418033

Affiliation:

Affiliation Type Desc:	Facility Mailing Address

STATE OF CALIFORNIA- SF CIVIC CENTER COMPLEX (Continued) **S121790926**

Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	455 Golden gate Ave #2600
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	STATE OF CALIFORNIA
Entity Title:	Not reported
Affiliation Address:	455 Golden Gate Ave
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 703-4105
Affiliation Type Desc:	Identification Signer
Entity Name:	John Weber
Entity Title:	Building Manager, SSM II
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	John Weber
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 703-4104
Affiliation Type Desc:	Parent Corporation
Entity Name:	State of California- SF Civic Center Complex
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102

STATE OF CALIFORNIA- SF CIVIC CENTER COMPLEX (Continued) **S121790926**

Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Document Preparer
Entity Name:	John Courant
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Environmental Contact
Entity Name:	Department of General Services
Entity Title:	Not reported
Affiliation Address:	455 Golden Gate Ave
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

W285 **STATE OF CALIFORNIA- SF CIVIC CENTER COMPLEX** **CA UST** **U004262309**
West **455 GOLDEN GATE AVE** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.177 mi.
934 ft. **Site 12 of 18 in cluster W**

Relative: UST:
Higher

Actual: Name:	STATE OF CALIFORNIA- SF CIVIC CENTER COMPLEX
73 ft. Address:	455 GOLDEN GATE AVE
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	38-000-021193
Permitting Agency:	San Francisco City & County Public Health Department
Latitude:	37.781191
Longitude:	-122.418019

W286 **STATE OF** **CA UST** **U003995442**
West **455 GOLDEN GATE AV** **N/A**
1/8-1/4 **, CA**
0.177 mi.
934 ft. **Site 13 of 18 in cluster W**

Relative: SAN FRANCISCO CO. UST:
Higher

Actual: Name:	STATE OF
73 ft. Address:	455 GOLDEN GATE AV
Facility ID:	21193
Facility Status:	Not reported
Number Of Tanks:	Not reported
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	State of
Care Of Addr:	Thomas
2nd Care Of Add:	Not reported
Mailing Address:	455 Golden Gate

STATE OF (Continued) **U003995442**

Mailing City,St,Zip:	San Francisco, CA 94102
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	Not reported
Application Name:	Not reported
Action Type:	1
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	1002
Tank Test:	Not reported
Local Tank Id:	21193001002
Tank Manufacturer:	Not reported
Compartmentalized Tank:	No
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	600
Additional Desc:	Not reported
Tank Use:	1
Petroleum Type:	Diesel
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Double wall
Primary Tank Material:	Fiberglass/plastic
Secondary Tank Material:	Not reported
Tank Interior Lining:	0
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	Not reported
Type Of Spill Protection:	drop tube, striker plate
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	No
Othr Tnk Corrosive Prtctn:	0
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Continuous Interstitial Monitoring
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	0
Tank Filled With Inert Material:	0
Piping System Type (Underground):	Suction
Piping System Type (Aboveground):	Suction
Piping Construction (Underground):	Double Wall
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Double Wall
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Fiberglass
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Suction,Gravity ,Sump Sensor,Alarms
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported

STATE OF (Continued) **U003995442**

Piping Leak Detection (Underground - 2nd Contained):	Sump Sensor, Alarms, Auto Shutoff For Leaks, Suction/gravity - Sump Sensor , A
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Sump Sensor Without Auto Shutoff, Alarms, Auto Leak Detector W/o Flow Shutofl
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	3/15/2002
2nd Containment Test:	12/6/2002
Spill Containment Present:	Yes
Drop Tube Present:	Yes
Striker Plate Present:	No
Alarm Present:	Yes
Ball Float Present:	No
Fill Tube Present:	Yes
Other Tank Leak Detection Present:	No

Tank ID:	1003
Tank Test:	Not reported
Local Tank Id:	21193001003
Tank Manufacturer:	Not reported
Compartmentalized Tank:	No
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	1000
Additional Desc:	Not reported
Tank Use:	1
Petroleum Type:	Diesel
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Double wall
Primary Tank Material:	Fiberglass/plastic
Secondary Tank Material:	Not reported
Tank Interior Lining:	0
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	Not reported
Type Of Spill Protection:	spill containment, drop tube, striker plate
Date Alarm Overfill Protection Installed:	1/1/1997
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	1/1/1997
Overfill Protection Exempt:	No
Othr Tnk Corrosive Prtctn:	0
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Continuous Interstitial Monitoring
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	0
Tank Filled With Inert Material:	0
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Suction
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Double Wall
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported

STATE OF (Continued) **U003995442**

Piping Material & Corrosion Protection (Aboveground):	Fiberglass
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Suction/gravity - Sump Sensor , Alarms
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Sump Sensor Without Auto Shutoff, Alarms, Auto Leak Detector W/o Flow Shutoff
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	3/15/2002
2nd Containment Test:	12/6/2002
Spill Containment Present:	Yes
Drop Tube Present:	Yes
Striker Plate Present:	No
Alarm Present:	Yes
Ball Float Present:	No
Fill Tube Present:	Yes
Other Tank Leak Detection Present:	No

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	Not reported
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported

STATE OF (Continued) **U003995442**

Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	10/11/1996
UST Close ID:	2662
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported

STATE OF (Continued) **U003995442**

Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

W287 **STATE OF CALIFORNIA- SF CIVIC CENTER COMPLEX** **CA AST** **S120627311**
West **455 GOLDEN GATE AV 2600** **CA CUPA Listings** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.177 mi.
934 ft. **Site 14 of 18 in cluster W**

Relative:
Higher

Actual:
73 ft.

SAN FRANCISCO AST:

Facility ID:	21193
Name:	STATE OF CALIFORNIA- SF CIVIC CENTER COMPLEX
Address:	455 GOLDEN GATE AV 2600
Zip:	94102
Census Tract:	124
HUMPA Date:	06/01/2019
AST Max Container Size:	1000

CUPA SAN FRANCISCO CO:

Name:	STATE OF CALIFORNIA- SF CIVIC CENTER COMPLEX
Address:	455 GOLDEN GATE AV 2600
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	21193
Census Tract:	124
District:	10

STATE OF CALIFORNIA- SF CIVIC CENTER COMPLEX (Continued) **S120627311**

Number of Tanks: 0

Y288 **RCRA NonGen / NLR** **1025856133**
WNW **500 TURK ST** **CAC003036437**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.178 mi.
939 ft. **Site 1 of 11 in cluster Y**

Relative:
Higher

Actual:
79 ft.

RCRA NonGen / NLR:

Date form received by agency:	2019-10-01 00:00:00.0
Facility name:	Not reported
Facility address:	500 TURK ST SAN FRANCISCO, CA 94102
EPA ID:	CAC003036437
Contact:	LINDA YU
Contact address:	500 TURK ST SAN FRANCISCO, CA 94102
Contact country:	Not reported
Contact telephone:	415-673-0200
Contact email:	KK1912@YAHOO.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	RONALD DHEIN
Owner/operator address:	500 TURK ST SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-673-0200
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	LINDA YU
Owner/operator address:	500 TURK ST SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-673-0200
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	Not reported
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No

(Continued) **1025856133**

Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

Y289 **KAHN & KEVILLE** **CA CERS HAZ WASTE** **S120629291**
WNW **500 TURK ST** **CA CUPA Listings** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102** **CA CERS**
0.178 mi.
939 ft. **Site 2 of 11 in cluster Y**

Relative:
Higher

Actual:
79 ft.

CERS HAZ WASTE:

Name:	KAHN & KEVILLE
Address:	500 TURK ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	40950
CERS ID:	10056736
CERS Description:	Hazardous Waste Generator

CUPA SAN FRANCISCO CO:

Name:	KAHN & KEVILLE
Address:	500 TURK ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	8140
Census Tract:	124
District:	10
Number of Tanks:	0

CERS:

Name:	KAHN & KEVILLE
Address:	500 TURK ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	40950
CERS ID:	10056736
CERS Description:	Chemical Storage Facilities

Coordinates:

Site ID:	40950
Facility Name:	Kahn & Keville
Env Int Type Code:	HWG
Program ID:	10056736
Coord Name:	Not reported
Ref Point Type Desc:	Unknown
Latitude:	37.782616
Longitude:	-122.417747

Affiliation:

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported

KAHN & KEVILLE (Continued) **S120629291**

Affiliation Address:	500 Turk St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Bill Brinnon
Entity Title:	Controler
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Kahn & Keville
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 673-0200
Affiliation Type Desc:	Document Preparer
Entity Name:	Bill Brinnom
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	Ronald Dhein
Entity Title:	Not reported
Affiliation Address:	500 Turk St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 673-0200
Affiliation Type Desc:	Parent Corporation
Entity Name:	Kahn & Keville
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

KAHN & KEVILLE (Continued) **S120629291**

Affiliation Type Desc:	Property Owner
Entity Name:	Irving Kahn Trust
Entity Title:	Not reported
Affiliation Address:	500 Turk St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 673-8963

Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900

Affiliation Type Desc:	Environmental Contact
Entity Name:	Bill Brinnon
Entity Title:	Not reported
Affiliation Address:	500 Turk St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

Y290 **KAHN AND KEVILLE TIRE AND AUTO SERVICE** **RCRA-SQG** **1000686314**
WNW **500 TURK ST** **CA HAULERS** **CAD983635731**
1/8-1/4 **SAN FRANCISCO, CA 94102** **FINDS**
0.178 mi. **ECHO**
939 ft. **Site 3 of 11 in cluster Y** **CA HAZNET**

Relative:
Higher

Actual:
79 ft.

RCRA-SQG:

Date form received by agency:	1992-04-07 00:00:00.0
Facility name:	KAHN AND KEVILLE TIRE AND AUTO SERVICE
Facility address:	500 TURK ST SAN FRANCISCO, CA 94102
EPA ID:	CAD983635731
Contact:	VIC GARCIA
Contact address:	500 TURK ST SAN FRANCISCO, CA 94102
Contact country:	US
Contact telephone:	415-673-0200
Contact email:	Not reported
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Owner/Operator Summary:

Owner/operator name:	RON DHEIN
Owner/operator address:	500 TURK ST SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-673-0200
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

HAULERS:

Name:	KAHN AND KEVILLE INC.
Address:	500 TURK ST
City,State,Zip:	SAN FRANCISCO, CA 94102-3331
Facility ID:	1019093
Facility Phone:	(415) 673-8963
Business Email Address:	kk1912@yahoo.com
Contact Person:	WILLIAM BRINNON
Mailing Address:	500 Turk St
Mailing City:	San Francisco
Mailing State:	CA
Mailing Zip:	94102-3331
Mailing County:	Not reported
Mailing Phone:	(415) 673-8963
Current Status:	Active Business
Current Hauler Status:	Hauler - Registered
Accepting Tires From Public:	No
Regulatory Status Last Changed:	6/26/2003
Business Types:	Tire Dealer

Name:	KAHN AND KEVILLE INC.
Address:	500 TURK ST
City,State,Zip:	SAN FRANCISCO, CA 94102-3331
Facility ID:	1019093

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Facility Phone:	(415) 673-8963
Business Email Address:	kk1912@yahoo.com
Contact Person:	WILLIAM BRINNON
Mailing Address:	500 Turk St
Mailing City:	San Francisco
Mailing State:	CA
Mailing Zip:	94102-3331
Mailing County:	Not reported
Mailing Phone:	(415) 673-8963
Current Status:	Active Business
Current Hauler Status:	Hauler - Registered
Accepting Tires From Public:	No
Regulatory Status Last Changed:	6/26/2003
Business Types:	Tire Dealer

FINDS:

Registry ID: 110002875899

Environmental Interest/Information System

California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000686314
Registry ID:	Not reported
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=CAC003036437
Envid:	1000686314
Registry ID:	110002875899
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002875899

HAZNET:

Name:	KAHN AND KEVILLE TIRE AND AUTO SERVICE
Address:	500 TURK ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1998
Gepaid:	CAD983635731
Contact:	CHUCK MARCIANO
Telephone:	4156730200
Mailing Name:	Not reported
Mailing Address:	500 TURK ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.595

Additional Info:

Year:	1998
Shipment Date:	19980818
Creation Date:	10/20/1998 0:00:00
Receipt Date:	19980820
Manifest ID:	98052153
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD981694664
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.187
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1998
Shipment Date:	19980518
Creation Date:	7/15/1998 0:00:00
Receipt Date:	19980519
Manifest ID:	96872078
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD981694664
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.255
Waste Quantity:	75
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Year:	1998
Shipment Date:	19980202
Creation Date:	3/31/1998 0:00:00
Receipt Date:	19980202
Manifest ID:	96876726
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD981694664
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.153
Waste Quantity:	45
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	KAHN AND KEVILLE TIRE AND AUTO SERVICE
Address:	500 TURK ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	2007
Gepaid:	CAD983635731
Contact:	CHUCK MARCIANO
Telephone:	4156730200
Mailing Name:	Not reported
Mailing Address:	500 TURK ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Solvents Recovery
Tons:	0.238

Additional Info:

Year:	2007
Shipment Date:	20070112
Creation Date:	7/25/2008 18:30:08
Receipt Date:	20070112
Manifest ID:	001447347JJK
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECHNOLOGIES CORPORATION/AES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECHNOLOGIES CORPORATION/AES
TSDF Alt EPA ID:	Not reported

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	H020
Quantity Tons:	0.238
Waste Quantity:	70
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	KAHN AND KEVILLE TIRE AND AUTO SERVICE
Address:	500 TURK ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	2001
Gepaid:	CAD983635731
Contact:	CHUCK MARCIANO
Telephone:	4156730200
Mailing Name:	Not reported
Mailing Address:	500 TURK ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.901

Additional Info:

Year:	2001
Shipment Date:	20011119
Creation Date:	1/16/2002 0:00:00
Receipt Date:	20011119
Manifest ID:	21299060
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.255
Waste Quantity:	75
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Year:	2001
Shipment Date:	20010108
Creation Date:	3/22/2001 0:00:00
Receipt Date:	20010109
Manifest ID:	20876763
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.34
Waste Quantity:	100
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2001
Shipment Date:	20010618
Creation Date:	8/14/2001 0:00:00
Receipt Date:	20010620
Manifest ID:	20978798
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.306
Waste Quantity:	90
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	KAHN AND KEVILLE TIRE AND AUTO SERVICE
Address:	500 TURK ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Year:	2002
Gepaid:	CAD983635731
Contact:	CHUCK MARCIANO
Telephone:	4156730200
Mailing Name:	Not reported
Mailing Address:	500 TURK ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.578

Additional Info:

Year:	2002
Shipment Date:	20020925
Creation Date:	1/28/2003 18:31:46
Receipt Date:	20020925
Manifest ID:	21754406
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.187
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2002
Shipment Date:	20021231
Creation Date:	3/31/2003 18:31:15
Receipt Date:	20030103
Manifest ID:	22202094
Gen EPA ID:	CAD983635731
Trans EPA ID:	SCR000075150
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	D039
Meth Code:	H01
Quantity Tons:	0.021

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	2002
Shipment Date:	20021105
Creation Date:	2/13/2003 18:31:35
Receipt Date:	20021105
Manifest ID:	22172019
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.085
Waste Quantity:	25
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	2002
Shipment Date:	20020529
Creation Date:	7/19/2002 16:09:28
Receipt Date:	20020529
Manifest ID:	21602643
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.306
Waste Quantity:	90
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Additional Code 4: Not reported
Additional Code 5: Not reported

Name: KAHN AND KEVILLE TIRE AND AUTO SERVICE
Address: 500 TURK ST
Address 2: Not reported
City,State,Zip: SAN FRANCISCO, CA 941020000
Year: 2002
Gepaid: CAD983635731
Contact: CHUCK MARCIANO
Telephone: 4156730200
Mailing Name: Not reported
Mailing Address: 500 TURK ST
Gen County: 38
Waste Category: Aqueous solution with total organic residues less than 10 percent
TSD EPA ID: CA0000084517
TSD County: 34
Disposal Method: Transfer Station
Tons: 0.021

Additional Info:
Year: 2002
Shipment Date: 20020925
Creation Date: 1/28/2003 18:31:46
Receipt Date: 20020925
Manifest ID: 21754406
Gen EPA ID: CAD983635731
Trans EPA ID: CAD009452657
Trans Name: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD009452657
Trans Name: Not reported
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code: 343
RCRA Code: Not reported
Meth Code: R01
Quantity Tons: 0.187
Waste Quantity: 55
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Year: 2002
Shipment Date: 20021231
Creation Date: 3/31/2003 18:31:15
Receipt Date: 20030103
Manifest ID: 22202094
Gen EPA ID: CAD983635731
Trans EPA ID: SCR000075150
Trans Name: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

TSDF EPA ID:	CA0000084517
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	D039
Meth Code:	H01
Quantity Tons:	0.021
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2002
Shipment Date:	20021105
Creation Date:	2/13/2003 18:31:35
Receipt Date:	20021105
Manifest ID:	22172019
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.085
Waste Quantity:	25
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2002
Shipment Date:	20020529
Creation Date:	7/19/2002 16:09:28
Receipt Date:	20020529
Manifest ID:	21602643
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	343

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

RCRA Code: Not reported
Meth Code: R01
Quantity Tons: 0.306
Waste Quantity: 90
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Name: KAHN AND KEVILLE TIRE AND AUTO SERVICE
Address: 500 TURK ST
Address 2: Not reported
City,State,Zip: SAN FRANCISCO, CA 941020000
Year: 1997
Gepaid: CAD983635731
Contact: CHUCK MARCIANO
Telephone: 4156730200
Mailing Name: Not reported
Mailing Address: 500 TURK ST
Gen County: 38
Waste Category: Unspecified organic liquid mixture
TSD EPA ID: CAD009452657
TSD County: 41
Disposal Method: Recycler
Tons: 0.612

Additional Info:
Year: 1997
Shipment Date: 19970610
Creation Date: 12/4/1997 0:00:00
Receipt Date: 19970610
Manifest ID: 96751832
Gen EPA ID: CAD983635731
Trans EPA ID: CAD981694664
Trans Name: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD009452657
Trans Name: Not reported
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code: 343
RCRA Code: Not reported
Meth Code: R01
Quantity Tons: 0.306
Waste Quantity: 90
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Year: 1997
Shipment Date: 19970115

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Creation Date:	5/30/1997 0:00:00
Receipt Date:	19970116
Manifest ID:	96272227
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD981694664
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.306
Waste Quantity:	90
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	KAHN AND KEVILLE TIRE AND AUTO SERVICE
Address:	500 TURK ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	2003
Gepaid:	CAD983635731
Contact:	CHUCK MARCIANO
Telephone:	4156730200
Mailing Name:	Not reported
Mailing Address:	500 TURK ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.578

Additional Info:

Year:	2003
Shipment Date:	20030624
Creation Date:	7/22/2004 7:52:06
Receipt Date:	20030701
Manifest ID:	22881315
Gen EPA ID:	CAD983635731
Trans EPA ID:	TXR000050930
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	Not reported
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	134

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

RCRA Code:	Not reported
Meth Code:	H01
Quantity Tons:	0.0714
Waste Quantity:	17
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20030813
Creation Date:	7/29/2004 7:44:50
Receipt Date:	20030819
Manifest ID:	22882740
Gen EPA ID:	CAD983635731
Trans EPA ID:	TXR000050930
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	Not reported
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	D039
Meth Code:	H01
Quantity Tons:	0.021
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20030115
Creation Date:	3/30/2003 18:31:13
Receipt Date:	20030115
Manifest ID:	22178622
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.051
Waste Quantity:	15
Quantity Unit:	G

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	2003
Shipment Date:	20030714
Creation Date:	7/22/2004 8:36:14
Receipt Date:	20030714
Manifest ID:	22425690
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.119
Waste Quantity:	35
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	2003
Shipment Date:	20030521
Creation Date:	9/2/2003 18:30:58
Receipt Date:	20030521
Manifest ID:	22426242
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.051
Waste Quantity:	15
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Year:	2003
Shipment Date:	20030409
Creation Date:	6/22/2003 18:31:12
Receipt Date:	20030409
Manifest ID:	22427668
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.102
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20030915
Creation Date:	8/2/2004 9:36:58
Receipt Date:	20030915
Manifest ID:	22968834
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.102
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20031022
Creation Date:	8/3/2004 15:02:31
Receipt Date:	20031022
Manifest ID:	22616526

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENT TECHNOLOGIES
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.068
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20030212
Creation Date:	5/18/2003 14:28:17
Receipt Date:	20030212
Manifest ID:	22620300
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.085
Waste Quantity:	25
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20030930
Creation Date:	8/3/2004 15:02:31
Receipt Date:	20031002
Manifest ID:	22517759
Gen EPA ID:	CAD983635731
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	Not reported
Meth Code:	H01
Quantity Tons:	0.0714
Waste Quantity:	17
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20031218
Creation Date:	8/13/2004 7:53:20
Receipt Date:	20031223
Manifest ID:	22572544
Gen EPA ID:	CAD983635731
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	Not reported
Meth Code:	H01
Quantity Tons:	0.0714
Waste Quantity:	17
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20030416
Creation Date:	8/29/2003 18:31:02
Receipt Date:	20030418
Manifest ID:	22373712
Gen EPA ID:	CAD983635731
Trans EPA ID:	TXR000050930
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	Not reported
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	134

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

RCRA Code: D039
Meth Code: H01
Quantity Tons: 0.021
Waste Quantity: 5
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Name: KAHN AND KEVILLE TIRE AND AUTO SERVICE
Address: 500 TURK ST
Address 2: Not reported
City,State,Zip: SAN FRANCISCO, CA 941020000
Year: 2003
Gepaid: CAD983635731
Contact: CHUCK MARCIANO
Telephone: 4156730200
Mailing Name: Not reported
Mailing Address: 500 TURK ST
Gen County: 38
Waste Category: Aqueous solution with total organic residues less than 10 percent
TSD EPA ID: CA0000084517
TSD County: 34
Disposal Method: Transfer Station
Tons: 0.2562

Additional Info:
Year: 2003
Shipment Date: 20030624
Creation Date: 7/22/2004 7:52:06
Receipt Date: 20030701
Manifest ID: 22881315
Gen EPA ID: CAD983635731
Trans EPA ID: TXR000050930
Trans Name: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CA0000084517
Trans Name: Not reported
TSDF Alt EPA ID: CA0000084517
TSDF Alt Name: Not reported
Waste Code: 134
RCRA Code: Not reported
Meth Code: H01
Quantity Tons: 0.0714
Waste Quantity: 17
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Year: 2003
Shipment Date: 20030813

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Creation Date:	7/29/2004 7:44:50
Receipt Date:	20030819
Manifest ID:	22882740
Gen EPA ID:	CAD983635731
Trans EPA ID:	TXR000050930
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	Not reported
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	D039
Meth Code:	H01
Quantity Tons:	0.021
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20030115
Creation Date:	3/30/2003 18:31:13
Receipt Date:	20030115
Manifest ID:	22178622
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.051
Waste Quantity:	15
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20030714
Creation Date:	7/22/2004 8:36:14
Receipt Date:	20030714
Manifest ID:	22425690
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.119
Waste Quantity:	35
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20030521
Creation Date:	9/2/2003 18:30:58
Receipt Date:	20030521
Manifest ID:	22426242
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.051
Waste Quantity:	15
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20030409
Creation Date:	6/22/2003 18:31:12
Receipt Date:	20030409
Manifest ID:	22427668
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.102
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20030915
Creation Date:	8/2/2004 9:36:58
Receipt Date:	20030915
Manifest ID:	22968834
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.102
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2003
Shipment Date:	20031022
Creation Date:	8/3/2004 15:02:31
Receipt Date:	20031022
Manifest ID:	22616526
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENT TECHNOLOGIES
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Quantity Tons:	0.068
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	2003
Shipment Date:	20030212
Creation Date:	5/18/2003 14:28:17
Receipt Date:	20030212
Manifest ID:	22620300
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.085
Waste Quantity:	25
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	2003
Shipment Date:	20030930
Creation Date:	8/3/2004 15:02:31
Receipt Date:	20031002
Manifest ID:	22517759
Gen EPA ID:	CAD983635731
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	Not reported
Meth Code:	H01
Quantity Tons:	0.0714
Waste Quantity:	17
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	2003
Shipment Date:	20031218
Creation Date:	8/13/2004 7:53:20
Receipt Date:	20031223
Manifest ID:	22572544
Gen EPA ID:	CAD983635731
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	Not reported
Meth Code:	H01
Quantity Tons:	0.0714
Waste Quantity:	17
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	2003
Shipment Date:	20030416
Creation Date:	8/29/2003 18:31:02
Receipt Date:	20030418
Manifest ID:	22373712
Gen EPA ID:	CAD983635731
Trans EPA ID:	TXR000050930
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	Not reported
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	D039
Meth Code:	H01
Quantity Tons:	0.021
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Name:	KAHN AND KEVILLE TIRE AND AUTO SERVICE
Address:	500 TURK ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1999
Gepaid:	CAD983635731
Contact:	CHUCK MARCIANO
Telephone:	4156730200
Mailing Name:	Not reported
Mailing Address:	500 TURK ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.986

Additional Info:

Year:	1999
Shipment Date:	19990628
Creation Date:	8/19/1999 0:00:00
Receipt Date:	19990629
Manifest ID:	99435067
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.34
Waste Quantity:	100
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1999
Shipment Date:	19991025
Creation Date:	1/11/2000 0:00:00
Receipt Date:	19991025
Manifest ID:	99590949
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.34
Waste Quantity:	100
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1999
Shipment Date:	19990205
Creation Date:	4/1/1999 0:00:00
Receipt Date:	19990208
Manifest ID:	98835570
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD981694664
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.306
Waste Quantity:	90
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	KAHN AND KEVILLE TIRE AND AUTO SERVICE
Address:	500 TURK ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	2000
Gepaid:	CAD983635731
Contact:	CHUCK MARCIANO
Telephone:	4156730200
Mailing Name:	Not reported
Mailing Address:	500 TURK ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.68

Additional Info:

Year:	2000

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Shipment Date:	20000825
Creation Date:	10/23/2000 0:00:00
Receipt Date:	20000828
Manifest ID:	20308776
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.34
Waste Quantity:	100
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2000
Shipment Date:	20000301
Creation Date:	5/30/2000 0:00:00
Receipt Date:	20000301
Manifest ID:	99823426
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.34
Waste Quantity:	100
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Click this hyperlink while viewing on your computer to access
7 additional CA HAZNET: record(s) in the EDR Site Report.

Name: KAHN AND KEVILLE TIRE AND AUTO SERVICE
Address: 500 TURK ST

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	2004
Gepaid:	CAD983635731
Contact:	CHUCK MARCIANO
Telephone:	4156730200
Mailing Name:	Not reported
Mailing Address:	500 TURK ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.612

Additional Info:

Year:	2004
Shipment Date:	20040603
Creation Date:	10/15/2004 15:16:06
Receipt Date:	20040609
Manifest ID:	23499082
Gen EPA ID:	CAD983635731
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	Not reported
Meth Code:	H01
Quantity Tons:	0.063
Waste Quantity:	15
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2004
Shipment Date:	20040712
Creation Date:	11/1/2004 12:36:11
Receipt Date:	20040712
Manifest ID:	23887179
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENT TECHNOLOGIES
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	NONE

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Meth Code:	R01
Quantity Tons:	0.119
Waste Quantity:	35
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	2004
Shipment Date:	20041007
Creation Date:	12/21/2004 18:30:50
Receipt Date:	20041007
Manifest ID:	23891890
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENT TECHNOLOGIES
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	NONE
Meth Code:	R01
Quantity Tons:	0.153
Waste Quantity:	45
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	2004
Shipment Date:	20040402
Creation Date:	8/23/2004 8:48:57
Receipt Date:	20040402
Manifest ID:	23435813
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENT TECHNOLOGIES
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.119
Waste Quantity:	35
Quantity Unit:	G
Additional Code 1:	Not reported

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	2004
Shipment Date:	20040402
Creation Date:	10/14/2004 7:49:48
Receipt Date:	20040406
Manifest ID:	22573770
Gen EPA ID:	CAD983635731
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	D039
Meth Code:	H01
Quantity Tons:	0.021
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	2004
Shipment Date:	20040309
Creation Date:	10/1/2004 18:31:09
Receipt Date:	20040312
Manifest ID:	22585059
Gen EPA ID:	CAD983635731
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	Not reported
Meth Code:	H01
Quantity Tons:	0.0714
Waste Quantity:	17
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

KAHN AND KEVILLE TIRE AND AUTO SERVICE (Continued) **1000686314**

Year:	2004
Shipment Date:	20040108
Creation Date:	8/12/2004 8:09:46
Receipt Date:	20040108
Manifest ID:	23328290
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENT TECHNOLOGIES
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.136
Waste Quantity:	40
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2004
Shipment Date:	20040519
Creation Date:	10/15/2004 10:46:40
Receipt Date:	20040519
Manifest ID:	23576454
Gen EPA ID:	CAD983635731
Trans EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENTAL TECHNOLOGIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	ROMIC ENVIRONMENT TECHNOLOGIES
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.085
Waste Quantity:	25
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Click this hyperlink while viewing on your computer to access
7 additional CA HAZNET: record(s) in the EDR Site Report.

Z291 **APARTMENT PROPERTY** **CA LUST** **S108225844**
North **346 LEAVENWORTH ST** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.178 mi.
942 ft. **Site 1 of 9 in cluster Z**

Relative:
Higher

Actual:
76 ft.

LUST:

Name:	APARTMENT PROPERTY
Address:	346 LEAVENWORTH ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607548466
Global Id:	T0607548466
Latitude:	37.784356
Longitude:	-122.4141
Status:	Completed - Case Closed
Status Date:	06/29/2006
Case Worker:	MA
RB Case Number:	38-2349
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Local Agency
Local Case Number:	11688
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607548466
Contact Type:	Local Agency Caseworker
Contact Name:	MAMDOUH AWWAD
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210
City:	SAN FRANCISCO
Email:	mamdouh.awwad@sfdph.org
Phone Number:	Not reported

Global Id:	T0607548466
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0607548466
Action Type:	ENFORCEMENT
Date:	07/12/2005
Action:	Notice of Responsibility

Global Id:	T0607548466
Action Type:	Other
Date:	04/05/2005
Action:	Leak Discovery

Global Id:	T0607548466
Action Type:	REMEDIATION

APARTMENT PROPERTY (Continued) **S108225844**

Date: 04/05/2005
Action: Excavation

Global Id: T0607548466
Action Type: Other
Date: 04/05/2005
Action: Leak Reported

LUST:
Global Id: T0607548466
Status: Open - Case Begin Date
Status Date: 04/05/2005

Global Id: T0607548466
Status: Open - Site Assessment
Status Date: 04/05/2005

Global Id: T0607548466
Status: Completed - Case Closed
Status Date: 06/29/2006

CERS:
Name: APARTMENT PROPERTY
Address: 346 LEAVENWORTH ST
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 202110
CERS ID: T0607548466
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: MAMDOUH AWWAD - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1390 MARKET STREET, #210
Affiliation City: SAN FRANCISCO
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Z292 **RESIDENCE** **CA UST** **U003995397**
North **346 LEAVENWORTH ST** **N/A**
1/8-1/4 **, CA**
0.178 mi.
942 ft. **Site 2 of 9 in cluster Z**

Relative:
Higher

Actual:
76 ft.

SAN FRANCISCO CO. UST:

Name:	RESIDENCE
Address:	346 LEAVENWORTH ST
Facility ID:	29299
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley St
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	3/29/2005
Application Name:	Tracy Wallace
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	4/5/2005
UST Close ID:	4678
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

RESIDENCE (Continued) **U003995397**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AA293 **337 HYDE ST** **CA UST** **U003915354**
NNW **337 HYDE ST** **N/A**
1/8-1/4 **, CA**
0.181 mi.
957 ft. **Site 1 of 17 in cluster AA**

Relative: **Higher**

Actual: **85 ft.**

SAN FRANCISCO CO. UST:

Name:	337 HYDE ST
Address:	337 HYDE ST
Facility ID:	22745
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	8/26/1998
Application Name:	Tim Hallen

337 HYDE ST (Continued) **U003915354**

Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	9/8/1998
UST Close ID:	3415
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	11/25/1998

337 HYDE ST (Continued) **U003915354**

Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

S294 **MARKET GARAGE INC** **RCRA NonGen / NLR** **1024783376**
NNW **541 ELLIS ST** **CAD981970361**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.181 mi.
957 ft. **Site 18 of 24 in cluster S**

Relative:
Higher

Actual:
82 ft.

RCRA NonGen / NLR:

Date form received by agency:	1987-07-03 00:00:00.0
Facility name:	MARKET GARAGE INC
Facility address:	541 ELLIS ST SAN FRANCISCO, CA 94109-0000
EPA ID:	CAD981970361
Contact:	JEFFREY MURAI
Contact address:	541 ELLIS ST SAN FRANCISCO, CA 94109
Contact country:	Not reported
Contact telephone:	415-673-8626
Contact email:	MARKETGARAGE1@AOL.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	JEFFREY MURAI
Owner/operator address:	541 ELLIS ST SAN FRANCISCO, CA 94109
Owner/operator country:	Not reported
Owner/operator telephone:	415-673-8626
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	JEFFREY MURAI
Owner/operator address:	541 ELLIS ST SAN FRANCISCO, CA 94109
Owner/operator country:	Not reported
Owner/operator telephone:	415-673-8626
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported

MARKET GARAGE INC (Continued) **1024783376**

Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

S295 **MARKET GARAGE INC** **CA CERS HAZ WASTE** **S113010923**
NNW **541 ELLIS ST** **CA CUPA Listings** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109** **CA HAZNET**
0.181 mi. **CA CERS**
957 ft. **Site 19 of 24 in cluster S**

Relative: Higher
Actual: 82 ft.

CERS HAZ WASTE:
Name: MARKET GARAGE INC
Address: 541 ELLIS ST
City,State,Zip: SAN FRANCISCO, CA 94109
Site ID: 132997
CERS ID: 10057153
CERS Description: Hazardous Waste Generator

CUPA SAN FRANCISCO CO:
Name: MARKET GARAGE INC
Address: 541 ELLIS ST
City,State,Zip: SAN FRANCISCO, CA 94109
Facility ID: 10145
Census Tract: 124
District: 1
Number of Tanks: 0

HAZNET:
Name: MARKET GARAGE INC
Address: 541 ELLIS ST
Address 2: Not reported
City,State,Zip: SAN FRANCISCO, CA 941090000
Year: 2004
Gepaid: CAD981970361
Contact: JEFFREY MURAI
Telephone: 4156738626
Mailing Name: Not reported
Mailing Address: 541 ELLIS ST
Gen County: 38
Waste Category: Aqueous solution with total organic residues less than 10 percent

MARKET GARAGE INC (Continued) **S113010923**

TSD EPA ID:	CA0000084517
TSD County:	34
Disposal Method:	Transfer Station
Tons:	0.021

Additional Info:

Year:	2004
Shipment Date:	20040825
Creation Date:	12/17/2004 18:31:49
Receipt Date:	Not reported
Manifest ID:	23702779
Gen EPA ID:	CAD981970361
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	D039
Meth Code:	Not reported
Quantity Tons:	0.021
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2004
Shipment Date:	20041112
Creation Date:	1/28/2005 18:31:06
Receipt Date:	20041117
Manifest ID:	23733285
Gen EPA ID:	CAD981970361
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	D039
Meth Code:	H01
Quantity Tons:	0.021
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

MARKET GARAGE INC (Continued) **S113010923**

Name:	MARKET GARAGE INC
Address:	541 ELLIS ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941090000
Year:	2004
Gepaid:	CAD981970361
Contact:	JEFFREY MURAI
Telephone:	4156738626
Mailing Name:	Not reported
Mailing Address:	541 ELLIS ST
Gen County:	38
Waste Category:	Aqueous solution with total organic residues less than 10 percent
TSD EPA ID:	CA0000084517
TSD County:	34
Disposal Method:	Not reported
Tons:	0.021

Additional Info:

Year:	2004
Shipment Date:	20040825
Creation Date:	12/17/2004 18:31:49
Receipt Date:	Not reported
Manifest ID:	23702779
Gen EPA ID:	CAD981970361
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	D039
Meth Code:	Not reported
Quantity Tons:	0.021
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2004
Shipment Date:	20041112
Creation Date:	1/28/2005 18:31:06
Receipt Date:	20041117
Manifest ID:	23733285
Gen EPA ID:	CAD981970361
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported

MARKET GARAGE INC (Continued) **S113010923**

Waste Code:	134
RCRA Code:	D039
Meth Code:	H01
Quantity Tons:	0.021
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	MARKET GARAGE INC
Address:	541 ELLIS ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941090000
Year:	1992
Gepaid:	CAD981970361
Contact:	JEFFREY MURAI
Telephone:	4156738626
Mailing Name:	Not reported
Mailing Address:	541 ELLIS ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture
TSD EPA ID:	CAD009452657
TSD County:	43
Disposal Method:	Recycler
Tons:	1.2509

Name:	MARKET GARAGE INC
Address:	541 ELLIS ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941090000
Year:	2001
Gepaid:	CAD981970361
Contact:	JEFFREY MURAI
Telephone:	4156738626
Mailing Name:	Not reported
Mailing Address:	541 ELLIS ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.442

Additional Info:

Year:	2001
Shipment Date:	20010302
Creation Date:	4/30/2001 0:00:00
Receipt Date:	20010305
Manifest ID:	20877233
Gen EPA ID:	CAD981970361
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported

MARKET GARAGE INC (Continued) **S113010923**

TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.442
Waste Quantity:	130
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	MARKET GARAGE INC
Address:	541 ELLIS ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941090000
Year:	2009
Gepaid:	CAD981970361
Contact:	JEFFREY MURAI
Telephone:	4156738626
Mailing Name:	Not reported
Mailing Address:	541 ELLIS ST
Gen County:	38
Waste Category:	Aqueous solution with total organic residues less than 10 percent
TSD EPA ID:	CA0000084517
TSD County:	34
Disposal Method:	Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.042

Additional Info:

Year:	2009
Shipment Date:	20091202
Creation Date:	2/3/2010 18:30:28
Receipt Date:	20091209
Manifest ID:	002187489SKS
Gen EPA ID:	CAD981970361
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	D039
Meth Code:	H141
Quantity Tons:	0.021
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported

MARKET GARAGE INC (Continued) **S113010923**

Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	2009
Shipment Date:	20090416
Creation Date:	5/23/2009 18:30:08
Receipt Date:	20090421
Manifest ID:	001510886SKS
Gen EPA ID:	CAD981970361
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	D039
Meth Code:	H141
Quantity Tons:	0.021
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Name:	MARKET GARAGE INC
Address:	541 ELLIS ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941090000
Year:	2010
Gepaid:	CAD981970361
Contact:	JEFFREY MURAI
Telephone:	4156738626
Mailing Name:	Not reported
Mailing Address:	541 ELLIS ST
Gen County:	38
Waste Category:	Aqueous solution with total organic residues less than 10 percent
TSD EPA ID:	CA0000084517
TSD County:	34
Disposal Method:	Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.063

Additional Info:

Year:	2010
Shipment Date:	20100708
Creation Date:	9/10/2010 18:30:40
Receipt Date:	20100713
Manifest ID:	002422561SKS
Gen EPA ID:	CAD981970361
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC

MARKET GARAGE INC (Continued) **S113010923**

Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	D039
Meth Code:	H141
Quantity Tons:	0.021
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2010
Shipment Date:	20101026
Creation Date:	1/3/2011 18:30:25
Receipt Date:	20101029
Manifest ID:	003652542FLE
Gen EPA ID:	CAD981970361
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	D039
Meth Code:	H141
Quantity Tons:	0.021
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	2010
Shipment Date:	20100316
Creation Date:	6/10/2010 18:30:18
Receipt Date:	20100319
Manifest ID:	002485630SKS
Gen EPA ID:	CAD981970361
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	Not reported

MARKET GARAGE INC (Continued) **S113010923**

TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	D039
Meth Code:	H141
Quantity Tons:	0.021
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	MARKET GARAGE INC
Address:	541 ELLIS ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941090000
Year:	2000
Gepaid:	CAD981970361
Contact:	JEFFREY MURAI
Telephone:	4156738626
Mailing Name:	Not reported
Mailing Address:	541 ELLIS ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.34

Additional Info:

Year:	2000
Shipment Date:	20000310
Creation Date:	5/30/2000 0:00:00
Receipt Date:	20000318
Manifest ID:	99824874
Gen EPA ID:	CAD981970361
Trans EPA ID:	CAD009452657
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD009452657
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD009452657
TSDF Alt Name:	Not reported
Waste Code:	343
RCRA Code:	Not reported
Meth Code:	R01
Quantity Tons:	0.34
Waste Quantity:	100
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

MARKET GARAGE INC (Continued) **S113010923**

Name:	MARKET GARAGE INC
Address:	541 ELLIS ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941090000
Year:	1991
Gepaid:	CAD981970361
Contact:	JEFFREY MURAI
Telephone:	4156738626
Mailing Name:	Not reported
Mailing Address:	541 ELLIS ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture
TSD EPA ID:	CAD009452657
TSD County:	43
Disposal Method:	Recycler
Tons:	0.6046

Name:	MARKET GARAGE INC
Address:	541 ELLIS ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941090000
Year:	1991
Gepaid:	CAD981970361
Contact:	JEFFREY MURAI
Telephone:	4156738626
Mailing Name:	Not reported
Mailing Address:	541 ELLIS ST
Gen County:	38
Waste Category:	Unspecified organic liquid mixture
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Recycler
Tons:	0.688

Name:	MARKET GARAGE INC
Address:	541 ELLIS ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941090000
Year:	2005
Gepaid:	CAD981970361
Contact:	JEFFREY MURAI
Telephone:	4156738626
Mailing Name:	Not reported
Mailing Address:	541 ELLIS ST
Gen County:	38
Waste Category:	Aqueous solution with total organic residues less than 10 percent
TSD EPA ID:	CA0000084517
TSD County:	34
Disposal Method:	Transfer Station
Tons:	0.021

Additional Info:

Year:	2005
Shipment Date:	20050208
Creation Date:	4/2/2005 18:31:07
Receipt Date:	20050215
Manifest ID:	24256925
Gen EPA ID:	CAD981970361

MARKET GARAGE INC (Continued) **S113010923**

Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CA0000084517
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	CA0000084517
TSDF Alt Name:	Not reported
Waste Code:	134
RCRA Code:	D039
Meth Code:	H01
Quantity Tons:	0.021
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Click this hyperlink while viewing on your computer to access
24 additional CA HAZNET: record(s) in the EDR Site Report.

Name:	MARKET GARAGE INC
Address:	541 ELLIS ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941090000
Year:	1987
Gepaid:	CAD981970361
Contact:	JEFFREY MURAI
Telephone:	4156738626
Mailing Name:	Not reported
Mailing Address:	541 ELLIS ST
Gen County:	38
Waste Category:	Not reported
TSD EPA ID:	CAD009452657
TSD County:	41
Disposal Method:	Not reported
Tons:	0

Click this hyperlink while viewing on your computer to access
24 additional CA HAZNET: record(s) in the EDR Site Report.

CERS:

Name:	MARKET GARAGE INC
Address:	541 ELLIS ST
City,State,Zip:	SAN FRANCISCO, CA 94109
Site ID:	132997
CERS ID:	10057153
CERS Description:	Chemical Storage Facilities

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	05-08-2018
Violations Found:	No
Eval Type:	Routine done by local agency

MARKET GARAGE INC (Continued) **S113010923**

Eval Notes: Not reported
Eval Division: San Francisco City & County Public Health Dept
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-08-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: San Francisco City & County Public Health Dept
Eval Program: HMRRP
Eval Source: CERS

Coordinates:
Site ID: 132997
Facility Name: Market Garage Inc
Env Int Type Code: HWG
Program ID: 10057153
Coord Name: Not reported
Ref Point Type Desc: Unknown
Latitude: 37.784279
Longitude: -122.415146

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: San Francisco City & County Public Health Departme
Entity Title: Not reported
Affiliation Address: 1390 Market Street, Room 210
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: (415) 252-3900

Affiliation Type Desc: Document Preparer
Entity Name: Jeff Murai
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact
Entity Name: ASBURY ENVIRONMENTAL SERVICES
Entity Title: Not reported
Affiliation Address: 2100 North Alameda St
Affiliation City: Compton
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90222
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer

MARKET GARAGE INC (Continued) **S113010923**

Entity Name:	Jeff Murai
Entity Title:	President
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Jeff Murai
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 380-8519
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	541 Ellis St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94109
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	Jeff Murai
Entity Title:	Not reported
Affiliation Address:	830 Autumn Ln
Affiliation City:	Mill Valley
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94941
Affiliation Phone:	(415) 673-8626
Affiliation Type Desc:	Property Owner
Entity Name:	Stanley L. Kowdy
Entity Title:	Not reported
Affiliation Address:	1729 West Spruce Av
Affiliation City:	Fresno
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	93711
Affiliation Phone:	(559) 439-0866
Affiliation Type Desc:	Parent Corporation
Entity Name:	Market Garage Inc
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported

MARKET GARAGE INC (Continued) **S113010923**

Affiliation Phone: Not reported

S296 **COMMUNITY HOUSING PARTNERSHIP** **RCRA NonGen / NLR** **1024751339**
NNW **519 ELLIS STREET, UNIT 707** **CAC002971131**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.181 mi.
958 ft. **Site 20 of 24 in cluster S**

Relative:
Higher

Actual:
81 ft.

RCRA NonGen / NLR:

Date form received by agency:	2018-07-16 00:00:00.0
Facility name:	COMMUNITY HOUSING PARTNERSHIP
Facility address:	519 ELLIS STREET, UNIT 707 SAN FRANCISCO, CA 94109
EPA ID:	CAC002971131
Mailing address:	20 JONES STREET, SUITE 200 SAN FRANCISCO, CA 94102
Contact:	DAVID BASILE
Contact address:	20 JONES STREET, SUITE 200 SAN FRANCISCO, CA 94102
Contact country:	Not reported
Contact telephone:	415-852-5300
Contact email:	DBASILE@CHP-SF.ORG
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	COMMUNITY HOUSING PARTNERSHIP
Owner/operator address:	20 JONES STREET, SUITE 200 SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-852-5300
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	DAVID BASILE
Owner/operator address:	20 JONES STREET, SUITE 200 SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-852-5300
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No

COMMUNITY HOUSING PARTNERSHIP (Continued) **1024751339**

Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

W297 **350 MCALLISTER** **CA UST** **U003915379**
West **350 MCALLISTER ST** **N/A**
1/8-1/4 **, CA**
0.183 mi.
967 ft. **Site 15 of 18 in cluster W**

Relative: **Higher**

Actual: **72 ft.**

SAN FRANCISCO CO. UST:

Name:	350 MCALLISTER
Address:	350 MCALLISTER ST
Facility ID:	21194
Facility Status:	Not reported
Number Of Tanks:	2
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	1796 18th St, Ste
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Subsurface
Application Date:	8/2/1996
Application Name:	Suzanne Moeck
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported

350 MCALLISTER (Continued) **U003915379**

Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	11/8/1996
UST Close ID:	2661
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

W298
West
1/8-1/4
0.183 mi.
967 ft.

DEPT. OF GENERAL SERVICES, OFF
350 MCALLISTER ST
SAN FRANCISCO, CA 94102

Site 16 of 18 in cluster W

CA HIST UST **U001595029**
N/A

Relative:
Higher

Actual:
72 ft.

HIST UST:

Name:	DEPT. OF GENERAL SERVICES, OFF
Address:	350 MCALLISTER ST
City,State,Zip:	SAN FRANCISCO, CA 94102
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000063396
Facility Type:	Other
Other Type:	STATE GOVERNMENT
Contact Name:	Not reported
Telephone:	4155571477
Owner Name:	DEPT. OF GENERAL SERVICES, OFF
Owner Address:	350 MCALLISTER STREET
Owner City,St,Zip:	SAN FRANCISCO, CA 94102
Total Tanks:	0000
Tank Num:	001
Container Num:	2
Year Installed:	Not reported
Tank Capacity:	00005000
Tank Used for:	PRODUCT
Type of Fuel:	06
Container Construction Thickness:	Not reported
Leak Detection:	Visual

W299
West
1/8-1/4
0.183 mi.
967 ft.

GENERAL SERVICES DEPARTMENT
350 MCALLISTER ST
SAN FRANCISCO, CA 94102

Site 17 of 18 in cluster W

CA SWEEPS UST **S101592382**
CA HIST UST **N/A**
CA FID UST

Relative:
Higher

Actual:
72 ft.

SWEEPS UST:

Name:	GENERAL SERVICES DEPARTMENT
Address:	350 MCALLISTER ST
City:	SAN FRANCISCO
Status:	Active
Comp Number:	120
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-000120-000001
Tank Status:	A
Capacity:	10000
Active Date:	09-30-92
Tank Use:	UNKNOWN
STG:	P
Content:	DIESEL
Number Of Tanks:	1

GENERAL SERVICES DEPARTMENT (Continued) **S101592382**

HIST UST:

Name:	DEPT OF GENERAL SERVICES OFF
Address:	350 MCALLISTER STREET
City,State,Zip:	SAN FRANCISCO, CA 94102
File Number:	0002F709
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002F709.pdf
Region:	Not reported
Facility ID:	Not reported
Facility Type:	Not reported
Other Type:	Not reported
Contact Name:	Not reported
Telephone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Total Tanks:	Not reported
Tank Num:	Not reported
Container Num:	Not reported
Year Installed:	Not reported
Tank Capacity:	Not reported
Tank Used for:	Not reported
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Not reported
Tank Num:	Not reported
Container Num:	Not reported
Year Installed:	Not reported
Tank Capacity:	Not reported
Tank Used for:	Not reported
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Not reported

Click here for Geo Tracker PDF:

CA FID UST:

Facility ID:	38003978
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	350 MCALLISTER ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94102
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

W300
West
1/8-1/4
0.183 mi.
967 ft.

STATE BUILDING
350 MCALLISTER ST
SAN FRANCISCO, CA 94102

Site 18 of 18 in cluster W

CA HIST UST **U001595054**
N/A

Relative:
Higher

Actual:
72 ft.

HIST UST:

Name:	STATE BUILDING
Address:	350 MCALLISTER ST
City,State,Zip:	SAN FRANCISCO, CA 94102
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000011856
Facility Type:	Other
Other Type:	STATE GOVERNMENT
Contact Name:	BILL CURRY, BUILDING MANAGER
Telephone:	4155771477
Owner Name:	DEPARTMENT OF GENERAL SERVICES
Owner Address:	350 MCALLISTER STREET
Owner City,St,Zip:	SAN FRANCISCO, CA 94102
Total Tanks:	0001
Tank Num:	001
Container Num:	1
Year Installed:	1959
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	DIESEL
Container Construction Thickness:	Not reported
Leak Detection:	Visual

AB301
ENE
1/8-1/4
0.184 mi.
971 ft.

SHORENSTEIN HAYS-NEDERLANDER LLC
1 TAYLOR ST
SAN FRANCISCO, CA 94102

Site 1 of 11 in cluster AB

RCRA NonGen / NLR **1024841065**
CAL000390589

Relative:
Lower

Actual:
43 ft.

RCRA NonGen / NLR:

Date form received by agency:	2013-10-30 00:00:00.0
Facility name:	SHORENSTEIN HAYS-NEDERLANDER LLC
Facility address:	1 TAYLOR ST SAN FRANCISCO, CA 94102-3916
EPA ID:	CAL000390589
Mailing address:	1182 MARKET STREET, SUITE 200 SAN FRANCISCO, CA 94102-0000
Contact:	JOHN OLSEN
Contact address:	1182 MARKET STREET, SUITE 200 SAN FRANCISCO, CA 94102
Contact country:	Not reported
Contact telephone:	415-716-9825
Contact email:	JOLSEN@SHNSF.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	JOHN OLSEN
Owner/operator address:	1182 MARKET STREET, SUITE 200

SHORENSTEIN HAYS-NEDERLANDER LLC (Continued) **1024841065**

SAN FRANCISCO, CA 94102
Owner/operator country: Not reported
Owner/operator telephone: 415-716-9825
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: SHORENSTEIN-HAYS NEDERLANDER
Owner/operator address: 1182 MARKET ST STE 200
SAN FRANCISCO, CA 94102
Owner/operator country: Not reported
Owner/operator telephone: 415-551-2013
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

S302 **360 HYDE ST** **CA UST** **U003915391**
NNW **360 HYDE ST** **N/A**
1/8-1/4 **, CA**
0.189 mi.
999 ft. **Site 21 of 24 in cluster S**

Relative: SAN FRANCISCO CO. UST:
Higher
Actual: Name: 360 HYDE ST
88 ft. Address: 360 HYDE ST
Facility ID: 22364
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported

360 HYDE ST (Continued) **U003915391**

Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	4/9/1998
Application Name:	Tim Hallen
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	4/21/1998
UST Close ID:	3241
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported

360 HYDE ST (Continued) **U003915391**

Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	6/3/1998
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

S303 **RESIDENCE** **CA LUST** **S105248080**
NNW **360 HYDE STREET** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.189 mi.
999 ft. **Site 22 of 24 in cluster S**

Relative:
Higher

Actual:
88 ft.

LUST REG 2:

Region:	2
Facility Id:	38-1039
Facility Status:	Case Closed
Case Number:	10985
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

SAN FRANCISCO CO. LUST:

Name:	Residence
Address:	360 Hyde Street
City:	San Francisco
Region:	SAN FRANCISCO
Facility ID:	38-1039
Facility Status:	Case Closed
Case Number:	10985
Case Type:	Soil only
Release Date:	4/21/1998
Discovered Date:	4/29/1998
Substance:	Heater Fuel
Substance Qty:	Not reported
How Discovered:	Tank Closure

RESIDENCE (Continued) **S105248080**

How Stopped:	Repair Tank
Report Date:	4/21/1998
Case Closed:	7/1/1998
Closed Date:	7/1/1998
Leak Source:	Tank
Leak Cause:	Corrosion
Leak Confirmed:	Not reported
Entered Date:	6/8/1998
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	SC
Cross Street:	ELLIS ST
NOR Date:	6/8/1998
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NRQ
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	State
Interim Remediation:	No
Priority:	Not reported
Abatement:	No Action Required - incident is minor, requiring no remedial action
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Marina Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	4/21/1998
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Fuel Oils Nos. 1 -
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported

RESIDENCE (Continued) **S105248080**

Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

S304 **RESIDENCE** **CA LUST** **S103982374**
NNW **360 HYDE** **CA HIST CORTESE** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94111** **CA CERS**
0.189 mi.
999 ft. **Site 23 of 24 in cluster S**

Relative:
Higher

Actual:
88 ft.

LUST:

Name:	RESIDENCE
Address:	360 HYDE STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500932
Global Id:	T0607500932
Latitude:	37.784265
Longitude:	-122.415813
Status:	Completed - Case Closed
Status Date:	07/01/1998
Case Worker:	SC
RB Case Number:	38-1039
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Not reported
Local Case Number:	10985
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607500932
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0607500932
Contact Type:	Local Agency Caseworker
Contact Name:	STEPHANIE CUSHING
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET #210
City:	SAN FRANCISCO
Email:	stephanie.cushing@sfdph.org
Phone Number:	Not reported

RESIDENCE (Continued) **S103982374**

LUST:
Global Id: T0607500932
Action Type: Other
Date: 04/29/1998
Action: Leak Discovery

Global Id: T0607500932
Action Type: Other
Date: 01/02/1965
Action: Leak Reported

LUST:
Global Id: T0607500932
Status: Open - Case Begin Date
Status Date: 04/29/1998

Global Id: T0607500932
Status: Completed - Case Closed
Status Date: 07/01/1998

HIST CORTESE:
edr_fname: RESIDENCE
edr_fadd1: 360 HYDE
City,State,Zip: SAN FRANCISCO, CA 94111
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-1039

CERS:
Name: RESIDENCE
Address: 360 HYDE STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Site ID: 199386
CERS ID: T0607500932
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: STEPHANIE CUSHING - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1390 MARKET STREET #210
Affiliation City: SAN FRANCISCO
Affiliation State: CA
Affiliation Country: Not reported

RESIDENCE (Continued) **S103982374**

Affiliation Zip: Not reported
Affiliation Phone: Not reported

S305 **AIRPORT RENT A** **CA UST** **U004003409**
NNW **555 ELLIS ST** **N/A**
1/8-1/4 **, CA**
0.189 mi.
1000 ft. **Site 24 of 24 in cluster S**

Relative: **Higher**

Actual: **87 ft.**

SAN FRANCISCO CO. UST:

Name:	AIRPORT RENT A
Address:	555 ELLIS ST
Facility ID:	14100
Facility Status:	Not reported
Number Of Tanks:	Not reported
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	3/25/1992
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	5/15/1992
UST Close ID:	980
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported

AIRPORT RENT A (Continued) **U004003409**

Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	5/26/1993
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AB306 **RCRA NonGen / NLR** **1025853468**
ENE **57 TAYLOR ST. #222** **CAC003033679**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.190 mi.
1001 ft. **Site 2 of 11 in cluster AB**

Relative: **Lower**
Actual: **45 ft.**

RCRA NonGen / NLR:

Date form received by agency:	2019-09-12 00:00:00.0
Facility name:	Not reported
Facility address:	57 TAYLOR ST. #222 SAN FRANCISCO, CA 94102
EPA ID:	CAC003033679
Contact:	57 TAYLOR I7, LP
Contact address:	57 TAYLOR ST. #222 SAN FRANCISCO, CA 94102
Contact country:	Not reported
Contact telephone:	415-837-8048
Contact email:	RUTH.DELGADILLO@SYNERGYCOMPANIES.ORG
EPA Region:	09
Classification:	Non-Generator

(Continued) **1025853468**

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	57 TAYLOR I7, LP
Owner/operator address:	57 TAYLOR ST. #222 SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-837-8048
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	57 TAYLOR I7, LP
Owner/operator address:	57 TAYLOR ST. #222 SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-837-8048
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	Not reported
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

AB307 **TAYLOR STREET LLC** **RCRA NonGen / NLR** **1024778713**
ENE **57 TAYLOR STREET #114** **CAC002998659**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.190 mi.
1001 ft. **Site 3 of 11 in cluster AB**

Relative:
Lower

Actual:
45 ft.

RCRA NonGen / NLR:

Date form received by agency:	2019-01-29 00:00:00.0
Facility name:	TAYLOR STREET LLC
Facility address:	57 TAYLOR STREET #114 SAN FRANCISCO, CA 94102
EPA ID:	CAC002998659
Mailing address:	1 BUSH STREET #900 SAN FRANCISCO, CA 94104
Contact:	TAYLOR STREET LLC
Contact address:	1 BUSH STREET #900 SAN FRANCISCO, CA 94104
Contact country:	Not reported
Contact telephone:	415-252-3957
Contact email:	DONNAS@CVECORP.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	TAYLOR STREET LLC
Owner/operator address:	1 BUSH STREET #900 SAN FRANCISCO, CA 94104
Owner/operator country:	Not reported
Owner/operator telephone:	415-252-3957
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	TAYLOR STREET LLC
Owner/operator address:	1 BUSH STREET #900 SAN FRANCISCO, CA 94104
Owner/operator country:	Not reported
Owner/operator telephone:	415-252-3957
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No

TAYLOR STREET LLC (Continued) **1024778713**

On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

AB308 **57 TAYLOR I7, LP** **RCRA NonGen / NLR** **1024755018**
ENE **57 TAYLOR STREET - LOBBY** **CAC002974838**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.190 mi.
1001 ft. **Site 4 of 11 in cluster AB**

Relative:
Lower

Actual:
45 ft.

RCRA NonGen / NLR:

Date form received by agency:	2018-08-08 00:00:00.0
Facility name:	57 TAYLOR I7, LP
Facility address:	57 TAYLOR STREET - LOBBY SAN FRANCISCO, CA 94102
EPA ID:	CAC002974838
Mailing address:	ONE BUSH STREET, 9TH FLOOR SAN FRANCISCO, CA 94104
Contact:	SEON RIESLAND
Contact address:	ONE BUSH STREET, 9TH FLOOR SAN FRANCISCO, CA 94104
Contact country:	Not reported
Contact telephone:	415-651-4598
Contact email:	SRIESLAND@GREENTREEPMCO.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	SEON RIESLAND
Owner/operator address:	ONE BUSH STREET, 9TH FLOOR SAN FRANCISCO, CA 94104
Owner/operator country:	Not reported
Owner/operator telephone:	415-651-4598
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	57 TAYLOR I7, LP
Owner/operator address:	ONE BUSH STREET, 9TH FLOOR SAN FRANCISCO, CA 94104
Owner/operator country:	Not reported
Owner/operator telephone:	415-651-4598
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported

57 TAYLOR I7, LP (Continued) **1024755018**

Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

AB309 **57 TAYLOR I7, LP** **RCRA NonGen / NLR** **1024762577**
ENE **57 TAYLOR ST, UNIT 252** **CAC002982439**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.190 mi.
1001 ft. **Site 5 of 11 in cluster AB**

Relative: **Lower**

Actual: **45 ft.**

RCRA NonGen / NLR:
Date form received by agency: 2018-09-27 00:00:00.0
Facility name: 57 TAYLOR I7, LP
Facility address: 57 TAYLOR ST, UNIT 252
SAN FRANCISCO, CA 94102
EPA ID: CAC002982439
Mailing address: ONE BUSH STREET, SUITE 900
SAN FRANCISCO, CA 94104
Contact: SEON RIESLAND
Contact address: ONE BUSH STREET, SUITE 900
SAN FRANCISCO, CA 94104
Contact country: Not reported
Contact telephone: 415-316-9931
Contact email: SRIESLAND@GREENTREEPMCO.COM
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: 57 TAYLOR I7, LP
Owner/operator address: ONE BUSH STREET, SUITE 900
SAN FRANCISCO, CA 94104
Owner/operator country: Not reported
Owner/operator telephone: 415-316-9931
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other

57 TAYLOR I7, LP (Continued) **1024762577**

Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported
Owner/operator name:	SEON RIESLAND
Owner/operator address:	ONE BUSH STREET, SUITE 900 SAN FRANCISCO, CA 94104
Owner/operator country:	Not reported
Owner/operator telephone:	415-316-9931
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

AB310 **RCRA NonGen / NLR** **1025853432**
ENE **57 TAYLOR ST. #204** **CAC003033643**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.190 mi.
1001 ft. **Site 6 of 11 in cluster AB**

Relative:
Lower

Actual:
45 ft.

RCRA NonGen / NLR:

Date form received by agency:	2019-09-12 00:00:00.0
Facility name:	Not reported
Facility address:	57 TAYLOR ST. #204 SAN FRANCISCO, CA 94102
EPA ID:	CAC003033643
Contact:	57 TAYLOR I7, LP
Contact address:	57 TAYLOR ST. #204 SAN FRANCISCO, CA 94102
Contact country:	Not reported
Contact telephone:	415-837-8048
Contact email:	RUTH.DELGADILLO@SYNERGYCOMPANIES.ORG
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

(Continued) **1025853432**

Owner/Operator Summary:
- Owner/operator name: 57 TAYLOR I7, LP
- Owner/operator address: 57 TAYLOR ST. #204 SAN FRANCISCO, CA 94102
- Owner/operator country: Not reported
- Owner/operator telephone: 415-837-8048
- Owner/operator email: Not reported
- Owner/operator fax: Not reported
- Owner/operator extension: Not reported
- Legal status: Other
- Owner/Operator Type: Operator
- Owner/Op start date: Not reported
- Owner/Op end date: Not reported

- Owner/operator name: 57 TAYLOR I7, LP
- Owner/operator address: 57 TAYLOR ST. #204 SAN FRANCISCO, CA 94102
- Owner/operator country: Not reported
- Owner/operator telephone: 415-837-8048
- Owner/operator email: Not reported
- Owner/operator fax: Not reported
- Owner/operator extension: Not reported
- Legal status: Other
- Owner/Operator Type: Owner
- Owner/Op start date: Not reported
- Owner/Op end date: Not reported

Handler Activities Summary:
- U.S. importer of hazardous waste: No
- Mixed waste (haz. and radioactive): Not reported
- Recycler of hazardous waste: No
- Transporter of hazardous waste: No
- Treater, storer or disposer of HW: No
- Underground injection activity: No
- On-site burner exemption: No
- Furnace exemption: No
- Used oil fuel burner: No
- Used oil processor: No
- User oil refiner: No
- Used oil fuel marketer to burner: No
- Used oil Specification marketer: No
- Used oil transfer facility: No
- Used oil transporter: No

Violation Status: No violations found

AB311 **RCRA NonGen / NLR** **1025853218**
ENE **57 TAYLOR ST. #114** **CAC003033422**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.190 mi.
1001 ft. **Site 7 of 11 in cluster AB**

Relative: **Lower**
Actual: **45 ft.**

RCRA NonGen / NLR:
- Date form received by agency: 2019-09-11 00:00:00.0
- Facility name: Not reported
- Facility address: 57 TAYLOR ST. #114 SAN FRANCISCO, CA 94102
- EPA ID: CAC003033422

(Continued) **1025853218**

Contact: 57 TAYLOR I7, LP
Contact address: 57 TAYLOR ST. #114
SAN FRANCISCO, CA 94102
Contact country: Not reported
Contact telephone: 415-837-8048
Contact email: RUTH.DELGADILLO@SYNERGYCOMPANIES.ORG
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: 57 TAYLOR I7, LP
Owner/operator address: 57 TAYLOR ST. #114
SAN FRANCISCO, CA 94102
Owner/operator country: Not reported
Owner/operator telephone: 415-837-8048
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: 57 TAYLOR I7, LP
Owner/operator address: 57 TAYLOR ST. #114
SAN FRANCISCO, CA 94102
Owner/operator country: Not reported
Owner/operator telephone: 415-837-8048
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): Not reported
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

AB312 **COMMERCIAL** **CA LUST** **S110326477**
ENE **57 TAYLOR ST.** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.190 mi.
1001 ft. **Site 8 of 11 in cluster AB**

Relative:
Lower

Actual:
45 ft.

LUST:

Name:	COMMERCIAL
Address:	57 TAYLOR ST.
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T10000002062
Global Id:	T10000002062
Latitude:	37.7827653
Longitude:	-122.4106844
Status:	Completed - Case Closed
Status Date:	06/07/2010
Case Worker:	Not reported
RB Case Number:	Not reported
Local Agency:	Not reported
File Location:	Not reported
Local Case Number:	11903
Potential Media Affect:	Not reported
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T10000002062
Action Type:	Other
Date:	05/17/2010
Action:	Leak Discovery

Global Id:	T10000002062
Action Type:	Other
Date:	05/17/2010
Action:	Leak Stopped

Global Id:	T10000002062
Action Type:	Other
Date:	05/17/2010
Action:	Leak Reported

Global Id:	T10000002062
Action Type:	RESPONSE
Date:	06/04/2010
Action:	Tank Removal Report / UST Sampling Report

Global Id:	T10000002062
Action Type:	ENFORCEMENT
Date:	06/07/2010
Action:	State Water Board Closure Order

Global Id:	T10000002062
Action Type:	ENFORCEMENT
Date:	06/07/2010
Action:	Closure/No Further Action Letter

Global Id:	T10000002062
Action Type:	ENFORCEMENT

COMMERCIAL (Continued) **S110326477**

Date: 06/07/2010
Action: File Review - Closure

Global Id: T10000002062
Action Type: Other
Date: 05/17/2010
Action: Leak Began

LUST:
Global Id: T10000002062
Status: Open - Case Begin Date
Status Date: 05/17/2010

Global Id: T10000002062
Status: Completed - Case Closed
Status Date: 06/07/2010

Global Id: T10000002062
Status: Open - Site Assessment
Status Date: 06/07/2010

CERS:
Name: COMMERCIAL
Address: 57 TAYLOR ST.
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 235493
CERS ID: T10000002062
CERS Description: Leaking Underground Storage Tank Cleanup Site

---

AC313
SW
1/8-1/4
0.191 mi.
1009 ft.

CCSF/MAIN LIBRARY
100 LARKIN ST
SAN FRANCISCO, CA 94102

Site 1 of 4 in cluster AC

CA CERS HAZ WASTE **S120627377**
CA CERS TANKS **N/A**
CA CUPA Listings
CA CERS

Relative:
Higher

Actual:
60 ft.

CERS HAZ WASTE:
Name: CCSF/MAIN LIBRARY
Address: 100 LARKIN ST
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 103741
CERS ID: 10058758
CERS Description: Hazardous Waste Generator

CERS TANKS:
Name: CCSF/MAIN LIBRARY
Address: 100 LARKIN ST
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 103741
CERS ID: 10058758
CERS Description: Aboveground Petroleum Storage

CUPA SAN FRANCISCO CO:
Name: CCSF/MAIN LIBRARY
Address: 100 LARKIN ST
City,State,Zip: SAN FRANCISCO, CA 94102

CCSF/MAIN LIBRARY (Continued) **S120627377**

Facility ID: 22644
Census Tract: 124
District: 10
Number of Tanks: 0

CERS:
Name: CCSF/MAIN LIBRARY
Address: 100 LARKIN ST
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 103741
CERS ID: 10058758
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 103741
Site Name: CCSF/Main Library
Violation Date: 11-08-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Not reported
Violation Division: San Francisco City & County Public Health Dept
Violation Program: HMRRP
Violation Source: CERS

Site ID: 103741
Site Name: CCSF/Main Library
Violation Date: 11-08-2018
Citation: Un-Specified
Violation Description: Business Plan Program - Operations/Maintenance - General Local Ordinance
Violation Notes: Not reported
Violation Division: San Francisco City & County Public Health Dept
Violation Program: HMRRP
Violation Source: CERS

Site ID: 103741
Site Name: CCSF/Main Library
Violation Date: 11-15-2018
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Not reported
Violation Division: San Francisco City & County Public Health Dept
Violation Program: HMRRP
Violation Source: CERS

Site ID: 103741
Site Name: CCSF/Main Library
Violation Date: 02-27-2018
Citation: HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description: Failure to prepare a Spill Prevention, Control, and Countermeasures (SPCC) Plan.
Violation Notes: Returned to compliance on 05/09/2018.

CCSF/MAIN LIBRARY (Continued) **S120627377**

Violation Division: San Francisco City & County Public Health Dept
Violation Program: APSA
Violation Source: CERS

Site ID: 103741
Site Name: CCSF/Main Library
Violation Date: 02-27-2018
Citation: HSC 6.67 25270.4.5(a) - California Health and Safety Code, Chapter 6.67, Section(s) 25270.4.5(a)
Violation Description: Failure to comply with one or more of the following requirements: 1. Have record of inspections and integrity tests signed by the appropriate supervisor or inspector. 2. Keep written procedures and records of inspections and integrity tests for at least three years. 3. Keep comparison records.
Violation Notes: Returned to compliance on 05/09/2018.
Violation Division: San Francisco City & County Public Health Dept
Violation Program: APSA
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-08-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: San Francisco City & County Public Health Dept
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 02-27-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: San Francisco City & County Public Health Dept
Eval Program: APSA
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-15-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: San Francisco City & County Public Health Dept
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-15-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: San Francisco City & County Public Health Dept
Eval Program: HMRRP
Eval Source: CERS

CCSF/MAIN LIBRARY (Continued) **S120627377**

Coordinates:

Site ID:	103741
Facility Name:	CCSF/Main Library
Env Int Type Code:	HWG
Program ID:	10058758
Coord Name:	Not reported
Ref Point Type Desc:	Unknown
Latitude:	37.779160
Longitude:	-122.415810

Affiliation:

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	100 Larkin St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	CCSF Main Library
Entity Title:	Not reported
Affiliation Address:	100 Larkin St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 557-4485

Affiliation Type Desc:	Operator
Entity Name:	Roberto Lombardi
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 557-4485

Affiliation Type Desc:	Property Owner
Entity Name:	City & County of SF; San Francisco Public Library
Entity Title:	Not reported
Affiliation Address:	100 Larkin St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 557-4400

Affiliation Type Desc:	Parent Corporation
Entity Name:	CCSF/Main Library
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported

CCSF/MAIN LIBRARY (Continued) **S120627377**

Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Environmental Contact
Entity Name:	Nancy Terranova
Entity Title:	Not reported
Affiliation Address:	101 Grove St.
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	Todd Robinson
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Todd Robinson
Entity Title:	Maintenance & Engineering Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

AC314 **CA AST** **A100336641**
SW **100 LARKIN ST 94102** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.191 mi.
1009 ft. **Site 2 of 4 in cluster AC**

Relative: AST:
Higher

Name:	Not reported
Address:	100 LARKIN ST 94102
City/Zip:	SAN FRANCISCO,
Certified Unified Program Agencies:	San Francisco
Owner:	CCSF/Main Library

Actual:
60 ft.

(Continued) **A100336641**

Total Gallons:	2,000
CERSID:	Not reported
Facility ID:	Not reported
Business Name:	Not reported
Phone:	Not reported
Fax:	Not reported
Mailing Address:	Not reported
Mailing Address City:	Not reported
Mailing Address State:	Not reported
Mailing Address Zip Code:	Not reported
Operator Name:	Not reported
Operator Phone:	Not reported
Owner Phone:	Not reported
Owner Mail Address:	Not reported
Owner State:	Not reported
Owner Zip Code:	Not reported
Owner Country:	Not reported
Property Owner Name:	Not reported
Property Owner Phone:	Not reported
Property Owner Mailing Address:	Not reported
Property Owner City:	Not reported
Property Owner Stat :	Not reported
Property Owner Zip Code:	Not reported
Property Owner Country:	Not reported
EPAID:	Not reported

AC315 **CCSF/MAIN LIBRARY** **CA AST** **A100418537**
SW **100 LARKIN ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.191 mi.
1009 ft. **Site 3 of 4 in cluster AC**

Relative:
Higher

Actual:
60 ft.

SAN FRANCISCO AST:

Facility ID:	22644
Name:	CCSF/MAIN LIBRARY
Address:	100 LARKIN ST
Zip:	94102
Census Tract:	124
HUMPA Date:	12/01/2019
AST Max Container Size:	Not reported

AST:

Name:	CCSF/MAIN LIBRARY
Address:	100 LARKIN ST
City/Zip:	SAN FRANCISCO,94102
Certified Unified Program Agencies:	Not reported
Owner:	CCSF Main Library
Total Gallons:	Not reported
CERSID:	10058758
Facility ID:	38-000-022644
Business Name:	CCSF/Main Library
Phone:	415-557-4485
Fax:	Not reported
Mailing Address:	100 Larkin St
Mailing Address City:	San Francisco
Mailing Address State:	CA
Mailing Address Zip Code:	94102

CCSF/MAIN LIBRARY (Continued) **A100418537**

Operator Name:	Roberto Lombardi
Operator Phone:	415-557-4485
Owner Phone:	4155574485
Owner Mail Address:	100 Larkin St
Owner State:	CA
Owner Zip Code:	94102
Owner Country:	United States
Property Owner Name:	City & County of SF; San Francisco Public Library
Property Owner Phone:	415-557-4400
Property Owner Mailing Address:	100 Larkin St
Property Owner City:	San Francisco
Property Owner Stat :	CA
Property Owner Zip Code:	94102
Property Owner Country:	United States
EPAID:	CAL000194724

AC316 **CCSF-LIBRARY-MAIN** **RCRA NonGen / NLR** **1024797956**
SW **100 LARKIN ST** **CAL000194724**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.191 mi.
1009 ft. **Site 4 of 4 in cluster AC**

Relative:
Higher

Actual:
60 ft.

RCRA NonGen / NLR:

Date form received by agency:	1998-11-30 00:00:00.0
Facility name:	CCSF-LIBRARY-MAIN
Facility address:	100 LARKIN ST SAN FRANCISCO, CA 94102-0000
EPA ID:	CAL000194724
Mailing address:	1390 MARKET ST STE 210 SAN FRANCISCO, CA 94102
Contact:	HUMBERTO QUINONEZ
Contact address:	1390 MARKET ST. SUITE#210 SAN FRANCISCO, CA 94102
Contact country:	Not reported
Contact telephone:	415-252-3977
Contact email:	HUMBERTO.QUINONEZ@SFDPH.ORG
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	HUMBERTO QUINONEZ
Owner/operator address:	1390 MARKET ST. SUITE#210 SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-252-3977
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	CITY AND COUNTY OF SAN FRANCISCO
Owner/operator address:	1 SOUTH VAN NESS AVE SAN FRANCISCO, CA 94103

CCSF-LIBRARY-MAIN (Continued) **1024797956**

Owner/operator country:	Not reported
Owner/operator telephone:	415-701-5684
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	Yes
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

Z317 **CHINATOWN** **CA UST** **U003976192**
North **473 ELLIS ST** **N/A**
1/8-1/4 **, CA**
0.191 mi.
1010 ft. **Site 3 of 9 in cluster Z**

Relative:
Higher

Actual:
78 ft.

SAN FRANCISCO CO. UST:

Name:	CHINATOWN
Address:	473 ELLIS ST
Facility ID:	27316
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	334 19th St
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	SCA Environmental
Application Date:	8/31/2004
Application Name:	Renn Conner
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

CHINATOWN (Continued) **U003976192**

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	4611
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported

CHINATOWN (Continued) **U003976192**

Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Z318 **CHINA COMMUNITY DEVELOPMENT CENTER** **CA LUST** **S106086912**
North **473 ELLIS ST** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.191 mi.
1010 ft. **Site 4 of 9 in cluster Z**

Relative:
Higher

Actual:
78 ft.

LUST:

Name:	CHINA COMMUNITY DEVELOPMENT CENTER
Address:	473 ELLIS ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607565264
Global Id:	T0607565264
Latitude:	37.7846407
Longitude:	-122.4139891
Status:	Completed - Case Closed
Status Date:	12/15/2004
Case Worker:	SC
RB Case Number:	38-2307
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Local Agency
Local Case Number:	11646
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607565264
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0607565264
Contact Type:	Local Agency Caseworker
Contact Name:	STEPHANIE CUSHING
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET #210
City:	SAN FRANCISCO
Email:	stephanie.cushing@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T0607565264
Action Type:	Other
Date:	04/15/2003
Action:	Leak Discovery

Global Id:	T0607565264

CHINA COMMUNITY DEVELOPMENT CENTER (Continued) **S106086912**

Action Type: REMEDIATION
Date: 04/15/2003
Action: Excavation

Global Id: T0607565264
Action Type: Other
Date: 10/19/2004
Action: Leak Reported

Global Id: T0607565264
Action Type: ENFORCEMENT
Date: 12/15/2004
Action: Closure/No Further Action Letter

Global Id: T0607565264
Action Type: ENFORCEMENT
Date: 10/26/2004
Action: Notice of Responsibility

LUST:
Global Id: T0607565264
Status: Open - Case Begin Date
Status Date: 04/15/2003

Global Id: T0607565264
Status: Open - Site Assessment
Status Date: 10/26/2004

Global Id: T0607565264
Status: Completed - Case Closed
Status Date: 12/15/2004

CERS:
Name: CHINA COMMUNITY DEVELOPMENT CENTER
Address: 473 ELLIS ST
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 203886
CERS ID: T0607565264
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: STEPHANIE CUSHING - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1390 MARKET STREET #210
Affiliation City: SAN FRANCISCO
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND

CHINA COMMUNITY DEVELOPMENT CENTER (Continued) **S106086912**

Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

AD319 **PG&E/SUBSTATION-LA** **CA UST** **U003936930**
NW **600 LARKIN ST** **N/A**
1/8-1/4 **, CA**
0.192 mi.
1014 ft. **Site 1 of 10 in cluster AD**

Relative: **Higher**

Actual: **86 ft.**

SAN FRANCISCO CO. UST:

Name:	PG&E/SUBSTATION-LA
Address:	600 LARKIN ST
Facility ID:	7006
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	4/14/1989
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	264
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported

PG&E/SUBSTATION-LA (Continued) **U003936930**

Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AD320 **LARKIN SUBSTATION** **CA HIST UST** **U001595354**
NW **600 LARKIN ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.192 mi.
1014 ft. **Site 2 of 10 in cluster AD**

Relative:
Higher

Actual:
86 ft.

HIST UST:

Name:	LARKIN SUBSTATION
Address:	600 LARKIN ST
City,State,Zip:	SAN FRANCISCO, CA 94109
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000024834
Facility Type:	Other
Other Type:	SUBSTATION UTILITY
Contact Name:	Not reported
Telephone:	4157814211

LARKIN SUBSTATION (Continued) **U001595354**

Owner Name:	PACIFIC GAS AND ELECTRIC COMPA
Owner Address:	77 BEALE STREET
Owner City,St,Zip:	SAN FRANCISCO, CA 94106
Total Tanks:	0002
Tank Num:	001
Container Num:	(1)
Year Installed:	1963
Tank Capacity:	00001000
Tank Used for:	PRODUCT
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor
Tank Num:	002
Container Num:	(2)
Year Installed:	1963
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor

AD321 **PG&E LARKIN SUBSTATION** **CA SWEEPS UST** **S101592560**
NW **600 LARKIN ST** **CA HIST UST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109** **CA FID UST**
0.192 mi.
1014 ft. **Site 3 of 10 in cluster AD**

Relative: **Higher**

Actual: **86 ft.**

SWEEPS UST:

Name:	PG&E LARKIN SUBSTATION
Address:	600 LARKIN ST
City:	SAN FRANCISCO
Status:	Active
Comp Number:	7006
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-007006-000003
Tank Status:	A
Capacity:	20000
Active Date:	09-30-92
Tank Use:	UNKNOWN
STG:	P
Content:	UNSPECIFIED
Number Of Tanks:	1
Name:	PG&E LARKIN SUBSTATION
Address:	600 LARKIN ST
City:	SAN FRANCISCO
Status:	Not reported
Comp Number:	7006
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported

PG&E LARKIN SUBSTATION (Continued) **S101592560**

Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-007006-000001
Tank Status:	Not reported
Capacity:	1000
Active Date:	Not reported
Tank Use:	UNKNOWN
STG:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	2

Name:	PG&E LARKIN SUBSTATION
Address:	600 LARKIN ST
City:	SAN FRANCISCO
Status:	Not reported
Comp Number:	7006
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-007006-000002
Tank Status:	Not reported
Capacity:	10000
Active Date:	Not reported
Tank Use:	UNKNOWN
STG:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	Not reported

HIST UST:

Name:	LARKIN SUBSTATION
Address:	600 LARKIN STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
File Number:	0002F803
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002F803.pdf
Region:	Not reported
Facility ID:	Not reported
Facility Type:	Not reported
Other Type:	Not reported
Contact Name:	Not reported
Telephone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Total Tanks:	Not reported

Tank Num:	Not reported
Container Num:	Not reported
Year Installed:	Not reported
Tank Capacity:	Not reported
Tank Used for:	Not reported
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Not reported

PG&E LARKIN SUBSTATION (Continued) **S101592560**

Click here for Geo Tracker PDF:

CA FID UST:

Facility ID:	38005422
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	600 LARKIN ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94109
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

AD322 **PG&E: LARKIN SUBSTATION** **CA CUPA Listings** **S120629260**
NW **600 LARKIN ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.192 mi.
1014 ft. **Site 4 of 10 in cluster AD**

Relative:
Higher

Actual:
86 ft.

CUPA SAN FRANCISCO CO:

Name:	PG&E: LARKIN SUBSTATION
Address:	600 LARKIN ST
City,State,Zip:	SAN FRANCISCO, CA 94109
Facility ID:	7006
Census Tract:	124
District:	10
Number of Tanks:	0

AD323 **PG&E LARKIN SUBSTATION** **RCRA-SQG** **1023966952**
WNW **NE CORNER OF LARKIN AND EDDY STREETS** **CAR000277269**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.194 mi.
1024 ft. **Site 5 of 10 in cluster AD**

Relative:
Higher

Actual:
86 ft.

RCRA-SQG:

Date form received by agency:	2017-11-06 00:00:00.0
Facility name:	PG&E LARKIN SUBSTATION
Facility address:	NE CORNER OF LARKIN AND EDDY STREETS SAN FRANCISCO, CA 94109
EPA ID:	CAR000277269
Mailing address:	PO BOX 7640 SAN FRANCISCO, CA 94120
Contact:	MARC J MOROLLA
Contact address:	HARRISON STREET, ROOM 330 SAN FRANCISCO, CA 94110
Contact country:	US
Contact telephone:	415-463-0708
Contact email:	MIMR@PGE.COM

PG&E LARKIN SUBSTATION (Continued) **1023966952**

EPA Region: 09
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: PACIFIC GAS AND ELECTRIC COMPANY
Owner/operator address: MARKET STREET
SAN FRANCISCO, CA 94120
Owner/operator country: US
Owner/operator telephone: 415-463-0708
Owner/operator email: MIMR@PGE.COM
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 2017-11-01 00:00:00.
Owner/Op end date: Not reported

Owner/operator name: PACIFIC GAS AND ELECTRIC COMPANY
Owner/operator address: MARKET STREET
SAN FRANCISCO, CA 94120
Owner/operator country: US
Owner/operator telephone: 415-463-0708
Owner/operator email: MIMR@PGE.COM
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 2017-11-01 00:00:00.
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:

. Waste code: 181
. Waste name: Other inorganic solid waste

PG&E LARKIN SUBSTATION (Continued) **1023966952**

. Waste code: 221
. Waste name: Waste oil and mixed oil

. Waste code: 261
. Waste name: Polychlorinated biphenyls and material containing PCB's

. Waste code: 731
. Waste name: Liquids with polychlorinated biphenyls > 50 mg/l

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

V324 **RESIDENCE** **CA UST** **U003904542**
NE **101 TAYLOR ST** **N/A**
1/8-1/4 **, CA**
0.196 mi.
1035 ft. **Site 7 of 7 in cluster V**

Relative: SAN FRANCISCO CO. UST:
Lower
Actual: Name: RESIDENCE
47 ft. Address: 101 TAYLOR ST
Facility ID: 25132
Facility Status: Not reported
Number Of Tanks: Not reported
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Not reported
Application Date: 10/23/1992
Application Name: Not reported
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported
Compartmentalized Tank: Not reported
Of Tank Compartments: Not reported
Date Tank Installed: Not reported
Tank Capacity: Not reported
Additional Desc: Not reported
Tank Use: Not reported
Petroleum Type: Not reported
Common Name: Not reported
Case Number: Not reported
Type Of Tank: Not reported
Primary Tank Material: Not reported

RESIDENCE (Continued) **U003904542**

Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	11/1/1992
UST Close ID:	1131
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AA325 **RCRA NonGen / NLR** **1025856761**
NNW **359 HYDE ST** **CAC003037116**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.196 mi.
1035 ft. **Site 2 of 17 in cluster AA**

Relative: RCRA NonGen / NLR:
Higher
Date form received by agency: 2019-10-04 00:00:00.0
Actual: Facility name: Not reported
90 ft. Facility address: 359 HYDE ST
SAN FRANCISCO, CA 94109-8073

(Continued) **1025856761**

EPA ID: CAC003037116
Contact: DAIR & CO
Contact address: 359 HYDE ST
SAN FRANCISCO, CA 94109-8073
Contact country: Not reported
Contact telephone: 415-218-4145
Contact email: CHRISTINA@EISENENVIRONMENTAL.COM
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: DAIR & CO
Owner/operator address: 359 HYDE ST
SAN FRANCISCO, CA 94109
Owner/operator country: Not reported
Owner/operator telephone: 415-218-4145
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: DAIR & CO
Owner/operator address: 359 HYDE ST
SAN FRANCISCO, CA 94109
Owner/operator country: Not reported
Owner/operator telephone: 415-218-4145
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): Not reported
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

AA326 **RCRA NonGen / NLR** **1025856768**
NNW **359 HYDE ST** **CAC003037123**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.196 mi.
1035 ft. **Site 3 of 17 in cluster AA**

Relative:
Higher

Actual:
90 ft.

RCRA NonGen / NLR:

Date form received by agency:	2019-10-04 00:00:00.0
Facility name:	Not reported
Facility address:	359 HYDE ST SAN FRANCISCO, CA 94109-8073
EPA ID:	CAC003037123
Contact:	DAIR & CO
Contact address:	359 HYDE ST SAN FRANCISCO, CA 94109-8073
Contact country:	Not reported
Contact telephone:	415-218-4145
Contact email:	CHRISTINA@EISENENVIRONMENTAL.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	DAIR & CO
Owner/operator address:	359 HYDE ST SAN FRANCISCO, CA 94109
Owner/operator country:	Not reported
Owner/operator telephone:	415-218-4145
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	DAIR & CO
Owner/operator address:	359 HYDE ST SAN FRANCISCO, CA 94109
Owner/operator country:	Not reported
Owner/operator telephone:	415-218-4145
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	Not reported
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No

(Continued) **1025856768**

Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

AA327 **RCRA NonGen / NLR** **1025856629**
NNW **359 HYDE ST** **CAC003036959**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.196 mi.
1035 ft. **Site 4 of 17 in cluster AA**

Relative:
Higher

Actual:
90 ft.

RCRA NonGen / NLR:

Date form received by agency:	2019-10-03 00:00:00.0
Facility name:	Not reported
Facility address:	359 HYDE ST SAN FRANCISCO, CA 94109-8073
EPA ID:	CAC003036959
Contact:	DAIR & CO
Contact address:	359 HYDE ST SAN FRANCISCO, CA 94109-8073
Contact country:	Not reported
Contact telephone:	415-218-4145
Contact email:	CHRISTINA@EISENENVIRONMENTAL.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	DAIR & CO
Owner/operator address:	359 HYDE ST SAN FRANCISCO, CA 94109
Owner/operator country:	Not reported
Owner/operator telephone:	415-218-4145
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	DAIR & CO
Owner/operator address:	359 HYDE ST SAN FRANCISCO, CA 94109
Owner/operator country:	Not reported
Owner/operator telephone:	415-218-4145
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

(Continued) **1025856629**

Handler Activities Summary:
- U.S. importer of hazardous waste: No
- Mixed waste (haz. and radioactive): Not reported
- Recycler of hazardous waste: No
- Transporter of hazardous waste: No
- Treater, storer or disposer of HW: No
- Underground injection activity: No
- On-site burner exemption: No
- Furnace exemption: No
- Used oil fuel burner: No
- Used oil processor: No
- User oil refiner: No
- Used oil fuel marketer to burner: No
- Used oil Specification marketer: No
- Used oil transfer facility: No
- Used oil transporter: No

Violation Status: No violations found

Z328 **RCRA NonGen / NLR** **1025839656**
North **441 ELLIS ST.** **CAC003019256**
1/8-1/4 **SAN FRANCISCO, CA 94108**
0.197 mi.
1041 ft. **Site 5 of 9 in cluster Z**

Relative:
Higher

Actual:
72 ft.

RCRA NonGen / NLR:
- Date form received by agency: 2019-06-11 00:00:00.0
- Facility name: Not reported
- Facility address: 441 ELLIS ST.
  SAN FRANCISCO, CA 94108
- EPA ID: CAC003019256
- Contact: MARIE BLACKBURN
- Contact address: 441 ELLIS ST.
  SAN FRANCISCO, CA 94111
- Contact country: Not reported
- Contact telephone: 925-482-9411
- Contact email: MBLACKBURN@EPMI-CO.COM
- EPA Region: 09
- Classification: Non-Generator
- Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
- Owner/operator name: MARIE BLACKBURN
- Owner/operator address: 441 ELLIS ST.
  SAN FRANCISCO, CA 94111
- Owner/operator country: Not reported
- Owner/operator telephone: 925-482-9411
- Owner/operator email: Not reported
- Owner/operator fax: Not reported
- Owner/operator extension: Not reported
- Legal status: Other
- Owner/Operator Type: Operator
- Owner/Op start date: Not reported
- Owner/Op end date: Not reported

- Owner/operator name: MARIE BLACKBURN
- Owner/operator address: 441 ELLIS ST.
  SAN FRANCISCO, CA 94111

(Continued) **1025839656**

Owner/operator country: Not reported
Owner/operator telephone: 925-482-9411
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: Yes
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

Z329 **LASSEN HOUSING ASSOCIATES, LP** **RCRA NonGen / NLR** **1024771963**
North **441 ELLIS ST.** **CAC002991876**
1/8-1/4 **SAN FRANCISCO, CA 94108**
0.197 mi.
1041 ft. **Site 6 of 9 in cluster Z**

Relative: **Higher**

Actual: **72 ft.**

RCRA NonGen / NLR:
Date form received by agency: 2018-12-05 00:00:00.0
Facility name: LASSEN HOUSING ASSOCIATES, LP
Facility address: 441 ELLIS ST.
SAN FRANCISCO, CA 94108
EPA ID: CAC002991876
Contact: MARIE BLACKBURN
Contact address: 441 ELLIS ST.
SAN FRANCISCO, CA 94108
Contact country: Not reported
Contact telephone: 925-482-9411
Contact email: MBLACKBURN@EPMICO.COM
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: MARIE BLACKBURN
Owner/operator address: 441 ELLIS ST.
SAN FRANCISCO, CA 94108
Owner/operator country: Not reported
Owner/operator telephone: 925-482-9411
Owner/operator email: Not reported

LASSEN HOUSING ASSOCIATES, LP (Continued) **1024771963**

Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: MARIE BLACKBURN
Owner/operator address: 441 ELLIS ST.
SAN FRANCISCO, CA 94108
Owner/operator country: Not reported
Owner/operator telephone: 925-482-9411
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

AE330 **570 JESSIE STREET** **RCRA-LQG** **1025881809**
ESE **570 JESSIE ST** **CAP000257378**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.199 mi.
1050 ft. **Site 1 of 4 in cluster AE**

Relative:
Lower

Actual:
37 ft.

RCRA-LQG:
Date form received by agency: 2015-12-15 00:00:00.0
Facility name: 570 JESSIE STREET
Facility address: 570 JESSIE ST
SAN FRANCISCO, CA 94103
EPA ID: CAP000257378
Mailing address: MIDCREST WAY
SAN FRANCISCO, CA 94103
Contact: LEO CASSIDY
Contact address: MIDCREST WAY
SAN RANCISCO, CA 94103
Contact country: US
Contact telephone: 415-872-5904

570 JESSIE STREET (Continued) **1025881809**

Contact email: LEO@TRANSATLANTICINC.NET
EPA Region: 09
Classification: Large Quantity Generator
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:
Owner/operator name: LJJ GOLD LLC
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 2015-09-15 00:00:00.
Owner/Op end date: Not reported

Owner/operator name: LJJ GOLD LLC
Owner/operator address: MIDCREST WAY
SAN FRANCISCO, CA 94103
Owner/operator country: US
Owner/operator telephone: 415-872-5904
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 2015-03-04 00:00:00.
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No

570 JESSIE STREET (Continued) **1025881809**

Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:

. Waste code: 161
. Waste name: Fluid-cracking catalyst (FCC) waste

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

AF331 **BOHAN CO..** **CA LUST S102532414**
NNE **345 JONES STREET** **CA CERS N/A**
1/8-1/4 **SAN FRANCISCO, CA 94111**
0.199 mi.
1050 ft. **Site 1 of 7 in cluster AF**

Relative:
Higher

Actual:
66 ft.

LUST REG 2:
Region: 2
Facility Id: 38-0891
Facility Status: Case Closed
Case Number: 10815
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: Bohan Co..
Address: 345 Jones Street
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 38-0891
Facility Status: Case Closed
Case Number: 10815
Case Type: Soil only
Release Date: 11/30/1994
Discovered Date: 11/30/1994
Substance: Heater Fuel
Substance Qty: Not reported
How Discovered: Not reported
How Stopped: Remove Contents
Report Date: 11/30/1994
Case Closed: 5/1/1997
Closed Date: 5/1/1997
Leak Source: Tank
Leak Cause: Not reported
Leak Confirmed: 11/30/1994

BOHAN CO.. (Continued) **S102532414**

Entered Date:	4/30/1997
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	AL
Cross Street:	MARKET ST
NOR Date:	4/30/1997
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NRQ
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Not reported
Interim Remediation:	Yes
Priority:	Not reported
Abatement:	Remove Free Product - remove floating product from water table
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	11/8/1994
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Fuel Oils Nos. 1 -
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported

BOHAN CO.. (Continued) **S102532414**

Grnd Wtr Qualifier: Not reported
Soil Qualifier: Not reported
Comments: Not reported
Summary: Not reported

CERS:
Name: BOHAN CO..
Address: 345 JONES STREET
City,State,Zip: SAN FRANCISCO, CA 94111
Site ID: 200631
CERS ID: T0607500786
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

AF332 **BOHAN COMPANY** **CA UST** **U004003476**
NNE **345 JONES ST** **N/A**
1/8-1/4 **, CA**
0.199 mi.
1050 ft. **Site 2 of 7 in cluster AF**

Relative:
Higher

Actual:
66 ft.

SAN FRANCISCO CO. UST:
Name: BOHAN COMPANY
Address: 345 JONES ST
Facility ID: 24722
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Not reported
Application Date: 10/26/1994
Application Name: Not reported
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported

BOHAN COMPANY (Continued) **U004003476**

Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	11/8/1994
UST Close ID:	1879
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	4/16/1997
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported

BOHAN COMPANY (Continued) **U004003476**

Other Tank Leak Detection Present: Not reported

AF333 **BOHAN CO..** **CA LUST** **U003716590**
NNE **345 JONES STREET** **CA HIST CORTESE** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94111**
0.199 mi.
1050 ft. **Site 3 of 7 in cluster AF**

Relative:
Higher

Actual:
66 ft.

LUST:

Name:	BOHAN CO..
Address:	345 JONES STREET
City,State,Zip:	SAN FRANCISCO, CA 94111
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500786
Global Id:	T0607500786
Latitude:	37.784592
Longitude:	-122.412852
Status:	Completed - Case Closed
Status Date:	05/01/1997
Case Worker:	Not reported
RB Case Number:	38-0891
Local Agency:	Not reported
File Location:	Not reported
Local Case Number:	10815
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607500786
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0607500786
Action Type:	Other
Date:	11/30/1994
Action:	Leak Discovery

Global Id:	T0607500786
Action Type:	Other
Date:	01/02/1965
Action:	Leak Reported

Global Id:	T0607500786
Action Type:	ENFORCEMENT
Date:	05/01/1997
Action:	Closure/No Further Action Letter - #10815

LUST:

Global Id:	T0607500786

BOHAN CO.. (Continued) **U003716590**

Status: Open - Case Begin Date
Status Date: 11/30/1994

Global Id: T0607500786
Status: Completed - Case Closed
Status Date: 05/01/1997

HIST CORTESE:
edr_fname: BOHAN COMPANY
edr_fadd1: 345 Jones St
City,State,Zip: San Francisco, CA 94111
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-0891

X334 **S F FEDERAL OFFICE BUILDING CONSTRUCTION** **RCRA-SQG** **1025879859**
SE **90 7TH ST** **CAP000127746**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.205 mi.
1081 ft. **Site 2 of 7 in cluster X**

Relative:
Lower

Actual:
36 ft.

RCRA-SQG:
Date form received by agency: 2002-09-03 00:00:00.0
Facility name: S F FEDERAL OFFICE BUILDING CONSTRUCTION
Facility address: 90 7TH ST
SAN FRANCISCO, CA 94103
EPA ID: CAP000127746
Mailing address: 1068 MISSION ST
SAN FRANCISCO, CA 94103
Contact: JOHN N NOLTE
Contact address: 1068 MISSION ST
SAN FRANCISCO, CA 94103
Contact country: US
Contact telephone: 415-556-0080
Contact email: Not reported
EPA Region: 09
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: GENERAL SERVICES ADMIN
Owner/operator address: NOT REQUIRED
NOT REQUIRED, CA 99999
Owner/operator country: Not reported
Owner/operator telephone: 999-999-9999
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Federal
Owner/Operator Type: Owner
Owner/Op start date: Not reported

S F FEDERAL OFFICE BUILDING CONSTRUCTION (Continued) **1025879859**

Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 2002-09-03 00:00:00.0
Site name: S F FEDERAL OFFICE BUILDING CONSTRUCTION
Classification: Small Quantity Generator

Violation Status: No violations found

X335 **GENERAL SERVICES ADMINISTRATION-GSA** **RCRA NonGen / NLR** **1024819620**
SE **90 7TH ST** **CAL000330199**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.205 mi.
1081 ft. **Site 3 of 7 in cluster X**

Relative: **Lower**
Actual: **36 ft.**

RCRA NonGen / NLR:
Date form received by agency: 2008-02-28 00:00:00.0
Facility name: GENERAL SERVICES ADMINISTRATION-GSA
Facility address: 90 7TH ST
SAN FRANCISCO, CA 94103-6701
EPA ID: CAL000330199
Mailing address: 90 7TH ST STE 3-510
SAN FRANCISCO, CA 94103-6702
Contact: MICHELLE DANIELS
Contact address: 90 7TH STREET, 3RD FLOOR SUITE 3-510
SAN FRANCISCO, CA 94103
Contact country: Not reported
Contact telephone: 415-625-2754
Contact email: MICHELLE.DANIELS@GSA.GOV
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: MICHELLE DANIELS
Owner/operator address: 90 7TH STREET, 3RD FLOOR SUITE 3-510
SAN FRANCISCO, CA 94103
Owner/operator country: Not reported
Owner/operator telephone: 415-625-2754
Owner/operator email: Not reported

GENERAL SERVICES ADMINISTRATION-GSA (Continued) **1024819620**

Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported
Owner/operator name:	US GENERAL SERVICES ADMINISTRATION
Owner/operator address:	90 7TH ST STE 3-510 SAN FRANCISCO, CA 94103
Owner/operator country:	Not reported
Owner/operator telephone:	415-625-2754
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	Yes
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

X336 **SAN FRANCISCO FEDERAL BUILDING** **CA AST** **A100424119**
SE **90 7TH ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.205 mi.
1081 ft. **Site 4 of 7 in cluster X**

Relative:
Lower

Actual:
36 ft.

AST:

Name:	SAN FRANCISCO FEDERAL BUILDING
Address:	90 7TH ST
City/Zip:	SAN FRANCISCO,94103
Certified Unified Program Agencies:	Not reported
Owner:	General Service Administration
Total Gallons:	Not reported
CERSID:	10061998
Facility ID:	38-000-030151
Business Name:	San Francisco Federal Building
Phone:	4156252755
Fax:	Not reported
Mailing Address:	90 7th street

SAN FRANCISCO FEDERAL BUILDING (Continued) **A100424119**

Mailing Address City:	San Francisco
Mailing Address State:	CA
Mailing Address Zip Code:	94103
Operator Name:	Daniel Arbanas
Operator Phone:	4157300106
Owner Phone:	415-581-1732
Owner Mail Address:	50 U.N. Plaza
Owner State:	CA
Owner Zip Code:	94103
Owner Country:	United States
Property Owner Name:	Not reported
Property Owner Phone:	Not reported
Property Owner Mailing Address:	Not reported
Property Owner City:	Not reported
Property Owner Stat :	Not reported
Property Owner Zip Code:	Not reported
Property Owner Country:	Not reported
EPAID:	Not reported

X337 **SAN FRANCISCO FEDERAL BUILDING** **CA CERS TANKS** **S121789703**
SE **90 7TH ST** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.205 mi.
1081 ft. **Site 5 of 7 in cluster X**

Relative:
Lower

Actual:
36 ft.

CERS TANKS:

Name:	SAN FRANCISCO FEDERAL BUILDING
Address:	90 7TH ST
City,State,Zip:	SAN FRANCISCO, CA 94103
Site ID:	64532
CERS ID:	10061998
CERS Description:	Aboveground Petroleum Storage

CERS:

Name:	SAN FRANCISCO FEDERAL BUILDING
Address:	90 7TH ST
City,State,Zip:	SAN FRANCISCO, CA 94103
Site ID:	64532
CERS ID:	10061998
CERS Description:	Chemical Storage Facilities

Coordinates:

Site ID:	64532
Facility Name:	San Francisco Federal Building
Env Int Type Code:	APSA
Program ID:	10061998
Coord Name:	Not reported
Ref Point Type Desc:	Unknown
Latitude:	37.779450
Longitude:	-122.411660

Affiliation:

Affiliation Type Desc:	Identification Signer
Entity Name:	Daniel C Arbanas
Entity Title:	Chief Engineer
Affiliation Address:	Not reported
Affiliation City:	Not reported

SAN FRANCISCO FEDERAL BUILDING (Continued) **S121789703**

Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Daniel Arbanas
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 730-0106
Affiliation Type Desc:	Property Owner
Entity Name:	General Service Adminisration
Entity Title:	Not reported
Affiliation Address:	90 7th St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94103
Affiliation Phone:	(415) 625-2755
Affiliation Type Desc:	Document Preparer
Entity Name:	Daniel C Arbanas
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	San Francisco Federal Building
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Environmental Contact
Entity Name:	Gavin Pauley

SAN FRANCISCO FEDERAL BUILDING (Continued) **S121789703**

Entity Title:	Not reported
Affiliation Address:	mail box 9, 50 United Nations Plaza, Suite 4556
Affiliation City:	san francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	90 7th street suite 5-310
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94103
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	General Service Administration
Entity Title:	Not reported
Affiliation Address:	50 U.N. Plaza
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94103
Affiliation Phone:	(415) 581-1732

AA338 **APARTMENT BUILDING** **CA LUST S104809906**
NW **635 ELLIS ST** **CA CERS N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.206 mi.
1086 ft. **Site 5 of 17 in cluster AA**

Relative:
Higher

Actual:
93 ft.

LUST:

Name:	APARTMENT BUILDING
Address:	635 ELLIS ST
City,State,Zip:	SAN FRANCISCO, CA 94109
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607591406
Global Id:	T0607591406
Latitude:	37.784091
Longitude:	-122.416641
Status:	Completed - Case Closed
Status Date:	09/20/2000
Case Worker:	MA
RB Case Number:	38-2020
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Not reported
Local Case Number:	11395
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607591406

APARTMENT BUILDING (Continued) **S104809906**

Contact Type: Local Agency Caseworker
Contact Name: MAMDOUH AWWAD
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET, #210
City: SAN FRANCISCO
Email: mamdouh.awwad@sfdph.org
Phone Number: Not reported

Global Id: T0607591406
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

LUST:
Global Id: T0607591406
Action Type: Other
Date: 07/05/2000
Action: Leak Discovery

Global Id: T0607591406
Action Type: ENFORCEMENT
Date: 09/19/2000
Action: Notice of Responsibility

Global Id: T0607591406
Action Type: Other
Date: 01/02/1965
Action: Leak Reported

LUST:
Global Id: T0607591406
Status: Open - Case Begin Date
Status Date: 07/05/2000

Global Id: T0607591406
Status: Completed - Case Closed
Status Date: 09/20/2000

LUST REG 2:
Region: 2
Facility Id: 38-2020
Facility Status: Case Closed
Case Number: 11395
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported

APARTMENT BUILDING (Continued) **S104809906**

Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:

Name:	Apartment Building
Address:	635 Ellis St
City:	San Francisco
Region:	SAN FRANCISCO
Facility ID:	02-300-019
Facility Status:	Case Closed
Case Number:	11395
Case Type:	Soil only
Release Date:	Not reported
Discovered Date:	7/5/2000
Substance:	Heater Fuel
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	9/15/2000
Case Closed:	9/20/2000
Closed Date:	9/20/2000
Leak Source:	Tank
Leak Cause:	Corrosion
Leak Confirmed:	7/5/2000
Entered Date:	9/19/2000
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Van Johnson
Staff Initial:	VP
Facility Staff:	MA
Cross Street:	Larkin
NOR Date:	Not reported
MTBE Current:	Not reported
MTBE Current Date:	7/5/2000
MTBE:	ND
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	7/5/2000
Review Date:	9/20/2000
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Low Priority Site
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR

APARTMENT BUILDING (Continued) **S104809906**

Enforcement Due Date:	9/19/2000
Basin:	DOWNTOWN
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	7/5/2000
Free Product:	Not reported
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Not reported
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	ND
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	ND
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	7/5/2000
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

CERS:

Name:	APARTMENT BUILDING
Address:	635 ELLIS ST
City,State,Zip:	SAN FRANCISCO, CA 94109
Site ID:	222356
CERS ID:	T0607591406
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	MAMDOUH AWWAD - SAN FRANCISCO COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1390 MARKET STREET, #210
Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported

APARTMENT BUILDING (Continued) **S104809906**

Affiliation Zip: Not reported
Affiliation Phone: Not reported

AA339 **CITY PROPERTIES** **CA UST** **U004003572**
NW **635 ELLIS ST** **N/A**
1/8-1/4 **, CA**
0.206 mi.
1086 ft. **Site 6 of 17 in cluster AA**

Relative:
Higher

Actual:
93 ft.

SAN FRANCISCO CO. UST:

Name:	CITY PROPERTIES
Address:	635 ELLIS ST
Facility ID:	23915
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	6/7/2000
Application Name:	Cathy Keller
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	7/5/2000
UST Close ID:	3977
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported

CITY PROPERTIES (Continued) **U004003572**

Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Y340 **SAN FRANCISCO STATE GARAGE** **CA UST** **1008231355**
WNW **550 TURK ST** **FINDS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102** **ECHO**
0.207 mi.
1094 ft. **Site 4 of 11 in cluster Y**

Relative:
Higher

Actual:
82 ft.

SAN FRANCISCO CO. UST:

Name:	SAN FRANCISCO
Address:	550 TURK ST
Facility ID:	3055
Facility Status:	Not reported
Number Of Tanks:	2
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley St
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported

SAN FRANCISCO STATE GARAGE (Continued) **1008231355**

Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	5/31/2005
Application Name:	Tracy Wallace
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	4707
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported

SAN FRANCISCO STATE GARAGE (Continued) **1008231355**

Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

FINDS:

Registry ID: 110021010500

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
HAZARDOUS WASTE BIENNIAL REPORTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1008231355
Registry ID:	110021010500
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110021010500

Y341 **ISHI LIMOUSINE, INC** **CA SWEEPS UST** **S101623158**
WNW **550 TURK ST** **CA HIST UST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102** **CA FID UST**
0.207 mi. **CA CHMIRS**
1094 ft. **Site 5 of 11 in cluster Y**

Relative: Higher

Actual: 82 ft.

SWEEPS UST:

Name:	FEDERAL GARAGE
Address:	550 TURK ST
City:	SAN FRANCISCO
Status:	Active
Comp Number:	3055
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Owner Tank Id:	Not reported
SWRCB Tank Id:	Not reported
Tank Status:	Not reported
Capacity:	Not reported

ISHI LIMOUSINE, INC (Continued) **S101623158**

Active Date: Not reported
Tank Use: Not reported
STG: Not reported
Content: Not reported
Number Of Tanks: Not reported

Name: ISHI LIMOUSINE, INC
Address: 550 TURK ST
City: SAN FRANCISCO
Status: Active
Comp Number: 9402
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-009402-000001
Tank Status: A
Capacity: 1
Active Date: 09-30-92
Tank Use: UNKNOWN
STG: P
Content: UNSPECIFIED
Number Of Tanks: 1

Name: FEDERAL GARAGE
Address: 550 TURK ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 3055
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-003055-000001
Tank Status: Not reported
Capacity: 300
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: 2

Name: FEDERAL GARAGE
Address: 550 TURK ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 3055
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported

ISHI LIMOUSINE, INC (Continued) **S101623158**

SWRCB Tank Id: 38-000-003055-000002
Tank Status: Not reported
Capacity: 300
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

HIST UST:
Name: FEDERAL GARAGE
Address: 550 TURK STREET
City,State,Zip: SAN FRANCISCO, CA 94102
File Number: 0002F723
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002F723.pdf
Region: Not reported
Facility ID: Not reported
Facility Type: Not reported
Other Type: Not reported
Contact Name: Not reported
Telephone: Not reported
Owner Name: Not reported
Owner Address: Not reported
Owner City,St,Zip: Not reported
Total Tanks: Not reported

Tank Num: Not reported
Container Num: Not reported
Year Installed: Not reported
Tank Capacity: Not reported
Tank Used for: Not reported
Type of Fuel: Not reported
Container Construction Thickness: Not reported
Leak Detection: Not reported

Click here for Geo Tracker PDF:

CA FID UST:
Facility ID: 38001834
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4150000000
Mail To: Not reported
Mailing Address: 550 TURK ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94102
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

ISHI LIMOUSINE, INC (Continued) **S101623158**

CHMIRS:

Name:	Not reported
Address:	550 TURK ST
City,State,Zip:	SAN FRANCISCO, CA 95814
OES Incident Number:	3-3024
OES notification:	06/13/2003
OES Date:	Not reported
OES Time:	Not reported
Date Completed:	**Not reported**
Property Use:	Not reported
Agency Id Number:	Not reported
Agency Incident Number:	Not reported
Time Notified:	Not reported
Time Completed:	Not reported
Surrounding Area:	Not reported
Estimated Temperature:	Not reported
Property Management:	Not reported
More Than Two Substances Involved?:	Not reported
Resp Agncy Personel # Of Decontaminated:	Not reported
Responding Agency Personel # Of Injuries:	Not reported
Responding Agency Personel # Of Fatalities:	Not reported
Others Number Of Decontaminated:	Not reported
Others Number Of Injuries:	Not reported
Others Number Of Fatalities:	Not reported
Vehicle Make/year:	Not reported
Vehicle License Number:	Not reported
Vehicle State:	Not reported
Vehicle Id Number:	Not reported
CA DOT PUC/ICC Number:	Not reported
Company Name:	Not reported
Reporting Officer Name/ID:	Not reported
Report Date:	Not reported
Facility Telephone:	Not reported
Waterway Involved:	No
Waterway:	Not reported
Spill Site:	Not reported
Cleanup By:	Contractor
Containment:	Not reported
What Happened:	Not reported
Type:	Not reported
Measure:	Not reported
Other:	Not reported
Date/Time:	Not reported
Year:	2003
Agency:	DGS, HQ Sacramento
Incident Date:	6/12/200312:00:00 AM
Admin Agency:	San Francisco County Health Department
Amount:	Not reported
Contained:	Yes
Site Type:	Other
E Date:	Not reported
Substance:	Gasoline
Gallons:	200-500
Unknown:	0
Substance #2:	Not reported
Substance #3:	Not reported
Evacuations:	0

ISHI LIMOUSINE, INC (Continued) **S101623158**

Number of Injuries:	0
Number of Fatalities:	0
#1 Pipeline:	Not reported
#2 Pipeline:	Not reported
#3 Pipeline:	Not reported
#1 Vessel >= 300 Tons:	Not reported
#2 Vessel >= 300 Tons:	Not reported
#3 Vessel >= 300 Tons:	Not reported
Evacs:	Not reported
Injuries:	Not reported
Fatals:	Not reported
Comments:	Not reported
Description:	Substance was released when gasoline was delivered. During the delivery process the substance leaked from the pipe into a basement. Substance was treated with foam and vacuumed up by a contractor and taken to a hazardous waste facility.

Name:	Not reported
Address:	550 TURK ST
City,State,Zip:	SAN FRANCISCO, CA
OES Incident Number:	3-3018
OES notification:	06/12/2003
OES Date:	Not reported
OES Time:	Not reported
Date Completed:	**Not reported**
Property Use:	Not reported
Agency Id Number:	Not reported
Agency Incident Number:	Not reported
Time Notified:	Not reported
Time Completed:	Not reported
Surrounding Area:	Not reported
Estimated Temperature:	Not reported
Property Management:	Not reported
More Than Two Substances Involved?:	Not reported
Resp Agncy Personel # Of Decontaminated:	Not reported
Responding Agency Personel # Of Injuries:	Not reported
Responding Agency Personel # Of Fatalities:	Not reported
Others Number Of Decontaminated:	Not reported
Others Number Of Injuries:	Not reported
Others Number Of Fatalities:	Not reported
Vehicle Make/year:	Not reported
Vehicle License Number:	Not reported
Vehicle State:	Not reported
Vehicle Id Number:	Not reported
CA DOT PUC/ICC Number:	Not reported
Company Name:	Not reported
Reporting Officer Name/ID:	Not reported
Report Date:	Not reported
Facility Telephone:	Not reported
Waterway Involved:	No
Waterway:	Not reported
Spill Site:	Not reported
Cleanup By:	Contractor
Containment:	Not reported
What Happened:	Not reported

ISHI LIMOUSINE, INC (Continued) **S101623158**

Type:	Not reported
Measure:	Not reported
Other:	Not reported
Date/Time:	Not reported
Year:	2003
Agency:	San Francisco Fire
Incident Date:	6/12/200312:00:00 AM
Admin Agency:	San Francisco County Health Department
Amount:	Not reported
Contained:	Yes
Site Type:	Service Station
E Date:	Not reported
Substance:	gasoline
Gallons:	500
Unknown:	0
Substance #2:	Not reported
Substance #3:	Not reported
Evacuations:	0
Number of Injuries:	0
Number of Fatalities:	0
#1 Pipeline:	Not reported
#2 Pipeline:	Not reported
#3 Pipeline:	Not reported
#1 Vessel >= 300 Tons:	Not reported
#2 Vessel >= 300 Tons:	Not reported
#3 Vessel >= 300 Tons:	Not reported
Evacs:	Not reported
Injuries:	Not reported
Fatals:	Not reported
Comments:	Not reported
Description:	During a fuel delivery, gages failed and tank was overfilled. The gasoline spilled to a lower level parking lot.

Y342 **SAN FRANCISCO STATE GARAGE** **RCRA-SQG** **1008194580**
WNW **550 TURK ST** **CAL000176913**
1/8-1/4 **SAN FRANCISCO, CA 94112**
0.207 mi.
1094 ft. **Site 6 of 11 in cluster Y**

Relative: **Higher**

Actual: **82 ft.**

RCRA-SQG:

Date form received by agency:	2004-05-27 00:00:00.0
Facility name:	SAN FRANCISCO STATE GARAGE
Facility address:	550 TURK ST SAN FRANCISCO, CA 94112
EPA ID:	CAL000176913
Contact:	DANIEL G VIERA
Contact address:	Not reported Not reported
Contact country:	US
Contact telephone:	415-557-3604
Contact email:	DANIEL.VIERA@DGS.CA.GOV
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of

SAN FRANCISCO STATE GARAGE (Continued) **1008194580**

hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	BEN AND MARY ISHISAKI
Owner/operator address:	718 MASONIC AVE
	SAN FRANCISCO, CA 94117
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	1988-01-28 00:00:00.
Owner/Op end date:	Not reported
Owner/operator name:	SAN FRANCISCO STATE GARAGE
Owner/operator address:	Not reported
	Not reported
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	State
Owner/Operator Type:	Operator
Owner/Op start date:	1990-11-01 00:00:00.
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Hazardous Waste Summary:

. Waste code:	D001
. Waste name:	IGNITABLE WASTE
. Waste code:	D018
. Waste name:	BENZENE

Violation Status: No violations found

Y343 **PARKING GARAGE** **CA UST** **U004003865**
WNW **550 TURK ST** **N/A**
1/8-1/4 **, CA**
0.207 mi.
1094 ft. **Site 7 of 11 in cluster Y**

Relative:
Higher

Actual:
82 ft.

SAN FRANCISCO CO. UST:

Name:	PARKING GARAGE
Address:	550 TURK ST
Facility ID:	29502
Facility Status:	Not reported
Number Of Tanks:	2
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	5200 Redwood
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	L&W Construction
Application Date:	7/28/2005
Application Name:	George Wilson
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	8/3/2005
UST Close ID:	4725
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

PARKING GARAGE (Continued) **U004003865**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	8/31/2005
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Y344 **FEDERAL GARAGE** **CA HIST UST** **U001595034**
WNW **550 TURK ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.207 mi.
1094 ft. **Site 8 of 11 in cluster Y**

Relative:
Higher

Actual:
82 ft.

HIST UST:

Name:	FEDERAL GARAGE
Address:	550 TURK ST
City,State,Zip:	SAN FRANCISCO, CA 94102
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000012064
Facility Type:	Gas Station
Other Type:	Not reported
Contact Name:	GREG KIBIZOFF
Telephone:	4154742203
Owner Name:	FEDERAL AUTO PARKS, INC.
Owner Address:	550 TURK STREET
Owner City,St,Zip:	SAN FRANCISCO, CA 94102
Total Tanks:	0002
Tank Num:	001
Container Num:	001

FEDERAL GARAGE (Continued) **U001595034**

Year Installed:	Not reported
Tank Capacity:	00000300
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor, Pressure Test, 10

Tank Num:	002
Container Num:	002
Year Installed:	Not reported
Tank Capacity:	00000300
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor, Pressure Test, 10

AE345 **PROPERTY** **CA UST** **U004003902**
ESE **550 JESSIE ST** **N/A**
1/8-1/4 **, CA**
0.209 mi.
1105 ft. **Site 2 of 4 in cluster AE**

Relative: **Lower**

Actual: **36 ft.**

SAN FRANCISCO CO. UST:

Name:	PROPERTY
Address:	550 JESSIE ST
Facility ID:	24715
Facility Status:	Not reported
Number Of Tanks:	Not reported
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	11/12/1992
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported

PROPERTY (Continued) **U004003902**

Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	1150
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

X346 **PARKING LOT** **CA LUST** **S108213170**
SE **1100 MISSION STREET** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.210 mi.
1107 ft. **Site 6 of 7 in cluster X**

Relative:
Lower

Actual:
36 ft.

LUST:

Name:	PARKING LOT
Address:	1100 MISSION STREET
City,State,Zip:	SAN FRANCISCO, CA 94103
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607598020
Global Id:	T0607598020
Latitude:	37.779213
Longitude:	-122.410945
Status:	Completed - Case Closed
Status Date:	03/03/2005
Case Worker:	Not reported
RB Case Number:	38-2320
Local Agency:	Not reported
File Location:	Local Agency
Local Case Number:	11659
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607598020
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0607598020
Action Type:	ENFORCEMENT
Date:	03/03/2005
Action:	Closure/No Further Action Letter
Global Id:	T0607598020
Action Type:	Other
Date:	09/23/2004
Action:	Leak Discovery
Global Id:	T0607598020
Action Type:	REMEDIATION
Date:	09/23/2004
Action:	Excavation
Global Id:	T0607598020
Action Type:	Other
Date:	09/23/2004
Action:	Leak Reported
Global Id:	T0607598020

PARKING LOT (Continued) **S108213170**

Action Type: ENFORCEMENT
Date: 01/25/2005
Action: Notice of Responsibility

LUST:
Global Id: T0607598020
Status: Open - Case Begin Date
Status Date: 09/23/2004

Global Id: T0607598020
Status: Open - Site Assessment
Status Date: 09/23/2004

Global Id: T0607598020
Status: Completed - Case Closed
Status Date: 03/03/2005

CERS:
Name: PARKING LOT
Address: 1100 MISSION STREET
City,State,Zip: SAN FRANCISCO, CA 94103
Site ID: 206862
CERS ID: T0607598020
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

X347 **RESIDENCE** **CA UST** **U003976282**
SE **1100 MISSION ST** **N/A**
1/8-1/4 **, CA**
0.210 mi.
1107 ft. **Site 7 of 7 in cluster X**

Relative: **Lower**
Actual: **36 ft.**

SAN FRANCISCO CO. UST:
Name: RESIDENCE
Address: 1100 MISSION ST
Facility ID: 29071
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 255 Shipley St
Mailing City,St,Zip: Not reported

RESIDENCE (Continued) **U003976282**

Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	9/9/2004
Application Name:	Tracy Wallace
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	9/23/2004
UST Close ID:	4614
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported

RESIDENCE (Continued) **U003976282**

Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AG348 **U.S. GENERAL SERVICES ADMINISTRATION** **CA CERS TANKS** **S121791977**
SE **95 7TH ST** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.210 mi.
1108 ft. **Site 1 of 4 in cluster AG**

Relative:
Lower

Actual:
35 ft.

CERS TANKS:

Name:	U.S. GENERAL SERVICES ADMINISTRATION
Address:	95 7TH ST
City,State,Zip:	SAN FRANCISCO, CA 94103
Site ID:	78465
CERS ID:	10059565
CERS Description:	Underground Storage Tank

CERS:

Name:	U.S. GENERAL SERVICES ADMINISTRATION
Address:	95 7TH ST
City,State,Zip:	SAN FRANCISCO, CA 94103
Site ID:	78465
CERS ID:	10059565
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	78465
Site Name:	U.S. GENERAL SERVICES ADMINISTRATION
Violation Date:	09-28-2018
Citation:	23 CCR 16 2632(d)(1)(c),2641(h),2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2632(d)(1)(c),2641(h),2711(a)(8)
Violation Description:	Failure to submit or maintain a current facility plot plan.
Violation Notes:	Returned to compliance on 11/13/2018.
Violation Division:	San Francisco City & County Public Health Dept
Violation Program:	UST
Violation Source:	CERS

Site ID:	78465
Site Name:	U.S. GENERAL SERVICES ADMINISTRATION
Violation Date:	09-28-2018
Citation:	HSC 6.7 25284, 25286 - California Health and Safety Code, Chapter 6.7, Section(s) 25284, 25286
Violation Description:	Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.

U.S. GENERAL SERVICES ADMINISTRATION (Continued) **S121791977**

Violation Notes:	Returned to compliance on 11/13/2018.
Violation Division:	San Francisco City & County Public Health Dept
Violation Program:	UST
Violation Source:	CERS

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-28-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	San Francisco City & County Public Health Dept
Eval Program:	UST
Eval Source:	CERS

Coordinates:

Site ID:	78465
Facility Name:	U.S. GENERAL SERVICES ADMINISTRATION
Env Int Type Code:	HMBP
Program ID:	10059565
Coord Name:	Not reported
Ref Point Type Desc:	Unknown
Latitude:	37.779350
Longitude:	-122.410996

Affiliation:

Affiliation Type Desc:	Document Preparer
Entity Name:	Eric Lenhart
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Environmental Contact
Entity Name:	Lisa Sharp
Entity Title:	Not reported
Affiliation Address:	50 United Nations Plaza, 4th Floor
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

Affiliation Type Desc:	UST Property Owner Name
Entity Name:	General Services Administration
Entity Title:	Not reported
Affiliation Address:	95 - 7th Street
Affiliation City:	San Francisco
Affiliation State:	Ca
Affiliation Country:	United States
Affiliation Zip:	94103
Affiliation Phone:	(415) 552-2279

U.S. GENERAL SERVICES ADMINISTRATION (Continued) **S121791977**

Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	95 - 7th Street
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94103
Affiliation Phone:	Not reported

Affiliation Type Desc:	Operator
Entity Name:	Dale Slaton
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 696-4731

Affiliation Type Desc:	UST Tank Owner
Entity Name:	General Services Administration
Entity Title:	Not reported
Affiliation Address:	95 7th Street
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94103
Affiliation Phone:	(415) 522-2797

Affiliation Type Desc:	Identification Signer
Entity Name:	Eric Lenhart
Entity Title:	Chief Engineer
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Parent Corporation
Entity Name:	U.S. General Services Administration
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported

U.S. GENERAL SERVICES ADMINISTRATION (Continued) **S121791977**

Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	General Services Administration
Entity Title:	Not reported
Affiliation Address:	95 7th St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94103
Affiliation Phone:	(415) 556-8001
Affiliation Type Desc:	UST Tank Operator
Entity Name:	Urban Services Group
Entity Title:	Not reported
Affiliation Address:	95 - 7th Street , Rm.B05
Affiliation City:	San Francisco
Affiliation State:	Ca
Affiliation Country:	United States
Affiliation Zip:	94103
Affiliation Phone:	(415) 252-8309
Affiliation Type Desc:	Legal Owner
Entity Name:	General Services Administration
Entity Title:	Not reported
Affiliation Address:	95 Seventh Street
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94103
Affiliation Phone:	(415) 522-4461
Affiliation Type Desc:	UST Permit Applicant
Entity Name:	Eric Lenhart
Entity Title:	Chief Engineer
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 252-8309

AG349 **U.S. GENERAL SERVICES ADMINISTRATION** **CA UST** **U004262320**
SE **95 7TH ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.210 mi.
1108 ft. **Site 2 of 4 in cluster AG**

Relative: UST:
Lower

Name:	U.S. GENERAL SERVICES ADMINISTRATION
Address:	95 7TH ST
City,State,Zip:	SAN FRANCISCO, CA 94103
Facility ID:	38-000-025829
Permitting Agency:	San Francisco City & County Public Health Department
Latitude:	37.773455
Longitude:	-122.411449

Actual:
35 ft.

AG350 **URBAN SERVICES GROUP** **RCRA NonGen / NLR** **1024832248**
SE **95 7TH ST** **CAL000369966**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.210 mi.
1108 ft. **Site 3 of 4 in cluster AG**

Relative:
Lower

Actual:
35 ft.

RCRA NonGen / NLR:

Date form received by agency:	2011-12-08 00:00:00.0
Facility name:	URBAN SERVICES GROUP
Facility address:	95 7TH ST SAN FRANCISCO, CA 94103
EPA ID:	CAL000369966
Contact:	ERIC LENHART
Contact address:	95 7TH ST SAN FRANCISCO, CA 94103
Contact country:	Not reported
Contact telephone:	415-252-8309
Contact email:	ERIC.LENHART@URBANSERVICESGROUP.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	US GOVERNMENT SERVICE ADMINISTRATIO
Owner/operator address:	450 GOLDEN GATE AVE SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-522-4461
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	ERIC LENHART
Owner/operator address:	95 7TH ST SAN FRANCISCO, CA 94103
Owner/operator country:	Not reported
Owner/operator telephone:	415-252-8309
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	Yes
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No

URBAN SERVICES GROUP (Continued) **1024832248**

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

Y351 **PHOENIX HOTEL** **CA CUPA Listings** **S120628095**
WNW **601 EDDY ST** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.210 mi.
1110 ft. **Site 9 of 11 in cluster Y**

Relative:
Higher

Actual:
86 ft.

CUPA SAN FRANCISCO CO:
Name: PHOENIX HOTEL
Address: 601 EDDY ST
City,State,Zip: SAN FRANCISCO, CA 94109
Facility ID: 30658
Census Tract: 124
District: 10
Number of Tanks: 0

CERS:
Name: PHOENIX HOTEL
Address: 601 EDDY ST
City,State,Zip: SAN FRANCISCO, CA 94109
Site ID: 143709
CERS ID: 10062541
CERS Description: Chemical Storage Facilities

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-31-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: San Francisco City & County Public Health Dept
Eval Program: HMRRP
Eval Source: CERS

Coordinates:
Site ID: 143709
Facility Name: Phoenix Hotel
Env Int Type Code: HMBP
Program ID: 10062541
Coord Name: Not reported
Ref Point Type Desc: Unknown
Latitude: 37.782959
Longitude: -122.418060

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: San Francisco City & County Public Health Departme
Entity Title: Not reported
Affiliation Address: 1390 Market Street, Room 210

PHOENIX HOTEL (Continued) **S120628095**

Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: (415) 252-3900

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 601 Eddy St
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94109
Affiliation Phone: Not reported

Affiliation Type Desc: Document Preparer
Entity Name: Diana Weech
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact
Entity Name: D. Weech
Entity Title: Not reported
Affiliation Address: 601 Eddy St.
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94109
Affiliation Phone: Not reported

Affiliation Type Desc: Operator
Entity Name: Phoenix Hotel
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (415) 673-9616

Affiliation Type Desc: Property Owner
Entity Name: Stephen Conley
Entity Title: Not reported
Affiliation Address: 601 Eddy St.
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 94109
Affiliation Phone: (415) 673-9616

Affiliation Type Desc: Identification Signer

PHOENIX HOTEL (Continued) **S120628095**

Entity Name:	Diana Weech
Entity Title:	General Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	Stephen Conley
Entity Title:	Not reported
Affiliation Address:	601 Eddy St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94109
Affiliation Phone:	(415) 673-9616
Affiliation Type Desc:	Parent Corporation
Entity Name:	Phoenix Hotel
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Y352 **RCRA NonGen / NLR** **1025837808**
WNW **601 EDDY ST** **CAC003017404**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.210 mi.
1110 ft. **Site 10 of 11 in cluster Y**

Relative:
Higher

Actual:
86 ft.

RCRA NonGen / NLR:

Date form received by agency:	2019-05-30 00:00:00.0
Facility name:	Not reported
Facility address:	601 EDDY ST SAN FRANCISCO, CA 94109
EPA ID:	CAC003017404
Contact:	PHOENIX HOTEL SF, LLC
Contact address:	601 EDDY ST SAN FRANCISCO, CA 94109
Contact country:	Not reported
Contact telephone:	415-673-9616
Contact email:	JOHN@JWHARS.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	PHOENIX HOTEL SF, LLC
Owner/operator address:	601 EDDY ST SAN FRANCISCO, CA 94109
Owner/operator country:	Not reported

(Continued) **1025837808**

Owner/operator telephone: 415-673-9616
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: PHOENIX HOTEL SF, LLC
Owner/operator address: 601 EDDY ST
SAN FRANCISCO, CA 94109
Owner/operator country: Not reported
Owner/operator telephone: 415-673-9616
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: Yes
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

Z353 **MARTINEZ PROPERTY** **CA LUST** **S106162480**
North **500-516 ELLIS STREET** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.211 mi.
1116 ft. **Site 7 of 9 in cluster Z**

Relative:
Higher

Actual:
86 ft.

LUST:
Name: MARTINEZ PROPERTY
Address: 500-516 ELLIS STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Lead Agency: SAN FRANCISCO COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607562610
Global Id: T0607562610
Latitude: 37.784805
Longitude: -122.414716
Status: Completed - Case Closed

MARTINEZ PROPERTY (Continued) **S106162480**

Status Date: 02/26/1998
Case Worker: SC
RB Case Number: 38-0975
Local Agency: SAN FRANCISCO COUNTY LOP
File Location: Not reported
Local Case Number: 10934
Potential Media Affect: Soil
Potential Contaminants of Concern: Heating Oil / Fuel Oil
Site History: Not reported

LUST:
Global Id: T0607562610
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0607562610
Contact Type: Local Agency Caseworker
Contact Name: STEPHANIE CUSHING
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

LUST:
Global Id: T0607562610
Action Type: Other
Date: 02/20/1998
Action: Leak Discovery

Global Id: T0607562610
Action Type: Other
Date: 01/02/1965
Action: Leak Reported

Global Id: T0607562610
Action Type: ENFORCEMENT
Date: 02/25/1998
Action: Notice of Responsibility

LUST:
Global Id: T0607562610
Status: Open - Case Begin Date
Status Date: 02/20/1998

Global Id: T0607562610
Status: Completed - Case Closed
Status Date: 02/26/1998

LUST REG 2:

MARTINEZ PROPERTY (Continued) **S106162480**

Region: 2
Facility Id: 38-0975
Facility Status: Case Closed
Case Number: 10934
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: MARTINEZ PROPERTY
Address: Ellis Street
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 38-0975
Facility Status: Case Closed
Case Number: 10934
Case Type: Soil only
Release Date: 2/12/1998
Discovered Date: 2/20/1998
Substance: Heater Fuel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Repair Tank
Report Date: 2/12/1998
Case Closed: 2/26/1998
Closed Date: 2/26/1998
Leak Source: Tank
Leak Cause: Structure Failure
Leak Confirmed: Not reported
Entered Date: 2/25/1998
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Not reported
RP Address: Not reported
Operator: Not reported
Staff Initial: VP
Facility Staff: SC
Cross Street: LEAVENWORTH ST
NOR Date: 2/25/1998
MTBE Current: Not reported
MTBE Current Date: Not reported
MTBE: NRQ
Maximum MTBE Soil: Not reported
Maximum MTBE GW: Not reported
MTBE DATE: Not reported
Review Date: Not reported

MARTINEZ PROPERTY (Continued) **S106162480**

Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	State
Interim Remediation:	Yes
Priority:	Not reported
Abatement:	Pump and Treat Ground Water - generally employed to remove dissolved contaminants
Enforcement Type:	NOR
Enforcement Due Date:	2/25/1998
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	2/10/1998
Free Product:	Not reported
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Fuel Oil Nos. 1-6
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

CERS:

Name:	MARTINEZ PROPERTY
Address:	500-516 ELLIS STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Site ID:	215609
CERS ID:	T0607562610
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	STEPHANIE CUSHING - SAN FRANCISCO COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1390 MARKET STREET #210
Affiliation City:	SAN FRANCISCO

MARTINEZ PROPERTY (Continued) **S106162480**

Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Z354 **500-516 ELLIS ST** **CA UST** **U003915509**
North **500 ELLIS ST** **N/A**
1/8-1/4 **, CA**
0.211 mi.
1116 ft. **Site 8 of 9 in cluster Z**

Relative:
Higher

Actual:
86 ft.

SAN FRANCISCO CO. UST:

Name:	500-516 ELLIS ST
Address:	500 ELLIS ST
Facility ID:	22217
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	2/4/1998
Application Name:	Tim Hallen
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported

500-516 ELLIS ST (Continued) **U003915509**

Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	2/10/1998
UST Close ID:	3159
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	2/24/1998
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AH355 **WINDSOR HOTEL** **CA LUST** **S103891025**
NE **238 EDDY STREET** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.212 mi.
1118 ft. **Site 1 of 5 in cluster AH**

Relative:
Lower

Actual:
52 ft.

LUST REG 2:

Region:	2
Facility Id:	38-1336
Facility Status:	Case Closed
Case Number:	11223
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

SAN FRANCISCO CO. LUST:

Name:	Windsor Hotel
Address:	238 Eddy Street
City:	San Francisco
Region:	SAN FRANCISCO
Facility ID:	38-1336
Facility Status:	Case Closed
Case Number:	11223
Case Type:	Soil only
Release Date:	2/25/1999
Discovered Date:	2/25/1999
Substance:	Diesel
Substance Qty:	Not reported
How Discovered:	Not reported
How Stopped:	Not reported
Report Date:	4/28/1999
Case Closed:	5/13/1999
Closed Date:	5/13/1999
Leak Source:	Tank
Leak Cause:	Corrosion
Leak Confirmed:	5/11/1999
Entered Date:	5/11/1999
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	MJB, LLC c/o
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	AL
Cross Street:	Not reported
NOR Date:	5/11/1999
MTBE Current:	Not reported
MTBE Current Date:	Not reported

WINDSOR HOTEL (Continued) **S103891025**

MTBE:	ND
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	Yes
Priority:	Not reported
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	Not reported
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Diesel fuel oil
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	ND
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	2000 gallon diesel

AH356 **238 EDDY ST** **CA UST** **U004003346**
NE **238 EDDY ST** **N/A**
1/8-1/4 **, CA**
0.212 mi.
1118 ft. **Site 2 of 5 in cluster AH**

Relative: **Lower**

Actual: **52 ft.**

SAN FRANCISCO CO. UST:

Name:	238 EDDY ST
Address:	238 EDDY ST
Facility ID:	22916
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	10/30/1998
Application Name:	Randy McManus
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	2/24/1999
UST Close ID:	3507
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

238 EDDY ST (Continued) **U004003346**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	5/13/1999
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AH357 **WINDSOR HOTEL** **CA LUST** **S104569204**
NE **238 EDDY** **CA HIST CORTESE** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102** **CA CERS**
0.212 mi.
1118 ft. **Site 3 of 5 in cluster AH**

Relative: **Lower**

Actual: **52 ft.**

LUST:

Name:	WINDSOR HOTEL
Address:	238 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94102-
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607501221
Global Id:	T0607501221
Latitude:	37.784342
Longitude:	-122.41168
Status:	Completed - Case Closed
Status Date:	05/13/1999
Case Worker:	Not reported
RB Case Number:	38-1336
Local Agency:	Not reported
File Location:	Not reported
Local Case Number:	11223
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Diesel

WINDSOR HOTEL (Continued) **S104569204**

Site History: Not reported

LUST:
Global Id: T0607501221
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

LUST:
Global Id: T0607501221
Action Type: Other
Date: 02/25/1999
Action: Leak Discovery

Global Id: T0607501221
Action Type: Other
Date: 01/02/1965
Action: Leak Reported

LUST:
Global Id: T0607501221
Status: Open - Case Begin Date
Status Date: 02/25/1999

Global Id: T0607501221
Status: Completed - Case Closed
Status Date: 05/13/1999

HIST CORTESE:
edr_fname: WINDSOR HOTEL
edr_fadd1: 238 EDDY
City,State,Zip: SAN FRANCISCO, CA 94102
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-1336

CERS:
Name: WINDSOR HOTEL
Address: 238 EDDY STREET
City,State,Zip: SAN FRANCISCO, CA 94102-
Site ID: 234938
CERS ID: T0607501221
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND

WINDSOR HOTEL (Continued) **S104569204**

Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Z358 **ARLINGTON HOTEL MERCY HOUSING** **CA CUPA Listings** **S120628499**
North **480 ELLIS ST** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.212 mi.
1119 ft. **Site 9 of 9 in cluster Z**

Relative:
Higher

Actual:
85 ft.

CUPA SAN FRANCISCO CO:
Name: ARLINGTON HOTEL MERCY HOUSING
Address: 480 ELLIS ST
City,State,Zip: SAN FRANCISCO, CA 94102
Facility ID: 32689
Census Tract: 123
District: 7
Number of Tanks: 0

CERS:
Name: ARLINGTON HOTEL MERCY HOUSING
Address: 480 ELLIS ST
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 93307
CERS ID: 10442668
CERS Description: Chemical Storage Facilities

Coordinates:
Site ID: 93307
Facility Name: Arlington Hotel Mercy Housing
Env Int Type Code: HMBP
Program ID: 10442668
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 37.784770
Longitude: -122.414020

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: San Francisco City & County Public Health Departme
Entity Title: Not reported
Affiliation Address: 1390 Market Street, Room 210
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: (415) 252-3900

Affiliation Type Desc: Property Owner
Entity Name: Mercy Housing
Entity Title: Not reported
Affiliation Address: 480 Ellis Street
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: United States

ARLINGTON HOTEL MERCY HOUSING (Continued) **S120628499**

Affiliation Zip:	94102
Affiliation Phone:	(415) 361-5297
Affiliation Type Desc:	Environmental Contact
Entity Name:	RICHARD TAYLOR
Entity Title:	Not reported
Affiliation Address:	480 Ellis Street
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	Mercy Housing
Entity Title:	Not reported
Affiliation Address:	480 Ellis Street
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 361-5300
Affiliation Type Desc:	Operator
Entity Name:	Lucinda Hass/ Cori Ferguson
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 361-5302
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	480 Ellis Street
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	Arlington Hotel Mercy Housing
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	Hector Pedroza
Entity Title:	Not reported
Affiliation Address:	Not reported

ARLINGTON HOTEL MERCY HOUSING (Continued) **S120628499**

Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Cori Ferguson
Entity Title:	Buidling Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

AI359 **RCRA NonGen / NLR** **1025856226**
SSW **1234 MARKET ST** **CAC003036538**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.214 mi.
1129 ft. **Site 1 of 4 in cluster AI**

Relative:
Higher

Actual:
57 ft.

RCRA NonGen / NLR:

Date form received by agency:	2019-10-01 00:00:00.0
Facility name:	Not reported
Facility address:	1234 MARKET ST SAN FRANCISCO, CA 94102-4801
EPA ID:	CAC003036538
Mailing address:	545 E JOHN CARPENTER FWY IRVING, TX 75062
Contact:	1231 MARKET STREET HOLDINGS LP ATTN
Contact address:	545 E JOHN CARPENTER FWY IRVING, TX 75062
Contact country:	Not reported
Contact telephone:	646-732-2005
Contact email:	ADELENEV@CVECORP.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	1231 MARKET STREET HOLDINGS LP ATTN
Owner/operator address:	545 E JOHN CARPENTER FWY IRVING, TX 75062
Owner/operator country:	Not reported
Owner/operator telephone:	646-732-2005
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported
Owner/operator name:	1231 MARKET STREET HOLDINGS LP ATTN
Owner/operator address:	545 E JOHN CARPENTER FWY

(Continued) **1025856226**

IRVING, TX 75062
Owner/operator country: Not reported
Owner/operator telephone: 646-732-2005
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): Not reported
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

AJ360 **GSA-STATE OF CALIFORNIA** **CA SWEEPS UST** **S101592327**
NNW **570 ELLIS ST** **CA FID UST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.215 mi.
1133 ft. **Site 1 of 15 in cluster AJ**

Relative: Higher
Actual: 95 ft.

SWEEPS UST:
Name: GSA-STATE OF CALIFORNIA
Address: 570 ELLIS ST
City: SAN FRANCISCO
Status: Active
Comp Number: 5336
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Owner Tank Id: Not reported
SWRCB Tank Id: Not reported
Tank Status: Not reported
Capacity: Not reported
Active Date: Not reported
Tank Use: Not reported
STG: Not reported
Content: Not reported
Number Of Tanks: Not reported

Name: GSA-STATE OF CALIFORNIA

GSA-STATE OF CALIFORNIA (Continued) **S101592327**

Address: 570 ELLIS ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 5336
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-005336-000001
Tank Status: Not reported
Capacity: 2500
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: 2

Name: GSA-STATE OF CALIFORNIA
Address: 570 ELLIS ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 5336
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-005336-000002
Tank Status: Not reported
Capacity: 2500
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

CA FID UST:
Facility ID: 38002864
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4150000000
Mail To: Not reported
Mailing Address: 570 ELLIS ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94109
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

AJ361 **GARAGE STATE OF CALIFORNIA** **RCRA-SQG** **1000146033**
NNW **570 ELLIS** **FINDS** **CAD981969041**
1/8-1/4 **SAN FRANCISCO, CA 94109** **ECHO**
0.215 mi.
1133 ft. **Site 2 of 15 in cluster AJ**

Relative: Higher

Actual: 95 ft.

RCRA-SQG:

Date form received by agency:	1996-09-01 00:00:00.0
Facility name:	GARAGE STATE OF CALIFORNIA
Facility address:	570 ELLIS SAN FRANCISCO, CA 94109
EPA ID:	CAD981969041
Mailing address:	ELLIS SAN FRANCISCO, CA 94109
Contact:	Not reported
Contact address:	Not reported Not reported
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	NOT REQUIRED
Owner/operator address:	NOT REQUIRED NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	415-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Federal
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	STATE OF CALIFORNIA GARAGE
Owner/operator address:	NOT REQUIRED NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	415-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Federal
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No

GARAGE STATE OF CALIFORNIA (Continued) **1000146033**

Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

FINDS:

Registry ID: 110002759471

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000146033
Registry ID:	110002759471
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002759471

AB362 **ASB 989 MARKET, LLC** **RCRA-SQG** **1024089794**
ENE **989 MARKET ST** **CAR000278309**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.217 mi.
1148 ft. **Site 9 of 11 in cluster AB**

Relative:
Lower

Actual:
41 ft.

RCRA-SQG:

Date form received by agency:	2017-12-20 00:00:00.0
Facility name:	ASB 989 MARKET, LLC
Facility address:	989 MARKET ST SAN FRANCISCO, CA 94103
EPA ID:	CAR000278309
Mailing address:	MONTGOMERY ST STE 62094104 SAN FRANCISCO, CA 94104
Contact:	ALLEN LOW
Contact address:	MONTGOMERY ST. SUITE 620 SAN FRANCISCO, CA 94104
Contact country:	US
Contact telephone:	628-200-5681
Contact email:	ALLEN.LOW@ABLESERVE.COM
EPA Region:	09
Classification:	Small Small Quantity Generator

ASB 989 MARKET, LLC (Continued) **1024089794**

Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	ASB 989 MARKET, LLC C/O ASB CAPITAL MANAGEMENT, LLC
Owner/operator address:	COWPER ST. SUITE 100 PALO ALTO, CA 94301
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	UNION PROPERTY CAPITAL, LLC
Owner/operator address:	MONTGOMERY ST. SUITE 620 SAN FRANCISCO, CA 94104
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Hazardous Waste Summary:

. Waste code: 461
. Waste name: Degreasing sludge

. Waste code: D008

ASB 989 MARKET, LLC (Continued) **1024089794**

. Waste name: LEAD

Violation Status: No violations found

AB363 **ASB 989 MARKET STREET LLC.** **CA CERS HAZ WASTE** **S121767787**
ENE **989 MARKET ST** **CA HAZNET** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103** **CA CERS**
0.217 mi.
1148 ft. **Site 10 of 11 in cluster AB**

Relative:
Lower

Actual:
41 ft.

CERS HAZ WASTE:
Name: ASB 989 MARKET STREET LLC.
Address: 989 MARKET ST
City,State,Zip: SAN FRANCISCO, CA 94103
Site ID: 36612
CERS ID: 10448020
CERS Description: Hazardous Waste Generator

HAZNET:
Name: ASB 989 MARKET LLC
Address: 989 MARKET STREET
Address 2: Not reported
City,State,Zip: SAN FRANCISCO, CA 94103
Year: 2017
Gepaid: CAC002914188
Contact: JULIE LE
Telephone: 4159898846
Mailing Name: Not reported
Mailing Address: 235 MONTGOMERY ST.
Gen County: 38
Waste Category: Off-specification, aged or surplus organics
TSD EPA ID: NMD002208627
TSD County: 99
Disposal Method: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.435

Additional Info:
Year: 2017
Shipment Date: 20170622
Creation Date: 7/12/2018 18:30:29
Receipt Date: 20170717
Manifest ID: 010891429FLE
Gen EPA ID: CAC002914188
Trans EPA ID: CAR000070540
Trans Name: ADVANCED CHEMICAL TRANSPORT INC (SV)
Trans 2 EPA ID: CAR000154740
Trans 2 Name: NAMAN TRUCKING
TSDF EPA ID: NMD002208627
Trans Name: ADVANCED CHEMICAL TREATMENT
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code: 331
RCRA Code: Not reported
Meth Code: H141
Quantity Tons: 0.4
Waste Quantity: 800
Quantity Unit: P
Additional Code 1: Not reported

ASB 989 MARKET STREET LLC. (Continued) **S121767787**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	2017
Shipment Date:	20170622
Creation Date:	7/12/2018 18:30:29
Receipt Date:	20170717
Manifest ID:	010891429FLE
Gen EPA ID:	CAC002914188
Trans EPA ID:	CAR000070540
Trans Name:	ADVANCED CHEMICAL TRANSPORT INC (SV)
Trans 2 EPA ID:	CAR000154740
Trans 2 Name:	NAMAN TRUCKING
TSDF EPA ID:	NMD002208627
Trans Name:	ADVANCED CHEMICAL TREATMENT
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	331
RCRA Code:	Not reported
Meth Code:	H141
Quantity Tons:	0.035
Waste Quantity:	70
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CERS:

Name:	ASB 989 MARKET STREET LLC.
Address:	989 MARKET ST
City,State,Zip:	SAN FRANCISCO, CA 94103
Site ID:	36612
CERS ID:	10448020
CERS Description:	Chemical Storage Facilities

Coordinates:

Site ID:	36612
Facility Name:	ASB 989 Market Street LLC.
Env Int Type Code:	HMBP
Program ID:	10448020
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	37.782380
Longitude:	-122.410050

Affiliation:

Affiliation Type Desc:	Document Preparer
Entity Name:	Allen Low
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported

ASB 989 MARKET STREET LLC. (Continued) **S121767787**

Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	ASB 989 Market LLC.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 989-8846
Affiliation Type Desc:	Property Owner
Entity Name:	ASB 989 Market street LLC.
Entity Title:	Not reported
Affiliation Address:	235 Mongomery suite 620
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94104
Affiliation Phone:	(415) 989-8846
Affiliation Type Desc:	Identification Signer
Entity Name:	Allen Low
Entity Title:	Chief Engineer
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	ASB 989 Market LLC.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Environmental Contact
Entity Name:	Allen Low
Entity Title:	Not reported

ASB 989 MARKET STREET LLC. (Continued) **S121767787**

Affiliation Address:	235 Mongomery Street suite 620
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94104
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	ASB 989 Market LLC.
Entity Title:	Not reported
Affiliation Address:	235 Mongomery Street suite 620
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94104
Affiliation Phone:	(415) 989-8846
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	989 Market Street
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94103
Affiliation Phone:	Not reported

AB364 **ASB 989 MARKET LLC** **CA CUPA Listings** **S120628761**
ENE **989 MARKET ST #620** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.217 mi.
1148 ft. **Site 11 of 11 in cluster AB**

Relative: **Lower**
Actual: **41 ft.**

CUPA SAN FRANCISCO CO:

Name:	ASB 989 MARKET LLC
Address:	989 MARKET ST #620
City,State,Zip:	SAN FRANCISCO, CA 94103
Facility ID:	33351
Census Tract:	176
District:	6
Number of Tanks:	0

AA365 **RESIDENTIAL APARTMENT** **CA LUST** **S105688878**
NW **669 ELLIS ST** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.218 mi.
1149 ft. **Site 7 of 17 in cluster AA**

Relative: **Higher**
Actual: **95 ft.**

LUST:

Name:	RESIDENTIAL APARTMENT
Address:	669 ELLIS ST
City,State,Zip:	SAN FRANCISCO, CA 94109
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607592511

RESIDENTIAL APARTMENT (Continued) **S105688878**

Global Id:	T0607592511
Latitude:	37.784098
Longitude:	-122.417131
Status:	Completed - Case Closed
Status Date:	12/11/2002
Case Worker:	MA
RB Case Number:	38-2171
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Not reported
Local Case Number:	11499
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607592511
Contact Type:	Local Agency Caseworker
Contact Name:	MAMDOUH AWWAD
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210
City:	SAN FRANCISCO
Email:	mamdouh.awwad@sfdph.org
Phone Number:	Not reported

Global Id:	T0607592511
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0607592511
Action Type:	Other
Date:	04/04/2002
Action:	Leak Discovery

Global Id:	T0607592511
Action Type:	ENFORCEMENT
Date:	05/22/2002
Action:	Notice of Responsibility

Global Id:	T0607592511
Action Type:	Other
Date:	01/02/1965
Action:	Leak Reported

LUST:

Global Id:	T0607592511
Status:	Open - Case Begin Date
Status Date:	04/04/2002

Global Id:	T0607592511
Status:	Open - Site Assessment
Status Date:	05/21/2002

RESIDENTIAL APARTMENT (Continued) **S105688878**

Global Id: T0607592511
Status: Completed - Case Closed
Status Date: 12/11/2002

LUST REG 2:
Region: 2
Facility Id: 38-2171
Facility Status: Case Closed
Case Number: 11499
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: 5/21/2002
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

CERS:
Name: RESIDENTIAL APARTMENT
Address: 669 ELLIS ST
City,State,Zip: SAN FRANCISCO, CA 94109
Site ID: 194421
CERS ID: T0607592511
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: MAMDOUH AWWAD - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1390 MARKET STREET, #210
Affiliation City: SAN FRANCISCO
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

AA366 **RESIDENCE** **CA UST** **U003905831**
NW **669 ELLIS ST** **N/A**
1/8-1/4 **, CA**
0.218 mi.
1149 ft. **Site 8 of 17 in cluster AA**

Relative:
Higher

Actual:
95 ft.

SAN FRANCISCO CO. UST:

Name:	RESIDENCE
Address:	669 ELLIS ST
Facility ID:	26527
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley St
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	3/7/2002
Application Name:	Tracy Wallace
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	4/4/2002
UST Close ID:	4243
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

RESIDENCE (Continued) **U003905831**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AA367 **669 ELLIS C1, LP** **CA LUST S105628323**
NW **669 ELLIS ST** **CA HAZNET N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.218 mi.
1149 ft. **Site 9 of 17 in cluster AA**

Relative:
Higher

Actual:
95 ft.

SAN FRANCISCO CO. LUST:

Name:	Residential
Address:	669 Ellis St
City:	San Francisco
Region:	SAN FRANCISCO
Facility ID:	02-202-001
Facility Status:	Case Closed
Case Number:	11499
Case Type:	Soil only
Release Date:	Not reported
Discovered Date:	4/4/2002
Substance:	Heater Fuel
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	5/21/2002
Case Closed:	7/18/2002
Closed Date:	Not reported
Leak Source:	Tank

669 ELLIS C1, LP (Continued) **S105628323**

Leak Cause:	Unknown
Leak Confirmed:	4/4/2002
Entered Date:	5/22/2002
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Charles Tracey
Staff Initial:	VP
Facility Staff:	MA
Cross Street:	Hyde
NOR Date:	Not reported
MTBE Current:	Not reported
MTBE Current Date:	4/6/2002
MTBE:	ND
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	4/6/2002
Review Date:	7/16/2002
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Low Priority Site
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	5/22/2002
Basin:	DOWNTOWN
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	4/4/2002
Free Product:	Not reported
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Not reported
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	ND
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	YES
Max TPH GW:	Not reported
Max TPH Soil:	7920
TPH Date:	4/6/2002
Block:	Not reported
Lot:	Not reported

669 ELLIS C1, LP (Continued) **S105628323**

Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

HAZNET:

Name:	669 ELLIS C1, LP
Address:	669 ELLIS ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941098076
Year:	2015
Gepaid:	CAC002821403
Contact:	SCOTT MOORE
Telephone:	4153478600
Mailing Name:	Not reported
Mailing Address:	600 CALIFORNIA ST FL 19
Gen County:	38
Waste Category:	Asbestos containing waste
TSD EPA ID:	CAD982042475
TSD County:	48
Disposal Method:	Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons:	0.23

Additional Info:

Year:	2015
Shipment Date:	20150721
Creation Date:	10/1/2015 22:15:12
Receipt Date:	20150724
Manifest ID:	013028056JJK
Gen EPA ID:	CAC002821403
Trans EPA ID:	CAR000216739
Trans Name:	IDEAL RESTOARTION
Trans 2 EPA ID:	CAL000317320
Trans 2 Name:	UNI WASTE INC
TSDF EPA ID:	CAD982042475
Trans Name:	RECOLOGY LANDFILL
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	151
RCRA Code:	Not reported
Meth Code:	H132
Quantity Tons:	0.23
Waste Quantity:	1
Quantity Unit:	Y
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

AF368 **AT&T MOBILITY - ELLIS ST. & JONES ST. (USID119351)** **CA CUPA Listings** **S120628989**
NNE **387 ELLIS ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.218 mi.
1150 ft. **Site 4 of 7 in cluster AF**

Relative: CUPA SAN FRANCISCO CO:
Higher

Name:	AT&T MOBILITY - ELLIS ST. & JONES ST. (USID119351)
Address:	387 ELLIS ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	33793
Census Tract:	125
District:	11
Number of Tanks:	0

Actual:
67 ft.

AF369 **RESIDENCE** **CA UST** **U003905616**
NNE **387 ELLIS ST** **N/A**
1/8-1/4 **, CA**
0.218 mi.
1150 ft. **Site 5 of 7 in cluster AF**

Relative: SAN FRANCISCO CO. UST:
Higher

Name:	RESIDENCE
Address:	387 ELLIS ST
Facility ID:	26516
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	3210 Old Tunnel
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	AEI Consultants
Application Date:	2/27/2002
Application Name:	John Ormerod
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported

Actual:
67 ft.

RESIDENCE (Continued) **U003905616**

Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	3/26/2002
UST Close ID:	4236
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	5/17/2002
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AK370 **TRINITY MANAGEMENT SERVICES** **CA CUPA Listings** **S120628380**
SSE **1188 MISSION ST** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.218 mi.
1151 ft. **Site 1 of 3 in cluster AK**

Relative: CUPA SAN FRANCISCO CO:
Lower

Name:	TRINITY MANAGEMENT SERVICES
Address:	1188 MISSION ST
City,State,Zip:	SAN FRANCISCO, CA 94103
Facility ID:	32091

Actual:
45 ft.

TRINITY MANAGEMENT SERVICES (Continued) **S120628380**

Census Tract: 176
District: 6
Number of Tanks: 0

CERS:
Name: TRINITY MANAGEMENT SERVICES
Address: 1188 MISSION ST
City,State,Zip: SAN FRANCISCO, CA 94103
Site ID: 77764
CERS ID: 10175325
CERS Description: Chemical Storage Facilities

Coordinates:
Site ID: 77764
Facility Name: Trinity Management Services
Env Int Type Code: HMBP
Program ID: 10175325
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 37.778320
Longitude: -122.412810

Affiliation:
Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 1188 Mission St
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94103
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner
Entity Name: Trinity Management
Entity Title: Not reported
Affiliation Address: 1145 Market St.
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 94103
Affiliation Phone: (415) 864-3333

Affiliation Type Desc: CUPA District
Entity Name: San Francisco City & County Public Health Departme
Entity Title: Not reported
Affiliation Address: 1390 Market Street, Room 210
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: (415) 252-3900

Affiliation Type Desc: Environmental Contact
Entity Name: Javier Carpio
Entity Title: Not reported
Affiliation Address: 1188 Mission St

TRINITY MANAGEMENT SERVICES (Continued) **S120628380**

Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94013
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Connie Lam
Entity Title:	Controller
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Javier Carpio
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 864-3333
Affiliation Type Desc:	Document Preparer
Entity Name:	Sean Halladay
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	Trinity Management
Entity Title:	Not reported
Affiliation Address:	1188 Mission St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94103
Affiliation Phone:	(415) 864-3333
Affiliation Type Desc:	Parent Corporation
Entity Name:	Trinity Management Services
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

AA371 **MARTINEZ PROPERTY** **CA HIST CORTESE** **S104396848**
NW **500 16 ELLIS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.219 mi.
1154 ft. **Site 10 of 17 in cluster AA**

Relative: **Higher**

Actual: **96 ft.**

HIST CORTESE:

edr_fname:	MARTINEZ PROPERTY
edr_fadd1:	500 16 ELLIS
City,State,Zip:	SAN FRANCISCO, CA 94109
Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0975

AL372 **33 8TH STREET** **CA LUST** **S117306062**
South **33 8TH STREET** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.219 mi.
1158 ft. **Site 1 of 9 in cluster AL**

Relative: **Lower**

Actual: **51 ft.**

LUST:

Name:	33 8TH STREET
Address:	33 8TH STREET
City,State,Zip:	SAN FRANCISCO, CA 94103
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T10000009426
Global Id:	T10000009426
Latitude:	37.778305561158
Longitude:	-122.414541703705
Status:	Completed - Case Closed
Status Date:	07/28/2017
Case Worker:	MA
RB Case Number:	Not reported
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	12086
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Not reported
Site History:	UST removed on 05/12/2016 and NOR letter sent on 09/29/2016.

LUST:

Global Id:	T10000009426
Contact Type:	Local Agency Caseworker
Contact Name:	MAMDOUH AWWAD
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210
City:	SAN FRANCISCO
Email:	mamdouh.awwad@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T10000009426
Action Type:	RESPONSE
Date:	07/25/2017
Action:	Tank Removal Report / UST Sampling Report

Global Id:	T10000009426
Action Type:	Other

33 8TH STREET (Continued) **S117306062**

Date: 05/12/2016
Action: Leak Discovery

Global Id: T10000009426
Action Type: ENFORCEMENT
Date: 09/29/2016
Action: Notice of Responsibility - #12086

Global Id: T10000009426
Action Type: ENFORCEMENT
Date: 03/15/2017
Action: File review

Global Id: T10000009426
Action Type: Other
Date: 05/12/2016
Action: Leak Stopped

Global Id: T10000009426
Action Type: ENFORCEMENT
Date: 04/24/2017
Action: Site Visit / Inspection / Sampling

Global Id: T10000009426
Action Type: ENFORCEMENT
Date: 07/28/2017
Action: Closure/No Further Action Letter

Global Id: T10000009426
Action Type: ENFORCEMENT
Date: 07/26/2017
Action: Notification - Public Notice of Case Closure

Global Id: T10000009426
Action Type: Other
Date: 05/12/2016
Action: Leak Reported

Global Id: T10000009426
Action Type: ENFORCEMENT
Date: 07/28/2017
Action: LOP Case Closure Summary to RB

Global Id: T10000009426
Action Type: Other
Date: 05/12/2016
Action: Leak Began

LUST:
Global Id: T10000009426
Status: Open - Case Begin Date
Status Date: 05/12/2016

Global Id: T10000009426
Status: Open - Site Assessment
Status Date: 09/29/2016

33 8TH STREET (Continued) **S117306062**

Global Id: T10000009426
Status: Completed - Case Closed
Status Date: 07/28/2017

CERS:
Name: 33 8TH STREET
Address: 33 8TH STREET
City,State,Zip: SAN FRANCISCO, CA 94103
Site ID: 408310
CERS ID: T10000009426
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: MAMDOUH AWWAD - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1390 MARKET STREET, #210
Affiliation City: SAN FRANCISCO
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

AA373 **RESIDENCE** **CA UST** **U003995398**
NNW **400 HYDE ST** **N/A**
1/8-1/4 **, CA**
0.220 mi.
1160 ft. **Site 11 of 17 in cluster AA**

Relative: **Higher**
Actual: **96 ft.**

SAN FRANCISCO CO. UST:
Name: RESIDENCE
Address: 400 HYDE ST
Facility ID: 29364
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 255 Shipley St
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Golden Gate Tank
Application Date: 5/13/2005
Application Name: Tracy Wallace
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported

RESIDENCE (Continued) **U003995398**

Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	6/30/2005
UST Close ID:	4702
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	9/2/2005
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported

RESIDENCE (Continued) **U003995398**

Other Tank Leak Detection Present: Not reported

AJ374 **GSA-STATE OF** **CA UST** **U003903820**
NNW **560 ELLIS ST** **N/A**
1/8-1/4 **, CA**
0.220 mi.
1163 ft. **Site 3 of 15 in cluster AJ**

Relative: **Higher**
Actual: **96 ft.**

SAN FRANCISCO CO. UST:

Name:	GSA-STATE OF
Address:	560 ELLIS ST
Facility ID:	7365
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	10/12/1990
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	763
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported

GSA-STATE OF (Continued) **U003903820**

Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AJ375 **HANDLERY HOTELS** **CA LUST** **S101308269**
NNW **560 ELLIS STREET** **CA HIST CORTESE** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109** **CA CERS**
0.220 mi.
1163 ft. **Site 4 of 15 in cluster AJ**

Relative:
Higher

Actual:
96 ft.

LUST:

Name:	HANDLERY HOTELS
Address:	560 ELLIS STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500150
Global Id:	T0607500150
Latitude:	37.78477
Longitude:	-122.414372
Status:	Completed - Case Closed
Status Date:	04/26/1996
Case Worker:	Not reported
RB Case Number:	38-0173
Local Agency:	Not reported
File Location:	Not reported

HANDLERY HOTELS (Continued) **S101308269**

Local Case Number: 10337
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0607500150
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

LUST:
Global Id: T0607500150
Action Type: Other
Date: 01/02/1965
Action: Leak Reported

Global Id: T0607500150
Action Type: Other
Date: 10/01/1989
Action: Leak Discovery

LUST:
Global Id: T0607500150
Status: Open - Case Begin Date
Status Date: 10/01/1989

Global Id: T0607500150
Status: Completed - Case Closed
Status Date: 04/26/1996

LUST REG 2:
Region: 2
Facility Id: 38-0173
Facility Status: Case Closed
Case Number: 10337
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: Handlery Hotels
Address: 560 Ellis Street

HANDLERY HOTELS (Continued) **S101308269**

City:	San Francisco
Region:	SAN FRANCISCO
Facility ID:	38-0173
Facility Status:	Case Closed
Case Number:	10337
Case Type:	Other ground water affected
Release Date:	7/27/1989
Discovered Date:	10/1/1989
Substance:	Gasoline
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	7/27/1989
Case Closed:	4/26/1996
Closed Date:	4/26/1996
Leak Source:	Tank
Leak Cause:	Structure Failure
Leak Confirmed:	Not reported
Entered Date:	11/29/1994
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	CDM
Cross Street:	LEAVENWORTH ST
NOR Date:	11/29/1994
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	1/20/1989
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Not reported
Abatement:	No Action Taken - no action has as yet been taken at the site
Enforcement Type:	2A
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	3/15/1989
Free Product:	No

HANDLERY HOTELS (Continued) **S101308269**

Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	2A
Amount of Free Produce:	Not reported
Benzene Test:	YES
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

HIST CORTESE:

edr_fname:	HANDLERY HOTELS
edr_fadd1:	560 ELLIS
City,State,Zip:	SAN FRANCISCO, CA
Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0173

CERS:

Name:	HANDLERY HOTELS
Address:	560 ELLIS STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Site ID:	243401
CERS ID:	T0607500150
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

AJ376 **GSA-STATE OF CALIFORNIA** **CA SWEEPS UST** **S101591948**
NNW **560 ELLIS ST** **CA FID UST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.220 mi.
1163 ft. **Site 5 of 15 in cluster AJ**

Relative:
Higher

Actual:
96 ft.

SWEEPS UST:

Name:	GSA-STATE OF CALIFORNIA
Address:	560 ELLIS ST
City:	SAN FRANCISCO
Status:	Not reported
Comp Number:	7365
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-007365-000001
Tank Status:	Not reported
Capacity:	8000
Active Date:	Not reported
Tank Use:	UNKNOWN
STG:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	6

Name:	GSA-STATE OF CALIFORNIA
Address:	560 ELLIS ST
City:	SAN FRANCISCO
Status:	Not reported
Comp Number:	7365
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-007365-000002
Tank Status:	Not reported
Capacity:	400
Active Date:	Not reported
Tank Use:	UNKNOWN
STG:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	Not reported

Name:	GSA-STATE OF CALIFORNIA
Address:	560 ELLIS ST
City:	SAN FRANCISCO
Status:	Not reported
Comp Number:	7365
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-007365-000003

GSA-STATE OF CALIFORNIA (Continued) **S101591948**

Tank Status: Not reported
Capacity: 400
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Name: GSA-STATE OF CALIFORNIA
Address: 560 ELLIS ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 7365
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-007365-000004
Tank Status: Not reported
Capacity: 400
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Name: GSA-STATE OF CALIFORNIA
Address: 560 ELLIS ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 7365
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-007365-000005
Tank Status: Not reported
Capacity: 2500
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Name: GSA-STATE OF CALIFORNIA
Address: 560 ELLIS ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 7365
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported

GSA-STATE OF CALIFORNIA (Continued) **S101591948**

Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-007365-000006
Tank Status:	Not reported
Capacity:	2500
Active Date:	Not reported
Tank Use:	UNKNOWN
STG:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	Not reported

CA FID UST:

Facility ID:	38000214
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	560 ELLIS ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94109
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

Y377 **HOTEL EMBASSY** **CA UST** **U003936903**
WNW **610 POLK ST** **N/A**
1/8-1/4 **, CA**
0.221 mi.
1165 ft. **Site 11 of 11 in cluster Y**

Relative:
Higher

Actual:
85 ft.

SAN FRANCISCO CO. UST:

Name:	HOTEL EMBASSY
Address:	610 POLK ST
Facility ID:	17017
Facility Status:	Not reported
Number Of Tanks:	Not reported
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	10/5/1993
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported

HOTEL EMBASSY (Continued) **U003936903**

Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	10/15/1993
UST Close ID:	1473
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	1/12/1994
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported

HOTEL EMBASSY (Continued) **U003936903**

Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AE378 **CONSTRUCTION SITE** **CA UST** **U003903557**
ESE **1068 MISSION ST** **N/A**
1/8-1/4 **, CA**
0.221 mi.
1169 ft. **Site 3 of 4 in cluster AE**

Relative: **Lower**
Actual: **34 ft.**

SAN FRANCISCO CO. UST:

Name:	CONSTRUCTION SITE
Address:	1068 MISSION ST
Facility ID:	26788
Facility Status:	Not reported
Number Of Tanks:	2
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	1068 Mission St
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Dick/Morganti/Nibb
Application Date:	11/8/2002
Application Name:	Ollie Whaley
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	12/17/2002
UST Close ID:	4367

CONSTRUCTION SITE (Continued) **U003903557**

Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AK379 **1146-1160 MISSION STREET** **CA ENVIROSTOR** **S108741355**
SSE **1160 MISSION STREET** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.222 mi.
1170 ft. **Site 2 of 3 in cluster AK**

Relative: **Lower**
Actual: **41 ft.**

ENVIROSTOR:

Name:	1146-1160 MISSION STREET
Address:	1160 MISSION STREET
City,State,Zip:	SAN FRANCISCO, CA 94103
Facility ID:	60000541
Status:	Refer: 1248 Local Agency
Status Date:	03/04/2003
Site Code:	Not reported
Site Type:	Evaluation
Site Type Detailed:	Evaluation

1146-1160 MISSION STREET (Continued) **S108741355**

Acres:	Not reported
NPL:	NO
Regulatory Agencies:	SAN FRANCISCO COUNTY
Lead Agency:	SAN FRANCISCO COUNTY
Program Manager:	Not reported
Supervisor:	Referred - Not Assigned
Division Branch:	Cleanup Berkeley
Assembly:	17
Senate:	11
Special Program:	Not reported
Restricted Use:	NO
Site Mgmt Req:	NONE SPECIFIED
Funding:	Responsible Party
Latitude:	37.77846
Longitude:	-122.4124
APN:	NONE SPECIFIED
Past Use:	NONE SPECIFIED
Potential COC:	NONE SPECIFIED
Confirmed COC:	NONE SPECIFIED
Potential Description:	NONE SPECIFIED
Alias Name:	60000541
Alias Type:	Envirostor ID Number

Completed Info:

Completed Area Name:	Not reported
Completed Sub Area Name:	Not reported
Completed Document Type:	Not reported
Completed Date:	Not reported
Comments:	Not reported
Future Area Name:	Not reported
Future Sub Area Name:	Not reported
Future Document Type:	Not reported
Future Due Date:	Not reported
Schedule Area Name:	Not reported
Schedule Sub Area Name:	Not reported
Schedule Document Type:	Not reported
Schedule Due Date:	Not reported
Schedule Revised Date:	Not reported

AK380 **SOMA GRAND** **CA CUPA Listings** **S120628037**
SSE **1160 MISSION ST** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.222 mi.
1170 ft. **Site 3 of 3 in cluster AK**

Relative:
Lower

Actual:
41 ft.

CUPA SAN FRANCISCO CO:

Name:	SOMA GRAND
Address:	1160 MISSION ST
City,State,Zip:	SAN FRANCISCO, CA 94103
Facility ID:	30231
Census Tract:	176
District:	6
Number of Tanks:	0

CERS:

Name:	SOMA GRAND
Address:	1160 MISSION ST

SOMA GRAND (Continued) **S120628037**

City,State,Zip: SAN FRANCISCO, CA 94103
Site ID: 68869
CERS ID: 10062097
CERS Description: Chemical Storage Facilities

Coordinates:
Site ID: 68869
Facility Name: SOMA Grand
Env Int Type Code: HMBP
Program ID: 10062097
Coord Name: Not reported
Ref Point Type Desc: Unknown
Latitude: 37.778706
Longitude: -122.412636

Affiliation:
Affiliation Type Desc: Identification Signer
Entity Name: Nicholas Berg
Entity Title: General Manager
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Parent Corporation
Entity Name: SOMA Grand
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: SOMA Grand Center
Entity Title: Not reported
Affiliation Address: 3450 Third St, Ste 1a
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 94124
Affiliation Phone: (650) 722-2866

Affiliation Type Desc: Operator
Entity Name: CitiScape Property Mangement
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (415) 401-2000

Affiliation Type Desc: CUPA District

SOMA GRAND (Continued) **S120628037**

Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Environmental Contact
Entity Name:	Nicholas Berg
Entity Title:	Not reported
Affiliation Address:	3450 Third St, Ste 1a
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94124
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	3450 Third St, Ste 1a
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94124
Affiliation Phone:	Not reported

AA381 **RESIDENCE** **CA UST** **U003937003**
NNW **401 HYDE ST** **N/A**
1/8-1/4 **, CA**
0.222 mi.
1170 ft. **Site 12 of 17 in cluster AA**

Relative:
Higher

Actual:
97 ft.

SAN FRANCISCO CO. UST:

Name:	RESIDENCE
Address:	401 HYDE ST
Facility ID:	24657
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	450 - 6th Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Bay Area Tank
Application Date:	8/3/1995
Application Name:	Tim Gallagher
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported

RESIDENCE (Continued) **U003937003**

Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported
Compartmentalized Tank: Not reported
Of Tank Compartments: Not reported
Date Tank Installed: Not reported
Tank Capacity: Not reported
Additional Desc: Not reported
Tank Use: Not reported
Petroleum Type: Not reported
Common Name: Not reported
Case Number: Not reported
Type Of Tank: Not reported
Primary Tank Material: Not reported
Secondary Tank Material: Not reported
Tank Interior Lining: Not reported
Date Interior Lining Install: Not reported
Date Closed: 8/11/1995
UST Close ID: 2134
Type Of Spill Protection: Not reported
Date Alarm Overfill Protection Installed: Not reported
Date Ball Float Overfill Protection Installed: Not reported
Date Fill Tube Shut Overfill Protection Installed: Not reported
Overfill Protection Exempt: Not reported
Othr Tnk Corrosive Prtctn: Not reported
Date Corrosive Prtctn Install: Not reported
Tank Leak Detection (single walled): Not reported
Tank Leak Detection (double wall): Not reported
Estimated Date Last Used: Not reported
Estimated Qty Of Substance Remaining: Not reported
Tank Filled With Inert Material: Not reported
Piping System Type (Underground): Not reported
Piping System Type (Aboveground): Not reported
Piping Construction (Underground): Not reported
Piping Manufacturer (Underground): Not reported
Piping Construction (Aboveground): Not reported
Piping Manufacturer (Aboveground): Not reported
Piping Material & Corrosion Protection (Underground): Not reported
Piping Material & Corrosion Protection (Aboveground): Not reported
Piping Leak Detection (Undrgrnd - Single Wall): Not reported
Piping Leak Detection (2nd Contained): Not reported
Piping Leak Detection (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Underground: Not reported
Piping Leak Detection (Aboveground - Single Wall): Not reported
Piping Leak Detection (Underground - 2nd Contained): Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Aboveground: Not reported
Date Dispenser Containment Installed: Not reported
Dispenser Containment Type: Not reported
Date Certified (Tank Unit): Not reported
Certified Date: 8/23/1995
Last Annual Monitoring Cert: Not reported
2nd Containment Test: Not reported
Spill Containment Present: Not reported

RESIDENCE (Continued) **U003937003**

Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AA382 **ILTOVICH PROPERTYY** **CA LUST S102431623**
NNW **401 HYDE STREET** **CA HIST CORTESE N/A**
1/8-1/4 **SAN FRANCISCO, CA 94105**
0.222 mi.
1170 ft. **Site 13 of 17 in cluster AA**

Relative:
Higher

Actual:
97 ft.

LUST:

Name:	ILTOVICH PROPERTYY
Address:	401 HYDE STREET
City,State,Zip:	SAN FRANCISCO, CA 94105
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500577
Global Id:	T0607500577
Latitude:	37.7846
Longitude:	-122.416331
Status:	Completed - Case Closed
Status Date:	08/30/1995
Case Worker:	SC
RB Case Number:	38-0658
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Not reported
Local Case Number:	10516
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0607500577
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0607500577
Contact Type:	Local Agency Caseworker
Contact Name:	STEPHANIE CUSHING
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET #210
City:	SAN FRANCISCO
Email:	stephanie.cushing@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T0607500577
Action Type:	Other
Date:	07/31/1995
Action:	Leak Discovery

ILTOVICH PROPERTYY (Continued) **S102431623**

Global Id: T0607500577
Action Type: Other
Date: 01/02/1965
Action: Leak Reported

LUST:
Global Id: T0607500577
Status: Open - Case Begin Date
Status Date: 07/31/1995

Global Id: T0607500577
Status: Completed - Case Closed
Status Date: 08/30/1995

HIST CORTESE:
edr_fname: ILITOVICH PROPERTY
edr_fadd1: 401 HYDE
City,State,Zip: SAN FRANCISCO, CA 94105
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-0658

AA383 **ILTOVICH PROPERTYY** **CA LUST** **S104809995**
NNW **401 HYDE STREET** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94105**
0.222 mi.
1170 ft. **Site 14 of 17 in cluster AA**

Relative:
Higher

Actual:
97 ft.

LUST REG 2:
Region: 2
Facility Id: 38-0658
Facility Status: Case Closed
Case Number: 10516
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: Iltovich PropertyY
Address: 401 Hyde Street
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 38-0658
Facility Status: Case Closed
Case Number: 10516
Case Type: Soil only

ILTOVICH PROPERTYY (Continued) **S104809995**

Release Date:	8/11/1995
Discovered Date:	7/31/1995
Substance:	Gasoline
Substance Qty:	Not reported
How Discovered:	Not reported
How Stopped:	Not reported
Report Date:	8/11/1995
Case Closed:	8/30/1995
Closed Date:	8/30/1995
Leak Source:	Not reported
Leak Cause:	Not reported
Leak Confirmed:	Not reported
Entered Date:	8/28/1995
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	SC
Cross Street:	ELLIS ST
NOR Date:	8/28/1995
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	Not reported
Priority:	Not reported
Abatement:	Not reported
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	Not reported
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Fuel Oil Nos. 1-6
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported

ILTOVICH PROPERTYY (Continued) **S104809995**

Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

CERS:

Name:	ILTOVICH PROPERTYY
Address:	401 HYDE STREET
City,State,Zip:	SAN FRANCISCO, CA 94105
Site ID:	251212
CERS ID:	T0607500577
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	STEPHANIE CUSHING - SAN FRANCISCO COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1390 MARKET STREET #210
Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

AD384 **RESIDENCE** **CA LUST** **S103667116**
WNW **620 EDDY STREET** **CA HIST CORTESE** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.222 mi.
1173 ft. **Site 6 of 10 in cluster AD**

Relative:
Higher

Actual:
91 ft.

LUST:

Name:	RESIDENCE
Address:	620 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Lead Agency:	SAN FRANCISCO COUNTY LOP

RESIDENCE (Continued) **S103667116**

Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500803
Global Id:	T0607500803
Latitude:	37.783383
Longitude:	-122.418051
Status:	Completed - Case Closed
Status Date:	06/04/1997
Case Worker:	MA
RB Case Number:	38-0908
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Not reported
Local Case Number:	10823
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607500803
Contact Type:	Local Agency Caseworker
Contact Name:	MAMDOUH AWWAD
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210
City:	SAN FRANCISCO
Email:	mamdouh.awwad@sfdph.org
Phone Number:	Not reported

Global Id:	T0607500803
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0607500803
Action Type:	Other
Date:	04/24/1997
Action:	Leak Discovery

Global Id:	T0607500803
Action Type:	Other
Date:	01/02/1965
Action:	Leak Reported

Global Id:	T0607500803
Action Type:	ENFORCEMENT
Date:	06/04/1997
Action:	Closure/No Further Action Letter - #10823

LUST:

Global Id:	T0607500803
Status:	Open - Case Begin Date
Status Date:	04/24/1997

Global Id:	T0607500803

RESIDENCE (Continued) **S103667116**

Status: Completed - Case Closed
Status Date: 06/04/1997

HIST CORTESE:
edr_fname: RESIDENCE
edr_fadd1: 620 EDDY
City,State,Zip: SAN FRANCISCO, CA 94109
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-0908

AD385 **620 EDDY ST** **CA UST** **U003915566**
WNW **620 EDDY ST** **N/A**
1/8-1/4 **, CA**
0.222 mi.
1173 ft. **Site 7 of 10 in cluster AD**

Relative:
Higher

Actual:
91 ft.

SAN FRANCISCO CO. UST:
Name: 620 EDDY ST
Address: 620 EDDY ST
Facility ID: 21548
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 255 Shipley Street
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Golden Gate Tank
Application Date: 3/18/1997
Application Name: Tim Hallen
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported
Compartmentalized Tank: Not reported
Of Tank Compartments: Not reported
Date Tank Installed: Not reported
Tank Capacity: Not reported
Additional Desc: Not reported
Tank Use: Not reported
Petroleum Type: Not reported
Common Name: Not reported
Case Number: Not reported
Type Of Tank: Not reported

620 EDDY ST (Continued) **U003915566**

Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	4/3/1997
UST Close ID:	2864
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	5/22/1997
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AD386 **RESIDENCE** **CA LUST** **S105248111**
WNW **620 EDDY STREET** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.222 mi.
1173 ft. **Site 8 of 10 in cluster AD**

Relative:
Higher

Actual:
91 ft.

LUST REG 2:

Region:	2
Facility Id:	38-0908
Facility Status:	Case Closed
Case Number:	10823
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

SAN FRANCISCO CO. LUST:

Name:	Residence
Address:	620 Eddy Street
City:	San Francisco
Region:	SAN FRANCISCO
Facility ID:	38-0908
Facility Status:	Case Closed
Case Number:	10823
Case Type:	Soil only
Release Date:	4/3/1997
Discovered Date:	4/24/1997
Substance:	Heater Fuel
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	4/3/1997
Case Closed:	6/4/1997
Closed Date:	6/4/1997
Leak Source:	Tank
Leak Cause:	Corrosion
Leak Confirmed:	Not reported
Entered Date:	5/28/1997
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	MA
Cross Street:	LARKIN ST
NOR Date:	5/28/1997
MTBE Current:	Not reported
MTBE Current Date:	Not reported

RESIDENCE (Continued) **S105248111**

MTBE:	NRQ
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Not reported
Interim Remediation:	Yes
Priority:	Not reported
Abatement:	Remove Free Product - remove floating product from water table
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	4/3/1997
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Fuel Oils Nos. 1 -
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	ND
Maximum Soil GW:	ND
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

CERS:

Name:	RESIDENCE
Address:	620 EDDY STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Site ID:	194974
CERS ID:	T0607500803
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker

RESIDENCE (Continued) **S105248111**

Entity Name:	MAMDOUH AWWAD - SAN FRANCISCO COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1390 MARKET STREET, #210
Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

AH387 **ALEXANDER RESIDENCE** **CA CUPA Listings** **S120627250**
NE **230 EDDY ST** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.224 mi.
1182 ft. **Site 4 of 5 in cluster AH**

Relative:
Lower

Actual:
53 ft.

CUPA SAN FRANCISCO CO:

Name:	ALEXANDER RESIDENCE
Address:	230 EDDY ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	18378
Census Tract:	125
District:	10
Number of Tanks:	0

CERS:

Name:	ALEXANDER RESIDENCE
Address:	230 EDDY ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	384562
CERS ID:	10058212
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	384562
Site Name:	Alexander Residence
Violation Date:	04-26-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 05/03/2018.
Violation Division:	San Francisco City & County Public Health Dept
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	384562

ALEXANDER RESIDENCE (Continued) **S120627250**

Site Name:	Alexander Residence
Violation Date:	04-26-2018
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 05/03/2018.
Violation Division:	San Francisco City & County Public Health Dept
Violation Program:	HMRRP
Violation Source:	CERS

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-26-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	San Francisco City & County Public Health Dept
Eval Program:	HMRRP
Eval Source:	CERS

Coordinates:

Site ID:	384562
Facility Name:	Alexander Residence
Env Int Type Code:	HMBP
Program ID:	10058212
Coord Name:	Not reported
Ref Point Type Desc:	Unknown
Latitude:	37.784367
Longitude:	-122.411499

Affiliation:

Affiliation Type Desc:	Identification Signer
Entity Name:	Nicole Grays
Entity Title:	General Manager II
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	Alexander Residence Preservation LP
Entity Title:	Not reported
Affiliation Address:	230 Eddy St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 441-0260

Affiliation Type Desc:	Environmental Contact
Entity Name:	Rafael Nicolescu
Entity Title:	Not reported

ALEXANDER RESIDENCE (Continued) **S120627250**

Affiliation Address:	230 Eddy St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	Tenderloin Neighorhood Dev. Corp
Entity Title:	Not reported
Affiliation Address:	230 Eddy St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 441-0260
Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Operator
Entity Name:	Nicole Grays
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 441-0260
Affiliation Type Desc:	Parent Corporation
Entity Name:	Alexander Residence
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	Nicole Grays
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

ALEXANDER RESIDENCE (Continued) **S120627250**

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	230 Eddy Street
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

AH388 **ALEXANDER RESIDENCE** **RCRA NonGen / NLR** **1024751249**
NE **230 EDDY STREET** **CAC002971041**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.224 mi.
1182 ft. **Site 5 of 5 in cluster AH**

Relative: **Lower**
Actual: **53 ft.**

RCRA NonGen / NLR:

Date form received by agency:	2018-07-16 00:00:00.0
Facility name:	ALEXANDER RESIDENCE
Facility address:	230 EDDY STREET SAN FRANCISCO, CA 94102
EPA ID:	CAC002971041
Contact:	EDUARDO LUNA OR PROPERTY MANAGEMENT
Contact address:	230 EDDY STREET SAN FRANCISCO, CA 94102
Contact country:	Not reported
Contact telephone:	415-441-0260
Contact email:	ELUNA@TNDC.ORG
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	TENDERLOIN NEIGHBORHOOD DEV. CORP.
Owner/operator address:	230 EDDY STREET SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-441-0260
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	EDUARDO LUNA OR PROPERTY MANAGEMENT
Owner/operator address:	230 EDDY STREET SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-441-0260
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator

ALEXANDER RESIDENCE (Continued) **1024751249**

Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

AF389 **COMMERCIAL** **CA UST** **U003916154**
NNE **424 ELLIS ST** **N/A**
1/8-1/4 **, CA**
0.226 mi.
1192 ft. **Site 6 of 7 in cluster AF**

Relative:
Higher

Actual:
78 ft.

SAN FRANCISCO CO. UST:
Name: COMMERCIAL
Address: 424 ELLIS ST
Facility ID: 24432
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Not reported
Application Date: 4/13/1994
Application Name: Not reported
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported
Compartmentalized Tank: Not reported
Of Tank Compartments: Not reported

COMMERCIAL (Continued) **U003916154**

Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	4/26/1994
UST Close ID:	1674
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	7/14/1994
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AI390 **SAN FRANCISCAN** **CA UST** **U003906044**
SSW **1231 MARKET ST** **N/A**
1/8-1/4 **, CA**
0.226 mi.
1195 ft. **Site 2 of 4 in cluster AI**

Relative:
Lower

Actual:
56 ft.

SAN FRANCISCO CO. UST:

Name:	SAN FRANCISCAN
Address:	1231 MARKET ST
Facility ID:	24814
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	3/18/1991
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	9/17/1991
UST Close ID:	827
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

SAN FRANCISCAN (Continued) **U003906044**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AI391 **HOTEL WHITCOMB** **CA CUPA Listings** **S120627300**
SSW **1231 MARKET ST** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.226 mi.
1195 ft. **Site 3 of 4 in cluster AI**

Relative:
Lower

Actual:
56 ft.

CUPA SAN FRANCISCO CO:

Name:	HOTEL WHITCOMB
Address:	1231 MARKET ST
City,State,Zip:	SAN FRANCISCO, CA 94103
Facility ID:	34755
Census Tract:	176
District:	6
Number of Tanks:	0

CERS:

Name:	HOTEL WHITCOMB
Address:	1231 MARKET ST
City,State,Zip:	SAN FRANCISCO, CA 94103
Site ID:	123303
CERS ID:	10055962
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	123303

HOTEL WHITCOMB (Continued) **S120627300**

Site Name: HOTEL WHITCOMB
Violation Date: 01-15-2019
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Not reported
Violation Division: San Francisco City & County Public Health Dept
Violation Program: HMRRP
Violation Source: CERS

Site ID: 123303
Site Name: HOTEL WHITCOMB
Violation Date: 01-15-2019
Citation: HSC 6.95 25507 - California Health and Safety Code, Chapter 6.95, Section(s) 25507
Violation Description: Failure to adequately establish and implement a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes: Not reported
Violation Division: San Francisco City & County Public Health Dept
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Other/Unknown
Eval Date: 01-15-2019
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: San Francisco City & County Public Health Dept
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-22-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: San Francisco City & County Public Health Dept
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-24-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: San Francisco City & County Public Health Dept
Eval Program: HMRRP
Eval Source: CERS

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: San Francisco City & County Public Health Departme
Entity Title: Not reported

HOTEL WHITCOMB (Continued) **S120627300**

Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Document Preparer
Entity Name:	Renee Gaspar
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Environmental Contact
Entity Name:	Renee Gaspar
Entity Title:	Not reported
Affiliation Address:	1231 Market St.
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94103
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	1231 Market St.
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94103
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Renee Gaspar
Entity Title:	Cheif Engineer
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	1231 Market Street Owner, LP
Entity Title:	Not reported
Affiliation Address:	1231 Market St.
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94103
Affiliation Phone:	(415) 626-8000

HOTEL WHITCOMB (Continued) **S120627300**

Affiliation Type Desc:	Parent Corporation
Entity Name:	1231 Market St Owner LP
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Operator
Entity Name:	Hotel Whitcomb
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 626-8000

AI392 **SAN FRANCISCAN HOTEL** **CA SWEEPS UST** **S101592288**
SSW **1231 MARKET ST** **CA FID UST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.226 mi.
1195 ft. **Site 4 of 4 in cluster AI**

Relative:
Lower

Actual:
56 ft.

SWEEPS UST:

Name:	SAN FRANCISCAN HOTEL
Address:	1231 MARKET ST
City:	SAN FRANCISCO
Status:	Active
Comp Number:	2088
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Owner Tank Id:	Not reported
SWRCB Tank Id:	Not reported
Tank Status:	Not reported
Capacity:	Not reported
Active Date:	Not reported
Tank Use:	Not reported
STG:	Not reported
Content:	Not reported
Number Of Tanks:	Not reported

Name:	SAN FRANCISCAN HOTEL
Address:	1231 MARKET ST
City:	SAN FRANCISCO
Status:	Not reported
Comp Number:	2088
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported

SAN FRANCISCAN HOTEL (Continued) **S101592288**

Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-002088-000001
Tank Status: Not reported
Capacity: 500
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: 1

CA FID UST:
Facility ID: 38002205
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4150000000
Mail To: Not reported
Mailing Address: 1231 MARKET ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94103
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

AG393 **1095 MISSION ST** **CA UST** **U003914886**
SE **1095 MISSION ST** **N/A**
1/8-1/4 **, CA**
0.228 mi.
1204 ft. **Site 4 of 4 in cluster AG**

Relative:
Lower

Actual:
34 ft.

SAN FRANCISCO CO. UST:
Name: 1095 MISSION ST
Address: 1095 MISSION ST
Facility ID: 24842
Facility Status: Not reported
Number Of Tanks: Not reported
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Not reported
Application Date: 4/6/1994
Application Name: Not reported
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported

1095 MISSION ST (Continued) **U003914886**

Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported
Compartmentalized Tank: Not reported
Of Tank Compartments: Not reported
Date Tank Installed: Not reported
Tank Capacity: Not reported
Additional Desc: Not reported
Tank Use: Not reported
Petroleum Type: Not reported
Common Name: Not reported
Case Number: Not reported
Type Of Tank: Not reported
Primary Tank Material: Not reported
Secondary Tank Material: Not reported
Tank Interior Lining: Not reported
Date Interior Lining Install: Not reported
Date Closed: 4/15/1994
UST Close ID: 1663
Type Of Spill Protection: Not reported
Date Alarm Overfill Protection Installed: Not reported
Date Ball Float Overfill Protection Installed: Not reported
Date Fill Tube Shut Overfill Protection Installed: Not reported
Overfill Protection Exempt: Not reported
Othr Tnk Corrosive Prtctn: Not reported
Date Corrosive Prtctn Install: Not reported
Tank Leak Detection (single walled): Not reported
Tank Leak Detection (double wall): Not reported
Estimated Date Last Used: Not reported
Estimated Qty Of Substance Remaining: Not reported
Tank Filled With Inert Material: Not reported
Piping System Type (Underground): Not reported
Piping System Type (Aboveground): Not reported
Piping Construction (Underground): Not reported
Piping Manufacturer (Underground): Not reported
Piping Construction (Aboveground): Not reported
Piping Manufacturer (Aboveground): Not reported
Piping Material & Corrosion Protection (Underground): Not reported
Piping Material & Corrosion Protection (Aboveground): Not reported
Piping Leak Detection (Undrgrnd - Single Wall): Not reported
Piping Leak Detection (2nd Contained): Not reported
Piping Leak Detection (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Underground: Not reported
Piping Leak Detection (Aboveground - Single Wall): Not reported
Piping Leak Detection (Underground - 2nd Contained): Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Aboveground: Not reported
Date Dispenser Containment Installed: Not reported
Dispenser Containment Type: Not reported
Date Certified (Tank Unit): Not reported
Certified Date: 6/10/1994
Last Annual Monitoring Cert: Not reported
2nd Containment Test: Not reported
Spill Containment Present: Not reported

1095 MISSION ST (Continued) **U003914886**

Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AA394 **AUTO SPORT HAUS** **RCRA NonGen / NLR** **1024823032**
NW **632 ELLIS ST** **CAL000342632**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.229 mi.
1209 ft. **Site 15 of 17 in cluster AA**

Relative:
Higher

Actual:
99 ft.

RCRA NonGen / NLR:

Date form received by agency:	2009-04-28 00:00:00.0
Facility name:	AUTO SPORT HAUS
Facility address:	632 ELLIS ST SAN FRANCISCO, CA 94109-8028
EPA ID:	CAL000342632
Contact:	FRANK SIEM
Contact address:	632 ELLIS ST SAN FRANCISCO, CA 94109-8028
Contact country:	Not reported
Contact telephone:	415-771-5770
Contact email:	Not reported
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	FRANK SIEM
Owner/operator address:	632 ELLIS ST SAN FRANCISCO, CA 94109
Owner/operator country:	Not reported
Owner/operator telephone:	415-771-5770
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	FRANK SIEM
Owner/operator address:	290 BAYVIEW CIR SAN FRANCISCO, CA 94124
Owner/operator country:	Not reported
Owner/operator telephone:	415-285-4287
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

AUTO SPORT HAUS (Continued) **1024823032**

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

AA395 **AUTO SPORT HAUS** **CA CERS HAZ WASTE** **S120628136**
NW **632 ELLIS ST** **CA CUPA Listings** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109** **CA CERS**
0.229 mi.
1209 ft. **Site 16 of 17 in cluster AA**

Relative:
Higher

Actual:
99 ft.

CERS HAZ WASTE:
Name: AUTO SPORT HAUS
Address: 632 ELLIS ST
City,State,Zip: SAN FRANCISCO, CA 94109
Site ID: 9669
CERS ID: 10062880
CERS Description: Hazardous Waste Generator

CUPA SAN FRANCISCO CO:
Name: AUTO SPORT HAUS
Address: 632 ELLIS ST
City,State,Zip: SAN FRANCISCO, CA 94109
Facility ID: 30932
Census Tract: 122
District: 7
Number of Tanks: 0

CERS:
Name: AUTO SPORT HAUS
Address: 632 ELLIS ST
City,State,Zip: SAN FRANCISCO, CA 94109
Site ID: 9669
CERS ID: 10062880
CERS Description: Chemical Storage Facilities

Coordinates:
Site ID: 9669
Facility Name: Auto Sport Haus
Env Int Type Code: HWG
Program ID: 10062880
Coord Name: Not reported
Ref Point Type Desc: Unknown
Latitude: 37.784649

AUTO SPORT HAUS (Continued) **S120628136**

Longitude: -122.416771

Affiliation:

Affiliation Type Desc:	Document Preparer
Entity Name:	frank siem
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	Frank Siem
Entity Title:	Not reported
Affiliation Address:	632 Ellis St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94109
Affiliation Phone:	(415) 771-5770

Affiliation Type Desc:	Operator
Entity Name:	Frank Siem
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 671-5143

Affiliation Type Desc:	Property Owner
Entity Name:	ROGER ABUYAGHI
Entity Title:	Not reported
Affiliation Address:	78 Sheffield Dr.
Affiliation City:	Daly City
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94015
Affiliation Phone:	(415) 292-4840

Affiliation Type Desc:	Environmental Contact
Entity Name:	Frank Siem
Entity Title:	Not reported
Affiliation Address:	632 Ellis St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94109
Affiliation Phone:	Not reported

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	632 ellis street

AUTO SPORT HAUS (Continued) **S120628136**

Affiliation City:	san francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94109
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	frank siem
Entity Title:	owner
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Parent Corporation
Entity Name:	Auto Sport Haus
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

AA396 **632 ELLIS ST** **CA UST** **U003915574**
NW **632 ELLIS ST** **N/A**
1/8-1/4 **, CA**
0.229 mi.
1209 ft. **Site 17 of 17 in cluster AA**

Relative:
Higher

Actual:
99 ft.

SAN FRANCISCO CO. UST:

Name:	632 ELLIS ST
Address:	632 ELLIS ST
Facility ID:	21040
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported

632 ELLIS ST (Continued) **U003915574**

Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	5/13/1996
Application Name:	Golden Gate Tank
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	5/30/1996
UST Close ID:	2550
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported

632 ELLIS ST (Continued) **U003915574**

Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	8/16/1996
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AM397 **BRIDGETON 995 MARKET FEE LLC** **RCRA-LQG** **1025881898**
East **995 MARKET ST STE 102** **CAP000263236**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.231 mi.
1218 ft. **Site 1 of 10 in cluster AM**

Relative: RCRA-LQG:
Lower

Actual: Date form received by agency: 2016-05-09 00:00:00.0
39 ft. Facility name: BRIDGETON 995 MARKET FEE LLC
Facility address: 995 MARKET ST STE 102
SAN FRANCISCO, CA 94103
EPA ID: CAP000263236
Mailing address: 5TH ST 19TH FLR
NEW YORK, NY 10001
Contact: JOEY SOLORIO
Contact address: MARKET ST STE 102
SAN FRANCISCO, CA 94103
Contact country: US
Contact telephone: 415-710-5273
Contact email: JSOLORIO@TOWNSHIP-ENGINEERING.COM
EPA Region: 09
Classification: Large Quantity Generator
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:
Owner/operator name: BRIDGETON 995 MARKET FEE LLC
Owner/operator address: 5TH AVE 19TH FLR
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: 212-235-2788
Owner/operator email: Not reported
Owner/operator fax: Not reported

BRIDGETON 995 MARKET FEE LLC (Continued) **1025881898**

Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 2016-02-12 00:00:00.
Owner/Op end date: Not reported

Owner/operator name: BRIDGETON 995 MARKET FEE LLC
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 2016-02-12 00:00:00.
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Hazardous Waste Summary:

. Waste code: 181
. Waste name: Other inorganic solid waste

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

AM398 **CVS PHARMACY #10622** **CA CUPA Listings** **S120628853**
East **995 MARKET ST** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.231 mi.
1218 ft. **Site 2 of 10 in cluster AM**

Relative: **Lower**
Actual: **39 ft.**

CUPA SAN FRANCISCO CO:

Name:	CVS PHARMACY #10622
Address:	995 MARKET ST
City,State,Zip:	SAN FRANCISCO, CA 94103
Facility ID:	33550
Census Tract:	176

CVS PHARMACY #10622 (Continued) **S120628853**

District: 7
Number of Tanks: 0

CERS:
Name: CVS PHARMACY #10622
Address: 995 MARKET ST
City,State,Zip: SAN FRANCISCO, CA 94103
Site ID: 359899
CERS ID: 10647853
CERS Description: Chemical Storage Facilities

Affiliation:
Affiliation Type Desc: Document Preparer
Entity Name: John Koning, Agent for Garfield Beach CVS, L.L.C.
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact
Entity Name: Verisk 3E, Regulatory Services/CVS
Entity Title: Not reported
Affiliation Address: 3207 Grey Hawk Court, Suite 200
Affiliation City: Carlsbad
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92010
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: John Koning, Agent for Garfield Beach CVS, L.L.C.
Entity Title: Regulatory Compliance Specialist, Verisk 3E
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: CUPA District
Entity Name: San Francisco City & County Public Health Departme
Entity Title: Not reported
Affiliation Address: 1390 Market Street, Room 210
Affiliation City: San Francisco
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 94102
Affiliation Phone: (415) 252-3900

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: Verisk 3E, Regulatory/Eric Ensminger, 3207 Grey Hawk Ct., Suite 200
Affiliation City: Carlsbad

CVS PHARMACY #10622 (Continued) **S120628853**

Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	Garfield Beach CVS, L.L.C.
Entity Title:	Not reported
Affiliation Address:	One CVS Drive
Affiliation City:	Woonsocket
Affiliation State:	RI
Affiliation Country:	United States
Affiliation Zip:	02895
Affiliation Phone:	(401) 770-3315
Affiliation Type Desc:	Operator
Entity Name:	Garfield Beach CVS, L.L.C.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(401) 765-1500
Affiliation Type Desc:	Parent Corporation
Entity Name:	CVS Health
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	995 Market Street SF Investment, LLC
Entity Title:	Not reported
Affiliation Address:	980 Fifth Ave
Affiliation City:	San Rafael
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94901
Affiliation Phone:	(415) 455-0300

AM399 **995 MARKET ST** **CA UST** **U003915692**
East **995 MARKET ST** **N/A**
1/8-1/4 **, CA**
0.231 mi.
1218 ft. **Site 3 of 10 in cluster AM**

Relative:
Lower

Actual:
39 ft.

SAN FRANCISCO CO. UST:

Name:	995 MARKET ST
Address:	995 MARKET ST
Facility ID:	21945
Facility Status:	Not reported
Number Of Tanks:	1

995 MARKET ST (Continued) **U003915692**

Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	9/5/1997
Application Name:	Tim Hallen
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	11/13/1997
UST Close ID:	3018
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported

995 MARKET ST (Continued) **U003915692**

Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	1/15/1998
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AM400 **995 MARKET STREET** **RCRA-LQG** **1025881734**
East **995 MARKET ST** **CAP000254409**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.231 mi.
1218 ft. **Site 4 of 10 in cluster AM**

Relative: **Lower**

Actual: **39 ft.**

RCRA-LQG:

Date form received by agency:	2015-06-09 00:00:00.0
Facility name:	995 MARKET STREET
Facility address:	995 MARKET ST SAN FRANCISCO, CA 94103
EPA ID:	CAP000254409
Mailing address:	FAIRVIEW AVE STE 200 SEATTLE, WA 98102
Contact:	KYM LEE
Contact address:	FAIRVIEW AVE STE 200 SEATTLE, WA 98102
Contact country:	US
Contact telephone:	206-701-7962
Telephone ext.:	237
Contact email:	KYML@COLUMBIAPACIFIC.COM
EPA Region:	09
Classification:	Large Quantity Generator
Description:	Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than

995 MARKET STREET (Continued) **1025881734**

100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name:	995 MARKET STREET SF INVESTMENT LLC
Owner/operator address:	FAIRVIEW AVE STE 200
	SAN FRANCISCO, NE 68102
Owner/operator country:	US
Owner/operator telephone:	206-701-7962
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	2013-10-23 00:00:00.
Owner/Op end date:	Not reported
Owner/operator name:	KYM LEE AND BILL HARDT
Owner/operator address:	Not reported
	Not reported
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	2015-10-23 00:00:00.
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Hazardous Waste Summary:

. Waste code:	181
. Waste name:	Other inorganic solid waste
. Waste code:	D008
. Waste name:	LEAD

Violation Status: No violations found

AM401 **CVS PHARMACY #10622** **RCRA NonGen / NLR** **1018273573**
East **995 MARKET ST** **FINDS** **CAR000256982**
1/8-1/4 **SAN FRANCISCO, CA 94103** **ECHO**
0.231 mi.
1218 ft. **Site 5 of 10 in cluster AM**

Relative:
Lower

Actual:
39 ft.

RCRA NonGen / NLR:

Date form received by agency:	2019-08-23 00:00:00.0
Facility name:	CVS PHARMACY #10622
Facility address:	995 MARKET ST SAN FRANCISCO, CA 94103
EPA ID:	CAR000256982
Mailing address:	ONE CVS DR WOONSOCKET, RI 02895
Contact:	NICOLE WILKINSON
Contact address:	ONE CVS DR MAIL CODE 2340 WOONSOCKET, RI 02895
Contact country:	US
Contact telephone:	401-770-6493
Contact email:	NICOLE.WILKINSON@CVSHEALTH.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	995 MARKET ST SF INVESTMENT LLC
Owner/operator address:	FIFTH AVE SAN RAFAEL, CA 94901
Owner/operator country:	US
Owner/operator telephone:	415-455-0300
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	2014-10-16 00:00:00.
Owner/Op end date:	Not reported

Owner/operator name:	GARFIELD BEACH CVS LLC
Owner/operator address:	ONE CVS DR WOONSOCKET, RI 02895
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	2015-09-27 00:00:00.
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	Not reported
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No

CVS PHARMACY #10622 (Continued) **1018273573**

On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	2015-11-03 00:00:00.0
Site name:	CVS PHARMACY #10622
Classification:	Large Quantity Generator

Hazardous Waste Summary:

- Waste code: 122
- Waste name: Alkaline solution without metals (pH > 12.5)

- Waste code: 123
- Waste name: Unspecified alkaline solution

- Waste code: 134
- Waste name: Aqueous solution with <10% total organic residues

- Waste code: 141
- Waste name: Off-specification, aged, or surplus inorganics

- Waste code: 181
- Waste name: Other inorganic solid waste

- Waste code: 214
- Waste name: Unspecified solvent mixture

- Waste code: 311
- Waste name: Pharmaceutical waste

- Waste code: 331
- Waste name: Off-specification, aged, or surplus organics

- Waste code: 352
- Waste name: Other organic solids

- Waste code: 541
- Waste name: Photochemicals / photo processing waste

- Waste code: 561
- Waste name: Detergent and soap

- Waste code: 791
- Waste name: Liquids with pH < 2

- Waste code: D001
- Waste name: IGNITABLE WASTE

CVS PHARMACY #10622 (Continued) **1018273573**

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D004
. Waste name: ARSENIC

. Waste code: D005
. Waste name: BARIUM

. Waste code: D006
. Waste name: CADMIUM

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D008
. Waste name: LEAD

. Waste code: D009
. Waste name: MERCURY

. Waste code: D010
. Waste name: SELENIUM

. Waste code: D011
. Waste name: SILVER

. Waste code: D016
. Waste name: 2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)

. Waste code: D018
. Waste name: BENZENE

. Waste code: D024
. Waste name: M-CRESOL

. Waste code: D027
. Waste name: 1,4-DICHLOROBENZENE

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

. Waste code: D039
. Waste name: TETRACHLOROETHYLENE

. Waste code: P001
. Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

. Waste code: P012
. Waste name: ARSENIC OXIDE AS2O3 (OR) ARSENIC TRIOXIDE

. Waste code: P075
. Waste name: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

CVS PHARMACY #10622 (Continued) **1018273573**

. Waste code: P188
. Waste name: BENZOIC ACID, 2-HYDROXY-, COMPD. WITH (3AS-CIS)-1,2,3,3A,8,8A-HEXAHYDRO-1,3A,8-TRIMETHYLPYRROLO[2,3-B]INDOL-5-YL METHYLCARBAMATE ESTER (1:1) (OR) PHYSOSTIGMINE SALICYLATE

. Waste code: U002
. Waste name: 2-PROPANONE (I) (OR) ACETONE (I)

. Waste code: U010
. Waste name: AZIRINO [2',3':3,4]PYRROLO[1,2-A]INDOLE-4,7-DIONE, 6-AMINO-8-[[(AMINOCARBONYL)OXY]METHYL]-1,1A,2,8,8A,8B-HEXAHYDRO-8A-METHOXY-5-METHYL-, [1AS-(1AALPHA, 8BETA, 8AALPHA, 8BALPHA)]- (OR) MITOMYCIN C

. Waste code: U031
. Waste name: 1-BUTANOL (I) (OR) N-BUTYL ALCOHOL (I)

. Waste code: U034
. Waste name: ACETALDEHYDE, TRICHLORO- (OR) CHLORAL

. Waste code: U035
. Waste name: BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) CHLORAMBUCIL

. Waste code: U044
. Waste name: CHLOROFORM (OR) METHANE, TRICHLORO-

. Waste code: U058
. Waste name: 2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS(2-CHLOROETHYL)TETRAHYDRO-, 2-OXIDE (OR) CYCLOPHOSPHAMIDE

. Waste code: U059
. Waste name: 5,12-NAPHTHACENEDIONE, 8-ACETYL-10-[(3-AMINO-2,3,6-TRIDEOXY)-ALPHA-L-LYXO-HEXOPYRANOSYL)OXY]-7,8,9,10-TETRAHYDRO-6,8,11-TRIHYDROXY-1-METHOXY-, (8S-CIS)- (OR) DAUNOMYCIN

. Waste code: U070
. Waste name: BENZENE, 1,2-DICHLORO- (OR) O-DICHLOROBENZENE

. Waste code: U072
. Waste name: BENZENE, 1,4-DICHLORO- (OR) P-DICHLOROBENZENE

. Waste code: U089
. Waste name: DIETHYLSTILBESTEROL (OR) PHENOL, 4,4'-(1,2-DIETHYL-1,2-ETHENEDIYL)BIS, (E)-

. Waste code: U122
. Waste name: FORMALDEHYDE

. Waste code: U129
. Waste name: CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)- (OR) LINDANE

. Waste code: U132
. Waste name: HEXACHLOROPHENE (OR) PHENOL, 2,2'-METHYLENEBIS[3,4,6-TRICHLORO-

. Waste code: U150

CVS PHARMACY #10622 (Continued) **1018273573**

. Waste name: L-PHENYLALANINE, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) MELPHALAN

. Waste code: U151
. Waste name: MERCURY

. Waste code: U154
. Waste name: METHANOL (I) (OR) METHYL ALCOHOL (I)

. Waste code: U165
. Waste name: NAPHTHALENE

. Waste code: U188
. Waste name: PHENOL

. Waste code: U200
. Waste name: RESERPINE (OR) YOHIMBAN-16-CARBOXYLIC ACID, 11,17-DIMETHOXY-18-[(3,4,5-TRIMETHOXYBENZOYL)OXY]-, METHYL ESTER, (3BETA, 16BETA, 17ALPHA, 18BETA, 20ALPHA)-

. Waste code: U201
. Waste name: 1,3-BENZENEDIOL (OR) RESORCINOL

. Waste code: U204
. Waste name: SELENIOUS ACID (OR) SELENIUM DIOXIDE

. Waste code: U205
. Waste name: SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)

. Waste code: U206
. Waste name: D-GLUCOSE, 2-DEOXY-2-[[(METHYLNITROSOAMINO)-CARBONYL]AMINO]- (OR) GLUCOPYRANOSE, 2-DEOXY-2-(3-METHYL-3-NITROSOUREIDO)-,D- (OR) STREPTOZOTOCIN

. Waste code: U210
. Waste name: ETHENE, TETRACHLORO- (OR) TETRACHLOROETHYLENE

. Waste code: U279
. Waste name: CARBARYL (OR) 1-NAPHTHALENOL, METHYLCARBAMATE

. Waste code: U411
. Waste name: PHENOL, 2-(1-METHYLETHOXY)-, METHYLCARBAMATE (OR) PROPOXUR

Violation Status: No violations found

FINDS:

Registry ID: 110067209238

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

CVS PHARMACY #10622 (Continued) **1018273573**

ECHO:
Envid: 1018273573
Registry ID: 110067209238
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110067209238

AM402 **BRIDGETON 995 MARKET FEE LLC** **RCRA NonGen / NLR** **1024774340**
East **995 MARKET STREET, SECOND FLOOR** **CAC002994262**
1/8-1/4 **SAN FRANCISCO, CA 94107**
0.231 mi.
1218 ft. **Site 6 of 10 in cluster AM**

Relative:
Lower

Actual:
39 ft.

RCRA NonGen / NLR:
Date form received by agency: 2018-12-26 00:00:00.0
Facility name: BRIDGETON 995 MARKET FEE LLC
Facility address: 995 MARKET STREET, SECOND FLOOR
SAN FRANCISCO, CA 94107
EPA ID: CAC002994262
Mailing address: 220 5TH AVE, 19TH FLOOR
NEW YORK, NY 10001
Contact: BOURKE LEE
Contact address: 220 5TH AVE, 19TH FLOOR
NEW YORK, NY 10001
Contact country: Not reported
Contact telephone: 212-235-2788
Contact email: BLEE@BRIDGETONHOLDINGS.COM
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: BOURKE LEE
Owner/operator address: 220 5TH AVE, 19TH FLOOR
NEW YORK, NY 10001
Owner/operator country: Not reported
Owner/operator telephone: 212-235-2788
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: BRIDGETON 995 MARKET FEE LLC
Owner/operator address: 220 5TH AVE, 19TH FLOOR
NEW YORK, NY 10001
Owner/operator country: Not reported
Owner/operator telephone: 212-235-2788
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

BRIDGETON 995 MARKET FEE LLC (Continued) **1024774340**

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

AD403 **640 EDDY STREET** **CA UST** **U003915576**
WNW **640 EDDY ST** **N/A**
1/8-1/4 **, CA**
0.231 mi.
1219 ft. **Site 9 of 10 in cluster AD**

Relative:
Higher

Actual:
91 ft.

SAN FRANCISCO CO. UST:
Name: 640 EDDY STREET
Address: 640 EDDY ST
Facility ID: 23240
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 255 Shipley Street
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Golden Gate Tank
Application Date: 4/26/1999
Application Name: Randy McManus
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported
Compartmentalized Tank: Not reported
Of Tank Compartments: Not reported
Date Tank Installed: Not reported
Tank Capacity: Not reported
Additional Desc: Not reported

640 EDDY STREET (Continued) **U003915576**

Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	6/23/1999
UST Close ID:	3716
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	12/6/1999
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AM404
East
1/8-1/4
0.231 mi.
1221 ft.

PG&E GAS PLANT SAN FRANCISCO 502 1K
STEVENSON BET 5TH & 6TH STS
SAN FRANCISCO, CA 94103

Site 7 of 10 in cluster AM

SEMS-ARCHIVE

1003878885
CAD981415110

Relative:
Lower

Actual:
37 ft.

SEMS Archive:

Site ID:	0902349
EPA ID:	CAD981415110
Cong District:	06
FIPS Code:	06075
FF:	N
NPL:	Not on the NPL
Non NPL Status:	NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region:	09
Site ID:	0902349
EPA ID:	CAD981415110
Site Name:	PG&E GAS PLANT SAN FRANCISCO 502 1K
NPL:	N
FF:	N
OU:	00
Action Code:	PA
Action Name:	PA
SEQ:	1
Start Date:	Not reported
Finish Date:	1987-01-01 05:00:00
Qual:	N
Current Action Lead:	EPA Perf

Region:	09
Site ID:	0902349
EPA ID:	CAD981415110
Site Name:	PG&E GAS PLANT SAN FRANCISCO 502 1K
NPL:	N
FF:	N
OU:	00
Action Code:	VS
Action Name:	ARCH SITE
SEQ:	1
Start Date:	Not reported
Finish Date:	1987-01-01 05:00:00
Qual:	Not reported
Current Action Lead:	EPA Perf In-Hse

Region:	09
Site ID:	0902349
EPA ID:	CAD981415110
Site Name:	PG&E GAS PLANT SAN FRANCISCO 502 1K
NPL:	N
FF:	N
OU:	00
Action Code:	DS
Action Name:	DISCVRY
SEQ:	1
Start Date:	1986-06-01 04:00:00
Finish Date:	1986-06-01 04:00:00
Qual:	Not reported
Current Action Lead:	Other

AN405 **ZANC BABE SERVICE** **CA UST** **U003916723**
SE **1127 MISSION ST** **N/A**
1/8-1/4 **, CA**
0.232 mi.
1224 ft. **Site 1 of 7 in cluster AN**

Relative:
Lower

Actual:
36 ft.

SAN FRANCISCO CO. UST:

Name:	ZANC BABE SERVICE
Address:	1127 MISSION ST
Facility ID:	1858
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	11/8/1990
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	782
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

ZANC BABE SERVICE (Continued) **U003916723**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AN406 **BABE ZANCA SERVICE INC.** **CA LUST** **S101592255**
SE **1127 MISSION STREET** **CA SWEEPS UST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94104** **CA FID UST**
0.232 mi. **CA EMI**
1224 ft. **Site 2 of 7 in cluster AN**

Relative:
Lower

Actual:
36 ft.

LUST REG 2:

Region:	2
Facility Id:	38-0516
Facility Status:	Case Closed
Case Number:	10689
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

SAN FRANCISCO CO. LUST:

BABE ZANCA SERVICE INC. (Continued) **S101592255**

Name:	Babe Zanca Service
Address:	1127 Mission Street
City:	San Francisco
Region:	SAN FRANCISCO
Facility ID:	38-0516
Facility Status:	Case Closed
Case Number:	10689
Case Type:	Soil only
Release Date:	9/3/1993
Discovered Date:	8/23/1993
Substance:	Diesel
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	9/3/1993
Case Closed:	9/20/1996
Closed Date:	9/20/1996
Leak Source:	Tank
Leak Cause:	Overfill
Leak Confirmed:	6/28/1993
Entered Date:	9/19/1996
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	MA
Cross Street:	Not reported
NOR Date:	9/19/1996
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	Yes
Priority:	Not reported
Abatement:	Excavate and Treat - remove contaminated soil and treat (includes spreading or land farming)
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported

BABE ZANCA SERVICE INC. (Continued) **S101592255**

Suspended:	No
Stopped Date:	1/19/1991
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Diesel fuel oil
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

SWEEPS UST:

Name:	BABE ZANCA SERVICE INC.
Address:	1127 MISSION ST
City:	SAN FRANCISCO
Status:	Active
Comp Number:	1858
Number:	1
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Owner Tank Id:	Not reported
SWRCB Tank Id:	Not reported
Tank Status:	Not reported
Capacity:	Not reported
Active Date:	Not reported
Tank Use:	Not reported
STG:	Not reported
Content:	Not reported
Number Of Tanks:	Not reported

Name:	BABE ZANCA SERVICE INC.
Address:	1127 MISSION ST
City:	SAN FRANCISCO
Status:	Not reported
Comp Number:	1858
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported

BABE ZANCA SERVICE INC. (Continued) **S101592255**

Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-001858-000001
Tank Status: Not reported
Capacity: 500
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: 4

Name: BABE ZANCA SERVICE INC.
Address: 1127 MISSION ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 1858
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-001858-000002
Tank Status: Not reported
Capacity: 500
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Name: BABE ZANCA SERVICE INC.
Address: 1127 MISSION ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 1858
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-001858-000003
Tank Status: Not reported
Capacity: 500
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Name: BABE ZANCA SERVICE INC.
Address: 1127 MISSION ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 1858
Number: Not reported
Board Of Equalization: Not reported

BABE ZANCA SERVICE INC. (Continued) **S101592255**

Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-001858-000004
Tank Status:	Not reported
Capacity:	500
Active Date:	Not reported
Tank Use:	UNKNOWN
STG:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	Not reported

CA FID UST:

Facility ID:	38001911
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4155529002
Mail To:	Not reported
Mailing Address:	1127 MISSION ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94103
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

EMI:

Name:	BABE ZANCA SERVICE INC
Address:	1127 MISSION STREET
City,State,Zip:	SAN FRANCISCO, CA 94104
Year:	1990
County Code:	38
Air Basin:	SF
Facility ID:	4202
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

AN407
SE
1/8-1/4
0.232 mi.
1224 ft.

Relative:
Lower

Actual:
36 ft.

B AND E TRANSMISSION
1127 MISSION ST
SAN FRANCISCO, CA 94103

Site 3 of 7 in cluster AN

Database(s): RCRA-SQG, CA LUST, FINDS, ECHO, CA HIST CORTESE, CA CERS

EDR ID Number: 1001075628
EPA ID Number: CAR000007161

RCRA-SQG:

Date form received by agency:	1995-11-27 00:00:00.0
Facility name:	B AND E TRANSMISSION
Facility address:	1127 MISSION ST SAN FRANCISCO, CA 94103
EPA ID:	CAR000007161
Mailing address:	MISSION ST SAN FRANCISCO, CA 94103
Contact:	WILLIAM BURRAGE
Contact address:	1127 MISSION ST SAN FRANCISCO, CA 94103
Contact country:	US
Contact telephone:	415-626-5444
Contact email:	Not reported
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	B AND E TRANSMISSION
Owner/operator address:	1127 MISSION ST SAN FRANCISCO, CA 94103
Owner/operator country:	Not reported
Owner/operator telephone:	415-626-5444
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No

B AND E TRANSMISSION (Continued) **1001075628**

Used oil transporter: No

Violation Status: No violations found

LUST:
Name: BABE ZANCA SERVICE INC.
Address: 1127 MISSION STREET
City,State,Zip: SAN FRANCISCO, CA 94104
Lead Agency: SAN FRANCISCO COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500461
Global Id: T0607500461
Latitude: 37.7784819
Longitude: -122.41126
Status: Completed - Case Closed
Status Date: 09/20/1996
Case Worker: MA
RB Case Number: 38-0516
Local Agency: SAN FRANCISCO COUNTY LOP
File Location: Not reported
Local Case Number: 10689
Potential Media Affect: Soil
Potential Contaminants of Concern: Diesel
Site History: Not reported

LUST:
Global Id: T0607500461
Contact Type: Local Agency Caseworker
Contact Name: MAMDOUH AWWAD
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET, #210
City: SAN FRANCISCO
Email: mamdouh.awwad@sfdph.org
Phone Number: Not reported

Global Id: T0607500461
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

LUST:
Global Id: T0607500461
Action Type: Other
Date: 01/02/1965
Action: Leak Reported

Global Id: T0607500461
Action Type: Other
Date: 08/23/1993
Action: Leak Discovery

LUST:
Global Id: T0607500461

B AND E TRANSMISSION (Continued) **1001075628**

Status: Open - Case Begin Date
Status Date: 08/23/1993

Global Id: T0607500461
Status: Completed - Case Closed
Status Date: 09/20/1996

FINDS:

Registry ID: 110009552199

Environmental Interest/Information System
California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1001075628
Registry ID: 110009552199
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110009552199

HIST CORTESE:
edr_fname: BABE ZANCA SERVICE INC
edr_fadd1: 1127 MISSION
City,State,Zip: SAN FRANCISCO, CA 94103
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-0516

CERS:
Name: BABE ZANCA SERVICE INC.
Address: 1127 MISSION STREET
City,State,Zip: SAN FRANCISCO, CA 94104
Site ID: 218808
CERS ID: T0607500461
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: MAMDOUH AWWAD - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1390 MARKET STREET, #210
Affiliation City: SAN FRANCISCO
Affiliation State: CA

B AND E TRANSMISSION (Continued) **1001075628**

Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

AJ408 **430 HYDE ST** **CA UST** **U003915465**
NNW **430 HYDE ST** **N/A**
1/8-1/4 **, CA**
0.232 mi.
1227 ft. **Site 6 of 15 in cluster AJ**

Relative: **Higher**

Actual: **100 ft.**

SAN FRANCISCO CO. UST:

Name:	430 HYDE ST
Address:	430 HYDE ST
Facility ID:	21569
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	4/1/1997
Application Name:	Tim Hallen
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported

430 HYDE ST (Continued) **U003915465**

Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	4/25/1997
UST Close ID:	2882
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	7/14/1997
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

409
NE
1/8-1/4
0.233 mi.
1228 ft.

PIANOFIGHT
144 TAYLOR ST
SAN FRANCISCO, CA 94102

CA CUPA Listings **S120628821**
CA CERS **N/A**

Relative:
Lower

Actual:
49 ft.

CUPA SAN FRANCISCO CO:

Name:	PIANOFIGHT
Address:	144 TAYLOR ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Facility ID:	33479
Census Tract:	125
District:	10
Number of Tanks:	0

CERS:

Name:	PIANOFIGHT
Address:	144 TAYLOR ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	356808
CERS ID:	10641199
CERS Description:	Chemical Storage Facilities

Coordinates:

Site ID:	356808
Facility Name:	Pianofight
Env Int Type Code:	HMBP
Program ID:	10641199
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	37.783940
Longitude:	-122.410660

Affiliation:

Affiliation Type Desc:	Identification Signer
Entity Name:	Kevin Fink
Entity Title:	Financial Director
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Parent Corporation
Entity Name:	Facilitron AB, LLC
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Environmental Contact
Entity Name:	Kevin Fink
Entity Title:	Not reported
Affiliation Address:	144 Taylor St.
Affiliation City:	San Francisco

PIANOFIGHT (Continued) **S120628821**

Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	Facilitron, LLC
Entity Title:	Not reported
Affiliation Address:	144 Taylor St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94102
Affiliation Phone:	(415) 816-3691
Affiliation Type Desc:	Operator
Entity Name:	Facilitron AB, LLC
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 816-3691
Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Document Preparer
Entity Name:	Kevin Fink
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	144 Taylor St
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	Not reported

AO410 **CIVIC CENTER GARAGE** **CA HIST UST** **U001595025**
WSW **POLK ST. @ MCALISTER** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.233 mi.
1232 ft. **Site 1 of 5 in cluster AO**

Relative:
Higher

Actual:
71 ft.

HIST UST:

Name:	CIVIC CENTER GARAGE
Address:	POLK ST. @ MCALISTER
City,State,Zip:	SAN FRANCISCO, CA 94102
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000065563
Facility Type:	Gas Station
Other Type:	Not reported
Contact Name:	Not reported
Telephone:	4155582258
Owner Name:	CITY & COUNTY OF SAN FRANCISCO
Owner Address:	MCLAREN LODGE, FELL ST. @ STAN
Owner City,St,Zip:	SAN FRANCISCO, CA 94117
Total Tanks:	0004
Tank Num:	001
Container Num:	R/P 24
Year Installed:	Not reported
Tank Capacity:	00000000
Tank Used for:	PRODUCT
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	None
Tank Num:	002
Container Num:	R/P 25
Year Installed:	Not reported
Tank Capacity:	00000000
Tank Used for:	PRODUCT
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	None
Tank Num:	003
Container Num:	R/P 26
Year Installed:	Not reported
Tank Capacity:	00000000
Tank Used for:	PRODUCT
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	None
Tank Num:	004
Container Num:	R/P 27
Year Installed:	Not reported
Tank Capacity:	00000000
Tank Used for:	PRODUCT
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	None

AO411 **CIVIS CENTER GARAGE** **CA HIST UST** **S118408724**
WSW **POLK ST AND MCALISTER** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.233 mi.
1232 ft. **Site 2 of 5 in cluster AO**

Relative:
Higher

Actual:
71 ft.

HIST UST:

Name:	CIVIS CENTER GARAGE
Address:	POLK ST AND MCALISTER
City,State,Zip:	SAN FRANCISCO, CA 94102
File Number:	0002F68B
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002F68B.pdf
Region:	Not reported
Facility ID:	Not reported
Facility Type:	Not reported
Other Type:	Not reported
Contact Name:	Not reported
Telephone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Total Tanks:	Not reported
Tank Num:	Not reported
Container Num:	Not reported
Year Installed:	Not reported
Tank Capacity:	Not reported
Tank Used for:	Not reported
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Not reported

Click here for Geo Tracker PDF:

AD412 **ARNETT WATSON APARTMENTS** **RCRA-LQG** **1010314189**
WNW **650 EDDY ST** **CA HAZNET** **CAR000183202**
1/8-1/4 **SAN FRANCISCO, CA 94108**
0.233 mi.
1232 ft. **Site 10 of 10 in cluster AD**

Relative:
Higher

Actual:
91 ft.

RCRA-LQG:

Date form received by agency:	2007-04-05 00:00:00.0
Facility name:	ARNETT WATSON APARTMENTS
Facility address:	650 EDDY ST SAN FRANCISCO, CA 94108
EPA ID:	CAR000183202
Mailing address:	201 EDDY ST SAN FRANCISCO, CA 94102
Contact:	NICK E GRIFFIN
Contact address:	201 EDDY ST SAN FRANCISCO, CA 94102
Contact country:	US
Contact telephone:	415-358-3934
Contact email:	NGRIFFIN@TNDC.ORG
EPA Region:	09
Classification:	Large Quantity Generator
Description:	Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the

ARNETT WATSON APARTMENTS (Continued) **1010314189**

cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name:	650 EDDY LLP
Owner/operator address:	201 EDDY ST
	SAN FRANCISCO, CA 94102
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	2005-07-20 00:00:00.
Owner/Op end date:	Not reported

Owner/operator name:	650 EDDY LLP
Owner/operator address:	Not reported
	Not reported
Owner/operator country:	Not reported
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	2005-07-20 00:00:00.
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Hazardous Waste Summary:

. Waste code: D008

ARNETT WATSON APARTMENTS (Continued) **1010314189**

. Waste name: LEAD

Violation Status: No violations found

HAZNET:

Name:	ARNETT WATSON APARTMENTS
Address:	650 EDDY ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941097907
Year:	2007
Gepaid:	CAR000183202
Contact:	NICK E GRIFFIN
Telephone:	4153583934
Mailing Name:	Not reported
Mailing Address:	201 EDDY ST
Gen County:	38
Waste Category:	Contaminated soil from site clean-up
TSD EPA ID:	CAT000646117
TSD County:	16
Disposal Method:	Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons:	21.24

Additional Info:

Year:	2007
Shipment Date:	20070607
Creation Date:	10/18/2007 18:30:24
Receipt Date:	20070607
Manifest ID:	001505678JJK
Gen EPA ID:	CAR000183202
Trans EPA ID:	CAR000180497
Trans Name:	RODRIGUEZ TKG
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000646117
Trans Name:	CHEMICAL WASTE MANAGEMENT INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	611
RCRA Code:	D008
Meth Code:	H132
Quantity Tons:	21.24
Waste Quantity:	18
Quantity Unit:	Y
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

AP413 **650 ELLIS I7, LP** **RCRA NonGen / NLR** **1024763466**
NW **650 ELLIS ST, UNIT 4** **CAC002983330**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.234 mi.
1235 ft. **Site 1 of 5 in cluster AP**

Relative:
Higher

Actual:
99 ft.

RCRA NonGen / NLR:

Date form received by agency:	2018-10-03 00:00:00.0
Facility name:	650 ELLIS I7, LP
Facility address:	650 ELLIS ST, UNIT 4 SAN FRANCISCO, CA 94109
EPA ID:	CAC002983330
Mailing address:	ONE BUSH ST, SUITE 900 SAN FRANCISCO, CA 94104
Contact:	PAM DIAZ
Contact address:	ONE BUSH ST, SUITE 900 SAN FRANCISCO, CA 94104
Contact country:	Not reported
Contact telephone:	415-346-9931
Contact email:	ROBERT@IDEALSF.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	PAM DIAZ
Owner/operator address:	ONE BUSH ST, SUITE 900 SAN FRANCISCO, CA 94104
Owner/operator country:	Not reported
Owner/operator telephone:	415-346-9931
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	650 ELLIS I7, LP
Owner/operator address:	ONE BUSH ST, SUITE 900 SAN FRANCISCO, CA 94104
Owner/operator country:	Not reported
Owner/operator telephone:	415-346-9931
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No

650 ELLIS I7, LP (Continued) **1024763466**

On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

AP414 **650 ELLIS I7, LP** **RCRA NonGen / NLR** **1024780150**
NW **650 ELLIS STREET** **CAC003000111**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.234 mi.
1235 ft. **Site 2 of 5 in cluster AP**

Relative:
Higher

Actual:
99 ft.

RCRA NonGen / NLR:

Date form received by agency:	2019-02-07 00:00:00.0
Facility name:	650 ELLIS I7, LP
Facility address:	650 ELLIS STREET SAN FRANCISCO, CA 94109
EPA ID:	CAC003000111
Mailing address:	ONE BUSH STREET, SUITE 900 SAN FRANCISCO, CA 94104
Contact:	650 ELLIS I7, LP
Contact address:	ONE BUSH STREET, SUITE 900 SAN FRANCISCO, CA 94104
Contact country:	Not reported
Contact telephone:	817-293-0035
Contact email:	CAITLINS@CVECORP.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	650 ELLIS I7, LP
Owner/operator address:	ONE BUSH STREET, SUITE 900 SAN FRANCISCO, CA 94104
Owner/operator country:	Not reported
Owner/operator telephone:	817-293-0035
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	650 ELLIS I7, LP
Owner/operator address:	ONE BUSH STREET, SUITE 900 SAN FRANCISCO, CA 94104
Owner/operator country:	Not reported
Owner/operator telephone:	817-293-0035
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported

650 ELLIS I7, LP (Continued) **1024780150**

Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

AO415 **POLK/MCALLISTER SURFACE LOT** **CA SWEEPS UST** **S101623163**
WSW **401 POLK ST** **CA HIST UST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102** **CA FID UST**
0.234 mi.
1237 ft. **Site 3 of 5 in cluster AO**

Relative:
Higher

Actual:
73 ft.

SWEEPS UST:
Name: POLK/MCALLISTER SURFACE LOT
Address: 401 POLK ST
City: SAN FRANCISCO
Status: Active
Comp Number: 6844
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-006844-000001
Tank Status: A
Capacity: Not reported
Active Date: 09-30-92
Tank Use: UNKNOWN
STG: P
Content: UNSPECIFIED
Number Of Tanks: 1

HIST UST:
Name: POLK/MCALLISTER SURFACE LOT
Address: 401 POLK STREET
City,State,Zip: SAN FRANCISCO, CA 94102
File Number: 0002F6CF
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002F6CF.pdf
Region: Not reported

POLK/MCALLISTER SURFACE LOT (Continued) **S101623163**

Facility ID:	Not reported
Facility Type:	Not reported
Other Type:	Not reported
Contact Name:	Not reported
Telephone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Total Tanks:	Not reported
Tank Num:	Not reported
Container Num:	Not reported
Year Installed:	Not reported
Tank Capacity:	Not reported
Tank Used for:	Not reported
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Not reported

Click here for Geo Tracker PDF:

CA FID UST:

Facility ID:	38005419
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	401 POLK ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94102
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

AO416 **POLK/MCALLISTER SURFACE LOT** **CA HIST UST** **U001595049**
WSW **401 POLK ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.234 mi.
1237 ft. **Site 4 of 5 in cluster AO**

Relative:
Higher

Actual:
73 ft.

HIST UST:

Name:	POLK/MCALLISTER SURFACE LOT
Address:	401 POLK ST
City,State,Zip:	SAN FRANCISCO, CA 94102
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000066261
Facility Type:	Other
Other Type:	PARKING LOT
Contact Name:	PARKING AUTHORITY

POLK/MCALLISTER SURFACE LOT (Continued) **U001595049**

Telephone:	4155583651
Owner Name:	CITY AND COUNTY OF SAN FRANCIS
Owner Address:	25 VAN NESS AVENUE, SUITE 410
Owner City,St,Zip:	SAN FRANCISCO, CA 94102
Total Tanks:	0001
Tank Num:	001
Container Num:	P/A #1
Year Installed:	Not reported
Tank Capacity:	00000000
Tank Used for:	WASTE
Type of Fuel:	5
Container Construction Thickness:	X
Leak Detection:	None

AP417 **KUM LUN WONG CONSTRUCTION** **CA CUPA Listings** **S123583420**
NW **666 ELLIS ST** **CA HAZNET** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.236 mi.
1245 ft. **Site 3 of 5 in cluster AP**

Relative: **Higher**

Actual: **100 ft.**

CUPA SAN FRANCISCO CO:

Name:	666 ELLIS, LP
Address:	666 ELLIS ST
City,State,Zip:	SAN FRANCISCO, CA 94109
Facility ID:	34972
Census Tract:	122
District:	7
Number of Tanks:	0

HAZNET:

Name:	KUM LUN WONG CONSTRUCTION
Address:	666 ELLIS ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941098063
Year:	2007
Gepaid:	CAC002619088
Contact:	HOWARD WONG
Telephone:	4157206670
Mailing Name:	Not reported
Mailing Address:	683 6TH AVE
Gen County:	38
Waste Category:	Asbestos containing waste
TSD EPA ID:	CAD982042475
TSD County:	48
Disposal Method:	Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons:	0.4

Additional Info:

Year:	2007
Shipment Date:	20070919
Creation Date:	12/10/2007 18:30:13
Receipt Date:	20070917
Manifest ID:	001132689JJK
Gen EPA ID:	CAC002619088
Trans EPA ID:	CAL000305853
Trans Name:	RELIANCE CONSTRUCTION

KUM LUN WONG CONSTRUCTION (Continued) **S123583420**

Trans 2 EPA ID:	CAR000037283
Trans 2 Name:	WORLD ENVIROMENTAL
TSDF EPA ID:	CAD982042475
Trans Name:	NWS HAY ROAD LANDFILL
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	151
RCRA Code:	Not reported
Meth Code:	H132
Quantity Tons:	0.4
Waste Quantity:	1
Quantity Unit:	Y
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

AQ418 **622-632 POLK ST** **CA UST** **U003915568**
WNW **622 POLK ST** **N/A**
1/8-1/4 **, CA**
0.236 mi.
1246 ft. **Site 1 of 7 in cluster AQ**

Relative:
Higher

Actual:
89 ft.

SAN FRANCISCO CO. UST:

Name:	622-632 POLK ST
Address:	622 POLK ST
Facility ID:	21807
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	1550 Wallace
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	L & W
Application Date:	8/4/1997
Application Name:	George Wilson
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported

622-632 POLK ST (Continued) **U003915568**

Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	8/15/1997
UST Close ID:	2990
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	10/2/1997
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AQ419 **CITI PROPERTIES,** **CA UST** **U003903308**
WNW **665 EDDY ST** **N/A**
1/8-1/4 **, CA**
0.236 mi.
1247 ft. **Site 2 of 7 in cluster AQ**

Relative:
Higher

Actual:
91 ft.

SAN FRANCISCO CO. UST:

Name:	CITI PROPERTIES,
Address:	665 EDDY ST
Facility ID:	23328
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	7/9/1999
Application Name:	Randy Mc Manus
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	7/27/1999
UST Close ID:	3765
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

CITI PROPERTIES, (Continued) **U003903308**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	1/6/2000
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AJ420 **COMMERCIAL PROPERTY** **CA LUST S106117889**
NNW **425 HYDE STREET** **CA CERS N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.237 mi.
1249 ft. **Site 7 of 15 in cluster AJ**

Relative: **Higher**
Actual: **100 ft.**

LUST:

Name:	COMMERCIAL PROPERTY
Address:	425 HYDE STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607595254
Global Id:	T0607595254
Latitude:	37.784804
Longitude:	-122.416505
Status:	Completed - Case Closed
Status Date:	07/23/2003
Case Worker:	Not reported
RB Case Number:	38-2219
Local Agency:	Not reported
File Location:	Local Agency
Local Case Number:	11558
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil

COMMERCIAL PROPERTY (Continued) **S106117889**

Site History: Not reported

LUST:
Global Id: T0607595254
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

LUST:
Global Id: T0607595254
Action Type: Other
Date: 02/28/2003
Action: Leak Discovery

Global Id: T0607595254
Action Type: Other
Date: 02/28/2003
Action: Leak Stopped

Global Id: T0607595254
Action Type: REMEDIATION
Date: 02/28/2003
Action: Excavation

Global Id: T0607595254
Action Type: Other
Date: 06/19/2003
Action: Leak Reported

Global Id: T0607595254
Action Type: ENFORCEMENT
Date: 07/17/2003
Action: Notice of Responsibility

LUST:
Global Id: T0607595254
Status: Open - Case Begin Date
Status Date: 02/28/2003

Global Id: T0607595254
Status: Open - Site Assessment
Status Date: 02/28/2003

Global Id: T0607595254
Status: Completed - Case Closed
Status Date: 07/23/2003

LUST REG 2:
Region: 2
Facility Id: 38-2219
Facility Status: Case Closed

COMMERCIAL PROPERTY (Continued) **S106117889**

Case Number:	11558
How Discovered:	Tank Closure
Leak Cause:	Corrosion
Leak Source:	Tank
Date Leak Confirmed:	2/28/2003
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

CERS:

Name:	COMMERCIAL PROPERTY
Address:	425 HYDE STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Site ID:	206498
CERS ID:	T0607595254
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

AJ421 **COMMERCIAL** **CA UST** **U003903453**
NNW **425 HYDE ST** **N/A**
1/8-1/4 **, CA**
0.237 mi.
1249 ft. **Site 8 of 15 in cluster AJ**

Relative:
Higher

Actual:
100 ft.

SAN FRANCISCO CO. UST:

Name:	COMMERCIAL
Address:	425 HYDE ST
Facility ID:	26920
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Ship;ey St
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	2/10/2003
Application Name:	Tracy Wallace

COMMERCIAL (Continued) **U003903453**

Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported
Compartmentalized Tank: Not reported
Of Tank Compartments: Not reported
Date Tank Installed: Not reported
Tank Capacity: Not reported
Additional Desc: Not reported
Tank Use: Not reported
Petroleum Type: Not reported
Common Name: Not reported
Case Number: Not reported
Type Of Tank: Not reported
Primary Tank Material: Not reported
Secondary Tank Material: Not reported
Tank Interior Lining: Not reported
Date Interior Lining Install: Not reported
Date Closed: 2/28/2003
UST Close ID: 4396
Type Of Spill Protection: Not reported
Date Alarm Overfill Protection Installed: Not reported
Date Ball Float Overfill Protection Installed: Not reported
Date Fill Tube Shut Overfill Protection Installed: Not reported
Overfill Protection Exempt: Not reported
Othr Tnk Corrosive Prtctn: Not reported
Date Corrosive Prtctn Install: Not reported
Tank Leak Detection (single walled): Not reported
Tank Leak Detection (double wall): Not reported
Estimated Date Last Used: Not reported
Estimated Qty Of Substance Remaining: Not reported
Tank Filled With Inert Material: Not reported
Piping System Type (Underground): Not reported
Piping System Type (Aboveground): Not reported
Piping Construction (Underground): Not reported
Piping Manufacturer (Underground): Not reported
Piping Construction (Aboveground): Not reported
Piping Manufacturer (Aboveground): Not reported
Piping Material & Corrosion Protection (Underground): Not reported
Piping Material & Corrosion Protection (Aboveground): Not reported
Piping Leak Detection (Undrgrnd - Single Wall): Not reported
Piping Leak Detection (2nd Contained): Not reported
Piping Leak Detection (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Underground: Not reported
Piping Leak Detection (Aboveground - Single Wall): Not reported
Piping Leak Detection (Underground - 2nd Contained): Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Aboveground: Not reported
Date Dispenser Containment Installed: Not reported
Dispenser Containment Type: Not reported
Date Certified (Tank Unit): Not reported
Certified Date: Not reported

COMMERCIAL (Continued) **U003903453**

Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AE422 **1036 MISSION STREET** **RCRA-LQG 1019899474**
ESE **1036 MISSION ST** **FINDS CAP000266783**
1/8-1/4 **SAN FRANCISCO, CA 94103** **ECHO**
0.237 mi.
1251 ft. **Site 4 of 4 in cluster AE**

Relative: **Lower**
Actual: **33 ft.**

RCRA-LQG:

Date form received by agency:	2016-09-27 00:00:00.0
Facility name:	1036 MISSION STREET
Facility address:	1036 MISSION ST SAN FRANCISCO, CA 94103
EPA ID:	CAP000266783
Mailing address:	EDDY STREET SAN FRANCISCO, CA 94102
Contact:	CHRISTOPHER W CUMMINGS
Contact address:	EDDY STREET SAN FRANCISCO, CA 94102
Contact country:	US
Contact telephone:	415-358-3946
Contact email:	CCUMMINGS@TNDC.ORG
EPA Region:	09
Classification:	Large Quantity Generator
Description:	Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name:	TENDERLOIN NEIGHBORHOOD DEVELOPMENT CORP
Owner/operator address:	Not reported Not reported
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	2007-05-01 00:00:00.

1036 MISSION STREET (Continued) **1019899474**

Owner/Op end date: Not reported

Owner/operator name: 1036 MISSION ASSOCIATES, L.P.
Owner/operator address: EDDY STREET
SAN FRANCISCO, CA 94102
Owner/operator country: US
Owner/operator telephone: 415-358-3946
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 2007-05-01 00:00:00.
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:

. Waste code: 611
. Waste name: Contaminated soil from site clean-ups

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

FINDS:

Registry ID: 110069631606

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

1036 MISSION STREET (Continued) **1019899474**

ECHO:
Envid: 1019899474
Registry ID: 110069631606
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110069631606

AN423 **CAL BUILDING** **CA UST** **U003903154**
SSE **1145 MISSION ST** **N/A**
1/8-1/4 **, CA**
0.238 mi.
1256 ft. **Site 4 of 7 in cluster AN**

Relative: **Lower**
Actual: **38 ft.**

SAN FRANCISCO CO. UST:

Name:	CAL BUILDING
Address:	1145 MISSION ST
Facility ID:	9858
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	12/14/1989
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	2/26/1990
UST Close ID:	598
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported

CAL BUILDING (Continued) **U003903154**

Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AN424 **CALIFORNIA BUILDING MAINTENANC** **CA HIST UST** **U001595076**
SSE **1145 MISSION ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.238 mi.
1256 ft. **Site 5 of 7 in cluster AN**

Relative: **Lower**
Actual: **38 ft.**

HIST UST:

Name:	CALIFORNIA BUILDING MAINTENANC
Address:	1145 MISSION ST
City,State,Zip:	SAN FRANCISCO, CA 94103
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000023598
Facility Type:	Other
Other Type:	JANITORIAL SERVICES
Contact Name:	ROY REPETTO
Telephone:	4156214617

CALIFORNIA BUILDING MAINTENANC (Continued) **U001595076**

Owner Name:	CALIFORNIA BUILDING MAINTENANC
Owner Address:	1145 MISSION STREET
Owner City,St,Zip:	SAN FRANCISCO, CA 94103
Total Tanks:	0001
Tank Num:	001
Container Num:	1
Year Installed:	1946
Tank Capacity:	00000500
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	None

AN425 **CAL BUILDING MAINTENANCE CO.** **CA SWEEPS UST** **S101591890**
SSE **1145 MISSION ST** **CA HIST UST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103** **CA FID UST**
0.238 mi.
1256 ft. **Site 6 of 7 in cluster AN**

Relative: SWEEPS UST:
Lower

Name:	CAL BUILDING MAINTENANCE CO.
Address:	1145 MISSION ST
City:	SAN FRANCISCO
Status:	Active
Comp Number:	5752
Number:	1
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Owner Tank Id:	Not reported
SWRCB Tank Id:	Not reported
Tank Status:	Not reported
Capacity:	Not reported
Active Date:	Not reported
Tank Use:	Not reported
STG:	Not reported
Content:	Not reported
Number Of Tanks:	Not reported

Actual:
38 ft.

Name:	CAL BUILDING MAINTENANCE CO.
Address:	1145 MISSION ST
City:	SAN FRANCISCO
Status:	Not reported
Comp Number:	5752
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-005752-000001
Tank Status:	Not reported
Capacity:	500
Active Date:	Not reported
Tank Use:	UNKNOWN
STG:	PRODUCT

CAL BUILDING MAINTENANCE CO. (Continued) **S101591890**

Content: UNSPECIFIED
Number Of Tanks: 1

HIST UST:
Name: CALIFORNIA BUILDING MAINTENANC
Address: 1145 MISSION STREET
City,State,Zip: SAN FRANCISCO, CA 94103
File Number: 0002F62D
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002F62D.pdf
Region: Not reported
Facility ID: Not reported
Facility Type: Not reported
Other Type: Not reported
Contact Name: Not reported
Telephone: Not reported
Owner Name: Not reported
Owner Address: Not reported
Owner City,St,Zip: Not reported
Total Tanks: Not reported

Tank Num: Not reported
Container Num: Not reported
Year Installed: Not reported
Tank Capacity: Not reported
Tank Used for: Not reported
Type of Fuel: Not reported
Container Construction Thickness: Not reported
Leak Detection: Not reported

Click here for Geo Tracker PDF:

CA FID UST:
Facility ID: 38000098
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4156214617
Mail To: Not reported
Mailing Address: P O BOX
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94103
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

AN426 **CALFORNIA CARE MAINTENCE CO.** **CA LUST** **S101302373**
SSE **1145 MISSION STREET** **CA HIST CORTESE** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103** **CA CERS**
0.238 mi.
1256 ft. **Site 7 of 7 in cluster AN**

Relative:
Lower

Actual:
38 ft.

LUST:

Name:	CALFORNIA CARE MAINTENCE CO.
Address:	1145 MISSION STREET
City,State,Zip:	SAN FRANCISCO, CA 94103
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500048
Global Id:	T0607500048
Latitude:	37.778404
Longitude:	-122.410745
Status:	Completed - Case Closed
Status Date:	03/28/1995
Case Worker:	SC
RB Case Number:	38-0053
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Not reported
Local Case Number:	10391
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0607500048
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0607500048
Contact Type:	Local Agency Caseworker
Contact Name:	STEPHANIE CUSHING
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET #210
City:	SAN FRANCISCO
Email:	stephanie.cushing@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T0607500048
Action Type:	Other
Date:	01/02/1965
Action:	Leak Reported

Global Id:	T0607500048
Action Type:	ENFORCEMENT
Date:	03/17/1995
Action:	Notice of Responsibility

Global Id:	T0607500048
Action Type:	Other

CALFORNIA CARE MAINTENCE CO. (Continued) **S101302373**

Date: 02/05/1990
Action: Leak Discovery

LUST:
Global Id: T0607500048
Status: Open - Case Begin Date
Status Date: 02/05/1990

Global Id: T0607500048
Status: Completed - Case Closed
Status Date: 03/28/1995

LUST REG 2:
Region: 2
Facility Id: 38-0053
Facility Status: Case Closed
Case Number: 10391
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: Calfornia Care
Address: 1145 Mission Street
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 38-0053
Facility Status: Case Closed
Case Number: 10391
Case Type: Soil only
Release Date: 3/8/1990
Discovered Date: 2/5/1990
Substance: Gasoline
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 3/8/1990
Case Closed: 3/28/1995
Closed Date: 3/28/1995
Leak Source: Tank
Leak Cause: Structure Failure
Leak Confirmed: Not reported
Entered Date: 3/17/1995
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency

CALFORNIA CARE MAINTENCE CO. (Continued) **S101302373**

Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	SC
Cross Street:	7TH ST
NOR Date:	3/17/1995
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Not reported
Abatement:	No Action Taken - no action has as yet been taken at the site
Enforcement Type:	NOR
Enforcement Due Date:	3/17/1995
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	2/23/1990
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

CALFORNIA CARE MAINTENCE CO. (Continued) **S101302373**

HIST CORTESE:

edr_fname:	CA BUILDING MAINTENANCE
edr_fadd1:	1145 MISSION
City,State,Zip:	SAN FRANCISCO, CA 94103
Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0053

CERS:

Name:	CALFORNIA CARE MAINTENCE CO.
Address:	1145 MISSION STREET
City,State,Zip:	SAN FRANCISCO, CA 94103
Site ID:	257650
CERS ID:	T0607500048
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	STEPHANIE CUSHING - SAN FRANCISCO COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1390 MARKET STREET #210
Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

AJ427 **440 HYDE ST** **CA UST** **U003915472**
NNW **440 HYDE ST** **N/A**
1/8-1/4 **, CA**
0.239 mi.
1261 ft. **Site 9 of 15 in cluster AJ**

Relative:
Higher

Actual:
102 ft.

SAN FRANCISCO CO. UST:

Name:	440 HYDE ST
Address:	440 HYDE ST
Facility ID:	22102
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	1550 Wallace

440 HYDE ST (Continued) **U003915472**

Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	L & W
Application Date:	10/28/1997
Application Name:	George Wilson
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	11/19/1997
UST Close ID:	3068
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported

440 HYDE ST (Continued) **U003915472**

Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AQ428 **COMMERCIAL/RESIDENTIAL** **CA LUST S103890977**
WNW **640 POLK STREET** **CA HIST CORTESE N/A**
1/8-1/4 **SAN FRANCISCO, CA 94102** **CA CERS**
0.240 mi.
1268 ft. **Site 3 of 7 in cluster AQ**

Relative:
Higher

Actual:
91 ft.

LUST:

Name:	COMMERCIAL/RESIDENTIAL
Address:	640 POLK STREET
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607501096
Global Id:	T0607501096
Latitude:	37.782732
Longitude:	-122.418835
Status:	Completed - Case Closed
Status Date:	12/02/1998
Case Worker:	SC
RB Case Number:	38-1211
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Not reported
Local Case Number:	11097
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607501096
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0607501096
Contact Type:	Local Agency Caseworker
Contact Name:	STEPHANIE CUSHING
Organization Name:	SAN FRANCISCO COUNTY LOP

COMMERCIAL/RESIDENTIAL (Continued) **S103890977**

Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

LUST:
Global Id: T0607501096
Action Type: Other
Date: 03/19/1998
Action: Leak Discovery

Global Id: T0607501096
Action Type: Other
Date: 01/02/1965
Action: Leak Reported

LUST:
Global Id: T0607501096
Status: Open - Case Begin Date
Status Date: 03/19/1998

Global Id: T0607501096
Status: Completed - Case Closed
Status Date: 12/02/1998

LUST REG 2:
Region: 2
Facility Id: 38-1211
Facility Status: Case Closed
Case Number: 11097
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: COMMERCIAL/RESIDEN
Address: 640 Polk Street
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 38-1211
Facility Status: Case Closed
Case Number: 11097
Case Type: Soil only
Release Date: 3/20/1998
Discovered Date: 3/19/1998
Substance: Heater Fuel

COMMERCIAL/RESIDENTIAL (Continued) **S103890977**

Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Repair Tank
Report Date:	3/20/1998
Case Closed:	12/2/1998
Closed Date:	12/2/1998
Leak Source:	Tank
Leak Cause:	Corrosion
Leak Confirmed:	Not reported
Entered Date:	11/19/1998
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Mel Dagovitz, 221
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	SC
Cross Street:	EDDY ST
NOR Date:	11/19/1998
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NRQ
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Not reported
Abatement:	No Action Required - incident is minor, requiring no remedial action
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	3/18/1998
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Fuel Oils Nos. 1 -
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported

COMMERCIAL/RESIDENTIAL (Continued) **S103890977**

TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

HIST CORTESE:

edr_fname:	COMMERCIAL RESIDENTIAL
edr_fadd1:	640 POLK
City,State,Zip:	SAN FRANCISCO, CA 94102
Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-1211

CERS:

Name:	COMMERCIAL/RESIDENTIAL
Address:	640 POLK STREET
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	251042
CERS ID:	T0607501096
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	STEPHANIE CUSHING - SAN FRANCISCO COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1390 MARKET STREET #210
Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

AQ429 **640 POLK ST** **CA UST** **U003915577**
WNW **640 POLK ST** **N/A**
1/8-1/4 **, CA**
0.240 mi.
1268 ft. **Site 4 of 7 in cluster AQ**

Relative:
Higher

Actual:
91 ft.

SAN FRANCISCO CO. UST:

Name:	640 POLK ST
Address:	640 POLK ST
Facility ID:	22257
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	3/3/1998
Application Name:	Tim Hallen
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	3/18/1998
UST Close ID:	3184
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

640 POLK ST (Continued) **U003915577**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	8/14/1998
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AR430 **RESIDENTIAL APARTMENT** **CA LUST S105688841**
North **434 LEAVENWORTH STREET** **CA CERS N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.241 mi.
1270 ft. **Site 1 of 10 in cluster AR**

Relative: **Higher**

Actual: **97 ft.**

LUST:

Name:	RESIDENTIAL APARTMENT
Address:	434 LEAVENWORTH STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607540109
Global Id:	T0607540109
Latitude:	37.78526
Longitude:	-122.414192
Status:	Completed - Case Closed
Status Date:	08/14/2001
Case Worker:	SC
RB Case Number:	38-2101
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Not reported
Local Case Number:	11476
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil

RESIDENTIAL APARTMENT (Continued) **S105688841**

Site History: Not reported

LUST:
Global Id: T0607540109
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0607540109
Contact Type: Local Agency Caseworker
Contact Name: STEPHANIE CUSHING
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

LUST:
Global Id: T0607540109
Action Type: Other
Date: 07/19/2001
Action: Leak Discovery

Global Id: T0607540109
Action Type: ENFORCEMENT
Date: 09/27/2001
Action: Notice of Responsibility

Global Id: T0607540109
Action Type: Other
Date: 01/02/1965
Action: Leak Reported

LUST:
Global Id: T0607540109
Status: Open - Case Begin Date
Status Date: 07/19/2001

Global Id: T0607540109
Status: Completed - Case Closed
Status Date: 08/14/2001

LUST REG 2:
Region: 2
Facility Id: 38-2101
Facility Status: Case Closed
Case Number: 11476
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported

RESIDENTIAL APARTMENT (Continued) **S105688841**

Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

CERS:
Name: RESIDENTIAL APARTMENT
Address: 434 LEAVENWORTH STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Site ID: 229515
CERS ID: T0607540109
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: STEPHANIE CUSHING - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1390 MARKET STREET #210
Affiliation City: SAN FRANCISCO
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

AR431 **SF 434 LEAVENWORTH STREET, LLC** **RCRA NonGen / NLR** **1024766652**
North **434 LEAVENWORTH STREET, UNIT #108** **CAC002986524**
1/8-1/4 **SAN FRANCISCO, CA 94102**
0.241 mi.
1270 ft. **Site 2 of 10 in cluster AR**

Relative:
Higher

Actual:
97 ft.

RCRA NonGen / NLR:
Date form received by agency: 2018-10-25 00:00:00.0
Facility name: SF 434 LEAVENWORTH STREET, LLC
Facility address: 434 LEAVENWORTH STREET, UNIT #108
SAN FRANCISCO, CA 94102
EPA ID: CAC002986524
Mailing address: ONE BUSH STREET, SUITE 900
SAN FRANCISCO, CA 94104
Contact: BLAKE WESTRATE
Contact address: ONE BUSH STREET, SUITE 900
SAN FRANCISCO, CA 94104
Contact country: Not reported
Contact telephone: 415-316-9931
Contact email: 434LEAVENWORTH@GREENTREEPMCO.COM

SF 434 LEAVENWORTH STREET, LLC (Continued) **1024766652**

EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: SF 434 LEAVENWORTH STREET, LLC
Owner/operator address: ONE BUSH STREET, SUITE 900
SAN FRANCISCO, CA 94104
Owner/operator country: Not reported
Owner/operator telephone: 415-316-9931
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: BLAKE WESTRATE
Owner/operator address: ONE BUSH STREET, SUITE 900
SAN FRANCISCO, CA 94104
Owner/operator country: Not reported
Owner/operator telephone: 415-316-9931
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

AR432 **RESIDENCE** **CA UST** **U003905669**
North **434 LEAVENWORTH ST** **N/A**
1/8-1/4 **, CA**
0.241 mi.
1270 ft. **Site 3 of 10 in cluster AR**

Relative:
Higher

Actual:
97 ft.

SAN FRANCISCO CO. UST:

Name:	RESIDENCE
Address:	434 LEAVENWORTH ST
Facility ID:	25911
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	3/29/2001
Application Name:	Cathy Keller
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	7/19/2001
UST Close ID:	4118
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

RESIDENCE (Continued) **U003905669**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AR433 **RESIDENTIAL** **CA LUST** **S105627958**
North **434 LEAVENWORTH STREET** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.241 mi.
1270 ft. **Site 4 of 10 in cluster AR**

Relative:
Higher

Actual:
97 ft.

SAN FRANCISCO CO. LUST:

Name:	Residential
Address:	434 Leavenworth Street
City:	San Francisco
Region:	SAN FRANCISCO
Facility ID:	02-301-025
Facility Status:	Case Closed
Case Number:	11476
Case Type:	Soil only
Release Date:	Not reported
Discovered Date:	7/19/2001
Substance:	Heater Fuel
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	8/14/2001
Case Closed:	9/28/2001
Closed Date:	Not reported
Leak Source:	Tank

RESIDENTIAL (Continued) **S105627958**

Leak Cause:	Corrosion
Leak Confirmed:	7/19/2001
Entered Date:	9/27/2001
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Matthew Murphy
Staff Initial:	VP
Facility Staff:	SC
Cross Street:	Ellis
NOR Date:	Not reported
MTBE Current:	Not reported
MTBE Current Date:	7/19/2001
MTBE:	ND
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	7/19/2001
Review Date:	9/28/2001
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	Yes
Priority:	Low Priority Site
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	9/27/2001
Basin:	DOWNTOWN
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	7/19/2001
Free Product:	Not reported
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Not reported
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	ND
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	YES
Max TPH GW:	Not reported
Max TPH Soil:	21
TPH Date:	7/19/2001
Block:	Not reported
Lot:	Not reported

RESIDENTIAL (Continued) **S105627958**

Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

AL434 **COM HOWARD LLC** **RCRA NonGen / NLR** **1024764565**
South **50 8TH STREET** **CAC002984433**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.241 mi.
1274 ft. **Site 2 of 9 in cluster AL**

Relative:
Lower

Actual:
51 ft.

RCRA NonGen / NLR:

Date form received by agency:	2018-10-11 00:00:00.0
Facility name:	COM HOWARD LLC
Facility address:	50 8TH STREET SAN FRANCISCO, CA 94103
EPA ID:	CAC002984433
Contact:	SOCORRO DURAN
Contact address:	2075 WILLIAMS STREET SAN LEANDRO, CA 94577
Contact country:	Not reported
Contact telephone:	510-904-3911
Contact email:	SDURAN@BWSERV.COM
EPA Region:	09
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	COM HOWARD LLC
Owner/operator address:	50 8TH STREET SAN FRANCISCO, CA 94103
Owner/operator country:	Not reported
Owner/operator telephone:	415-716-1953
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	SOCORRO DURAN
Owner/operator address:	2075 WILLIAMS STREET SAN LEANDRO, CA 94577
Owner/operator country:	Not reported
Owner/operator telephone:	510-904-3911
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

COM HOWARD LLC (Continued) **1024764565**

Handler Activities Summary:
- U.S. importer of hazardous waste: No
- Mixed waste (haz. and radioactive): No
- Recycler of hazardous waste: No
- Transporter of hazardous waste: No
- Treater, storer or disposer of HW: No
- Underground injection activity: No
- On-site burner exemption: No
- Furnace exemption: No
- Used oil fuel burner: No
- Used oil processor: No
- User oil refiner: No
- Used oil fuel marketer to burner: No
- Used oil Specification marketer: No
- Used oil transfer facility: No
- Used oil transporter: No

Violation Status: No violations found

AL435 **COM HOWARD 1 LLC** **RCRA NonGen / NLR** **1024754259**
South **50 8TH STREET** **CAC002974074**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.241 mi.
1274 ft. **Site 3 of 9 in cluster AL**

Relative: **Lower**
Actual: **51 ft.**

RCRA NonGen / NLR:
- Date form received by agency: 2018-08-03 00:00:00.0
- Facility name: COM HOWARD 1 LLC
- Facility address: 50 8TH STREET
  SAN FRANCISCO, CA 94103
- EPA ID: CAC002974074
- Contact: JENNY JOON CHUN
- Contact address: 50 8TH STREET
  SAN FRANCISCO, CA 94103
- Contact country: Not reported
- Contact telephone: 415-205-6895
- Contact email: KMESTAS-BOOTH@BWSERV.COM
- EPA Region: 09
- Classification: Non-Generator
- Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
- Owner/operator name: JENNY JOON CHUN
- Owner/operator address: 50 8TH STREET
  SAN FRANCISCO, CA 94103
- Owner/operator country: Not reported
- Owner/operator telephone: 415-205-6895
- Owner/operator email: Not reported
- Owner/operator fax: Not reported
- Owner/operator extension: Not reported
- Legal status: Other
- Owner/Operator Type: Operator
- Owner/Op start date: Not reported
- Owner/Op end date: Not reported

- Owner/operator name: COM HOWARD 1 LLC
- Owner/operator address: 50 8TH STREET
  SAN FRANCISCO, CA 94103

COM HOWARD 1 LLC (Continued) **1024754259**

Owner/operator country: Not reported
Owner/operator telephone: 415-205-6895
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

AL436 **RCRA NonGen / NLR** **1025827853**
South **50 8TH STREET** **CAC003007406**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.241 mi.
1274 ft. **Site 4 of 9 in cluster AL**

Relative: **Lower**

Actual: **51 ft.**

RCRA NonGen / NLR:
Date form received by agency: 2019-03-26 00:00:00.0
Facility name: Not reported
Facility address: 50 8TH STREET
SAN FRANCISCO, CA 94103
EPA ID: CAC003007406
Contact: SOCORRO DURAN
Contact address: 2075 WILLIAMS STREET
SAN LEANDRO, CA 94577
Contact country: Not reported
Contact telephone: 510-904-3911
Contact email: SDURAN@BWSERV.COM
EPA Region: 09
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: SOCORRO DURAN
Owner/operator address: 2075 WILLIAMS STREET
SAN LEANDRO, CA 94577
Owner/operator country: Not reported
Owner/operator telephone: 510-904-3911
Owner/operator email: Not reported

(Continued) **1025827853**

Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported
Owner/operator name:	COM HOWARD LLC
Owner/operator address:	50 8TH STREET SAN FRANCISCO, CA 94103
Owner/operator country:	Not reported
Owner/operator telephone:	510-904-3911
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Other
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	Yes
Treater, storer or disposer of HW:	Yes
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

AL437 **COM HOWARD LLC** **RCRA NonGen / NLR** **1024773119**
South **50 8TH STREET** **CAC002993036**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.241 mi.
1274 ft. **Site 5 of 9 in cluster AL**

Relative:
Lower

Actual:
51 ft.

RCRA NonGen / NLR:

Date form received by agency:	2018-12-14 00:00:00.0
Facility name:	COM HOWARD LLC
Facility address:	50 8TH STREET SAN FRANCISCO, CA 94103
EPA ID:	CAC002993036
Contact:	KEVIN KINGSLEY
Contact address:	50 8TH STREET SAN FRANCISCO, CA 94103
Contact country:	Not reported
Contact telephone:	415-246-7042
Contact email:	KMESTAS-BOOTH@BWSERV.COM
EPA Region:	09

COM HOWARD LLC (Continued) **1024773119**

Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: KEVIN KINGSLEY
Owner/operator address: 50 8TH STREET
SAN FRANCISCO, CA 94103
Owner/operator country: Not reported
Owner/operator telephone: 415-246-7042
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: COM HOWARD LLC
Owner/operator address: 50 8TH STREET
SAN FRANCISCO, CA 94103
Owner/operator country: Not reported
Owner/operator telephone: 415-246-7042
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

AJ438
NNW
1/8-1/4
0.242 mi.
1278 ft.

RESIDENCE
442 HYDE ST
, CA

Site 10 of 15 in cluster AJ

CA UST **U004060605**
N/A

Relative:
Higher

Actual:
102 ft.

SAN FRANCISCO CO. UST:

Name:	RESIDENCE
Address:	442 HYDE ST
Facility ID:	30085
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley St
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	8/29/2006
Application Name:	Tim Hallen
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	9/14/2006
UST Close ID:	4864
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported

RESIDENCE (Continued) **U004060605**

Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	1/22/2007
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AJ439 **RESIDENCE** **CA UST** **U003905672**
NNW **437 HYDE ST** **N/A**
1/8-1/4 **, CA**
0.243 mi.
1282 ft. **Site 11 of 15 in cluster AJ**

Relative:
Higher

Actual:
102 ft.

SAN FRANCISCO CO. UST:

Name:	RESIDENCE
Address:	437 HYDE ST
Facility ID:	25912
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	3/29/2001
Application Name:	Cathy Keller

RESIDENCE (Continued) **U003905672**

Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	4119
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported

RESIDENCE (Continued) **U003905672**

Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AL440 **MISSION SUBSTATION** **CA HIST UST** **S112971652**
South **66 8TH STREET** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.243 mi.
1284 ft. **Site 6 of 9 in cluster AL**

Relative: **Lower**
Actual: **50 ft.**

HIST UST:

Name:	MISSION SUBSTATION
Address:	66 8TH STREET
City,State,Zip:	SAN FRANCISCO, CA 94103
File Number:	0002F7FC
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002F7FC.pdf
Region:	Not reported
Facility ID:	Not reported
Facility Type:	Not reported
Other Type:	Not reported
Contact Name:	Not reported
Telephone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Total Tanks:	Not reported
Tank Num:	Not reported
Container Num:	Not reported
Year Installed:	Not reported
Tank Capacity:	Not reported
Tank Used for:	Not reported
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Not reported

Click here for Geo Tracker PDF:

AL441 **PG&E MISSION SUBSTATION** **CA SWEEPS UST** **S101592174**
South **66 8TH ST** **CA FID UST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.243 mi.
1284 ft. **Site 7 of 9 in cluster AL**

Relative: **Lower**
Actual: **50 ft.**

SWEEPS UST:

Name:	PG&E MISSION SUBSTATION
Address:	66 8TH ST
City:	SAN FRANCISCO
Status:	Active
Comp Number:	2664

PG&E MISSION SUBSTATION (Continued) **S101592174**

Number: 9
Board Of Equalization: Not reported
Referral Date: 09-10-93
Action Date: 12-10-91
Created Date: 01-01-01
Owner Tank Id: Not reported
SWRCB Tank Id: Not reported
Tank Status: Not reported
Capacity: Not reported
Active Date: Not reported
Tank Use: Not reported
STG: Not reported
Content: Not reported
Number Of Tanks: Not reported

Name: PG&E MISSION SUBSTATION
Address: 66 8TH ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 2664
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-002664-000001
Tank Status: Not reported
Capacity: 10000
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: 2

Name: PG&E MISSION SUBSTATION
Address: 66 8TH ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 2664
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-002664-000002
Tank Status: Not reported
Capacity: 10000
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

CA FID UST:
Facility ID: 38001105

PG&E MISSION SUBSTATION (Continued) **S101592174**

Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	66 8TH ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94103
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

AL442 **MISSION SUBSTATION** **RCRA-SQG 1000382489**
South **66 8TH ST** **FTTS CAD982514135**
1/8-1/4 **SAN FRANCISCO, CA 94103** **HIST FTTS**
0.243 mi.
1284 ft. **Site 8 of 9 in cluster AL**

Relative: **Lower**
Actual: **50 ft.**

RCRA-SQG:

Date form received by agency:	1996-09-01 00:00:00.0
Facility name:	MISSION SUBSTATION
Facility address:	66 EIGHTH STREET SAN FRANCISCO, CA 94102
EPA ID:	CAD982514135
Mailing address:	1170 MARKET STREET SAN FRANCISCO, CA 94102
Contact:	Not reported
Contact address:	Not reported Not reported
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	PACIFIC GAS ELECTRIC
Owner/operator address:	NOT REQUIRED NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	415-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported

MISSION SUBSTATION (Continued) **1000382489**

Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: 415-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 1990-04-13 00:00:00.0
Site name: PG&E/MISSION SUBSTATION
Classification: Large Quantity Generator

Date form received by agency: 1988-12-14 00:00:00.0
Site name: MISSION SUBSTATION
Classification: Large Quantity Generator

Violation Status: No violations found

FTTS INSP:
Inspection Number: 1990071201082 1
Region: 09
Inspection Date: 07/12/90
Inspector: GREG CZAJKOWSKI
Violation occurred: Yes
Investigation Type: Section 6 PCB Federal Conducted
Investigation Reason: Neutral Scheme, Region
Legislation Code: TSCA
Facility Function: User

HIST FTTS INSP:

MISSION SUBSTATION (Continued) **1000382489**

Inspection Number: 1990071201082 1
Region: 09
Inspection Date: Not reported
Inspector: GREG CZAJKOWSKI
Violation occurred: Yes
Investigation Type: Section 6 PCB Federal Conducted
Investigation Reason: Neutral Scheme, Region
Legislation Code: TSCA
Facility Function: User

AL443 **MISSION SUBSTATION** **CA HIST UST** **U001595110**
South **66 8TH ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.243 mi.
1284 ft. **Site 9 of 9 in cluster AL**

Relative: **Lower**
Actual: **50 ft.**

HIST UST:

Name:	MISSION SUBSTATION
Address:	66 8TH ST
City,State,Zip:	SAN FRANCISCO, CA 94103
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000024833
Facility Type:	Other
Other Type:	SUBSTATION UTILITY
Contact Name:	Not reported
Telephone:	4157814211
Owner Name:	PACIFIC GAS AND ELECTRIC CO.
Owner Address:	77 BEALE STREET
Owner City,St,Zip:	SAN FRANCISCO, CA 94106
Total Tanks:	0002
Tank Num:	001
Container Num:	(1)
Year Installed:	1958
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor
Tank Num:	002
Container Num:	(2)
Year Installed:	1958
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor

AS444
ESE
1/8-1/4
0.245 mi.
1293 ft.

CHEVRON STATION
1045 MISSION STREET
SAN FRANCISCO, CA 94103

Site 1 of 4 in cluster AS

CA LUST **S105194320**
N/A

Relative:
Lower

Actual:
32 ft.

LUST REG 2:

Region:	2
Facility Id:	38-0102
Facility Status:	Case Closed
Case Number:	10024
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

SAN FRANCISCO CO. LUST:

Name:	Chevron Station
Address:	1045 Mission Street
City:	San Francisco
Region:	SAN FRANCISCO
Facility ID:	38-0102
Facility Status:	Case Closed
Case Number:	10024
Case Type:	Soil only
Release Date:	8/25/1988
Discovered Date:	8/25/1988
Substance:	Gasoline
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	8/25/1988
Case Closed:	2/15/1995
Closed Date:	2/15/1995
Leak Source:	Tank
Leak Cause:	Structure Failure
Leak Confirmed:	Not reported
Entered Date:	4/22/1992
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	AL
Cross Street:	6TH ST
NOR Date:	4/22/1992
MTBE Current:	Not reported
MTBE Current Date:	Not reported

CHEVRON STATION (Continued) **S105194320**

MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Not reported
Abatement:	No Action Required - incident is minor, requiring no remedial action
Enforcement Type:	NOR
Enforcement Due Date:	4/22/1992
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	8/25/1988
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

AS445 **BUBBLE CAR WASH** **CA SWEEPS UST** **S101623170**
ESE **1045 MISSION ST** **CA FID UST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94100**
0.245 mi.
1293 ft. **Site 2 of 4 in cluster AS**

Relative: SWEEPS UST:
Lower

Name:	BUBBLE CAR WASH
Address:	1045 MISSION ST
City:	SAN FRANCISCO
Status:	Active

Actual:
32 ft.

BUBBLE CAR WASH (Continued) **S101623170**

Comp Number: 2880
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Owner Tank Id: Not reported
SWRCB Tank Id: Not reported
Tank Status: Not reported
Capacity: Not reported
Active Date: Not reported
Tank Use: Not reported
STG: Not reported
Content: Not reported
Number Of Tanks: Not reported

Name: BUBBLE CAR WASH
Address: 1045 MISSION ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 2880
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-002880-000001
Tank Status: Not reported
Capacity: 10000
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: 3

Name: BUBBLE CAR WASH
Address: 1045 MISSION ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 2880
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-002880-000002
Tank Status: Not reported
Capacity: 10000
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Name: BUBBLE CAR WASH

BUBBLE CAR WASH (Continued) **S101623170**

Address:	1045 MISSION ST
City:	SAN FRANCISCO
Status:	Not reported
Comp Number:	2880
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	38-000-002880-000003
Tank Status:	Not reported
Capacity:	10000
Active Date:	Not reported
Tank Use:	UNKNOWN
STG:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	Not reported

CA FID UST:

Facility ID:	38000147
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4158643828
Mail To:	Not reported
Mailing Address:	PIER 43 1-2
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94100
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

AS446 **BUBBLE CAR WASH** **CA HIST UST** **U001595073**
ESE **1045 MISSION ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103**
0.245 mi.
1293 ft. **Site 3 of 4 in cluster AS**

Relative:
Lower

Actual:
32 ft.

HIST UST:

Name:	BUBBLE CAR WASH
Address:	1045 MISSION ST
City,State,Zip:	SAN FRANCISCO, CA 94103
File Number:	0002F786
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002F786.pdf
Region:	STATE
Facility ID:	00000011847
Facility Type:	Gas Station
Other Type:	CAR WASH
Contact Name:	C&P SERVICE INC
Telephone:	4158643828
Owner Name:	KEN & PAT BURGER

BUBBLE CAR WASH (Continued) **U001595073**

Owner Address:	2019 PIN OAK
Owner City,St,Zip:	DANVILLE, CA 94526
Total Tanks:	0003
Tank Num:	001
Container Num:	1
Year Installed:	1973
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	PREMIUM
Container Construction Thickness:	Not reported
Leak Detection:	Visual, Stock Inventor
Tank Num:	002
Container Num:	2
Year Installed:	1973
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Visual, Stock Inventor
Tank Num:	003
Container Num:	3
Year Installed:	1973
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	REGULAR
Container Construction Thickness:	Not reported
Leak Detection:	Visual, Stock Inventor

Click here for Geo Tracker PDF:

AS447 **CHEVRON** **CA LUST** **S104568314**
ESE **1045 MISSION** **CA HIST CORTESE** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94103** **CA CERS**
0.245 mi.
1293 ft. **Site 4 of 4 in cluster AS**

Relative: LUST:
Lower

Name:	CHEVRON STATION #9-1801
Address:	1045 MISSION STREET
City,State,Zip:	SAN FRANCISCO, CA 94103
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500093
Global Id:	T0607500093
Latitude:	37.780077
Longitude:	-122.40984
Status:	Completed - Case Closed
Status Date:	02/15/1995
Case Worker:	Not reported
RB Case Number:	38-0102
Local Agency:	Not reported
File Location:	Not reported
Local Case Number:	10024
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline

Actual:
32 ft.

CHEVRON (Continued) **S104568314**

Site History: Not reported

LUST:
Global Id: T0607500093
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

LUST:
Global Id: T0607500093
Action Type: Other
Date: 01/02/1965
Action: Leak Reported

Global Id: T0607500093
Action Type: ENFORCEMENT
Date: 04/22/1992
Action: Notice of Responsibility

Global Id: T0607500093
Action Type: Other
Date: 08/25/1988
Action: Leak Discovery

LUST:
Global Id: T0607500093
Status: Open - Case Begin Date
Status Date: 08/25/1988

Global Id: T0607500093
Status: Completed - Case Closed
Status Date: 02/15/1995

HIST CORTESE:
edr_fname: CHEVRON
edr_fadd1: 1045 MISSION
City,State,Zip: SAN FRANCISCO, CA 94103
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-0102

CERS:
Name: CHEVRON STATION #9-1801
Address: 1045 MISSION STREET
City,State,Zip: SAN FRANCISCO, CA 94103
Site ID: 255258
CERS ID: T0607500093
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:

CHEVRON (Continued) **S104568314**

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

AF448 **ELLIS CLEANERS** **RCRA-SQG 1000905313**
NNE **372 ELLIS ST** **FINDS CA0000481838**
1/8-1/4 **SAN FRANCISCO, CA 94102** **ECHO**
0.245 mi. **CA HAZNET**
1294 ft. **Site 7 of 7 in cluster AF**

Relative: Higher
Actual: 73 ft.

RCRA-SQG:

Date form received by agency:	1994-07-21 00:00:00.0
Facility name:	ELLIS CLEANERS
Facility address:	372 ELLIS ST SAN FRANCISCO, CA 94102
EPA ID:	CA0000481838
Mailing address:	ELLIS ST SAN FRANCISCO, CA 94102
Contact:	LE QUANG TRI
Contact address:	372 ELLIS ST SAN FRANCISCO, CA 94102
Contact country:	US
Contact telephone:	415-771-0888
Contact email:	Not reported
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	LE QUANG TRI
Owner/operator address:	372 ELLIS ST SAN FRANCISCO, CA 94102
Owner/operator country:	Not reported
Owner/operator telephone:	415-771-0888
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No

ELLIS CLEANERS (Continued) **1000905313**

Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

FINDS:

Registry ID: 110002618631

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000905313
Registry ID:	110002618631
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002618631

HAZNET:

Name:	ELLIS CLEANERS
Address:	372 ELLIS ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1994
Gepaid:	CA0000481838
Contact:	LE QUANG TRI
Telephone:	4157710888
Mailing Name:	Not reported
Mailing Address:	372 ELLIS ST
Gen County:	38
Waste Category:	Liquids with halogenated organic compounds >= 1,000 Mg./L
TSD EPA ID:	CAT000613943
TSD County:	49
Disposal Method:	Transfer Station
Tons:	0.1875

Additional Info:

Year:	1994
Shipment Date:	19941026
Creation Date:	3/28/1996 0:00:00

ELLIS CLEANERS (Continued) **1000905313**

Receipt Date:	19941026
Manifest ID:	93798756
Gen EPA ID:	CA0000481838
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.0975
Waste Quantity:	195
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1994
Shipment Date:	19941026
Creation Date:	3/28/1996 0:00:00
Receipt Date:	19941026
Manifest ID:	93798756
Gen EPA ID:	CA0000481838
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.03
Waste Quantity:	60
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1994
Shipment Date:	19940803
Creation Date:	10/17/1995 0:00:00
Receipt Date:	19940803
Manifest ID:	93647680
Gen EPA ID:	CA0000481838
Trans EPA ID:	ILD984908202
Trans Name:	Not reported

ELLIS CLEANERS (Continued) **1000905313**

Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.06
Waste Quantity:	120
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	ELLIS CLEANERS
Address:	372 ELLIS ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000
Year:	1995
Gepaid:	CA0000481838
Contact:	LE QUANG TRI
Telephone:	4157710888
Mailing Name:	Not reported
Mailing Address:	372 ELLIS ST
Gen County:	38
Waste Category:	Liquids with halogenated organic compounds >= 1,000 Mg./L
TSD EPA ID:	CAT000613943
TSD County:	49
Disposal Method:	Transfer Station
Tons:	0.6075

Additional Info:

Year:	1995
Shipment Date:	19950105
Creation Date:	3/28/1996 0:00:00
Receipt Date:	19950105
Manifest ID:	95057164
Gen EPA ID:	CA0000481838
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.195
Waste Quantity:	390
Quantity Unit:	P
Additional Code 1:	Not reported

ELLIS CLEANERS (Continued) **1000905313**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1995
Shipment Date:	19950105
Creation Date:	3/28/1996 0:00:00
Receipt Date:	19950105
Manifest ID:	95057164
Gen EPA ID:	CA0000481838
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.06
Waste Quantity:	120
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1995
Shipment Date:	19950801
Creation Date:	4/2/1996 0:00:00
Receipt Date:	19950801
Manifest ID:	95624188
Gen EPA ID:	CA0000481838
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.195
Waste Quantity:	390
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

ELLIS CLEANERS (Continued) **1000905313**

Year:	1995
Shipment Date:	19950411
Creation Date:	3/29/1996 0:00:00
Receipt Date:	19950411
Manifest ID:	93773111
Gen EPA ID:	CA0000481838
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.0975
Waste Quantity:	195
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1995
Shipment Date:	19950411
Creation Date:	3/29/1996 0:00:00
Receipt Date:	19950411
Manifest ID:	93773111
Gen EPA ID:	CA0000481838
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.06
Waste Quantity:	120
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Name:	ELLIS CLEANERS
Address:	372 ELLIS ST
Address 2:	Not reported
City,State,Zip:	SAN FRANCISCO, CA 941020000

ELLIS CLEANERS (Continued) **1000905313**

Year:	1996
Gepaid:	CA0000481838
Contact:	LE QUANG TRI
Telephone:	4157710888
Mailing Name:	Not reported
Mailing Address:	372 ELLIS ST
Gen County:	38
Waste Category:	Liquids with halogenated organic compounds >= 1,000 Mg./L
TSD EPA ID:	CAT000613943
TSD County:	49
Disposal Method:	Transfer Station
Tons:	0.2775

Additional Info:

Year:	1996
Shipment Date:	19960206
Creation Date:	10/10/1996 0:00:00
Receipt Date:	19960206
Manifest ID:	95960006
Gen EPA ID:	CA0000481838
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613943
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.12
Waste Quantity:	240
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Year:	1996
Shipment Date:	19960815
Creation Date:	5/30/1997 0:00:00
Receipt Date:	19960815
Manifest ID:	95960034
Gen EPA ID:	CA0000481838
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.0975

ELLIS CLEANERS (Continued) **1000905313**

Waste Quantity:	195
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Year:	1996
Shipment Date:	19960815
Creation Date:	5/30/1997 0:00:00
Receipt Date:	19960815
Manifest ID:	95960034
Gen EPA ID:	CA0000481838
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613943
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code:	741
RCRA Code:	F002
Meth Code:	H01
Quantity Tons:	0.06
Waste Quantity:	120
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

AJ449 **PRIVATE RESIDENCE** **CA LUST** **S110655170**
NNW **PRIVATE RESIDENCE** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.246 mi.
1300 ft. **Site 12 of 15 in cluster AJ**

Relative: LUST:
Higher

Actual:
104 ft.

Name:	PRIVATE RESIDENCE
Address:	PRIVATE RESIDENCE
City,State,Zip:	SAN FRANCISCO, CA 94109
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607599494
Global Id:	T0607599494
Latitude:	37.785195
Longitude:	-122.415466
Status:	Completed - Case Closed
Status Date:	01/07/2003
Case Worker:	SC
RB Case Number:	38-2186
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Local Agency
Local Case Number:	11525

PRIVATE RESIDENCE (Continued) **S110655170**

Potential Media Affect: Soil
Potential Contaminants of Concern: Heating Oil / Fuel Oil
Site History: Not reported

LUST:
Global Id: T0607599494
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0607599494
Contact Type: Local Agency Caseworker
Contact Name: STEPHANIE CUSHING
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

LUST:
Global Id: T0607599494
Action Type: Other
Date: 09/25/2002
Action: Leak Discovery

Global Id: T0607599494
Action Type: Other
Date: 09/25/2002
Action: Leak Stopped

Global Id: T0607599494
Action Type: REMEDIATION
Date: 09/25/2002
Action: Excavation

Global Id: T0607599494
Action Type: Other
Date: 10/03/2002
Action: Leak Reported

Global Id: T0607599494
Action Type: ENFORCEMENT
Date: 01/07/2003
Action: Closure/No Further Action Letter

LUST:
Global Id: T0607599494
Status: Open - Case Begin Date
Status Date: 09/25/2002

Global Id: T0607599494
Status: Open - Site Assessment
Status Date: 10/03/2002

PRIVATE RESIDENCE (Continued) **S110655170**

Global Id: T0607599494
Status: Completed - Case Closed
Status Date: 01/07/2003

AJ450 **631 OFARRELL** **CA UST** **U003915573**
NNW **631 O'FARRELL ST** **N/A**
1/8-1/4 **, CA**
0.246 mi.
1301 ft. **Site 13 of 15 in cluster AJ**

Relative: **Higher**
Actual: **104 ft.**

SAN FRANCISCO CO. UST:

Name:	631 OFARRELL
Address:	631 O'FARRELL ST
Facility ID:	17054
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	450 Sixth Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Bay Area Tank
Application Date:	3/17/1995
Application Name:	Tim Hallen
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	5/16/1995
UST Close ID:	1992
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported

631 OFARRELL (Continued) **U003915573**

Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	7/11/1995
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AJ451 **RESIDENCE** **CA UST** **U003905811**
NNW **641 O'FARRELL ST** **N/A**
1/8-1/4 **, CA**
0.246 mi.
1301 ft. **Site 14 of 15 in cluster AJ**

Relative:
Higher

Actual:
104 ft.

SAN FRANCISCO CO. UST:

Name:	RESIDENCE
Address:	641 O'FARRELL ST
Facility ID:	26717
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	1601 Ocean Av
Mailing City,St,Zip:	Not reported

RESIDENCE (Continued) **U003905811**

Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	City Tank
Application Date:	8/30/2002
Application Name:	John Manning
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	9/25/2002
UST Close ID:	4337
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported

RESIDENCE (Continued) **U003905811**

Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AJ452 **APARTMENTS** **CA LUST** **S105693170**
NNW **641 O'FARRELL ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.246 mi.
1301 ft. **Site 15 of 15 in cluster AJ**

Relative: **Higher**
Actual: **104 ft.**

LUST REG 2:

Region:	2
Facility Id:	38-2186
Facility Status:	Case Closed
Case Number:	11525
How Discovered:	Tank Closure
Leak Cause:	Corrosion
Leak Source:	Tank
Date Leak Confirmed:	10/3/2002
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

AP453 **684 ELLIS ST** **CA UST** **U003915593**
NW **684 ELLIS ST** **N/A**
1/8-1/4 **, CA**
0.248 mi.
1307 ft. **Site 4 of 5 in cluster AP**

Relative: **Higher**
Actual: **101 ft.**

SAN FRANCISCO CO. UST:

Name:	684 ELLIS ST
Address:	684 ELLIS ST
Facility ID:	22359
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported

684 ELLIS ST (Continued) **U003915593**

Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	4/3/1998
Application Name:	Tim Hallen
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	4/29/1998
UST Close ID:	3227
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported

684 ELLIS ST (Continued) **U003915593**

Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

AQ454 **SAMANTHA 249 INC** **CA CUPA Listings** **S120628907**
WNW **691 EDDY ST** **CA CERS** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94109**
0.250 mi.
1319 ft. **Site 5 of 7 in cluster AQ**

Relative:
Higher

Actual:
94 ft.

CUPA SAN FRANCISCO CO:

Name:	SAMANTHA 249 INC
Address:	691 EDDY ST
City,State,Zip:	SAN FRANCISCO, CA 94109
Facility ID:	33639
Census Tract:	124
District:	6
Number of Tanks:	0

CERS:

Name:	SAMANTHA 249 INC
Address:	691 EDDY ST
City,State,Zip:	SAN FRANCISCO, CA 94109
Site ID:	418851
CERS ID:	10662205
CERS Description:	Chemical Storage Facilities

Coordinates:

Site ID:	418851
Facility Name:	Samantha 249 Inc
Env Int Type Code:	HMBP
Program ID:	10662205
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	37.783070
Longitude:	-122.418890

Affiliation:

Affiliation Type Desc:	Environmental Contact
Entity Name:	Lourdes Fajardo
Entity Title:	Not reported
Affiliation Address:	2846 Volpey Way
Affiliation City:	Union City

SAMANTHA 249 INC (Continued) **S120628907**

Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94587
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	2846 Volpey Way
Affiliation City:	Union City
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94587
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Nick Singh
Entity Title:	Area Consultant
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	Nguyen 249 Inc
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Samantha 249 Inc
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(415) 673-2641
Affiliation Type Desc:	CUPA District
Entity Name:	San Francisco City & County Public Health Departme
Entity Title:	Not reported
Affiliation Address:	1390 Market Street, Room 210
Affiliation City:	San Francisco
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94102
Affiliation Phone:	(415) 252-3900
Affiliation Type Desc:	Document Preparer
Entity Name:	Nitin Singh

SAMANTHA 249 INC (Continued) **S120628907**

Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	Nguyen Inc. #249
Entity Title:	Not reported
Affiliation Address:	2846 Volpey way
Affiliation City:	Union City
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94587
Affiliation Phone:	(415) 673-2641
Affiliation Type Desc:	Property Owner
Entity Name:	Harman Mangers Investment
Entity Title:	Not reported
Affiliation Address:	199 First Sty. Suite 212
Affiliation City:	Los Altos
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94022
Affiliation Phone:	(650) 941-5681

AO455 **JUDICAL COUNCIL-ADMIN OFFICE OF THE COURTS-OCCM** **CA LUST S113748532**
WSW **400 MCALLISTER** **CA EMI N/A**
1/4-1/2 **SAN FRANCISCO, CA 94102** **CA CERS**
0.251 mi.
1323 ft. **Site 5 of 5 in cluster AO**

Relative:
Higher

Actual:
73 ft.

LUST:

Name:	CHEVRON #9-0707
Address:	400 MCALLISTER
City,State,Zip:	SAN FRANCISCO, CA 94101
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T10000005382
Global Id:	T10000005382
Latitude:	37.7802151822475
Longitude:	-122.418481284027
Status:	Completed - Case Closed
Status Date:	06/08/2016
Case Worker:	MA
RB Case Number:	Not reported
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Local Agency
Local Case Number:	Not reported
Potential Media Affect:	Not reported
Potential Contaminants of Concern:	Not reported
Site History:	Not reported

LUST:

Global Id:	T10000005382

JUDICAL COUNCIL-ADMIN OFFICE OF THE COURTS-OCCM (Continued) **S113748532**

Contact Type: Regional Board Caseworker
Contact Name: GEORGE LOCKWOOD
Organization Name: SWRCB
Address: 1001 I STREET
City: SACRAMENTO
Email: glockwood@waterboards.ca.gov
Phone Number: Not reported

Global Id: T10000005382
Contact Type: Local Agency Caseworker
Contact Name: MAMDOUH AWWAD
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET, #210
City: SAN FRANCISCO
Email: mamdouh.awwad@sfdph.org
Phone Number: Not reported

LUST:
Global Id: T10000005382
Action Type: Other
Date: 03/01/1993
Action: Leak Reported

Global Id: T10000005382
Action Type: Other
Date: 03/01/1993
Action: Leak Began

Global Id: T10000005382
Action Type: RESPONSE
Date: 02/14/1994
Action: Other Report / Document

Global Id: T10000005382
Action Type: Other
Date: 03/01/1993
Action: Leak Discovery

LUST:
Global Id: T10000005382
Status: Open - Case Begin Date
Status Date: 03/01/1993

Global Id: T10000005382
Status: Open - Site Assessment
Status Date: 03/01/1993

Global Id: T10000005382
Status: Open - Site Assessment
Status Date: 03/01/1993

Global Id: T10000005382
Status: Completed - Case Closed
Status Date: 06/08/2016

JUDICAL COUNCIL-ADMIN OFFICE OF THE COURTS-OCCM (Continued) **S113748532**

EMI:

Name:	JUDICAL COUNCIL-ADMIN OFFICE O
Address:	400 MCALLISTER
City,State,Zip:	SAN FRANCISCO, CA 94102
Year:	2010
County Code:	38
Air Basin:	SF
Facility ID:	19604
Air District Name:	BA
SIC Code:	9211
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	6.0000000000000001E-3
Reactive Organic Gases Tons/Yr:	5.0201999999999998E-3
Carbon Monoxide Emissions Tons/Yr:	0.047
NOX - Oxides of Nitrogen Tons/Yr:	3.7999999999999999E-2
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0.00204918032786885
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.002

Name:	JUDICAL COUNCIL-ADMIN OFFICE O
Address:	400 MCALLISTER
City,State,Zip:	SAN FRANCISCO, CA 94102
Year:	2011
County Code:	38
Air Basin:	SF
Facility ID:	19604
Air District Name:	BA
SIC Code:	9211
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.006
Reactive Organic Gases Tons/Yr:	0.0050202
Carbon Monoxide Emissions Tons/Yr:	0.047
NOX - Oxides of Nitrogen Tons/Yr:	0.038
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	JUDICAL COUNCIL-ADMIN OFFICE O
Address:	400 MCALLISTER
City,State,Zip:	SAN FRANCISCO, CA 94102
Year:	2012
County Code:	38
Air Basin:	SF
Facility ID:	19604
Air District Name:	BA
SIC Code:	9211
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.002
Reactive Organic Gases Tons/Yr:	0.0016734
Carbon Monoxide Emissions Tons/Yr:	0.021
NOX - Oxides of Nitrogen Tons/Yr:	0.017

JUDICAL COUNCIL-ADMIN OFFICE OF THE COURTS-OCCM (Continued) **S113748532**

SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0.0010245901639
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0.001

Name: JUDICAL COUNCIL-ADMIN OFFICE O
Address: 400 MCALLISTER
City,State,Zip: SAN FRANCISCO, CA 94102
Year: 2013
County Code: 38
Air Basin: SF
Facility ID: 19604
Air District Name: BA
SIC Code: 9211
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.002
Reactive Organic Gases Tons/Yr: 0.0016734
Carbon Monoxide Emissions Tons/Yr: 0.021
NOX - Oxides of Nitrogen Tons/Yr: 0.017
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0.001
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0.001

Name: JUDICAL COUNCIL-ADMIN OFFICE OF THE COURTS-OCCM
Address: 400 MCALLISTER
City,State,Zip: SAN FRANCISCO, CA 94102
Year: 2014
County Code: 38
Air Basin: SF
Facility ID: 19604
Air District Name: BA
SIC Code: 9211
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.005589782
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0.046753359
NOX - Oxides of Nitrogen Tons/Yr: 0.037970604
SOX - Oxides of Sulphur Tons/Yr: 2.1793e-005
Particulate Matter Tons/Yr: 0.000862828
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0.000828315

CERS:
Name: CHEVRON #9-0707
Address: 400 MCALLISTER
City,State,Zip: SAN FRANCISCO, CA 94101
Site ID: 189593
CERS ID: T10000005382
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: GEORGE LOCKWOOD - SWRCB
Entity Title: Not reported
Affiliation Address: 1001 I STREET

JUDICAL COUNCIL-ADMIN OFFICE OF THE COURTS-OCCM (Continued) **S113748532**

Affiliation City:	SACRAMENTO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	MAMDOUH AWWAD - SAN FRANCISCO COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1390 MARKET STREET, #210
Affiliation City:	SAN FRANCISCO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Name:	JUDICAL COUNCIL-ADMIN OFFICE OF THE COURTS-OCCM
Address:	400 MCALLISTER
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	475105
CERS ID:	110058310457
CERS Description:	US EPA Air Emission Inventory System (EIS)

AM456 **SANTA FE PACIFIC REALTY CORP** **CA LUST** **S106163749**
East **UNKNOWN 6TH & BERRY ST** **CA CERS** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94107**
0.251 mi.
1327 ft. **Site 8 of 10 in cluster AM**

Relative: **Lower**
Actual: **36 ft.**

LUST:

Name:	SANTA FE PACIFIC REALTY CORP
Address:	UNKNOWN 6TH & BERRY ST
City,State,Zip:	SAN FRANCISCO, CA 94107
Lead Agency:	SAN FRANCISCO BAY RWQCB (REGION 2)
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500223
Global Id:	T0607500223
Latitude:	37.781551
Longitude:	-122.409279
Status:	Completed - Case Closed
Status Date:	02/24/1997
Case Worker:	UUU
RB Case Number:	38-0258
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Not reported
Local Case Number:	10402
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0607500223
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND

SANTA FE PACIFIC REALTY CORP (Continued) **S106163749**

Email: Not reported
Phone Number: Not reported

Global Id: T0607500223
Contact Type: Local Agency Caseworker
Contact Name: UNK
Organization Name: SAN FRANCISCO COUNTY LOP
Address: Not reported
City: r2 UNKNOWN
Email: Not reported
Phone Number: Not reported

LUST:
Global Id: T0607500223
Action Type: Other
Date: 12/19/1988
Action: Leak Stopped

Global Id: T0607500223
Action Type: Other
Date: 12/16/1988
Action: Leak Reported

Global Id: T0607500223
Action Type: Other
Date: 12/19/1988
Action: Leak Discovery

LUST:
Global Id: T0607500223
Status: Open - Case Begin Date
Status Date: 12/16/1988

Global Id: T0607500223
Status: Open - Site Assessment
Status Date: 12/19/1988

Global Id: T0607500223
Status: Completed - Case Closed
Status Date: 02/24/1997

LUST REG 2:
Region: 2
Facility Id: 38-0258
Facility Status: Case Closed
Case Number: 10402
How Discovered: Tank Closure
Leak Cause: Structure Failure
Leak Source: Tank
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 12/19/1988
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported

SANTA FE PACIFIC REALTY CORP (Continued) **S106163749**

Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

CERS:
Name: SANTA FE PACIFIC REALTY CORP
Address: UNKNOWN 6TH & BERRY ST
City,State,Zip: SAN FRANCISCO, CA 94107
Site ID: 199969
CERS ID: T0607500223
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: UNK - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: r2 UNKNOWN
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

AR457 **601 O'FARRELL STREET** **CA HIST CORTESE** **S105026182**
North **601 O FARRELL** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94109**
0.254 mi.
1339 ft. **Site 5 of 10 in cluster AR**

Relative:
Higher

Actual:
104 ft.

HIST CORTESE:
edr_fname: 601 O'FARRELL STREET
edr_fadd1: 601 O FARRELL
City,State,Zip: SAN FRANCISCO, CA 94109
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-0508

AR458 **601 O'FARRELL STREETT** **CA LUST** **S103472629**
North **601 O'FARRELL STREET** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94109**
0.254 mi.
1339 ft. **Site 6 of 10 in cluster AR**

Relative:
Higher

Actual:
104 ft.

LUST:

Name:	601 O'FARRELL STREETT
Address:	601 O'FARRELL STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500454
Global Id:	T0607500454
Latitude:	37.785461
Longitude:	-122.414829
Status:	Completed - Case Closed
Status Date:	12/01/1995
Case Worker:	SC
RB Case Number:	38-0508
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Not reported
Local Case Number:	10286
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Diesel
Site History:	Not reported

LUST:

Global Id:	T0607500454
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0607500454
Contact Type:	Local Agency Caseworker
Contact Name:	STEPHANIE CUSHING
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET #210
City:	SAN FRANCISCO
Email:	stephanie.cushing@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T0607500454
Action Type:	Other
Date:	03/28/1994
Action:	Leak Discovery

Global Id:	T0607500454
Action Type:	Other
Date:	01/02/1965
Action:	Leak Reported

LUST:

Global Id:	T0607500454

601 O'FARRELL STREETT (Continued) **S103472629**

Status: Open - Case Begin Date
Status Date: 03/28/1994

Global Id: T0607500454
Status: Completed - Case Closed
Status Date: 12/01/1995

LUST REG 2:
Region: 2
Facility Id: 38-0508
Facility Status: Case Closed
Case Number: 10286
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: 601 O'Farrell
Address: 601 O'Farrell Street
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 38-0508
Facility Status: Case Closed
Case Number: 10286
Case Type: Soil only
Release Date: 3/16/1994
Discovered Date: 3/28/1994
Substance: Diesel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 3/16/1994
Case Closed: 12/1/1995
Closed Date: 12/1/1995
Leak Source: Unknown
Leak Cause: Corrosion
Leak Confirmed: Not reported
Entered Date: 7/31/1995
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Not reported
RP Address: Not reported
Operator: Not reported
Staff Initial: VP

601 O'FARRELL STREETT (Continued) **S103472629**

Facility Staff:	SC
Cross Street:	LEAVENWORTH
NOR Date:	7/31/1995
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	11/9/1995
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	Not reported
Priority:	Not reported
Abatement:	Not reported
Enforcement Type:	2A
Enforcement Due Date:	Not reported
Basin:	Marina Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	Not reported
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Diesel fuel oil
Enforcement Type:	2A
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

AQ459 **COMMERCIAL PROPERTY** **CA LUST** **S103991050**
WNW **625 POLK STREET** **CA CERS** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94109**
0.256 mi.
1354 ft. **Site 6 of 7 in cluster AQ**

Relative:
Higher

Actual:
95 ft.

LUST:

Name:	COMMERCIAL PROPERTY
Address:	625 POLK STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607572572
Global Id:	T0607572572
Latitude:	37.78261
Longitude:	-122.419097
Status:	Completed - Case Closed
Status Date:	12/05/2003
Case Worker:	Not reported
RB Case Number:	38-2246
Local Agency:	Not reported
File Location:	Local Agency
Local Case Number:	11585
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607572572
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0607572572
Action Type:	Other
Date:	09/24/2003
Action:	Leak Discovery
Global Id:	T0607572572
Action Type:	Other
Date:	09/24/2003
Action:	Leak Stopped
Global Id:	T0607572572
Action Type:	REMEDIATION
Date:	09/24/2003
Action:	Excavation
Global Id:	T0607572572
Action Type:	Other
Date:	10/08/2003
Action:	Leak Reported
Global Id:	T0607572572

COMMERCIAL PROPERTY (Continued) **S103991050**

Action Type: ENFORCEMENT
Date: 12/03/2003
Action: Notice of Responsibility

Global Id: T0607572572
Action Type: ENFORCEMENT
Date: 12/05/2003
Action: Closure/No Further Action Letter

LUST:
Global Id: T0607572572
Status: Open - Case Begin Date
Status Date: 09/24/2003

Global Id: T0607572572
Status: Open - Site Assessment
Status Date: 09/24/2003

Global Id: T0607572572
Status: Completed - Case Closed
Status Date: 12/05/2003

CERS:
Name: COMMERCIAL PROPERTY
Address: 625 POLK STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Site ID: 257225
CERS ID: T0607572572
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

AQ460 **COMMERCIAL PROPERTY** **CA LUST** **S106117896**
WNW **625 POLK STREET** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94109**
0.256 mi.
1354 ft. **Site 7 of 7 in cluster AQ**

Relative:
Higher

Actual:
95 ft.

LUST REG 2:
Region: 2
Facility Id: 38-2246
Facility Status: Case Closed
Case Number: 11585
How Discovered: Tank Closure
Leak Cause: Corrosion
Leak Source: Tank

COMMERCIAL PROPERTY (Continued) **S106117896**

Date Leak Confirmed: 9/24/2003
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

AP461 **APARTMENT PROPERTY** **CA LUST** **S107138376**
NNW **725 O'FARRELL ST** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94109**
0.258 mi.
1360 ft. **Site 5 of 5 in cluster AP**

Relative:
Higher

Actual:
105 ft.

LUST:
Name: APARTMENT PROPERTY
Address: 725 O'FARRELL ST
City,State,Zip: SAN FRANCISCO, CA 94109
Lead Agency: SAN FRANCISCO COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607569897
Global Id: T0607569897
Latitude: 37.785038
Longitude: -122.416705
Status: Completed - Case Closed
Status Date: 09/07/2005
Case Worker: SC
RB Case Number: 38-2363
Local Agency: SAN FRANCISCO COUNTY LOP
File Location: Local Agency
Local Case Number: 11702
Potential Media Affect: Soil
Potential Contaminants of Concern: Heating Oil / Fuel Oil
Site History: Not reported

LUST:
Global Id: T0607569897
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0607569897
Contact Type: Local Agency Caseworker
Contact Name: STEPHANIE CUSHING
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

LUST:
Global Id: T0607569897
Action Type: Other

APARTMENT PROPERTY (Continued) **S107138376**

Date: 04/20/2005
Action: Leak Discovery

Global Id: T0607569897
Action Type: REMEDIATION
Date: 04/20/2005
Action: Excavation

Global Id: T0607569897
Action Type: ENFORCEMENT
Date: 09/07/2005
Action: Closure/No Further Action Letter

Global Id: T0607569897
Action Type: Other
Date: 04/20/2005
Action: Leak Reported

Global Id: T0607569897
Action Type: ENFORCEMENT
Date: 09/01/2005
Action: Notice of Reimbursement

LUST:
Global Id: T0607569897
Status: Open - Case Begin Date
Status Date: 04/20/2005

Global Id: T0607569897
Status: Open - Site Assessment
Status Date: 04/20/2005

Global Id: T0607569897
Status: Completed - Case Closed
Status Date: 09/07/2005

AR462 **ADMIRAL HOTEL** **CA HIST CORTESE** **S105026183**
North **608 O FARRELL** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94109**
0.270 mi.
1425 ft. **Site 7 of 10 in cluster AR**

Relative:
Higher

Actual:
108 ft.

HIST CORTESE:
edr_fname: ADMIRAL HOTEL
edr_fadd1: 608 O FARRELL
City,State,Zip: SAN FRANCISCO, CA 94109
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-1127

AR463 **ADMIRAL HOTEL** **CA LUST** **S104732797**
North **608 O'FARRELL ST.** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94109**
0.270 mi.
1425 ft. **Site 8 of 10 in cluster AR**

Relative:
Higher

Actual:
108 ft.

LUST:

Name:	ADMIRAL HOTEL
Address:	608 O'FARRELL ST.
City,State,Zip:	SAN FRANCISCO, CA 94109
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607501016
Global Id:	T0607501016
Latitude:	37.7855494
Longitude:	-122.4150302
Status:	Completed - Case Closed
Status Date:	03/22/2002
Case Worker:	Not reported
RB Case Number:	38-1127
Local Agency:	Not reported
File Location:	Not reported
Local Case Number:	11019
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607501016
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0607501016
Action Type:	Other
Date:	05/28/1998
Action:	Leak Discovery
Global Id:	T0607501016
Action Type:	ENFORCEMENT
Date:	03/22/2002
Action:	Closure/No Further Action Letter
Global Id:	T0607501016
Action Type:	Other
Date:	01/02/1965
Action:	Leak Reported

LUST:

Global Id:	T0607501016
Status:	Open - Case Begin Date
Status Date:	05/28/1998
Global Id:	T0607501016

ADMIRAL HOTEL (Continued) **S104732797**

Status: Open - Site Assessment
Status Date: 05/28/1998

Global Id: T0607501016
Status: Completed - Case Closed
Status Date: 03/22/2002

LUST REG 2:
Region: 2
Facility Id: 38-1127
Facility Status: Case Closed
Case Number: 11019
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 5/28/1998
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: Admiral Hotel
Address: 608 O'Farrell St.
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 38-1127
Facility Status: Case Closed
Case Number: 11019
Case Type: Soil only
Release Date: 5/28/1998
Discovered Date: 5/28/1998
Substance: Heater Fuel
Substance Qty: Not reported
How Discovered: Not reported
How Stopped: Not reported
Report Date: 5/28/1998
Case Closed: 3/22/2002
Closed Date: Not reported
Leak Source: Unknown
Leak Cause: Unknown
Leak Confirmed: Not reported
Entered Date: 7/28/1998
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: William Chang,
RP Address: Not reported
Operator: Not reported
Staff Initial: VP

ADMIRAL HOTEL (Continued) **S104732797**

Facility Staff:	AL
Cross Street:	LEAVENWORTH
NOR Date:	7/28/1998
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NRQ
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	3/21/2002
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	Not reported
Priority:	Not reported
Abatement:	Not reported
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Marina Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	Not reported
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Fuel Oils Nos. 1 -
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	YES
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	660 ppm diesel.

AT464 **THE LURIE COMPANY** **CA LUST** **U003747647**
ENE **949 MARKET ST** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94103**
0.271 mi.
1433 ft. **Site 1 of 2 in cluster AT**

Relative:
Lower

Actual:
41 ft.

LUST REG 2:

Region:	2
Facility Id:	38-2019
Facility Status:	Case Closed
Case Number:	11394
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

SAN FRANCISCO CO. LUST:

Name:	The Lurie Company
Address:	949 Market St
City:	San Francisco
Region:	SAN FRANCISCO
Facility ID:	02-300-018
Facility Status:	Case Closed
Case Number:	11394
Case Type:	Soil only
Release Date:	Not reported
Discovered Date:	8/23/2000
Substance:	Heater Fuel
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	9/6/2000
Case Closed:	9/15/2000
Closed Date:	9/15/2000
Leak Source:	Tank
Leak Cause:	Corrosion
Leak Confirmed:	8/23/2000
Entered Date:	9/15/2000
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Arnie Hollander
Staff Initial:	VP
Facility Staff:	MA
Cross Street:	5th Street
NOR Date:	Not reported
MTBE Current:	Not reported
MTBE Current Date:	8/23/2000

THE LURIE COMPANY (Continued) **U003747647**

MTBE:	ND
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	8/23/2000
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Low Priority Site
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	9/15/2000
Basin:	DOWNTOWN
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	8/23/2000
Free Product:	Not reported
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Not reported
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	ND
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	ND
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	8/23/2000
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

AT465 **THE LURIE COMPANY** **CA LUST** **S108196411**
ENE **949 MARKET ST** **CA CERS** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94103**
0.271 mi.
1433 ft. **Site 2 of 2 in cluster AT**

Relative:
Lower

Actual:
41 ft.

LUST:

Name:	THE LURIE COMPANY
Address:	949 MARKET ST
City,State,Zip:	SAN FRANCISCO, CA 94103
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607519197
Global Id:	T0607519197
Latitude:	37.782703
Longitude:	-122.408998
Status:	Completed - Case Closed
Status Date:	09/15/2000
Case Worker:	MA
RB Case Number:	38-2019
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Not reported
Local Case Number:	11394
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607519197
Contact Type:	Local Agency Caseworker
Contact Name:	MAMDOUH AWWAD
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210
City:	SAN FRANCISCO
Email:	mamdouh.awwad@sfdph.org
Phone Number:	Not reported

Global Id:	T0607519197
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0607519197
Action Type:	Other
Date:	08/23/2000
Action:	Leak Discovery

Global Id:	T0607519197
Action Type:	Other
Date:	01/02/1965
Action:	Leak Reported

Global Id:	T0607519197
Action Type:	ENFORCEMENT

THE LURIE COMPANY (Continued) **S108196411**

Date: 09/15/2000
Action: Notice of Responsibility

LUST:
Global Id: T0607519197
Status: Open - Case Begin Date
Status Date: 08/23/2000

Global Id: T0607519197
Status: Completed - Case Closed
Status Date: 09/15/2000

CERS:
Name: THE LURIE COMPANY
Address: 949 MARKET ST
City,State,Zip: SAN FRANCISCO, CA 94103
Site ID: 248459
CERS ID: T0607519197
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: MAMDOUH AWWAD - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1390 MARKET STREET, #210
Affiliation City: SAN FRANCISCO
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

AU466 **RESIDENTIAL APT.** **CA LUST S104657044**
WNW **765 ELLIS ST** **CA CERS N/A**
1/4-1/2 **SAN FRANCISCO, CA 94102**
0.274 mi.
1449 ft. **Site 1 of 4 in cluster AU**

Relative:
Higher

Actual:
97 ft.

LUST REG 2:
Region: 2
Facility Id: 38-2130
Facility Status: Case Closed
Case Number: 11344
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported

RESIDENTIAL APT. (Continued) **S104657044**

Date Leak Confirmed: 6/24/1999
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:

Name:	Residential Apt.
Address:	765 Ellis St
City:	San Francisco
Region:	SAN FRANCISCO
Facility ID:	02-100-013
Facility Status:	Case Closed
Case Number:	11344
Case Type:	Soil only
Release Date:	Not reported
Discovered Date:	6/24/1999
Substance:	Heater Fuel
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	6/24/1999
Case Closed:	9/17/2002
Closed Date:	Not reported
Leak Source:	Tank
Leak Cause:	Unknown
Leak Confirmed:	6/24/1999
Entered Date:	2/17/2000
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Dominic Ngunyen
Staff Initial:	VP
Facility Staff:	AL
Cross Street:	Larkin
NOR Date:	2/17/2000
MTBE Current:	Not reported
MTBE Current Date:	6/24/1999
MTBE:	ND
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	6/24/1999
Review Date:	9/17/2002
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal

RESIDENTIAL APT. (Continued) **S104657044**

Interim Remediation:	No
Priority:	Low Priority Site
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	2/17/2000
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	6/24/1999
Free Product:	Not reported
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Fuel Oils Nos. 1 -
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	ND
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	YES
Max TPH GW:	Not reported
Max TPH Soil:	3.2
TPH Date:	6/24/1999
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	8/27/02 missing

CERS:

Name:	RESIDENTIAL APT.
Address:	765 ELLIS ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Site ID:	226042
CERS ID:	T0607564067
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

AU467 **RESIDENTIAL APT.** **CA LUST** **S104571446**
WNW **765 ELLIS ST** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94102**
0.274 mi.
1449 ft. **Site 2 of 4 in cluster AU**

Relative:
Higher

Actual:
97 ft.

LUST:

Name:	RESIDENTIAL APT.
Address:	765 ELLIS ST
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607564067
Global Id:	T0607564067
Latitude:	37.783849
Longitude:	-122.418772
Status:	Completed - Case Closed
Status Date:	09/17/2002
Case Worker:	Not reported
RB Case Number:	38-2130
Local Agency:	Not reported
File Location:	Not reported
Local Case Number:	11344
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607564067
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0607564067
Action Type:	Other
Date:	06/24/1999
Action:	Leak Discovery
Global Id:	T0607564067
Action Type:	ENFORCEMENT
Date:	09/17/2002
Action:	Closure/No Further Action Letter
Global Id:	T0607564067
Action Type:	Other
Date:	01/02/1965
Action:	Leak Reported
Global Id:	T0607564067
Action Type:	ENFORCEMENT
Date:	02/17/2000
Action:	Notice of Responsibility

RESIDENTIAL APT. (Continued) **S104571446**

LUST:
Global Id: T0607564067
Status: Open - Case Begin Date
Status Date: 06/24/1999

Global Id: T0607564067
Status: Open - Site Assessment
Status Date: 06/24/1999

Global Id: T0607564067
Status: Completed - Case Closed
Status Date: 09/17/2002

AU468 **AUTO SHEET METAL WORKS** **CA LUST** **1002850604**
NW **730 ELLIS ST** **CA SWEEPS UST** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94109** **CA EMI**
0.275 mi. **CA HIST CORTESE**
1452 ft. **Site 3 of 4 in cluster AU** **CA CERS**

Relative: Higher
Actual: 102 ft.

LUST:
Name: AUTO SHEET WORKS
Address: 730 ELLIS STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Lead Agency: SAN FRANCISCO COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500853
Global Id: T0607500853
Latitude: 37.784421
Longitude: -122.418405
Status: Completed - Case Closed
Status Date: 12/24/1997
Case Worker: Not reported
RB Case Number: 38-0959
Local Agency: Not reported
File Location: Not reported
Local Case Number: 10885
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0607500853
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

LUST:
Global Id: T0607500853
Action Type: Other
Date: 01/02/1965
Action: Leak Reported

AUTO SHEET METAL WORKS (Continued) **1002850604**

Global Id: T0607500853
Action Type: ENFORCEMENT
Date: 12/22/1997
Action: Closure/No Further Action Letter - #10885

Global Id: T0607500853
Action Type: Other
Date: 09/14/1990
Action: Leak Discovery

LUST:
Global Id: T0607500853
Status: Open - Case Begin Date
Status Date: 09/14/1990

Global Id: T0607500853
Status: Completed - Case Closed
Status Date: 12/24/1997

SWEEPS UST:
Name: AUTO SHEET METAL WORKS
Address: 730 ELLIS ST
City: SAN FRANCISCO
Status: Active
Comp Number: 3965
Number: 2
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Owner Tank Id: Not reported
SWRCB Tank Id: Not reported
Tank Status: Not reported
Capacity: Not reported
Active Date: Not reported
Tank Use: Not reported
STG: Not reported
Content: Not reported
Number Of Tanks: Not reported

Name: AUTO SHEET METAL WORKS
Address: 730 ELLIS ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 3965
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-003965-000001
Tank Status: Not reported
Capacity: 500
Active Date: Not reported

AUTO SHEET METAL WORKS (Continued) **1002850604**

Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: 2

Name: AUTO SHEET METAL WORKS
Address: 730 ELLIS ST
City: SAN FRANCISCO
Status: Not reported
Comp Number: 3965
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 38-000-003965-000002
Tank Status: Not reported
Capacity: 500
Active Date: Not reported
Tank Use: UNKNOWN
STG: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

EMI:

Name: LOU'S ENGLISH & EUROPEAN AUTO
Address: 730 ELLIS STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Year: 1987
County Code: 38
Air Basin: SF
Facility ID: 3212
Air District Name: BA
SIC Code: 7532
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: LOU'S ENGLISH & EUROPEAN AUTO
Address: 730 ELLIS STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Year: 1990
County Code: 38
Air Basin: SF
Facility ID: 3212
Air District Name: BA
SIC Code: 7532
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported

AUTO SHEET METAL WORKS (Continued) **1002850604**

Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: LOU'S ENGLISH & EUROPEAN AUTO
Address: 730 ELLIS STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Year: 1996
County Code: 38
Air Basin: SF
Facility ID: 3212
Air District Name: BA
SIC Code: 7532
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: LOU'S ENGLISH & EUROPEAN AUTO
Address: 730 ELLIS STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Year: 1997
County Code: 38
Air Basin: SF
Facility ID: 3212
Air District Name: BA
SIC Code: 7532
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: LOU'S ENGLISH & EUROPEAN AUTO
Address: 730 ELLIS STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Year: 1998
County Code: 38
Air Basin: SF
Facility ID: 3212
Air District Name: BA

AUTO SHEET METAL WORKS (Continued) **1002850604**

SIC Code: 7532
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: LOU'S ENGLISH & EUROPEAN AUTO
Address: 730 ELLIS STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Year: 1999
County Code: 38
Air Basin: SF
Facility ID: 3212
Air District Name: BA
SIC Code: 7532
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: LOU'S ENGLISH & EUROPEAN AUTO
Address: 730 ELLIS STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Year: 2000
County Code: 38
Air Basin: SF
Facility ID: 3212
Air District Name: BA
SIC Code: 7532
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: LOU'S ENGLISH & EUROPEAN AUTO
Address: 730 ELLIS STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Year: 2001
County Code: 38

AUTO SHEET METAL WORKS (Continued) **1002850604**

Air Basin:	SF
Facility ID:	3212
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	LOU'S ENGLISH & EUROPEAN AUTO
Address:	730 ELLIS STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2002
County Code:	38
Air Basin:	SF
Facility ID:	3212
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	LOU'S ENGLISH & EUROPEAN AUTO
Address:	730 ELLIS STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2003
County Code:	38
Air Basin:	SF
Facility ID:	3212
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

HIST CORTESE:
edr_fname: AUTO SHEET METAL WORKS

AUTO SHEET METAL WORKS (Continued) **1002850604**

edr_fadd1: 730 ELLIS
City,State,Zip: SAN FRANCISCO, CA 94109
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-0959

CERS:
Name: AUTO SHEET WORKS
Address: 730 ELLIS STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Site ID: 231170
CERS ID: T0607500853
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

AU469 **KSH AUTOMOTIVE, INC.** **CA LUST** **1006823682**
NW **730 ELLIS STREET** **FINDS** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94109** **CA EMI**
0.275 mi. **CA CERS**
1452 ft. **Site 4 of 4 in cluster AU**

Relative:
Higher

Actual:
102 ft.

LUST REG 2:
Region: 2
Facility Id: 38-0959
Facility Status: Case Closed
Case Number: 10885
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: Auto Sheet Works
Address: 730 Ellis Street
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 38-0959
Facility Status: Case Closed

KSH AUTOMOTIVE, INC. (Continued) **1006823682**

Case Number:	10885
Case Type:	Soil only
Release Date:	9/4/1990
Discovered Date:	9/14/1990
Substance:	Gasoline
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	9/4/1990
Case Closed:	12/24/1997
Closed Date:	12/24/1997
Leak Source:	Unknown
Leak Cause:	Unknown
Leak Confirmed:	Not reported
Entered Date:	10/28/1997
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	MARY CARTER
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	CDM
Cross Street:	VAN NESS AVE
NOR Date:	10/28/1997
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	Yes
Priority:	Not reported
Abatement:	Other
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	9/4/1990
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline

KSH AUTOMOTIVE, INC. (Continued) **1006823682**

Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

FINDS:

Registry ID: 110013822523

Environmental Interest/Information System
AIR EMISSIONS CLASSIFICATION UNKNOWN
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

EMI:

Name:	AUTO SHEET METAL WORKS
Address:	730 ELLIS STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	1990
County Code:	38
Air Basin:	SF
Facility ID:	3770
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	ACE AUTO BODY CENTER
Address:	730 ELLIS STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	1999
County Code:	38

KSH AUTOMOTIVE, INC. (Continued) **1006823682**

Air Basin:	SF
Facility ID:	12418
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	ACE AUTO BODY CENTER
Address:	730 ELLIS STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2000
County Code:	38
Air Basin:	SF
Facility ID:	12418
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	ACE AUTO BODY CENTER
Address:	730 ELLIS STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2003
County Code:	38
Air Basin:	SF
Facility ID:	12418
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	ACE AUTO BODY CENTER
Address:	730 ELLIS STREET

KSH AUTOMOTIVE, INC. (Continued) **1006823682**

City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2004
County Code:	38
Air Basin:	SF
Facility ID:	12418
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.08
Reactive Organic Gases Tons/Yr:	0.0741298
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	ACE AUTO BODY CENTER
Address:	730 ELLIS STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2005
County Code:	38
Air Basin:	SF
Facility ID:	12418
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	.08
Reactive Organic Gases Tons/Yr:	.0741298
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	ACE AUTO BODY CENTER
Address:	730 ELLIS STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2006
County Code:	38
Air Basin:	SF
Facility ID:	12418
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	.109
Reactive Organic Gases Tons/Yr:	.0875582
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

KSH AUTOMOTIVE, INC. (Continued) **1006823682**

Name:	ACE AUTO BODY CENTER
Address:	730 ELLIS STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2007
County Code:	38
Air Basin:	SF
Facility ID:	12418
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	.109
Reactive Organic Gases Tons/Yr:	.0875582
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	ACE AUTO BODY CENTER
Address:	730 ELLIS STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2008
County Code:	38
Air Basin:	SF
Facility ID:	12418
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	.109
Reactive Organic Gases Tons/Yr:	.0875582
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	ACE AUTO BODY CENTER
Address:	730 ELLIS STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2009
County Code:	38
Air Basin:	SF
Facility ID:	12418
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.10000000000000001
Reactive Organic Gases Tons/Yr:	8.8069800000000004E-2
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0

KSH AUTOMOTIVE, INC. (Continued) **1006823682**

Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: ACE AUTO BODY CENTER
Address: 730 ELLIS STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Year: 2010
County Code: 38
Air Basin: SF
Facility ID: 12418
Air District Name: BA
SIC Code: 7532
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.10000000000000001
Reactive Organic Gases Tons/Yr: 8.8069800000000004E-2
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: ACE AUTO BODY CENTER
Address: 730 ELLIS STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Year: 2011
County Code: 38
Air Basin: SF
Facility ID: 12418
Air District Name: BA
SIC Code: 7532
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.1
Reactive Organic Gases Tons/Yr: 0.0880698
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: ACE AUTO BODY CENTER
Address: 730 ELLIS STREET
City,State,Zip: SAN FRANCISCO, CA 94109
Year: 2012
County Code: 38
Air Basin: SF
Facility ID: 12418
Air District Name: BA
SIC Code: 7532
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.1
Reactive Organic Gases Tons/Yr: 0.0880698

KSH AUTOMOTIVE, INC. (Continued) **1006823682**

Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	ACE AUTO BODY CENTER
Address:	730 ELLIS STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Year:	2013
County Code:	38
Air Basin:	SF
Facility ID:	12418
Air District Name:	BA
SIC Code:	7532
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.1
Reactive Organic Gases Tons/Yr:	0.0880698
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

CERS:

Name:	ACE AUTO BODY CENTER
Address:	730 ELLIS STREET
City,State,Zip:	SAN FRANCISCO, CA 94109-7909
Site ID:	449460
CERS ID:	110013822523
CERS Description:	US EPA Air Emission Inventory System (EIS)

Affiliation:

Affiliation Type Desc:	Environmental Contact
Entity Name:	DANIEL SEO
Entity Title:	MANAGER
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Environmental Contact
Entity Name:	PETER SEO
Entity Title:	ENVIRONMENTAL CONTACT
Affiliation Address:	730 ELLIS ST
Affiliation City:	SANFRANCISCO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Operator
Entity Name:	PETER SEO

KSH AUTOMOTIVE, INC. (Continued) **1006823682**

Entity Title:	OPERATOR
Affiliation Address:	730 ELLIS ST
Affiliation City:	SANFRANCISCO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Owner
Entity Name:	PETER SEO
Entity Title:	OWNER
Affiliation Address:	730 ELLIS ST
Affiliation City:	SANFRANCISCO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	Peter Seo
Entity Title:	Not reported
Affiliation Address:	730 ELLIS ST
Affiliation City:	SANFRANCISCO
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

AM470 **PG&E - STATION T** **CA RESPONSE** **S103660980**
East **465 STEVENSON** **CA ENVIROSTOR** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94103** **CA HIST CORTESE**
0.276 mi. **CA CERS**
1455 ft. **Site 9 of 10 in cluster AM**

Relative: RESPONSE:
Lower

Actual: Name:	PG&E - STATION T
37 ft. Address:	465 STEVENSON STREET
City,State,Zip:	SAN FRANCISCO, CA 94103
Facility ID:	38490008
Site Type:	State Response
Site Type Detail:	State Response or NPL
Acres:	Not reported
National Priorities List:	NO
Cleanup Oversight Agencies:	DTSC
Lead Agency Description:	* DTSC
Project Manager:	Not reported
Supervisor:	Not reported
Division Branch:	Cleanup Berkeley
Site Code:	200255
Site Mgmt. Req.:	NONE SPECIFIED
Assembly:	17
Senate:	11
Special Program Status:	* Town Gas
Status:	No Further Action
Status Date:	06/30/1993
Restricted Use:	NO
Funding:	Responsible Party

PG&E - STATION T (Continued) **S103660980**

Latitude:	37.78222
Longitude:	-122.4088
APN:	NONE SPECIFIED
Past Use:	NONE SPECIFIED
Potential COC :	* HYDROCARBON SOLVENTS * OTHER ORGANIC SOLIDS * OXYGENATED SOLVENTS * CONTAMINATED SOIL * UNSPECIFIED ORGANIC LIQUID MIXTURE Arsenic Lead Chromium VI
Confirmed COC:	NONE SPECIFIED
Potential Description:	NONE SPECIFIED
Alias Name:	PACIFIC GAS & ELECTRIC CO - STATION T
Alias Type:	Alternate Name
Alias Name:	TOWN GAS PLANT - SAN FRANCISCO (#1-465)
Alias Type:	Alternate Name
Alias Name:	110033610894
Alias Type:	EPA (FRS #)
Alias Name:	200255
Alias Type:	Project Code (Site Code)
Alias Name:	38490008
Alias Type:	Envirostor ID Number

Completed Info:

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Site Characterization Report
Completed Date:	02/04/1987
Comments:	The property is currently paved. A soil sample in the planter box indicated elevated levels of polynuclear aromatic hydrocarbons (PNAs) and lead. DTSC did not provide oversight for this report.

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Preliminary Endangerment Assessment Report
Completed Date:	06/30/1993
Comments:	Most site information is unchanged from last entry. The use of groundwater from the San francisco from private wells are not documented therefore, the Department has determined that Further Action is required.

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Site Screening
Completed Date:	04/26/1993
Comments:	Not reported

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Site Screening
Completed Date:	05/11/1987
Comments:	SITE SCREENING DONE SITE PREVIOUSLY A MANUFACTURED GAS PLANT SOIL SAMPLE: PNA'S(15PPM), PB(220PPM), & AS(15PPM). TRIAGED FOR A MED PRIOR.PA. RATIONALE FOR PENDING STAT: ON CERCLIST.

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Correspondence
Completed Date:	06/20/1995
Comments:	Letter from DTSC summarizing status of Station T and recommending that a deed restriction and Operation and Maintenance Agreement be

PG&E - STATION T (Continued) **S103660980**

completed for the site due to MGP constituents which are present in soil and groundwater at the site.

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

ENVIROSTOR:
Name: PG&E - STATION T
Address: 465 STEVENSON STREET
City,State,Zip: SAN FRANCISCO, CA 94103
Facility ID: 38490008
Status: No Further Action
Status Date: 06/30/1993
Site Code: 200255
Site Type: State Response
Site Type Detailed: State Response or NPL
Acres: Not reported
NPL: NO
Regulatory Agencies: DTSC
Lead Agency: DTSC
Program Manager: Not reported
Supervisor: Not reported
Division Branch: Cleanup Berkeley
Assembly: 17
Senate: 11
Special Program: * Town Gas
Restricted Use: NO
Site Mgmt Req: NONE SPECIFIED
Funding: Responsible Party
Latitude: 37.78222
Longitude: -122.4088
APN: NONE SPECIFIED
Past Use: NONE SPECIFIED
Potential COC: * HYDROCARBON SOLVENTS * OTHER ORGANIC SOLIDS * OXYGENATED SOLVENTS * CONTAMINATED SOIL * UNSPECIFIED ORGANIC LIQUID MIXTURE Arsenic Lead Chromium VI
Confirmed COC: NONE SPECIFIED
Potential Description: NONE SPECIFIED
Alias Name: PACIFIC GAS & ELECTRIC CO - STATION T
Alias Type: Alternate Name
Alias Name: TOWN GAS PLANT - SAN FRANCISCO (#1-465)
Alias Type: Alternate Name
Alias Name: 110033610894
Alias Type: EPA (FRS #)
Alias Name: 200255
Alias Type: Project Code (Site Code)
Alias Name: 38490008
Alias Type: Envirostor ID Number

Completed Info:

PG&E - STATION T (Continued) **S103660980**

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Characterization Report
Completed Date: 02/04/1987
Comments: The property is currently paved. A soil sample in the planter box indicated elevated levels of polynuclear aromatic hydrocarbons (PNAs) and lead. DTSC did not provide oversight for this report.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Preliminary Endangerment Assessment Report
Completed Date: 06/30/1993
Comments: Most site information is unchanged from last entry. The use of groundwater from the San francisco from private wells are not documented therefore, the Department has determined that Further Action is required.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Screening
Completed Date: 04/26/1993
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Screening
Completed Date: 05/11/1987
Comments: SITE SCREENING DONE SITE PREVIOUSLY A MANUFACTURED GAS PLANT SOIL SAMPLE: PNA'S(15PPM), PB(220PPM), & AS(15PPM). TRIAGED FOR A MED PRIOR.PA. RATIONALE FOR PENDING STAT: ON CERCLIST.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Correspondence
Completed Date: 06/20/1995
Comments: Letter from DTSC summarizing status of Station T and recommending that a deed restriction and Operation and Maintenance Agreement be completed for the site due to MGP constituents which are present in soil and groundwater at the site.

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

HIST CORTESE:
edr_fname: PG&E - STATION T
edr_fadd1: 465 STEVENSON
City,State,Zip: SAN FRANCISCO, CA 94103
Region: CORTESE
Facility County Code: 38
Reg By: CALSI

PG&E - STATION T (Continued) **S103660980**

Reg Id: 38490008

CERS:
Name: PG&E - STATION T
Address: 465 STEVENSON STREET
City,State,Zip: SAN FRANCISCO, CA 94103
Site ID: 341352
CERS ID: 38490008
CERS Description: State Response

AM471 **PG AND E STATION T** **EDR MGP** **1008407756**
East **465 STEVENSON STREET** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94103**
0.276 mi.
1455 ft. **Site 10 of 10 in cluster AM**

Relative: **Lower**

Actual: **37 ft.**

Manufactured Gas Plants:
Alternate Name:TOWN GAS PLANT-SAN FRANCISCO. No additional information available

---

AV472 **HABITAT FOR HUMANITY** **CA ENVIROSTOR** **S106087595**
ESE **1009 MISSION STREET** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94103**
0.278 mi.
1467 ft. **Site 1 of 4 in cluster AV**

Relative: **Lower**

Actual: **31 ft.**

ENVIROSTOR:
Name: HABITAT FOR HUMANITY
Address: 1009 MISSION STREET
City,State,Zip: SAN FRANCISCO, CA 94103
Facility ID: 60000526
Status: Refer: 1248 Local Agency
Status Date: 03/09/2001
Site Code: Not reported
Site Type: Evaluation
Site Type Detailed: Evaluation
Acres: Not reported
NPL: NO
Regulatory Agencies: SAN FRANCISCO COUNTY
Lead Agency: SAN FRANCISCO COUNTY
Program Manager: Not reported
Supervisor: Referred - Not Assigned
Division Branch: Cleanup Berkeley
Assembly: 17
Senate: 11
Special Program: Not reported
Restricted Use: NO
Site Mgmt Req: NONE SPECIFIED
Funding: Responsible Party
Latitude: 37.78055
Longitude: -122.4088
APN: 3726172
Past Use: NONE SPECIFIED
Potential COC: NONE SPECIFIED
Confirmed COC: NONE SPECIFIED

HABITAT FOR HUMANITY (Continued) **S106087595**

Potential Description: NONE SPECIFIED
Alias Name: 3726172
Alias Type: APN
Alias Name: 60000526
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: Not reported
Completed Sub Area Name: Not reported
Completed Document Type: Not reported
Completed Date: Not reported
Comments: Not reported

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

AW473 **TENDERLOIN ELEMENTARY SCHOOL** **CA LUST** **S103667801**
West **639 TURK ST.** **CA HIST CORTESE** **N/A**
1/4-1/2 **SAN FRANCSICO, CA 94102**
0.279 mi.
1472 ft. **Site 1 of 2 in cluster AW**

Relative:
Higher

Actual:
88 ft.

LUST:
Name: TENDERLOIN ELEMENTARY SCHOOL
Address: 639 TURK ST.
City,State,Zip: SAN FRANCSICO, CA 94102
Lead Agency: SAN FRANCISCO COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607501203
Global Id: T0607501203
Latitude: 37.781982
Longitude: -122.419596
Status: Completed - Case Closed
Status Date: 02/15/2007
Case Worker: Not reported
RB Case Number: 38-1318
Local Agency: Not reported
File Location: Not reported
Local Case Number: 11181
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0607501203
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

TENDERLOIN ELEMENTARY SCHOOL (Continued) **S103667801**

LUST:
Global Id: T0607501203
Action Type: ENFORCEMENT
Date: 02/15/2007
Action: Closure/No Further Action Letter

Global Id: T0607501203
Action Type: ENFORCEMENT
Date: 01/26/2007
Action: File review

Global Id: T0607501203
Action Type: ENFORCEMENT
Date: 02/14/2007
Action: Technical Correspondence / Assistance / Other

Global Id: T0607501203
Action Type: Other
Date: 12/09/1996
Action: Leak Discovery

Global Id: T0607501203
Action Type: ENFORCEMENT
Date: 01/30/2007
Action: Staff Letter

Global Id: T0607501203
Action Type: Other
Date: 12/09/1996
Action: Leak Reported

LUST:
Global Id: T0607501203
Status: Open - Case Begin Date
Status Date: 12/09/1996

Global Id: T0607501203
Status: Open - Site Assessment
Status Date: 12/09/1996

Global Id: T0607501203
Status: Open - Site Assessment
Status Date: 02/07/2007

Global Id: T0607501203
Status: Completed - Case Closed
Status Date: 02/15/2007

HIST CORTESE:
edr_fname: TENDERLOIN ELEMENTARY SCH
edr_fadd1: 639 TURK
City,State,Zip: SAN FRANCISCO, CA 94102
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA

TENDERLOIN ELEMENTARY SCHOOL (Continued) **S103667801**

Reg Id: 38-1318

AW474 **TENDERLOIN ELEMENTARY SCHOOL** **CA LUST** **U003746457**
West **639 TURK ST.** **CA CERS** **N/A**
1/4-1/2 **SAN FRANCSICO, CA 94102**
0.279 mi.
1472 ft. **Site 2 of 2 in cluster AW**

Relative:
Higher

Actual:
88 ft.

LUST REG 2:

Region:	2
Facility Id:	38-1318
Facility Status:	Leak being confirmed
Case Number:	11181
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	12/9/1996
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

SAN FRANCISCO CO. LUST:

Name:	Tenderloin
Address:	639 Turk St.
City:	SAN FRANCSICO
Region:	SAN FRANCISCO
Facility ID:	38-1318
Facility Status:	Leak being confirmed
Case Number:	11181
Case Type:	Soil only
Release Date:	2/24/1999
Discovered Date:	12/9/1996
Substance:	Gasoline
Substance Qty:	Not reported
How Discovered:	Not reported
How Stopped:	Not reported
Report Date:	12/9/1996
Case Closed:	Not reported
Closed Date:	Not reported
Leak Source:	Unknown
Leak Cause:	Unknown
Leak Confirmed:	2/24/1999
Entered Date:	2/24/1999
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	SFUSD / Bruce
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	AL

TENDERLOIN ELEMENTARY SCHOOL (Continued) **U003746457**

Cross Street:	Not reported
NOR Date:	2/24/1999
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	9/3/2002
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Not reported
Abatement:	No Action Taken - no action has as yet been taken at the site
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	Not reported
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	9/4/02 review

CERS:

Name:	TENDERLOIN ELEMENTARY SCHOOL
Address:	639 TURK ST.
City,State,Zip:	SAN FRANCSICO, CA 94102
Site ID:	216471
CERS ID:	T0607501203

TENDERLOIN ELEMENTARY SCHOOL (Continued) **U003746457**

CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

AR475 **RESIDENTIAL** **CA LUST** **S105627920**
North **580 O'FARRELL ST** **N/A**
1/4-1/2 **SAN FRANCISCO, CA**
0.280 mi.
1479 ft. **Site 9 of 10 in cluster AR**

Relative:
Higher

Actual:
107 ft.

SAN FRANCISCO CO. LUST:
Name: Residential
Address: 580 O'Farrell St
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 02-300-021
Facility Status: Case Closed
Case Number: 11397
Case Type: Soil only
Release Date: Not reported
Discovered Date: 5/9/2000
Substance: Heater Fuel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 5/11/2000
Case Closed: 9/27/2000
Closed Date: 9/27/2000
Leak Source: Tank
Leak Cause: Corrosion
Leak Confirmed: 5/9/2000
Entered Date: 9/21/2000
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Not reported
RP Address: Not reported
Operator: Art Van Beek
Staff Initial: VP
Facility Staff: AL
Cross Street: Jones
NOR Date: Not reported
MTBE Current: Not reported
MTBE Current Date: 5/9/2000
MTBE: ND
Maximum MTBE Soil: Not reported

RESIDENTIAL (Continued) **S105627920**

Maximum MTBE GW:	Not reported
MTBE DATE:	5/9/2000
Review Date:	9/27/2000
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Low Priority Site
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	9/21/2000
Basin:	DOWNTOWN
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	5/9/2000
Free Product:	Not reported
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Not reported
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	YES
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	ND
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	5/9/2000
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

AR476 **RESIDENTIAL APARTMENT** **CA LUST** **S104657027**
North **580 O'FARRELL ST** **N/A**
1/4-1/2 **SAN FRANCISCO, CA '9410**
0.280 mi.
1479 ft. **Site 10 of 10 in cluster AR**

Relative: LUST:
Higher

Name:	RESIDENTIAL APARTMENT
Address:	580 O'FARRELL ST
City,State,Zip:	SAN FRANCISCO, CA '94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site

Actual:
107 ft.

RESIDENTIAL APARTMENT (Continued) **S104657027**

Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607533867
Global Id:	T0607533867
Latitude:	37.78592
Longitude:	-122.414268
Status:	Completed - Case Closed
Status Date:	09/27/2000
Case Worker:	Not reported
RB Case Number:	38-2022
Local Agency:	Not reported
File Location:	Not reported
Local Case Number:	11397
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607533867
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0607533867
Action Type:	Other
Date:	05/09/2000
Action:	Leak Discovery
Global Id:	T0607533867
Action Type:	Other
Date:	01/02/1965
Action:	Leak Reported
Global Id:	T0607533867
Action Type:	ENFORCEMENT
Date:	09/21/2000
Action:	Notice of Responsibility

LUST:

Global Id:	T0607533867
Status:	Open - Case Begin Date
Status Date:	05/09/2000
Global Id:	T0607533867
Status:	Completed - Case Closed
Status Date:	09/27/2000

LUST REG 2:

Region:	2
Facility Id:	38-2022
Facility Status:	Case Closed
Case Number:	11397

RESIDENTIAL APARTMENT (Continued) **S104657027**

How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

AX477 **HOTEL METROPOLIS** **CA LUST S108536642**
ENE **25 MASON ST** **CA CERS N/A**
1/4-1/2 **SAN FRANCISCO, CA 94102**
0.284 mi.
1501 ft. **Site 1 of 2 in cluster AX**

Relative:
Lower

Actual:
45 ft.

LUST:
Name: HOTEL METROPOLIS
Address: 25 MASON ST
City,State,Zip: SAN FRANCISCO, CA 94102
Lead Agency: SAN FRANCISCO COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607525397
Global Id: T0607525397
Latitude: 37.783853
Longitude: -122.409219
Status: Completed - Case Closed
Status Date: 07/03/2007
Case Worker: SC
RB Case Number: 38-2466
Local Agency: SAN FRANCISCO COUNTY LOP
File Location: Local Agency
Local Case Number: 11805
Potential Media Affect: Soil
Potential Contaminants of Concern: Heating Oil / Fuel Oil
Site History: Not reported

LUST:
Global Id: T0607525397
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0607525397
Contact Type: Local Agency Caseworker
Contact Name: STEPHANIE CUSHING
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

HOTEL METROPOLIS (Continued) **S108536642**

LUST:
Global Id: T0607525397
Action Type: Other
Date: 04/17/2007
Action: Leak Discovery

Global Id: T0607525397
Action Type: ENFORCEMENT
Date: 06/01/2007
Action: Notice of Responsibility

Global Id: T0607525397
Action Type: ENFORCEMENT
Date: 07/03/2007
Action: Closure/No Further Action Letter

Global Id: T0607525397
Action Type: REMEDIATION
Date: 04/17/2007
Action: Excavation

Global Id: T0607525397
Action Type: Other
Date: 04/17/2007
Action: Leak Reported

LUST:
Global Id: T0607525397
Status: Open - Case Begin Date
Status Date: 04/17/2007

Global Id: T0607525397
Status: Open - Site Assessment
Status Date: 04/17/2007

Global Id: T0607525397
Status: Completed - Case Closed
Status Date: 07/03/2007

CERS:
Name: HOTEL METROPOLIS
Address: 25 MASON ST
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 218628
CERS ID: T0607525397
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: STEPHANIE CUSHING - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1390 MARKET STREET #210
Affiliation City: SAN FRANCISCO
Affiliation State: CA
Affiliation Country: Not reported

HOTEL METROPOLIS (Continued) **S108536642**

Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

AV478 **518 MINNA STREET APARTMENTS** **CA RESPONSE** **S103977799**
ESE **518 MINNA STREET** **CA ENVIROSTOR** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94103** **CA DEED**
0.294 mi.
1550 ft. **Site 2 of 4 in cluster AV**

Relative: **Lower**
Actual: **30 ft.**

RESPONSE:

Name:	518 MINNA STREET APARTMENTS
Address:	518 MINNA STREET
City,State,Zip:	SAN FRANCISCO, CA 94103
Facility ID:	38990005
Site Type:	State Response
Site Type Detail:	State Response or NPL
Acres:	0.23
National Priorities List:	NO
Cleanup Oversight Agencies:	SMBRP, SAN FRANCISCO COUNTY
Lead Agency Description:	DTSC - Site Cleanup Program
Project Manager:	Claude Jemison
Supervisor:	Mark Piros
Division Branch:	Cleanup Berkeley
Site Code:	200324
Site Mgmt. Req.:	REM, LUC, EX, NOWN, NDAM, NUSE, COV
Assembly:	17
Senate:	11
Special Program Status:	Not reported
Status:	Certified O&M - Land Use Restrictions Only
Status Date:	03/21/2014
Restricted Use:	YES
Funding:	Responsible Party
Latitude:	37.78037
Longitude:	-122.4085
APN:	3726-152, 3726152
Past Use:	ILLEGAL DUMPING
Potential COC :	Lead Polynuclear aromatic hydrocarbons (PAHs
Confirmed COC:	Polynuclear aromatic hydrocarbons (PAHs Lead
Potential Description:	SOIL
Alias Name:	1009 MISSION STREET SITE
Alias Type:	Alternate Name
Alias Name:	518 MINNA STREET APARTMENTS
Alias Type:	Alternate Name
Alias Name:	ASIAN INC. SITE
Alias Type:	Alternate Name
Alias Name:	3726-152
Alias Type:	APN

518 MINNA STREET APARTMENTS (Continued) **S103977799**

Alias Name: 3726152
Alias Type: APN
Alias Name: 110033612909
Alias Type: EPA (FRS #)
Alias Name: 200324
Alias Type: Project Code (Site Code)
Alias Name: 38990005
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Operation & Maintenance Order/Agreement
Completed Date: 12/14/1999
Comments: The O&M Agreement requires annual cap inspections, S.F. Dept. of Enviromental Health notification if cap repair is required, immediate cap repair if exposed soils or cracks are encountered and DTSC notification in the event of emergency response action.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 05/17/2007
Comments: No problems noted during the site inspection.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction
Completed Date: 12/30/1994
Comments: Deed Restriction signed on December 14, 1994 and recorded on December 30, 1994.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction
Completed Date: 12/14/2007
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 04/19/2006
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Other Report
Completed Date: 04/15/2005
Comments: Cap Inspection Report signed off 4/15/05.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Preliminary Endangerment Assessment Report
Completed Date: 06/28/1993
Comments: The Site Assessment recommended risk management measures during construction activities, including a Health & Safety Plan. It also recommended full encapsulation of the Site with a concrete foundation and land use restrictions to protect future residents and workers

518 MINNA STREET APARTMENTS (Continued) **S103977799**

from direct contact with soils.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: 5 Year Review Reports
Completed Date: 08/18/2008
Comments: The building exterior and sidewalk were observed to be in good condition.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: 5 Year Review Reports
Completed Date: 03/28/2014
Comments: Based on the current site conditions, DTSC concludes that they remain protective of human health and the environment. Impacted soil remains under the building and adjacent sidewalks, which remain undisturbed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Operations and Maintenance Report
Completed Date: 03/29/2013
Comments: Asian Inc., the owner of the 518 Minna Street site, submitted an annual inspection report as required by Section 7.07 of the Land Use Covenant. The annual inspection report documented that on March 28, 2013 an inspection was performed. The site was found to be in compliance with the restrictions and requirements of the Land Use Covenant and there has been no changes to the cap condition. Therefore, DTSC approved the report documenting the annual inspection.
Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Operations and Maintenance Report
Completed Date: 02/19/2014
Comments: The Site owner performed the annual cap inspection as required by the Amendment to Covenant to Restrict Use of Property/Environmental Restriction that was recorded with the San Francisco Assessor Recorder on December 14, 2007. No damage to, disturbance of, or modification of the existing building foundation that serves as the cap were observed and there has been no change in the use of the property since the last annual inspection.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Operations and Maintenance Report
Completed Date: 04/07/2015
Comments: The property owner performed an annual inspection on March 18, 2015 to verify compliance with the restrictions and requirements of the Land Use Covenant and submitted an inspection report. The report noted that there has been no disturbance of the existing building foundation that serves as the cap over contaminated soil and there has been no change in the use of the property from multi-family housing.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report

518 MINNA STREET APARTMENTS (Continued) **S103977799**

Completed Date: 03/25/2016
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report
Completed Date: 03/15/2017
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report
Completed Date: 03/16/2018
Comments: ASIAN, Inc. personnel performed a cap inspection on March 15, 2018 and submitted a report to DTSC verifying that the property was in compliance with the restrictions and requirements of the Land Use Covenant and there has been no changes to the cap condition.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report
Completed Date: 01/24/2019
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 04/08/2008
Comments: no comments.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 05/26/2010
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 04/10/2009
Comments: Upon inspection, the building exterior and sidewalk area appeared to be in good condition. There was no evidence of any activities prohibited by the Deed Restriction.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 02/23/2012
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 04/15/2011
Comments: Not reported

Completed Area Name: PROJECT WIDE

518 MINNA STREET APARTMENTS (Continued) **S103977799**

Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 10/18/2013
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Correspondence
Completed Date: 03/08/2013
Comments: DTSC letter to site owner regarding conducting annual inspection to verify interity of the cap and to verify compliance with the Land Use Covenant. Letter includes an inspection checklist.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 10/15/2014
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Correspondence
Completed Date: 03/21/2014
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Correspondence
Completed Date: 03/13/2014
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 10/09/2015
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 10/17/2016
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 10/06/2017
Comments: DTSC oversight cost estimate for fiscal year 2017/2018 (July 1, 2017 - June 30, 2018)

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 10/17/2018
Comments: Not reported

Future Area Name: Not reported

518 MINNA STREET APARTMENTS (Continued) **S103977799**

Future Sub Area Name:	Not reported
Future Document Type:	Not reported
Future Due Date:	Not reported
Schedule Area Name:	PROJECT WIDE
Schedule Sub Area Name:	Not reported
Schedule Document Type:	5 Year Review Reports
Schedule Due Date:	06/07/2020
Schedule Revised Date:	Not reported

ENVIROSTOR:

Name:	518 MINNA STREET APARTMENTS
Address:	518 MINNA STREET
City,State,Zip:	SAN FRANCISCO, CA 94103
Facility ID:	38990005
Status:	Certified O&M - Land Use Restrictions Only
Status Date:	03/21/2014
Site Code:	200324
Site Type:	State Response
Site Type Detailed:	State Response or NPL
Acres:	0.23
NPL:	NO
Regulatory Agencies:	SMBRP, SAN FRANCISCO COUNTY
Lead Agency:	SMBRP
Program Manager:	Claude Jemison
Supervisor:	Mark Piros
Division Branch:	Cleanup Berkeley
Assembly:	17
Senate:	11
Special Program:	Not reported
Restricted Use:	YES
Site Mgmt Req:	REM, LUC, EX, NOWN, NDAM, NUSE, COV
Funding:	Responsible Party
Latitude:	37.78037
Longitude:	-122.4085
APN:	3726-152, 3726152
Past Use:	ILLEGAL DUMPING
Potential COC:	Lead Polynuclear aromatic hydrocarbons (PAHs
Confirmed COC:	Polynuclear aromatic hydrocarbons (PAHs Lead
Potential Description:	SOIL
Alias Name:	1009 MISSION STREET SITE
Alias Type:	Alternate Name
Alias Name:	518 MINNA STREET APARTMENTS
Alias Type:	Alternate Name
Alias Name:	ASIAN INC. SITE
Alias Type:	Alternate Name
Alias Name:	3726-152
Alias Type:	APN
Alias Name:	3726152
Alias Type:	APN
Alias Name:	110033612909
Alias Type:	EPA (FRS #)
Alias Name:	200324
Alias Type:	Project Code (Site Code)
Alias Name:	38990005
Alias Type:	Envirostor ID Number

Completed Info:

518 MINNA STREET APARTMENTS (Continued) **S103977799**

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Operation & Maintenance Order/Agreement
Completed Date: 12/14/1999
Comments: The O&M Agreement requires annual cap inspections, S.F. Dept. of Enviromental Health notification if cap repair is required, immediate cap repair if exposed soils or cracks are encountered and DTSC notification in the event of emergency response action.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 05/17/2007
Comments: No problems noted during the site inspection.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction
Completed Date: 12/30/1994
Comments: Deed Restriction signed on December 14, 1994 and recorded on December 30, 1994.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction
Completed Date: 12/14/2007
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 04/19/2006
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Other Report
Completed Date: 04/15/2005
Comments: Cap Inspection Report signed off 4/15/05.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Preliminary Endangerment Assessment Report
Completed Date: 06/28/1993
Comments: The Site Assessment recommended risk management measures during construction activities, including a Health & Safety Plan. It also recommended full encapsulation of the Site with a concrete foundation and land use restrictions to protect future residents and workers from direct contact with soils.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: 5 Year Review Reports
Completed Date: 08/18/2008
Comments: The building exterior and sidewalk were observed to be in good condition.

518 MINNA STREET APARTMENTS (Continued) **S103977799**

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: 5 Year Review Reports
Completed Date: 03/28/2014
Comments: Based on the current site conditions, DTSC concludes that they remain protective of human health and the environment. Impacted soil remains under the building and adjacent sidewalks, which remain undisturbed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Operations and Maintenance Report
Completed Date: 03/29/2013
Comments: Asian Inc., the owner of the 518 Minna Street site, submitted an annual inspection report as required by Section 7.07 of the Land Use Covenant. The annual inspection report documented that on March 28, 2013 an inspection was performed. The site was found to be in compliance with the restrictions and requirements of the Land Use Covenant and there has been no changes to the cap condition. Therefore, DTSC approved the report documenting the annual inspection.
Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Operations and Maintenance Report
Completed Date: 02/19/2014
Comments: The Site owner performed the annual cap inspection as required by the Amendment to Covenant to Restrict Use of Property/Environmental Restriction that was recorded with the San Francisco Assessor Recorder on December 14, 2007. No damage to, disturbance of, or modification of the existing building foundation that serves as the cap were observed and there has been no change in the use of the property since the last annual inspection.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Operations and Maintenance Report
Completed Date: 04/07/2015
Comments: The property owner performed an annual inspection on March 18, 2015 to verify compliance with the restrictions and requirements of the Land Use Covenant and submitted an inspection report. The report noted that there has been no disturbance of the existing building foundation that serves as the cap over contaminated soil and there has been no change in the use of the property from multi-family housing.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report
Completed Date: 03/25/2016
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report
Completed Date: 03/15/2017
Comments: Not reported

518 MINNA STREET APARTMENTS (Continued) **S103977799**

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report
Completed Date: 03/16/2018
Comments: ASIAN, Inc. personnel performed a cap inspection on March 15, 2018 and submitted a report to DTSC verifying that the property was in compliance with the restrictions and requirements of the Land Use Covenant and there has been no changes to the cap condition.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction Monitoring Report
Completed Date: 01/24/2019
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 04/08/2008
Comments: no comments.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 05/26/2010
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 04/10/2009
Comments: Upon inspection, the building exterior and sidewalk area appeared to be in good condition. There was no evidence of any activities prohibited by the Deed Restriction.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 02/23/2012
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Land Use Restriction - Site Inspection/Visit
Completed Date: 04/15/2011
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 10/18/2013
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Correspondence
Completed Date: 03/08/2013

518 MINNA STREET APARTMENTS (Continued) **S103977799**

Comments:	DTSC letter to site owner regarding conducting annual inspection to verify interity of the cap and to verify compliance with the Land Use Covenant. Letter includes an inspection checklist.
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Annual Oversight Cost Estimate
Completed Date:	10/15/2014
Comments:	Not reported
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Correspondence
Completed Date:	03/21/2014
Comments:	Not reported
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Correspondence
Completed Date:	03/13/2014
Comments:	Not reported
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Annual Oversight Cost Estimate
Completed Date:	10/09/2015
Comments:	Not reported
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Annual Oversight Cost Estimate
Completed Date:	10/17/2016
Comments:	Not reported
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Annual Oversight Cost Estimate
Completed Date:	10/06/2017
Comments:	DTSC oversight cost estimate for fiscal year 2017/2018 (July 1, 2017 - June 30, 2018)
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Annual Oversight Cost Estimate
Completed Date:	10/17/2018
Comments:	Not reported
Future Area Name:	Not reported
Future Sub Area Name:	Not reported
Future Document Type:	Not reported
Future Due Date:	Not reported
Schedule Area Name:	PROJECT WIDE
Schedule Sub Area Name:	Not reported
Schedule Document Type:	5 Year Review Reports
Schedule Due Date:	06/07/2020
Schedule Revised Date:	Not reported

518 MINNA STREET APARTMENTS (Continued) **S103977799**

DEED:
Name: 518 MINNA STREET APARTMENTS
Address: 518 MINNA STREET
City,State,Zip: SAN FRANCISCO, CA 94103
Envirostor ID: 38990005
Area: PROJECT WIDE
Sub Area: Not reported
Site Type: STATE RESPONSE
Status: CERTIFIED O&M - LAND USE RESTRICTIONS ONLY
Agency: Not reported
Covenant Uploaded: Not reported
Deed Date(s): Not reported
File Name: Envirostor Land Use Restrictions

Name: 518 MINNA STREET APARTMENTS
Address: 518 MINNA STREET
City,State,Zip: SAN FRANCISCO, CA 94103
Envirostor ID: 38990005
Area: PROJECT WIDE
Sub Area: Not reported
Site Type: STATE RESPONSE
Status: CERTIFIED O&M - LAND USE RESTRICTIONS ONLY
Agency: Not reported
Covenant Uploaded: Not reported
Deed Date(s): Not reported
File Name: Envirostor Land Use Restrictions

AY479 **DIAMOND WEST** **CA LUST** **S103472631**
NNW **750 O'FARRELL STREET** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94104**
0.295 mi.
1560 ft. **Site 1 of 5 in cluster AY**

Relative:
Higher

Actual:
112 ft.

LUST REG 2:
Region: 2
Facility Id: 38-0759
Facility Status: Case Closed
Case Number: 10626
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: DIAMOND WEST
Address: 750 O'Farrell Street
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 38-0759
Facility Status: Case Closed

DIAMOND WEST (Continued) **S103472631**

Case Number:	10626
Case Type:	Soil only
Release Date:	3/4/1996
Discovered Date:	3/4/1996
Substance:	Heater Fuel
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	3/4/1996
Case Closed:	4/30/1996
Closed Date:	4/30/1996
Leak Source:	Unknown
Leak Cause:	Unknown
Leak Confirmed:	4/26/1996
Entered Date:	4/26/1996
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	SC
Cross Street:	LARKIN ST
NOR Date:	4/26/1996
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NRQ
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	Not reported
Priority:	Not reported
Abatement:	Not reported
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	2/28/1996
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Fuel Oils Nos. 1 -

DIAMOND WEST (Continued) **S103472631**

Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

AY480 **CARTER PROPERTY** **CA HIST CORTESE** **S105026184**
NNW **750 O FARRELL** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94104**
0.295 mi.
1560 ft. **Site 2 of 5 in cluster AY**

Relative: **Higher**
Actual: **112 ft.**

HIST CORTESE:

edr_fname:	CARTER PROPERTY
edr_fadd1:	750 O FARRELL
City,State,Zip:	SAN FRANCISCO, CA 94104
Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0759

AY481 **DIAMOND WEST ASSOCIATION** **CA LUST** **S103960677**
NNW **750 O'FARRELL STREET** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94104**
0.295 mi.
1560 ft. **Site 3 of 5 in cluster AY**

Relative: **Higher**
Actual: **112 ft.**

LUST:

Name:	DIAMOND WEST ASSOCIATION
Address:	750 O'FARRELL STREET
City,State,Zip:	SAN FRANCISCO, CA 94104
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500659
Global Id:	T0607500659
Latitude:	37.7852944
Longitude:	-122.4171011
Status:	Completed - Case Closed
Status Date:	04/30/1996
Case Worker:	SC
RB Case Number:	38-0759
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Not reported

DIAMOND WEST ASSOCIATION (Continued) **S103960677**

Local Case Number: 10626
Potential Media Affect: Soil
Potential Contaminants of Concern: Heating Oil / Fuel Oil
Site History: Not reported

LUST:
Global Id: T0607500659
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0607500659
Contact Type: Local Agency Caseworker
Contact Name: STEPHANIE CUSHING
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

LUST:
Global Id: T0607500659
Action Type: Other
Date: 03/04/1996
Action: Leak Discovery

Global Id: T0607500659
Action Type: Other
Date: 01/02/1965
Action: Leak Reported

LUST:
Global Id: T0607500659
Status: Open - Case Begin Date
Status Date: 03/04/1996

Global Id: T0607500659
Status: Completed - Case Closed
Status Date: 04/30/1996

AZ482 **RESIDENCE** **CA LUST** **S105248119**
NW **815 O'FARRELL STREET** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94109**
0.296 mi.
1562 ft. **Site 1 of 7 in cluster AZ**

Relative:
Higher

Actual:
109 ft.

LUST REG 2:
Region: 2
Facility Id: 38-0965
Facility Status: Case Closed
Case Number: 10895
How Discovered: Not reported

RESIDENCE (Continued) **S105248119**

Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: Residence
Address: 815 O'Farrell Street
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 38-0965
Facility Status: Case Closed
Case Number: 10895
Case Type: Soil only
Release Date: 11/26/1997
Discovered Date: 11/26/1997
Substance: Heater Fuel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 11/26/1997
Case Closed: 1/13/1998
Closed Date: 1/13/1998
Leak Source: Unknown
Leak Cause: Unknown
Leak Confirmed: Not reported
Entered Date: 12/12/1997
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: 815 O'FARRELL INC.
RP Address: Not reported
Operator: Not reported
Staff Initial: VP
Facility Staff: MA
Cross Street: LARKIN ST
NOR Date: 12/12/1997
MTBE Current: Not reported
MTBE Current Date: Not reported
MTBE: NRQ
Maximum MTBE Soil: Not reported
Maximum MTBE GW: Not reported
MTBE DATE: Not reported
Review Date: Not reported
Workplan Submitted: Not reported
Assessment Underway: Not reported
Pollution Characterization: Not reported
Corrective Action Plan: Not reported
Remediation Underway: Not reported

RESIDENCE (Continued) **S105248119**

Monitoring Begun:	Not reported
Funding:	State
Interim Remediation:	No
Priority:	Not reported
Abatement:	Remove Free Product - remove floating product from water table
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Marina Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	Not reported
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Fuel Oils Nos. 1 -
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

AZ483 **RESIDENCE** **CA LUST** **S103979713**
NW **815 O'FARRELL STREET** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94109**
0.296 mi.
1562 ft. **Site 2 of 7 in cluster AZ**

Relative:
Higher

Actual:
109 ft.

LUST:

Name:	RESIDENCE
Address:	815 O'FARRELL STREET
City,State,Zip:	SAN FRANCISCO, CA 94109
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607500858
Global Id:	T0607500858
Latitude:	37.785018
Longitude:	-122.418109
Status:	Completed - Case Closed
Status Date:	01/13/1998
Case Worker:	MA
RB Case Number:	38-0965
Local Agency:	SAN FRANCISCO COUNTY LOP

RESIDENCE (Continued) **S103979713**

File Location: Not reported
Local Case Number: 10895
Potential Media Affect: Soil
Potential Contaminants of Concern: Heating Oil / Fuel Oil
Site History: Not reported

LUST:
Global Id: T0607500858
Contact Type: Local Agency Caseworker
Contact Name: MAMDOUH AWWAD
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET, #210
City: SAN FRANCISCO
Email: mamdouh.awwad@sfdph.org
Phone Number: Not reported

Global Id: T0607500858
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

LUST:
Global Id: T0607500858
Action Type: Other
Date: 11/26/1997
Action: Leak Discovery

Global Id: T0607500858
Action Type: Other
Date: 01/02/1965
Action: Leak Reported

LUST:
Global Id: T0607500858
Status: Open - Case Begin Date
Status Date: 11/26/1997

Global Id: T0607500858
Status: Completed - Case Closed
Status Date: 01/13/1998

AZ484 **RESIDENCE** **CA HIST CORTESE** **S105026185**
NW **815 O FARRELL** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94109**
0.296 mi.
1562 ft. **Site 3 of 7 in cluster AZ**

Relative:
Higher

Actual:
109 ft.

HIST CORTESE:
edr_fname: RESIDENCE
edr_fadd1: 815 O FARRELL
City,State,Zip: SAN FRANCISCO, CA 94109
Region: CORTESE

RESIDENCE (Continued) **S105026185**

Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-0965

BA485 **RAMADA MARK TWAIN** **CA LUST** **S103723153**
NNE **345 TAYLOR STREET** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94102**
0.296 mi.
1563 ft. **Site 1 of 5 in cluster BA**

Relative:
Higher

Actual:
72 ft.

LUST REG 2:
Region: 2
Facility Id: 38-1268
Facility Status: Case Closed
Case Number: 11159
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Name: Ramada Mark Twain
Address: 345 Taylor Street
City: San Francisco
Region: SAN FRANCISCO
Facility ID: 38-1268
Facility Status: Case Closed
Case Number: 11159
Case Type: Soil only
Release Date: 10/15/1998
Discovered Date: 10/13/1998
Substance: Heater Fuel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Repair Tank
Report Date: 10/15/1998
Case Closed: 5/25/1999
Closed Date: 5/25/1999
Leak Source: Tank
Leak Cause: Corrosion
Leak Confirmed: 2/16/1999
Entered Date: 2/16/1999
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: John Downey
RP Address: Not reported
Operator: Not reported

RAMADA MARK TWAIN (Continued) **S103723153**

Staff Initial:	VP
Facility Staff:	MA
Cross Street:	ELLIS ST
NOR Date:	2/16/1999
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NRQ
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	Yes
Priority:	Not reported
Abatement:	Pump and Treat Ground Water - generally employed to remove dissolved contaminants
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	10/13/1998
Free Product:	No
Depth to Grnd Wtr:	NA
Gradient:	NA
Benzene:	Not reported
Primary Substance:	Fuel Oils Nos. 1 -
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	ND
Maximum Soil GW:	ND
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Case closed.

BA486 **RAMADA MARK TWAIN HOTEL** **CA LUST** **S103983573**
NNE **345 TAYLOR** **CA HIST CORTESE** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94526** **CA CERS**
0.296 mi.
1563 ft. **Site 2 of 5 in cluster BA**

Relative:
Higher

Actual:
72 ft.

LUST:

Name:	RAMADA MARK TWAIN HOTEL
Address:	345 TAYLOR STREET
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607501153
Global Id:	T0607501153
Latitude:	37.785569
Longitude:	-122.411602
Status:	Completed - Case Closed
Status Date:	05/25/1999
Case Worker:	MA
RB Case Number:	38-1268
Local Agency:	SAN FRANCISCO COUNTY LOP
File Location:	Not reported
Local Case Number:	11159
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607501153
Contact Type:	Local Agency Caseworker
Contact Name:	MAMDOUH AWWAD
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210
City:	SAN FRANCISCO
Email:	mamdouh.awwad@sfdph.org
Phone Number:	Not reported

Global Id:	T0607501153
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0607501153
Action Type:	Other
Date:	10/13/1998
Action:	Leak Discovery

Global Id:	T0607501153
Action Type:	Other
Date:	01/02/1965
Action:	Leak Reported

LUST:

Global Id:	T0607501153

RAMADA MARK TWAIN HOTEL (Continued) **S103983573**

Status: Open - Case Begin Date
Status Date: 10/13/1998

Global Id: T0607501153
Status: Completed - Case Closed
Status Date: 05/25/1999

HIST CORTESE:
edr_fname: RAMADA MARK TWAIN HOTEL
edr_fadd1: 345 TAYLOR
City,State,Zip: SAN FRANCISCO, CA 94526
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-1268

CERS:
Name: RAMADA MARK TWAIN HOTEL
Address: 345 TAYLOR STREET
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 233998
CERS ID: T0607501153
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: MAMDOUH AWWAD - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1390 MARKET STREET, #210
Affiliation City: SAN FRANCISCO
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

BA487 **COMMERCIAL** **CA LUST** **S111121269**
NNE **445 O' FARRELL ST.** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94102**
0.299 mi.
1579 ft. **Site 3 of 5 in cluster BA**

Relative:
Higher

Actual:
83 ft.

LUST:
Name: COMMERCIAL
Address: 445 O' FARRELL ST.
City,State,Zip: SAN FRANCISCO, CA 94102

COMMERCIAL (Continued) **S111121269**

Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T10000003065
Global Id:	T10000003065
Latitude:	37.7858032
Longitude:	-122.4120397
Status:	Completed - Case Closed
Status Date:	08/22/2011
Case Worker:	Not reported
RB Case Number:	Not reported
Local Agency:	Not reported
File Location:	Not reported
Local Case Number:	11937
Potential Media Affect:	Not reported
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T10000003065
Action Type:	ENFORCEMENT
Date:	08/08/2011
Action:	Closure/No Further Action Letter

Global Id:	T10000003065
Action Type:	ENFORCEMENT
Date:	06/22/2011
Action:	Notice of Responsibility - #11937

Global Id:	T10000003065
Action Type:	Other
Date:	06/09/2011
Action:	Leak Discovery

Global Id:	T10000003065
Action Type:	ENFORCEMENT
Date:	08/07/2011
Action:	Clean Up Fund - Case Closure Review Summary Report (RSR)

Global Id:	T10000003065
Action Type:	Other
Date:	06/09/2011
Action:	Leak Stopped

Global Id:	T10000003065
Action Type:	Other
Date:	06/09/2011
Action:	Leak Reported

Global Id:	T10000003065
Action Type:	Other
Date:	06/09/2011
Action:	Leak Began

LUST:

Global Id:	T10000003065
Status:	Open - Case Begin Date
Status Date:	06/09/2011

COMMERCIAL (Continued) **S111121269**

Global Id: T10000003065
Status: Open - Site Assessment
Status Date: 06/22/2011

Global Id: T10000003065
Status: Completed - Case Closed
Status Date: 08/22/2011

AX488 **944 MARKET STREET ASSOCIATION** **CA LUST** **U001595015**
ENE **944 MARKET ST** **CA HIST UST** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94102** **CA CERS**
0.304 mi.
1604 ft. **Site 2 of 2 in cluster AX**

Relative:
Lower

Actual:
44 ft.

LUST:
Name: 944 MARKET STREET
Address: 944 MARKET STREET
City,State,Zip: SAN FRANCISCO, CA 94102
Lead Agency: SAN FRANCISCO COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607538685
Global Id: T0607538685
Latitude: 37.783551
Longitude: -122.408936
Status: Completed - Case Closed
Status Date: 03/10/2008
Case Worker: SC
RB Case Number: 38-2490
Local Agency: SAN FRANCISCO COUNTY LOP
File Location: Local Agency
Local Case Number: 11829
Potential Media Affect: Soil
Potential Contaminants of Concern: Heating Oil / Fuel Oil
Site History: Not reported

LUST:
Global Id: T0607538685
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0607538685
Contact Type: Local Agency Caseworker
Contact Name: STEPHANIE CUSHING
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

LUST:
Global Id: T0607538685
Action Type: Other

944 MARKET STREET ASSOCIATION (Continued) **U001595015**

Date: 01/25/2008
Action: Leak Discovery

Global Id: T0607538685
Action Type: ENFORCEMENT
Date: 03/07/2008
Action: Verbal Communication

Global Id: T0607538685
Action Type: ENFORCEMENT
Date: 03/07/2008
Action: File review

Global Id: T0607538685
Action Type: ENFORCEMENT
Date: 03/10/2008
Action: Closure/No Further Action Letter

Global Id: T0607538685
Action Type: REMEDIATION
Date: 01/25/2008
Action: Other (Use Description Field)

Global Id: T0607538685
Action Type: Other
Date: 02/06/2008
Action: Leak Reported

LUST:
Global Id: T0607538685
Status: Open - Case Begin Date
Status Date: 01/25/2008

Global Id: T0607538685
Status: Open - Site Assessment
Status Date: 03/06/2008

Global Id: T0607538685
Status: Completed - Case Closed
Status Date: 03/10/2008

HIST UST:
Name: 944 MARKET STREET ASSOCIATION
Address: 944 MARKET ST
City,State,Zip: SAN FRANCISCO, CA 94102
File Number: Not reported
URL: Not reported
Region: STATE
Facility ID: 00000066557
Facility Type: Other
Other Type: COMMERCIAL DEVELOPME
Contact Name: KATY TIONGSON
Telephone: 4153914752
Owner Name: 944 MARKET STREET ASSOCIATION
Owner Address: 944 MARKET STREET

944 MARKET STREET ASSOCIATION (Continued) **U001595015**

Owner City,St,Zip: SAN FRANCISCO, CA 94102
Total Tanks: 0001

Tank Num: 001
Container Num: 1
Year Installed: Not reported
Tank Capacity: 00001000
Tank Used for: WASTE
Type of Fuel: 5
Container Construction Thickness: X
Leak Detection: Visual

CERS:
Name: 944 MARKET STREET
Address: 944 MARKET STREET
City,State,Zip: SAN FRANCISCO, CA 94102
Site ID: 251102
CERS ID: T0607538685
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: STEPHANIE CUSHING - SAN FRANCISCO COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1390 MARKET STREET #210
Affiliation City: SAN FRANCISCO
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

BB489 **QUALITY TUNE UP** **CA HIST CORTESE** **S103890696**
WSW **490 VAN NESS** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94103**
0.308 mi.
1625 ft. **Site 1 of 2 in cluster BB**

Relative:
Higher

Actual:
74 ft.

HIST CORTESE:
edr_fname: QUALITY TUNE UP
edr_fadd1: 490 VAN NESS
City,State,Zip: SAN FRANCISCO, CA 94103
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-1203

BA490 **COMMERCIAL** **CA LUST** **S105244858**
NNE **401 O'FARRELL STREET** **N/A**
1/4-1/2 **SAN FRANCISCO, CA 94102**
0.308 mi.
1625 ft. **Site 4 of 5 in cluster BA**

Relative:
Higher

Actual:
76 ft.

LUST:

Name:	COMMERCIAL
Address:	401 O'FARRELL STREET
City,State,Zip:	SAN FRANCISCO, CA 94102
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0607501143
Global Id:	T0607501143
Latitude:	37.7859766
Longitude:	-122.4113252
Status:	Completed - Case Closed
Status Date:	01/21/1999
Case Worker:	Not reported
RB Case Number:	38-1258
Local Agency:	Not reported
File Location:	Not reported
Local Case Number:	11138
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0607501143
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0607501143
Action Type:	Other
Date:	09/29/1998
Action:	Leak Discovery
Global Id:	T0607501143
Action Type:	Other
Date:	01/02/1965
Action:	Leak Reported

LUST:

Global Id:	T0607501143
Status:	Open - Case Begin Date
Status Date:	09/29/1998
Global Id:	T0607501143
Status:	Completed - Case Closed
Status Date:	01/21/1999

COMMERCIAL (Continued) **S105244858**

LUST REG 2:

Region:	2
Facility Id:	38-1258
Facility Status:	Case Closed
Case Number:	11138
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

SAN FRANCISCO CO. LUST:

Name:	Commercial
Address:	401 O'Farrell Street
City:	San Francisco
Region:	SAN FRANCISCO
Facility ID:	38-1258
Facility Status:	Case Closed
Case Number:	11138
Case Type:	Soil only
Release Date:	9/28/1998
Discovered Date:	9/29/1998
Substance:	Heater Fuel
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Repair Tank
Report Date:	9/28/1998
Case Closed:	1/21/1999
Closed Date:	1/21/1999
Leak Source:	Tank
Leak Cause:	Corrosion
Leak Confirmed:	1/12/1999
Entered Date:	1/12/1999
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	John Lee /
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	AL
Cross Street:	ELLIS ST
NOR Date:	1/12/1999
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NRQ
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported